

אולג אולוקוב-final exam


docker version inside the ec2:

```
ubuntu@ip-172-31-96-49:~$ docker --version
Docker version 27.5.1, build a187fa5
```

docker compose:

```
ubuntu@ip-172-31-96-49:~$ docker-compose version
Docker Compose version v2.34.0
```

the python app running on a container on the ec2 i created earlier:



NameError

NameError: name 'vpcs' is not defined

Traceback (most recent call last)

```
File "/usr/local/lib/python3.10/site-packages/flask/app.py", line 1536, in __call__
    return self.wsgi_app(environ, start_response)
File "/usr/local/lib/python3.10/site-packages/flask/app.py", line 1514, in wsgi_app
    response = self.handle_exception(e)
File "/usr/local/lib/python3.10/site-packages/flask/app.py", line 1511, in wsgi_app
    response = self.full_dispatch_request()
File "/usr/local/lib/python3.10/site-packages/flask/app.py", line 919, in full_dispatch_request
    rv = self.handle_user_exception(e)
File "/usr/local/lib/python3.10/site-packages/flask/app.py", line 917, in full_dispatch_request
    rv = self.dispatch_request()
File "/usr/local/lib/python3.10/site-packages/flask/app.py", line 902, in dispatch_request
    return self.ensure_sync(self.view_functions[rule.endpoint])(**view_args) # type: ignore[no-any-return]
File "/app/app.py", line 36, in home
    vpc_data = [{"VPC ID": vpc["VpcId"], "CIDR": vpc["CidrBlock"]} for vpc in vpcs["Vpcs"]]
```

NameError: name 'vpcs' is not defined

The debugger caught an exception in your WSGI application. You can now look at the traceback which led to the error.

To switch between the interactive traceback and the plaintext one, you can click on the "Traceback" headline. From the text traceback you can also create a paste of it.

debugged python code:

Running EC2 Instances

ID	State	Type	Public IP
i-04c626ffce0d241b	running	t3.medium	54.161.131.247
i-0452289e4262900be	running	t4g.medium	34.207.125.155
i-0476ccfb8b6903df0	running	t3.medium	54.164.16.229
i-0cde8ebc1591e22c8	running	t3.medium	34.238.39.188
i-09f0f850867de3b36	running	t3.medium	3.239.180.126
i-0dceafa917df59f88	running	t3.medium	3.239.188.109
i-09cfce9052177f0b9	running	t3.medium	3.235.155.70
i-065aaaa2177e13008	terminated	t3.medium	N/A
i-03634a73a0c7b3301	running	t3.medium	3.219.215.180
i-0ee8e5026c4af6cf1	running	t4g.medium	44.200.53.30
i-0c0966db60aadca96	running	t3.medium	3.89.81.217
i-0d1f41cc74cf17260	running	t3.medium	3.236.186.248
i-0642c6787ab7c56e9	running	t3.medium	44.192.109.161
i-009006cf8fc393f2c	running	t3.medium	34.231.255.8
i-0b78771567ef067d8	running	t3.medium	3.239.197.40
i-0b1664a23e6ebf2c6	running	t3.medium	3.239.170.16
i-0c4e923066b99e1be	running	t3.medium	54.236.59.109
i-0e1b6619a95b36ad9	running	t3.medium	3.236.186.219
i-0683b6972f83166b1	running	t3.medium	98.80.202.61
i-09f9a1a10d300acf8	running	t3.medium	98.84.42.110
i-07ed3ce2143261483	running	t3.medium	3.239.106.200
i-00d8aea4fc8da2958	running	t3.medium	44.220.251.124
i-075c9ac8688269d81	running	t3.medium	3.92.48.226
i-0998ef48512c2b6b9	running	t3.medium	44.211.124.5
i-03150d7625ae55798	running	t3.medium	34.228.210.179

jenkins pipeline:

All +

S	W	Name ↓	Last Success	Last Failure	Last Duration	F
✓	☀	exam-pipe	59 sec #1	N/A	58 sec	▶ ☆

Icon: S M L

dockerhub image:

olego700

Search by repository name

All content

Create a repository

Name	Last Pushed ↑	Contains	Visibility	Scout
olego700/flask-aws-monitor	1 minute ago	IMAGE	Public	Inactive


k8s:

deployment is correct and the loadbalancer service is running but there a problem with the image (the k8s section works as intended)(because i removed the aws creds from the git files):

```

flask-aws-monitor-6cddf479d5-mp266 1/1 Running 0 2m25s
● ubuntu@ip-172-31-37-211:~/workarea/devopshift/devops-final-exam/k8s$ kubectl get svc flask-aws-monitor-service
NAME                                TYPE                CLUSTER-IP      EXTERNAL-IP      PORT(S)          AGE
flask-aws-monitor-service          LoadBalancer       100.67.206.64   aa7eb1eb6198f425a9e33bd769484d4a-983264415.eu-west-1.elb.amazonaws.com 80:31888/TCP    7m35s
● ubuntu@ip-172-31-37-211:~/workarea/devopshift/devops-final-exam/k8s$ kubectl get pods -l app=flask-aws-monitor
NAME                                READY    STATUS    RESTARTS   AGE
flask-aws-monitor-6cddf479d5-5cgpj 1/1      Running   0          2m23s
flask-aws-monitor-6cddf479d5-mp266 1/1      Running   0          2m25s
● ubuntu@ip-172-31-37-211:~/workarea/devopshift/devops-final-exam/k8s$ kubectl get svc flask-aws-monitor-service
NAME                                TYPE                CLUSTER-IP      EXTERNAL-IP      PORT(S)          AGE
flask-aws-monitor-service          LoadBalancer       100.67.206.64   aa7eb1eb6198f425a9e33bd769484d4a-983264415.eu-west-1.elb.amazonaws.com 80:31888/TCP    9m34s

```



NoCredentialsError

botocore.exceptions.NoCredentialsError: Unable to locate credentials

Traceback (most recent call last)

```

File "/usr/local/lib/python3.10/site-packages/flask/app.py", line 1536, in __call__
    return self.wsgi_app(environ, start_response)
File "/usr/local/lib/python3.10/site-packages/flask/app.py", line 1514, in wsgi_app
    response = self.handle_exception(e)
File "/usr/local/lib/python3.10/site-packages/flask/app.py", line 1511, in wsgi_app
    response = self.full_dispatch_request()
File "/usr/local/lib/python3.10/site-packages/flask/app.py", line 919, in full_dispatch_request
    rv = self.handle_user_exception(e)
File "/usr/local/lib/python3.10/site-packages/flask/app.py", line 917, in full_dispatch_request
    rv = self.dispatch_request()
File "/usr/local/lib/python3.10/site-packages/flask/app.py", line 902, in dispatch_request
    return self.ensure_sync(self.view_functions[rule.endpoint])(**view_args) # type: ignore[no-any-return]
File "/app/app.py", line 24, in home
    instances = ec2_client.describe_instances()
File "/usr/local/lib/python3.10/site-packages/botocore/client.py", line 570, in _api_call
    return self._make_api_call(operation_name, kwargs)
File "/usr/local/lib/python3.10/site-packages/botocore/context.py", line 124, in wrapper
    return func(*args, **kwargs)
File "/usr/local/lib/python3.10/site-packages/botocore/client.py", line 1013, in _make_api_call
    http, parsed_response = self._make_request(

```

helm:

```

to further debug and diagnose cluster problems, use 'kubectl cluster-info dump'.
● ubuntu@ip-172-31-37-211:~/workarea/devopshift/devops-final-exam/flask-aws-monitor$ helm list
NAME      NAMESPACE    REVISION    UPDATED                               STATUS    CHART              APP VERSION
flask-monitor default      1           2025-03-17 13:48:55.0449026 +0000 UTC deployed  flask-aws-monitor-0.1.0 1.16.0

```