

API Manual

M2M interface description for softwarehouses with
readonly access to VAMREG production environment

Interface Control Document (ICD) that specifies the interface offered by FAMHP
for VAMREG to external clients to perform GET commands to retrieve the
medial product lists.

Table of contents

1. Introduction	3
1.1. Definitions, acronyms, abbreviations and process description	3
1.2. Host, REST API path and headers	3
1.2.2. In the production environment	3
1.3. Roles	3
2. API	4
2.1. Reference lists	4
2.1.1. Resource description, URI and parameters	4
2.1.2. Response	5



1. Introduction

1.1. Definitions, acronyms, abbreviations and process description

VAMREG: a tool used by declarants to communicate antibiotic medicines stock updates periodically (at least every quarter); in accordance with the criteria set by the Federal Agency for Medicinal and Health Products (FAMHP). We need to have the information on antibiotics used in animals from the Incoming and Outgoing (Veterinary) Register.

Declarant: pharmacist-holder of public pharmacy (PP) or veterinarian-holder of a veterinary depot.

Softwarehouse: a 3rd party softwarehouse, distributor, developer for self-made solutions, integrators who received credentials for read only access to the production environment.

Reference list: an array of antibacterial medicinal products, antibacterial active substances, pharmaceutical forms or units that have to be referenced in a declaration.

Declaration: a stock update event, triggered when a referenced medicinal product or magistral preparations enters or exits the declarant's inventory, so when a line is added in the incoming or outgoing (veterinary) register.

Each line of the incoming or outgoing (veterinary) register for an antibacterial medicinal product must be declared.

1.2. Host, REST API path and headers

1.2.2. In the production environment

In the production environment all requests should be sent to the host <https://app.fagg-afmps.be> on the base path </vamreg/api/>.

Softwarehouse will have to generate a "secret" API key from our portal.

Attention, the length of the production API key is in format:

xxxxxxxx-xxxx-xxxx-xxxx-xx=

Softwarehouse have to put the API key associated to the declarant's account in the FAMHP-SEC-KEY header.

1.3. Roles

Depending on the role configured in your **FAMHP Connect** account within the **VAMREG** application, you will or will not have access to the endpoints described below.

VAM_REG_ROLE_SOFTWARE_HOUSE — a **read-only** profile that provides access **only to reference lists**.

As result of this role, you will not have access to the VAMREG user interface application, but only to the endpoints described below.

1. 2. API

2.1. Reference lists

2.1.1. Resource description, URI and parameters

Description	Retrieve accepted medicinal products, active substances, pharmaceutical forms and units
Method	GET
Endpoint	• /medicinal-product /medicinal-product?timestamp=true A timestamp can be requested alongside the array of medicinal products authorized in Belgium. It is the last time the contents of the medicinal products array has changed. • /foreign-medicinal-product /foreign-medicinal-product?timestamp=true A timestamp can be requested along with the table of foreign (non-BE) medicinal products that are frequently used. It indicates the last time the contents of this table were modified. • /active-substance Note: active substance SPOR identifier are also available from the EMA at https://spor.ema.europa.eu/smswi/#/ or from PharmaStatus https://app.fagg-afmps.be/pharma-status/api/active-substances/?size=100 or from SAM. • /pharmaceutical-form Note pharmaceutical forms SPOR identifier are also available from the EMA at https://spor.ema.europa.eu/smswi/#/ or from PharmaStatus https://app.fagg-afmps.be/pharma-status/api/pharmaceutical-forms/?size=100 or from SAM. • /unit Note units SPOR identifier are also available from the EMA at https://spor.ema.europa.eu/smswi/#/ or from PharmaStatus https://app.fagg-afmps.be/pharma-status/api/units/?size=100 or from SAM.
Headers	Accept: application/json

2.1.2. Response

2.1.2.1. Response body & codes

Response body	An array of references
Response codes	. 200 - success. . 403 - forbidden.

2.1.2.2. Response payload model - medicinal products

2.1.2.2.1. Response payload model - medicinal products first level

MedicinalProduct

Field name	Type
id	string
cti	string
cnk	string
ppnEn	string
ppnNl	string
ppnFr	string
packSize	string
usage	string (enum [HUMAN, VETERINARY])
activeSubstanceStrengthUnits	MedicinalProductActiveSubstance StrengthUnit[]
pharmaceuticalFormSporIds	string[]
maName	string
maNumber	string
mahName	string
amrPackUnitAmount	double (max 15 digits)
amrDeclarationUnit	string (enum [G, ML, PIECE])
deprecated	boolean Always false since we won't return deprecated medicines to M2M clients

2.1.2.2.2. Response payload model - medicinal products second level

MedicinalProductActiveSubstanceStrengthUnit

Field name	Type
activeSubstanceSporId	string
strengthUnitLabel	string

2.1.2.2.3. Response payload model - medicinal products with timestamp

Field name	Type
timestamp	date
medicinalProducts	MedicinalProduct[]

2.1.2.2.4. Response payload example - medicinal products

```
[
  {
    "cti": "232346-02",
    "cnk": "1691716",
    "ppnEn": "Advocin 180 180 mg/ml inj. sol. i.v./s.c. vial 100 ml",
    "ppnNl": "Advocin 180 180 mg/ml inj. opl. i.v./s.c. flac. 100 ml",
    "ppnFr": "Advocin 180 180 mg/ml sol. inj. i.v./s.c. flac. 100 ml",
    "packSize": "100 ml",
    "activeSubstanceStrengthUnits": [
      {
        "activeSubstanceSporId": "100000083438",
        "strengthUnitLabel": "180 mg/ml"
      }
    ],
    "pharmaceuticalFormSporIds": [
      "100000073863"
    ],
    "usage": "VETERINARY",
    "maName": "Advocin 180",
    "maNumber": "BE-V232346",
    "mahName": "Zoetis Belgium",
    "deprecated": false,
    "amrDeclarationUnit": "G",
    "amrPackUnitAmount": "100"
  }, ...
]
```

2.1.2.2.4.1. Response payload example - medicinal products with timestamp

```
{
  "timestamp": "2026-01-21T13:15:16.360322483Z"
  "medicinalProducts": [...]
}
```

2.1.2.3. Response payload model - foreign medicinal products

2.1.2.3.1. Response payload model - foreign medicinal products first level foreign-medicinal-product

Field name	Type
id	string
foreignProductName	string
foreignMaNumber	string
foreignMaHolder	string
pharmaceuticalFormSporId	string
packSize	string
usage	string (enum [HUMAN, VETERINARY])
activeSubstanceStrengthUnitMasses	NonBeMedicinalProductActive SubstanceStrengthUnitMasses []
updPermanentIdentifier	string
updPackId	string
amrPackUnitAmount	double (max 15 digits)
amrDeclarationUnit	string (enum [G, ML, PIECE])
deprecated	boolean Always false since we won't return deprecated medicines to M2M clients

2.1.2.3.2. Response payload model - foreign medicinal products second level ForeignProductActiveSubstanceStrengthUnitMasses

Field name	Type
activeSubstanceSporId	string
strength	string
unitSporId	string

2.1.2.3.3. Response payload model - foreign medicinal products with timestamp

Field name	Type
timestamp	date
nonBeMedicinalProducts	NonBeMedicinalProduct[]

2.1.2.3.4. Response payload example - foreign medicinal products

```
[
  {
    "foreignProductName" : "SPIROVET inj. sol. i.m. 100 ml",
    "foreignMaNumber" : "FR/V/6654539 6/2003",
    "foreignMaHolder" : "Ceva Sante Animale",
    "pharmaceuticalFormSporId" : "100000073863",
    "packSize" : "100 ml",
    "usage" : "VETERINARY",
    "updPermanentIdentifier" : "600000040277",
    "updPackId" : "129540fc-1a0f-439a-a45c-2f65c2b38218",
    "deprecated" : false,
    "activeSubstanceStrengthUnitMasses" : [
      {
        "activeSubstanceSporId" : "100000091325",
        "strength" : "6E+5",
        "unitSporId" : "100000110736"
      }
    ]
  }, ...
]
```

2.1.2.3.4.1. Response payload example - foreign medicinal products with timestamp

```
{
  "timestamp": "2026-01-21T13:15:16.360322483Z"
  "foreignMedicinalProducts": [...]
}
```

2.1.2.3.2. Response payload model - non BE medicinal products second level

NonBeMedicinalProductActiveSubstanceStrengthUnitMasses

Field name	Type
activeSubstanceSporId	string
strength	string
unitSporId	string

2.1.2.3.3. Response payload model - non BE medicinal products with timestamp

Field name	Type
timestamp	date
nonBeMedicinalProducts	NonBeMedicinalProduct []

2.1.2.3.4. Response payload example - non BE medicinal products

```
[
  {
    "foreignProductName" : "SPIROVET inj. sol. i.m. 100 ml",
    "foreignMaNumber" : "FR/V/6654539 6/2003",
    "foreignMaHolder" : "Ceva Sante Animale",
    "pharmaceuticalFormSporId" : "100000073863",
    "packSize" : "100 ml",
    "usage" : "VETERINARY",
    "updPermanentIdentifier" : "600000040277",
    "updPackId" : "129540fc-1a0f-439a-a45c-2f65c2b38218",
    "deprecated" : false,
    "activeSubstanceStrengthUnitMasses" : [
      {
        "activeSubstanceSporId" : "100000091325",
        "strength" : "6E+5",
        "unitSporId" : "100000110736"
      }
    ]
  }, ...
]
```

2.1.2.3.4.1. Response payload example - medicinal products with timestamp

```
{
  "timestamp": "2026-01-21T13:15:16.360322483Z"
  "nonBeMedicinalProducts": [...]
}
```

2.1.2.4. Response payload model

active substances, pharmaceutical forms, units, units out, target species, indications, provider types, product types, usages.

Field name	Type
code	string
en	string
nl	string
fr	string
deprecated	boolean Always false since we won't return deprecated entries to M2M clients

2.1.2.4.1 Response payload example - active substances

```
[
  {
    "code": "100000172085",
    "en": "Danofloxacin Mesilate",
    "nl": "Danofloxacinemesilaat",
    "fr": "Mésilate de Danoflaxacine",
    "deprecated": false
  }, ...
]
```

2.1.2.4.2. Response payload example - pharmaceutical forms

```
[
  {
    "code" : "100000073863",
    "en" : "Solution for injection",
    "nl" : "Oplossing voor injectie",
    "fr" : "Solution injectable",
    "deprecated" : false
  }, ...
]
```

2.1.2.4.3 Response payload example - units

```
[
  {
    "code" : "100000110686",
    "en" : "mg/ml",
    "nl" : "mg/ml",
    "fr" : "mg/ml",
    "deprecated" : false
  }, ...
]
```

2.1.2.4.4 Response payload example - units out

```
[
  {
    "code" : "PIECE",
    "en" : "Piece",
    "nl" : "Stuk",
    "fr" : "Pièce",
    "deprecated" : false
  }, ...]
]
```

2.1.2.4.5 Response payload example - target species

```
[
  {
    "code" : "DOG",
    "en" : "Dog",
    "nl" : "Hond",
    "fr" : "Chien",
    "deprecated" : false
  }, ...
]
```

2.1.2.4.6 Response payload example - indications

```
[
  {
    "code" : "DERMA",
    "en" : "Skin disorders",
    "nl" : "Huidaandoeningen",
    "fr" : "Troubles dermatologiques",
    "deprecated" : false
  }, ...
]
```

2.1.2.4.7 Response payload example - provider types

```
[
  {
    "code" : "DIST_BE",
    "en" : "Belgian distributor",
    "nl" : "Belgische verdeler",
    "fr" : "Distributeur belge",
    "deprecated" : false
  }, ...
]
```

2.1.2.4.8 Response payload example - product types

```
[
  {
    "code" : "MAGISTRAL",
    "en" : "Magistral Preparation",
    "nl" : "Magistrale voorbereiding",
    "fr" : "Préparation magistrale",
    "deprecated" : false
  }, ...
]
```

2.1.2.4.9 Response payload example - usages

```
[
  {
    "code" : "VETERINARY",
    "en" : "Veterinary",
    "nl" : "Diergeneeskundig",
    "fr" : "Vétérinaire",
    "deprecated" : false
  }, ...
]
```