## TDT4240

## SOFTWARE ARCHITECTURE

**SPRING** 2012

GROUP A17 Android SDK



Steinar HARAM Emil Andreas MORK  ${\bf Stian~S@REB\emptyset}$  Ole Jørgen RISHOFF

# Implementation Document

Primary focus:
Maintainability

SECONDARY FOCUS: USABILITY

## Contents

1	Introduction						
<b>2</b>	Des	sign and implementation details	3				
	2.1	Skiller multiplayer framework	3				
	2.2	Activities	4				
	2.3	MVC	5				
3	Use	er manual	5				
	3.1	Functional requirements	5				
	3.2	Running the application	5				
		3.2.1 Emulator	5				
		3.2.2 On Android device	5				
	3.3	Game rules	5				
	3.4	Creating Skiller account	6				
	3.5	How to play	6				
		3.5.1 Choosing game mode	6				
		3.5.2 Placing, selecting, moving, and removing pieces	6				
		3.5.3 Hotseat mode	6				
		3.5.4 Online mode	7				
4	Tes	t report	7				
	4.1	Functional requirements testing	7				
	4.2	Quality requirements testing	10				
5	Rel	ations to the architecture	10				
6	Issu	ies	10				
	6.1	Gained experieces	10				
$\mathbf{L}$	ist	of Tables					
	1	Testing of FR1	7				
	2	Testing of FR2	7				

Archite	ctural description											Р	a	ge	2	О	f 10
3	Testing of FR3																8
4	Testing of FR4																
5	Testing of FR5																8
6	Testing of FR6																9
7	Testing of FR7																9
8	Testing of FR11																9
9	Testing of M1 .	•	•											•		•	10
$\operatorname{List}$	of Figures																

### 1 Introduction

A short project context likes the other documents. What the document consists, what the purpose is. It should also contain the frequently requested quality attribute that you focus on.

This document contains implementation details for our developed version of the classical *Nine Men's Morris* game. The game is developed as a native Android application. The applications primary attribute is modifiability, while its secondary attribute is usability. The second chapter will highlight the design and implementation details. The following chapter contains a user manual, while chapter four contains a brief description of the testing of functional and quality requirements. The relation between the implementation and the planned architecture will be reviewed in chapter five. IChapter six highlights encountered problems and gained experience.

## 2 Design and implementation details

Here you describe a more detailed view of the various parts of the architecture describing how the robot controller or game was designed.

## 2.1 Skiller multiplayer framework

Due to the desire of developing a fully functional multiplayer game, the *Skiller multiplayer framework* [?] has been used. This is a third party COTS software, and its usage has sped up the development process. Registration was needed in order to gain access to the Skiller SDK. When the registration was done, a new game could be created, and an application ID, an application key, and an application secret was supplied. These are used in the code to identify the specific application.

This framework supplies a server solution for turn based games, and it has

been implemented in the network class. When playing a network game, the GameController class tells the Game model to network class sends event messages to the server, and the server delivers it to the opponent.

#### 2.2 Activities

Figure 1 shows an overview of the application's different activities, and how the user interactions can change them.




Figure 1: Application activities

The MenuActivity shows a menu consisting of five items, allowing the user to create or join a multiplayer game, start a local game, check achievements, or check the game rules. The PlayGameActivity is responsible for creating or joining multiplayer games, and starting local games. The HelpActivity is responsible for showing the game rules. The achievement screen is supplied by *Skiller*.

Screencaps of the different activities, and the achievement screen, are shown in section XXX

#### 2.3 MVC

BoardView -> GameController -> Game model -> BoardView og Network (if(!hotseat))

## 3 User manual

How to run the robot, how to compile it, run it, etc.

#### 3.1 Functional requirements

• Android OS v2.2

## 3.2 Running the application

The application is avalible at URL.

The Eclipse-project is avalible at ANOTHER URL.

#### 3.2.1 Emulator

To run the application in the emulator, the user needs to open the project in Eclipse. File -> Open project -> Existing source code -> path to downloaded project

#### 3.2.2 On Android device

The user has to connect the Android device and load the application file. DETAILED (STEP BY STEP) DESCRIPTION NEEDED!

#### 3.3 Game rules

The game is implemented with the same set of rules as the classic board game *Nine Men's Morris* [?]. The goal of the game is to either block any opponent

moves, or to reduce your opponent's piece number to less than three. If you get three pieces in a row, you enter a morris state, and are allowed to remove one of your opponent's pieces. Pieces that are in a morris state, i.e. forms three in a row either horizontally or vertically, are not removable.

#### 3.4 Creating Skiller account

#### 3.5 How to play

#### 3.5.1 Choosing game mode

Figur av startmeny som viser valg av spillmodus.

#### 3.5.2 Placing, selecting, moving, and removing pieces

When it is your turn to move, either the board or your pieces will be highlighted. In addition, the name of the current player will be blinking as the game progresses.

FIGUR AV PLACEMENTSTATE MED FORKLARING TIL AT DU KAN SETTE PÅ ALLE PLASSER.

FIGUR AV SELECTSTATE SOM VISER MULIGE BRIKKEVALG.

FIGUR AV MOVESTATE SOM VISER MULIGE FLYTT.

FIGUR AV REMOVALSTATE SOM VISER MULIGE FJERNINGER AV BRIKKER.

#### 3.5.3 Hotseat mode

If you start a local game as described in section 3.5.1, you can control both players from the same device.

#### 3.5.4 Online mode

If you start an online game as described in section 3.5.1, you are taken to the board screen, and need to wait for another player to join your game. The guest, i.e. the one who joins the game, will get the initial move. Your own pieces will always be white.

## 4 Test report

The report should contain test reports for both functional requirements and quality requirements (quality scenarios).

## 4.1 Functional requirements testing

FR1 - Placement of pieces					
Executor	Ole Jørgen Rishoff				
Date	12.04.2012				
Time used	5 minutes				
Evaluation	The players successfully placed all nine pieces.				

Table 1: Testing of FR1

FR2 - Moving pieces						
Executor	Ole Jørgen Rishoff					
Date	12.04.2012					
Time used	3 minutes					
Evaluation	The players successfully moved their pieces one length at					
	the time.					

Table 2: Testing of FR2

FR3 - Morris state	
Executor	Ole Jørgen Rishoff
Date	12.04.2012
Time used	3 minutes
Evaluation	When placing three pieces in a row, the game success-
	fully changed state, and a piece was removed from the
	opponent.

Table 3: Testing of FR3  $\,$ 

FR4 - Flying pieces							
Executor	Ole Jørgen Rishoff						
Date	12.04.2012						
Time used	3 minutes						
Evaluation	When the player had three pieces left, the game success-						
	fully changed state to Flying state, and the player was						
	allowed to move to any vacant field.						

Table 4: Testing of FR4

FR5 - Multiplayer							
Executor	Ole Jørgen Rishoff						
Date	12.04.2012						
Time used	10 minutes						
Evaluation	Ole and Emil connected to each other via the Skiller						
	framework, and successfully played a whole game.						

Table 5: Testing of FR5  $\,$ 

FR6 - Game board						
Executor	Ole Jørgen Rishoff					
Date	12.04.2012					
Time used	1 minute					
Evaluation	The game has a board conforming with the layout of <i>Nine</i>					
	Men's Morris.					

Table 6: Testing of FR6

FR7 - Setting player name						
Executor	Ole Jørgen Rishoff					
Date	12.04.2012					
Time used	5 minutes					
Evaluation	A player can set his own name when creating a Skiller					
	account.					

Table 7: Testing of FR7

FR8 - Game over							
Executor	Ole Jørgen Rishoff						
Date	12.04.2012						
Time used	5 minutes						
Evaluation	When a player has only two pieces left, or cannot move						
	any of his or her pieces, the game successfully ends.						

Table 8: Testing of FR11

## 4.2 Quality requirements testing

FR11 - Game over						
Executor	Ole Jørgen Rishoff					
Date	23.04.2012					
Stimuli	Addition of a new game variant					
Expected response	The architecture should allow an easy extension to					
	Twelve Men's Morris.					
Observed response	The system is flexible and an extension can easily be					
	added.					
Evaluation	Successful					

Table 9: Testing of M1

## 5 Relations to the architecture

This section should list the inconsistencies between your architecture and the implementation. Give the reasons for these inconsistencies. Discuss whether they could have been discovered at an earlier point, for instance during the ATAM evaluation.

## 6 Issues

In addition to listing problems and issues with the document or with the implementation process, this is also a spot to reflect upon the project and discuss what you would have done differently if you were to start again from scratch.

## 6.1 Gained experieces