# Add customer: registration with valid values(latin letters; @; .com; numbers)

Add customer on page <a href="https://demo.guru99.com/telecom/addcustomer.php">https://demo.guru99.com/telecom/addcustomer.php</a>

Priority	Behavior	Туре	Layer
<b>↑</b> High	Not set	Other	Not set
Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

#### **Pre-conditions**

Customer not registered

#### **Post-conditions**

Customer registreted

#### **Attachments**



Step	1
Action	Open the "Add Customer " page
Input data	<ol> <li>Enter in field "First Name" valid values "Paul" (latin letters)</li> <li>Enter in field "Last Name" valid values "Pierce" (latin letters)</li> <li>Enter in field "e-mail" paulpierce@gmail.com (latin letters, @, .com)</li> <li>Enter in field "Address" harlem (latin letters)</li> <li>Enter in field "Mobile number" 0962952232 (Numbers)</li> <li>Click the "Submit" button.</li> </ol>
Expected result	Registration successful. Unique ID for the new customer. ID have 6 numbers.

# Add customer: registration with unvalid values(cyrillic letters, special characters)

Add customer on page <a href="https://demo.guru99.com/telecom/addcustomer.php">https://demo.guru99.com/telecom/addcustomer.php</a>

Priority	Behavior	Туре	Layer
<b>↑</b> High	Not set	Other	Not set
ls Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

#### **Pre-conditions**

Customer not registered

#### **Post-conditions**

Customer not registered

#### **Attachments**



special character...

Step	1
Action	Open the "Add customer" page
Input data	<ol> <li>Enter in field "First Name" unvalid values "Иван" (cyrillic letters)</li> <li>Enter in field "Last Name" unvalid values "Драго" (cyrillic letters)</li> <li>Enter in field "e-mail" ivandragon@mail.ru (.ru)</li> <li>Enter in field "Adress" Драгонова (cyrillic letters)</li> <li>Enter in field "Mobile number" !"№; (special characters)</li> <li>Click the "Submit" button.</li> </ol>
Expected result	Registration unsuccsessful. The message "please fill all fields" appears.

# Add customer: "Reset" button resets clears all fields and appears error message

Add customer on page <a href="https://demo.guru99.com/telecom/addcustomer.php">https://demo.guru99.com/telecom/addcustomer.php</a>

Priority	Behavior	Туре	Layer
<b>↑</b> High	Not set	Other	Not set
Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

#### **Pre-conditions**

Customer not registered

#### **Post-conditions**

Customer not registered; data is reset

#### **Attachments**



Step	1
Action	Open the "Add customer" page
Input data	<ol> <li>Enter in field "First Name" valid values "Paul" (latin letters)</li> <li>Enter in field "Last Name" valid values "Pierce" (latin letters)</li> <li>Enter in field "e-mail" paulpierce@gmail.com (latin letters, @, .com)</li> <li>Enter in field "Adress" harlem (latin letters)</li> <li>Enter in field "Mobile number" 0962952232 (Numbers)</li> <li>Click the "Reset" button.</li> </ol>
Expected result	Data is reset, all fields are clear and appears error message

# Add customer: First name validation(unvalid values, cyrillic letters)

Add customer on page <a href="https://demo.guru99.com/telecom/addcustomer.php">https://demo.guru99.com/telecom/addcustomer.php</a>

Priority	Behavior	Туре	Layer
<b>↑</b> High	Not set	Other	Not set
Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

#### **Pre-conditions**

Customer not registered

#### **Post-conditions**

Customer not registered

#### **Attachments**



unvalid first name..

Step	1
Action	Open the "Add customer" page
Input data	<ol> <li>Enter in field "First Name" unvalid values "Ποπ" (cyrillic letters)</li> <li>Enter in field "Last Name" valid values "Pierce" (latin letters)</li> <li>Enter in field "e-mail" paulpierce@gmail.com (latin letters, @, .com)</li> <li>Enter in field "Adress" harlem (latin letters)</li> <li>Enter in field "Mobile number" 0962952232 (Numbers)</li> <li>Click the "Submit" button.</li> </ol>
Expected result	Cyrillic letters are not allowed in field "First name"

# Add customer: Last name validation(unvalid values, cyrillic letters)

Add customer on page <a href="https://demo.guru99.com/telecom/addcustomer.php">https://demo.guru99.com/telecom/addcustomer.php</a>

Priority	Behavior	Туре	Layer
<b>↑</b> High	Not set	Other	Not set
Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

#### **Pre-conditions**

Customer not registreted

#### **Post-conditions**

Customer not registreted

#### **Attachments**



LAst name cyrillic...

Step	1
Action	Open the "Add customer" page
Input data	<ol> <li>Enter in field "First Name" valid values "Paul" (latin letters)</li> <li>Enter in field "Last Name" unvalid values "Πμρς" (cyrillic letters)</li> <li>Enter in field "e-mail" paulpierce@gmail.com (latin letters, @, .com)</li> <li>Enter in field "Adress" harlem (latin letters)</li> <li>Enter in field "Mobile number" 0962952232 (Numbers)</li> <li>Click the "Submit" button.</li> </ol>
Expected result	Cyrillic letters are not allowed in field "Last name"

# Add customer: Last Name validation(unvalid values, numbers)

Add customer on page <a href="https://demo.guru99.com/telecom/addcustomer.php">https://demo.guru99.com/telecom/addcustomer.php</a>

Priority	Behavior	Туре	Layer
<b>↑</b> High	Not set	Other	Not set
ls Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

#### **Pre-conditions**

Customer not registreted

#### **Post-conditions**

Customer not registreted

#### **Attachments**



unvalid values las..

Open the "Add customer" page
<ol> <li>Enter in field "First Name" valid values "Paul" (latin letters)</li> <li>Enter in field "Last Name" unvalid values "420812" (numbers)</li> <li>Enter in field "e-mail" paulpierce@gmail.com (latin letters, @, .com)</li> <li>Enter in field "Adress" harlem (latin letters)</li> <li>Enter in field "Mobile number" 0962952232 (Numbers)</li> <li>Click the "Submit" button.</li> </ol>
Numbers are not allowed in field "Last name"

# Add customer: Last Name validation(unvalid values, special characters)

Add customer on page <a href="https://demo.guru99.com/telecom/addcustomer.php">https://demo.guru99.com/telecom/addcustomer.php</a>

Priority	Behavior	Туре	Layer
<b>↑</b> High	Not set	Other	Not set
Is Flaky	Milestone	Automation	Status
No	<del>-</del>	Not automated	Actual

#### **Pre-conditions**

Customer not registreted

#### **Post-conditions**

Customer not registreted

#### **Attachments**



Validation last na...

Step	1
Action	Open the "Add customer" page
Input data	<ol> <li>Enter in field "First Name" valid values "Paul" (latin letters)</li> <li>Enter in field "Last Name" unvalid values "!@#\$" (special characters)</li> <li>Enter in field "e-mail" paulpierce@gmail.com (latin letters, @, .com)</li> <li>Enter in field "Adress" harlem (latin letters)</li> <li>Enter in field "Mobile number" 0962952232 (Numbers)</li> <li>Click the "Submit" button.</li> </ol>
Expected result	Special characters are not allowed in field "Last name"

# Add customer: Last name validation(unvalid values, cyrillic, special characters, numbers)

Add customer on page <a href="https://demo.guru99.com/telecom/addcustomer.php">https://demo.guru99.com/telecom/addcustomer.php</a>

Priority	Behavior	Туре	Layer
<b>↑</b> High	Not set	Other	Not set
Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

#### **Pre-conditions**

Customer not registreted

#### **Post-conditions**

Customer not registreted

#### **Attachments**



unvalid last name..

### Steps to reproduce

Step	1
Action	Open the "Add customer" page
Input data	<ol> <li>Enter in field "First Name" valid values "Paul" (latin letters)</li> <li>Enter in field "Last Name" unvalid values "Πи420!"№" (cyrillic letters, special characters, numbers)</li> <li>Enter in field "e-mail" paulpierce@gmail.com (latin letters, @, .com)</li> <li>Enter in field "Adress" harlem (latin letters)</li> <li>Enter in field "Mobile number" 0962952232 (Numbers)</li> <li>Click the "Submit" button.</li> </ol>

Expected result Numbers, Cyrillic and special characters are not allowed in field "Last Name"

# Add customer: Last name validation(Empty field)

Add customer on page <a href="https://demo.guru99.com/telecom/addcustomer.php">https://demo.guru99.com/telecom/addcustomer.php</a>

Priority	Behavior	Туре	Layer
<b>↑</b> High	Not set	Other	Not set
Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

#### **Pre-conditions**

Customer not registred

#### **Post-conditions**

Customer not registred

#### **Attachments**



last name empty ...

1
Open the "Add customer" page
<ol> <li>Enter in field "First Name" valid values "Paul" (latin letters)</li> <li>Leave field "Last name" empty</li> <li>Enter in field "e-mail" paulpierce@gmail.com (latin letters, @, .com)</li> <li>Enter in field "Adress" harlem (latin letters)</li> <li>Enter in field "Mobile number" 0962952232 (Numbers)</li> <li>Click the "Submit" button.</li> </ol>
Last Name must not be blank

# Add customer: Last name validation(1 latin letter, valid values)

Add customer on page <a href="https://demo.guru99.com/telecom/addcustomer.php">https://demo.guru99.com/telecom/addcustomer.php</a>

Priority	Behavior	Туре	Layer
<b>↑</b> High	Not set	Other	Not set
Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

#### **Pre-conditions**

Customer not registred

#### **Post-conditions**

Customer registred

#### **Attachments**



Step	1
Action	Open the "Add customer" page
Input data	<ol> <li>Enter in field "First Name" valid values "Paul" (latin letters)</li> <li>Enter in field "Last Name" valid values "P" (1 latin letter)</li> <li>Enter in field "e-mail" paulpierce@gmail.com (latin letters, @, .com)</li> <li>Enter in field "Adress" harlem (latin letters)</li> <li>Enter in field "Mobile number" 0962952232 (Numbers)</li> <li>Click the "Submit" button.</li> </ol>
Expected result	Registration successful. Unique ID for the new customer. ID have 6 numbers.

# Add customer: All fields empty

Add customer on page <a href="https://demo.guru99.com/telecom/addcustomer.php">https://demo.guru99.com/telecom/addcustomer.php</a>

Priority	Behavior	Туре	Layer
<b>↑</b> High	Not set	Other	Not set
Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

#### **Pre-conditions**

Customer not registred

#### **Post-conditions**

Customer not registred

Step	1	
Action	Open the "Add customer" page	
Input data	<ol> <li>Leave field "First name" clear(Empty field)</li> <li>Leave field "Last name" clear(Empty field)</li> <li>Leave field "e-mail" clear(Empty field)</li> <li>Leave field "Adress" clear(Empty field)</li> <li>Leave field "Mobile number" clear(Empty field)</li> <li>Click "Submit" button</li> </ol>	
Expected result	Message: " please fill all fields "	

# Add customer: First name validation(1 latin letter, valid values)

Add customer on page <a href="https://demo.guru99.com/telecom/addcustomer.php">https://demo.guru99.com/telecom/addcustomer.php</a>

Priority	Behavior	Туре	Layer
<b>↑</b> High	Not set	Other	Not set
ls Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

#### **Pre-conditions**

Customer not registred

#### **Post-conditions**

Customer registred

#### **Attachments**



Step	1
Action	Open the "Add customer" page
Input data	<ol> <li>Enter in field "First Name" valid values "P" (1 latin letters)</li> <li>Enter in field "Last Name" valid values "Pierce" (latin letter)</li> <li>Enter in field "e-mail" paulpierce@gmail.com (latin letters, @, .com)</li> <li>Enter in field "Adress" harlem (latin letters)</li> <li>Enter in field "Mobile number" 0962952232 (Numbers)</li> <li>Click the "Submit" button.</li> </ol>
Expected result	Registration successful. Unique ID for the new customer. ID have 6 numbers.

# Add customer: First name validation(unvalid values, numbers)

Add customer on page <a href="https://demo.guru99.com/telecom/addcustomer.php">https://demo.guru99.com/telecom/addcustomer.php</a>

Priority	Behavior	Туре	Layer
<b>↑</b> High	Not set	Other	Not set
Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

#### **Pre-conditions**

Customer not registred

#### **Post-conditions**

Customer not registred

#### **Attachments**



first name numbe..

Step	1
Action	Open the "Add customer" page
Input data	<ol> <li>Enter in field "First Name" unvalid values "420812" (numbers)</li> <li>Enter in field "Last Name" unvalid values "Pierce" (latin letters)</li> <li>Enter in field "e-mail" paulpierce@gmail.com (latin letters, @, .com)</li> <li>Enter in field "Adress" harlem (latin letters)</li> <li>Enter in field "Mobile number" 0962952232 (Numbers)</li> <li>Click the "Submit" button.</li> </ol>
Expected result	Numbers are now allowed in field "First Name"

# Add customer: First name validation(unvalid values, special characters)

Add customer on page <a href="https://demo.guru99.com/telecom/addcustomer.php">https://demo.guru99.com/telecom/addcustomer.php</a>

Priority	Behavior	Туре	Layer
<b>↑</b> High	Not set	Other	Not set
ls Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

#### **Pre-conditions**

Customer not registered

#### **Post-conditions**

Customer not registered

#### **Attachments**



unvalid first name..

Step	1
Action	Open the "Add customer" page
Input data	<ol> <li>Enter in field "First Name" unvalid values "!@#\$" (special characters)</li> <li>Enter in field "Last Name" valid values "Pierce" (latin letter)</li> <li>Enter in field "e-mail" paulpierce@gmail.com (latin letters, @, .com)</li> <li>Enter in field "Adress" harlem (latin letters)</li> <li>Enter in field "Mobile number" 0962952232 (Numbers)</li> <li>Click the "Submit" button.</li> </ol>
Expected result	Special characters are not allowed in First Name field

# Add customer: First name validation(unvalid values, cyrillic letters, numbers, special characters)

Add customer on page <a href="https://demo.guru99.com/telecom/addcustomer.php">https://demo.guru99.com/telecom/addcustomer.php</a>

Priority	Behavior	Туре	Layer
<b>↑</b> High	Not set	Other	Not set
Is Flaky	Milestone	Automation	Status
No	<del>-</del>	Not automated	Actual

#### **Pre-conditions**

Customer not registreted

#### **Post-conditions**

Customer not registreted

#### **Attachments**



First name numbe..

## **Steps to reproduce**

Step	1
Action	Open the "Add Customer " page
Input data	<ol> <li>Enter in field "First Name" unvalid values "Π420!"№;" (numbers, cyrillic letters, special characters)</li> <li>Enter in field "Last Name" unvalid values "Pierce" (latin letters)</li> <li>Enter in field "e-mail" paulpierce@gmail.com (latin letters, @, .com)</li> <li>Enter in field "Adress" harlem (latin letters)</li> <li>Enter in field "Mobile number" 0962952232 (Numbers)</li> <li>Click the "Submit" button.</li> </ol>

Expected result Numbers, Cyrillic and special characters are not allowed in field "First Name"

# Add customer: First name validation(empty field)

Add customer on page <a href="https://demo.guru99.com/telecom/addcustomer.php">https://demo.guru99.com/telecom/addcustomer.php</a>

Priority	Behavior	Туре	Layer
<b>↑</b> High	Not set	Other	Not set
ls Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

#### **Pre-conditions**

Customer not registered

#### **Post-conditions**

Customer not registered

#### **Attachments**



First name empty...

Step	1
Action	Open the "Add customer" page
Input data	<ol> <li>Leave field "First Name" clear(Empty field)</li> <li>Enter in field "Last Name" unvalid values "Pierce" (latin letters)</li> <li>Enter in field "e-mail" paulpierce@gmail.com (latin letters, @, .com)</li> <li>Enter in field "Adress" harlem (latin letters)</li> <li>Enter in field "Mobile number" 0962952232 (Numbers)</li> <li>Click the "Submit" button.</li> </ol>
Expected result	First Name must not be blank

# Add customer: e-mail validation(unvalid values, cyrillic letters)

Add customer on page <a href="https://demo.guru99.com/telecom/addcustomer.php">https://demo.guru99.com/telecom/addcustomer.php</a>

Priority	Behavior	Туре	Layer
<b>↑</b> High	Not set	Other	Not set
ls Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

#### **Pre-conditions**

Customer not registreted

#### **Post-conditions**

Customer not registreted

#### **Attachments**



email cyrillic lette..

Step	1
Action	Open the "Add customer" page
Input data	<ol> <li>Enter in field "First Name" valid values "Paul" (latin letters)</li> <li>Enter in field "Last Name" unvalid values "Pierce" (latin letters)</li> <li>Enter in field "e-mail" ποππυρς@gmail.com (cyrillic letters, @, .com)</li> <li>Enter in field "Adress" harlem (latin letters)</li> <li>Enter in field "Mobile number" 0962952232 (Numbers)</li> <li>Click the "Submit" button.</li> </ol>
Expected result	Email is not valid in field

# Add customer: e-mail validation(unvalid validation latin letters, special characters, numbers)

Add customer on page <a href="https://demo.guru99.com/telecom/addcustomer.php">https://demo.guru99.com/telecom/addcustomer.php</a>

Priority	Behavior	Туре	Layer
<b>↑</b> High	Not set	Other	Not set
Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

#### **Pre-conditions**

Customer not registreted

#### **Post-conditions**

Customer not registreted

#### **Attachments**



special characters..

Step	1
Action	Open the "Add customer" page
Input data	<ol> <li>Enter in field "First Name" valid values "Paul" (latin letters)</li> <li>Enter in field "Last Name" unvalid values "Pierce" (latin letters)</li> <li>Enter in field "e-mail" paulpierce420!@#\$(latin letters, numbers, special characters)</li> <li>Enter in field "Adress" harlem (latin letters)</li> <li>Enter in field "Mobile number" 0962952232 (Numbers)</li> <li>Click the "Submit" button.</li> </ol>
Expected result	Email is not valid in field

# Add customer: e-mail validation(empty field)

Add customer on page <a href="https://demo.guru99.com/telecom/addcustomer.php">https://demo.guru99.com/telecom/addcustomer.php</a>

Priority	Behavior	Туре	Layer
<b>↑</b> High	Not set	Other	Not set
ls Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

#### **Pre-conditions**

Customer not registreted

#### **Post-conditions**

Customer not registreted

#### **Attachments**



e-mail empty fiel...

1
Open the "Add Customer" page
<ol> <li>Enter in field "First Name" valid values "Paul" (latin letters)</li> <li>Enter in field "Last Name" valid values "Pierce" (latin letters)</li> <li>Leave field "e-mail" clear(Empty field)</li> <li>Enter in field "Adress" harlem (latin letters)</li> <li>Enter in field "Mobile number" 0962952232 (Numbers)</li> <li>Click the "Submit" button.</li> </ol>
Last Name must not be blank

# Add customer: Address validation(unvalid values, cyrillic letters)

Add customer on page <a href="https://demo.guru99.com/telecom/addcustomer.php">https://demo.guru99.com/telecom/addcustomer.php</a>

Priority	Behavior	Туре	Layer
<b>↑</b> High	Not set	Other	Not set
Is Flaky	Milestone	Automation	Status
No	<del>-</del>	Not automated	Actual

#### **Pre-conditions**

Customer not registreted

#### **Post-conditions**

Customer not registreted

#### **Attachments**



adress cyrillic lett...

Step	1
Action	Open the "Add customer" page
Input data	<ol> <li>Enter in field "First Name" valid values "Paul" (latin letters)</li> <li>Enter in field "Last Name" valid values "Pierce" (latin letters)</li> <li>Enter in field "e-mail" paulpierce@gmail.com (latin letters, @, .com)</li> <li>Enter in field "Address" Гарлем (cyrillic letters)</li> <li>Enter in field "Mobile number" 0962952232 (Numbers)</li> <li>Click the "Submit" button.</li> </ol>
Expected result	Cyrillic and special characters are not allowed in field

# Add customer: Address validation(unvalid values, special characters)

Add customer on page <a href="https://demo.guru99.com/telecom/addcustomer.php">https://demo.guru99.com/telecom/addcustomer.php</a>

Priority	Behavior	Туре	Layer
<b>↑</b> High	Not set	Other	Not set
Is Flaky	Milestone	Automation	Status
No	<del>-</del>	Not automated	Actual

#### **Pre-conditions**

Customer not registreted

#### **Post-conditions**

Customer not registreted

#### **Attachments**



special characters..

Step	1
Action	Open the "Add customer" page
Input data	<ol> <li>Enter in field "First Name" valid values "Paul" (latin letters)</li> <li>Enter in field "Last Name" valid values "Pierce" (latin letters)</li> <li>Enter in field "e-mail" paulpierce@gmail.com (latin letters, @, .com)</li> <li>Enter in field "Address" !@#\$% (special characters)</li> <li>Enter in field "Mobile number" 0962952232 (Numbers)</li> <li>Click the "Submit" button.</li> </ol>
Expected result	Special characters are not allowed in field

# Add customer: Address validation(unvalid values, cyrillic letters, special characters)

Add customer on page <a href="https://demo.guru99.com/telecom/addcustomer.php">https://demo.guru99.com/telecom/addcustomer.php</a>

Priority	Behavior	Туре	Layer
<b>↑</b> High	Not set	Other	Not set
Is Flaky	Milestone	Automation	Status
No	<del>-</del>	Not automated	Actual

#### **Pre-conditions**

Customer not registreted

#### **Post-conditions**

Customer not registreted

#### **Attachments**



address cyr, speci..

Step	1
Action	Open the "Add customer" page
Input data	1. Enter in field "First Name" valid values "Paul" (latin letters) 2. Enter in field "Last Name" valid values "Pierce" (latin letters) 3. Enter in field "e-mail" paulpierce@gmail.com (latin letters, @, .com) 4. Enter in field "Adress" !@#\$%Гарлем(cyrillic letters, special characters) 5. Enter in field "Mobile number" 0962952232 (Numbers) 6. Click the "Submit" button.
Expected result	Cyrillic and special characters are not allowed in field

# Add customer: Address validation(unvalid values, latin letters, numbers, special characters)

Add customer on page <a href="https://demo.guru99.com/telecom/addcustomer.php">https://demo.guru99.com/telecom/addcustomer.php</a>

Priority	Behavior	Туре	Layer
<b>↑</b> High	Not set	Other	Not set
Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

#### **Pre-conditions**

Customer not registreted

#### **Post-conditions**

Customer not registreted

#### **Attachments**



address latin, num.

Step	1
Action	Open the "Add customer " page
Input data	<ol> <li>Enter in field "First Name" valid values "Paul" (latin letters)</li> <li>Enter in field "Last Name" valid values "Pierce" (latin letters)</li> <li>Enter in field "e-mail" paulpierce@gmail.com (latin letters, @, .com)</li> <li>Enter in field "Address" 420!@#\$Harlem (latin letters, numbers, special characters)</li> <li>Enter in field "Mobile number" 0962952232 (Numbers)</li> <li>Click the "Submit" button.</li> </ol>
Expected result	Numbers and special characters are not allowed in field

# Add customer: Address validation(Empty field)

Add customer on page <a href="https://demo.guru99.com/telecom/addcustomer.php">https://demo.guru99.com/telecom/addcustomer.php</a>

Priority	Behavior	Туре	Layer
<b>↑</b> High	Not set	Other	Not set
Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

#### **Pre-conditions**

Customer not registreted

#### **Post-conditions**

Customer not registreted

#### **Attachments**



Address empty fie..

Step	1
Action	Open the "Add customer " page
Input data	<ol> <li>Enter in field "First Name" valid values "Paul" (latin letters)</li> <li>Enter in field "Last Name" valid values "Pierce" (latin letters)</li> <li>Enter in field "e-mail" paulpierce@gmail.com (latin letters, @, .com)</li> <li>Leave field "Address" clear(Empty field)</li> <li>Enter in field "Mobile number" 0962952232 (Numbers)</li> <li>Click the "Submit" button.</li> </ol>
Expected result	Last Name must not be blank in field

# Add customer: Mobile number validation(unvalid values, special characters)

Add customer on page <a href="https://demo.guru99.com/telecom/addcustomer.php">https://demo.guru99.com/telecom/addcustomer.php</a>

Priority	Behavior	Туре	Layer
<b>↑</b> High	Not set	Other	Not set
ls Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

#### **Pre-conditions**

Customer not registered

#### **Post-conditions**

Customer not registered

#### **Attachments**



Mobile phone spe...

Step	1
Action	Open the "Add customer" page
Input data	<ol> <li>Enter in field "First Name" valid values "Paul" (latin letters)</li> <li>Enter in field "Last Name" valid values "Pierce" (latin letters)</li> <li>Enter in field "e-mail" paulpierce@gmail.com (latin letters, @, .com)</li> <li>Enter in field "Address" harlem (latin letters)</li> <li>Enter in field "Mobile number" !@#\$ (special characters)</li> <li>Click the "Submit" button.</li> </ol>
Expected result	Special characters are not allowed in field

# Add customer: Mobile number validation(unvalid values, latin letters)

Add customer on page <a href="https://demo.guru99.com/telecom/addcustomer.php">https://demo.guru99.com/telecom/addcustomer.php</a>

Priority	Behavior	Туре	Layer
<b>↑</b> High	Not set	Other	Not set
ls Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

#### **Pre-conditions**

Customer not registered

#### **Post-conditions**

Customer not registered

#### **Attachments**



address letters.png

Step	1
Action	Open the "Add customer" page
Input data	<ol> <li>Enter in field "First Name" valid values "Paul" (latin letters)</li> <li>Enter in field "Last Name" valid values "Pierce" (latin letters)</li> <li>Enter in field "e-mail" paulpierce@gmail.com (latin letters, @, .com)</li> <li>Enter in field "Address" harlem (latin letters)</li> <li>Enter in field "Mobile number" boston (latin letters)</li> <li>Click the "Submit" button.</li> </ol>
Expected result	Characters are not allowed in field

# Add customer: Mobile number validation(unvalid values, numbers, special characters)

Add customer on page <a href="https://demo.guru99.com/telecom/addcustomer.php">https://demo.guru99.com/telecom/addcustomer.php</a>

Priority	Behavior	Туре	Layer
<b>↑</b> High	Not set	Other	Not set
ls Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

#### **Pre-conditions**

Customer not registered

#### **Post-conditions**

Customer not registered

#### **Attachments**

420!@# unva

mobile phone num.

Action	Open the "Add customer" page	
Input data	<ol> <li>Enter in field "First Name" valid values "Paul" (latin letters)</li> <li>Enter in field "Last Name" valid values "Pierce" (latin letters)</li> <li>Enter in field "e-mail" paulpierce@gmail.com (latin letters, @, .com)</li> <li>Enter in field "Address" harlem (latin letters)</li> <li>Enter in field "Mobile number" 420!@# (Numbers, special characters)</li> <li>Click the "Submit" button.</li> </ol>	
Expected result	Numbers and special characters are not allowed in field	

# Add customer: Mobile number validation(Empty field)

Priority	Behavior	Туре	Layer
<b>↑</b> High	Not set	Other	Not set
Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

#### **Pre-conditions**

Customer not registered

## **Post-conditions**

Customer not registered

### **Attachments**



Mobile number Em.

Step	1
Action	Open the "Add customer" page
Input data	<ol> <li>Enter in field "First Name" valid values "Paul" (latin letters)</li> <li>Enter in field "Last Name" valid values "Pierce" (latin letters)</li> <li>Enter in field "e-mail" paulpierce@gmail.com (latin letters, @, .com)</li> <li>Enter in field "Address" harlem (latin letters)</li> <li>Leave field "Mobile number" clear(Empty field)</li> <li>Click the "Submit" button.</li> </ol>
Expected result	Mobile must not be blank