

MedJobs Admin Team Operations

Admin Team view of the MedJobs 2.0 operating system · 4 September 2026

A role view of the MedJobs 2.0 Master Implementation Matrix. Every instruction here comes from that document, which stays the source of truth. Nothing has been added to the operating model; where the master leaves a question open, it is marked **GAP / DECISION NEEDED** rather than answered here.


ROLE PURPOSE Build both target lists for a site and work them until a meeting is on the Sales Lead's calendar. The Admin Team runs the front half of both pipelines: provider prospecting and outreach, university office prospecting and outreach, and the booking that ends both.

WHAT YOU OWN PR1 target list built and pre-flight complete. PR-OUT outbound work. ST1 target advisors. ST-OUT university outbound. Booking the 30-minute slot on both sides. The daily Calls, Emails and Follow-up queues.

WHAT YOU DO NOT OWN The meeting itself, which is the Sales Lead's (PR2, ST2). Client success and university activation, which are the Consumer Relations Manager's (PR3, ST3 to ST7). Everything the Portal carries from ST8 onward.

WHO HANDS WORK TO YOU Nobody. Both pipelines start with you: a site added in PR1 generates the provider list, and **Find partners** in ST1 generates the office list.

WHO YOU HAND WORK TO The Sales Lead, at the booked meeting, on both sides.




PR1 TARGET LIST BUILT AND PRE-FLIGHT COMPLETE

Objective Add a university site so the system loads every matching provider from the Olera directory into the In Basket, then complete pre-flight research on each one, being phone, email, address and decision maker, confirmed by a pre-flight call.

PR1 is not just the list. It is the list *built and worked through pre-flight*. A site whose providers are loaded but un-researched has not completed PR1.

Trigger	You add a site. The system pulls the matching providers out of the Olera directory and places them in the In Basket as rows awaiting pre-flight research. Nobody builds the list by hand
Tools	Sites tab <code>olera.care/admin/medjobs/sites</code> · + Add Site modal · In Basket Providers tab <code>olera.care/admin/medjobs/in-basket</code> · the provider drawer · Log Pre-Flight outcome modal
Communications	None outbound. The pre-flight call is the only contact, and it uses the script in the log modal
Completion criteria	Contact details confirmed on the call, and the row launched into outreach. Or three unsuccessful call attempts, and the row archived
Handoff	Launch outreach, to PR-OUT. The row stays with you



Pre-flight. One call, four outcomes, and the three-strike rule that closes a row nobody answers.

REQUIRED ACTIONS

For a given site, work every provider on it.

1. **Do the desk research first.** Fill in whatever phone, email and address you can find yourself, from the provider's website, the source link on the row, or **Fill from Website**. Do not call a row you have not looked at.
2. **Call every provider on the site.** The call confirms the research; research alone does not complete pre-flight.
3. **Use the suggested script** shown in the log modal: *"Hi, this is [your name] from Dr. DuBose's office, calling about the Student Caregiver Program for [University] students. I'd like to send your team an email with the details, and wanted to check first on the best address to send it to."*
4. **Log the outcome, every time.**
5. **Update the record from the call.** A corrected email address or a named decision maker learned on the phone goes onto the row immediately, while you have it.
6. **Three attempts, then archive.** If three calls fail to confirm the contact details, archive the provider and move on.

Outcome	What it means	What happens to the row
Confirmed contact info	Reached someone; email and decision maker verified	Pre-flight passes, launch outreach
No answer	Nobody picked up	Stays in pre-flight, call again
Voicemail	Message left	Stays in pre-flight, call again
Not interested	They do not want the information	Row closes; no outreach

Log Pre-flight outcome
Amada Senior Care - 16231 227-2100

Suggested script:
"Hi, this is [your name] from Dr. DuBose's office, calling about the Student Caregiver Program for Arizona State University students. I'd like to send your team an email with the details, and wanted to check first on the best address to send it to."

☒ **Confirmed contact info**
Reached someone and verified the email / decision maker. Pre-flight passes.

☐ **No answer**
Nobody answered. Stays in Pre-flight — try again later.

☐ **Voicemail**
Left a message. Stays in Pre-flight — try again later.

☐ **Not interested**
They don't want information. Closes the row — no outreach.

Notes (optional)
What did they confirm? Anything useful for outreach copy?

[Override & launch outreach](#)
[Cancel](#)
[Log call](#)

Exhibit D. Log Pre-Flight outcome. The suggested script, the four outcomes with their consequences stated on each, the notes field, and **Override and launch outreach**. In Basket, provider row, **Call to Confirm**.




Exhibit E. Provider drawer. RESEARCH states the sequence over five contact fields, each with a state marker. The ticks are what pre-flight complete looks like on a row. **The timeline is where the three-strikes count is read from**, one entry per attempt, with the operator and how long ago.

WHAT MUST BE RECORDED

Business name, phone, email, address, fax, contact form, decision makers, research notes, call outcome and notes. Every call, including the ones nobody answered, writes to the row's timeline with the caller's name and the time, so the attempt count is visible rather than remembered. The timeline is where the three-strikes count is read from.

[Back to top](#)

PR-OUT OUTBOUND WORK

Objective Launch the call-and-email campaign on a provider that has cleared pre-flight, then work the queues it generates until the provider books a meeting or the row runs out.

Trigger	A row's contact details are confirmed on the pre-flight call
Tools	Provider drawer · Confirm outreach plan modal · Calls tab <code>olera.care/admin/medjobs/in-basket?tab=calls</code> · Log call modal · Emails tab and Check for reply · Follow-up tab
Communications	Day 0 intro email · Day 3 follow-up email · Day 3 check-in call · Day 5 call · Day 7 final email · the reply the provider sends back
Completion criteria	A meeting on the Sales Lead's calendar. Or a recorded terminal outcome, or a finished cadence that drops the row into Follow-up
Handoff	Admin Team to Sales Lead when a meeting is booked. The row appears in the Meetings queue with its full timeline. No meeting and the cadence finishes, and the row drops to Follow-up for re-engage-or-retire triage

The cadence. Three emails and two calls over seven days: Day 0 intro email, Day 3 follow-up email and a check-in call, Day 5 call, Day 7 final email. Cold email sends from a dedicated outreach domain. Scheduled sends and calls appear in the drawer's **UPCOMING** list with their dates, so the row's whole future is visible before it happens.

OUTREACH, 7 DAYS

- Day 0 • Intro email
- Day 3 • Follow-up email
Check-in call
- Day 5 • Call
- Day 7 • Final email

A reply stops the sequence

The outreach cadence. Three emails and two calls over seven days, and any reply ends it.




Exhibit F. Confirm outreach plan. LAUNCH SUMMARY, the recipients as checkboxes with the address and phone each will be reached on, and every cadence day expandable to the actual email. This is where you check the merge fields resolved.

REQUIRED ACTIONS

- Launch only rows that cleared pre-flight.** The override writes itself to the timeline with your name on it. Use it deliberately.
- Read the plan before starting.** Untick anyone who should not receive it, and expand Day 0 to check the merge fields resolved.
- Work the Calls tab to zero every day.** Calls are grouped by due date; the count beside the date is the day's workload.
- Read the NEXT STEP panel before dialling.** It tells you where the row actually is: awaiting reply, next call in N days, or they replied and it is your move.
- Use the day's script.** A Day 3 call opens with a different line than a Day 5 one.
- Answer every reply within one business day,** same day for anything mentioning a time.
- Log every outcome, every time,** including the calls nobody answered. A note on its own logs the call.
- Do not hand-email a row mid-cadence.** Reply through the row so the cadence stops cleanly.

Call outcome	What happens
Interested	They want to move forward, launches the activation sequence
Meeting booked	Opens the Calendly booking page and marks a meeting scheduled
No answer	Marks this call done; the next cadence call stays scheduled
Voicemail	Message left; the next cadence call stays scheduled

Call outcome	What happens
Not interested	Closes the row and cancels remaining outreach




Exhibit H. Log call. The day's script at the top, then the five outcomes with their consequences, and a notes field where a note on its own logs the call. Calls, row, **Call provider**.

Reply option	What happens
Launch activation cadence	Runs the standard activation sequence toward a meeting
Launch custom cadence	Compose your own emails and calls for a bespoke response
OOO reply, restart last cadence	Auto-reply, not a real answer. Resumes the cadence and puts the row back to pending
Book a meeting	Opens the Calendly booking page and marks a meeting scheduled
Not interested	Sends a polite closing note and stops outreach




Exhibit J. Check for reply. The provider's actual reply quoted at the top, then the five ways to respond. Behind it the **Emails** tab grouped by state. Emails, row, **Check for reply**.

A real reply stops the cadence automatically. The timeline records *"Reply received to [address], cadence stopped,"* so the next move is a manual one. The out-of-office option exists precisely because an auto-reply should not count as one.

WHAT MUST BE RECORDED

Recipients launched, sends and opens and replies, call outcomes and notes, scheduled sends and calls. A **state chip** above the timeline reads the row's position without anyone reading its history. **UPCOMING** lists what is still scheduled; **PAST ACTIVITY** what happened, each entry stamped with the operator and how long ago.

[Back to top](#)

ST1 TARGET ADVISORS

Objective Produce a verified list of university offices for a site, each with the email outreach needs, waiting in the In Basket to be confirmed by a call.

The office is the prospect, not the person. An advising office with an email is what outreach needs. Named advisors are optional, and worth adding only when they have their own contact details. The opposite of provider prospecting, and deliberate: offices outlast the people in them.

Trigger	A site exists and its partner research has not been done. The site card reads Research needed
Tools	Site card Find partners · the Research modal, steps 1 to 3 · Partners tab <code>olera.care/admin/medjobs/in-basket?tab=partner_book</code>
Communications	None at this stage. The confirming call and the outreach that follows are ST-OUT
Completion criteria	Offices generated as prospects, each verified and tagged, waiting in the Partners tab
Handoff	Stays with the Admin Team, to ST-OUT, via the Partners tab

Three subtypes are worked in turn for each site: **Advising**, then **Student orgs**, then **Departments**. The site card tracks progress across the three, and the wizard autosaves as you work.

REQUIRED ACTIONS

1. **Work one site through all three subtypes**, advising, then orgs, then departments, rather than half-finish several sites.
2. **Use Suggest links first, then the predefined searches.** They cover the ground without your keeping a list in your head.
3. **Prefer the office with the clearest published email.** Pre-health advising first, then nursing and allied health, then career services.
4. **Tag every office.** The tag is what makes the outreach copy correct later.
5. **Add an advisor only when they have their own contact.** A name with no direct email gives outreach nothing to use.
6. **Tick verified only when you would send to that address today.** The tick is the gate.
7. **Then confirm by a quick call before launching.** Generating a prospect is not the same as knowing the address is live.

Research - University of Illinois Urbana-Champaign

Advising - Student orgs - Departments

Find offices - Verify offices - Generate

Saved 1:05:07 PM

The advising office is the prospect. Confirm each one's email and tag — that's all outreach needs. Advisors are optional and only when they have their own contact.

Re-read links

✓ The Career Center careercenter.illinois.edu edit

The Career Center: Health Professions Advising

Tag: Advising office Website (optional)

pre-health@illinois.edu (217) 333-0820

ADVISORS (0) — OPTIONAL, WITH THEIR OWN EMAIL/PHONE

☒ Verified — this office is correct and ready

Pre-Health Drop-in Advising

Tag: Advising office <https://www.careercenter.illinois.edu/services/prehealthdropins>

pre-health@illinois.edu Office phone

ADVISORS (0) — OPTIONAL, WITH THEIR OWN EMAIL/PHONE

☐ Verified — this office is correct and ready

+ Add office by hand From an office page

1 of 3 verified

Next: Generate

Exhibit Q. Research, step 2, verify offices. "The advising office is the prospect. Confirm each one's email and tag, that's all outreach needs." Each office carries a tag, email, phone and optional website, an advisors section, and the **Verified** tick.

WHAT MUST BE RECORDED

Office name, tag, email, phone, website, source link, optional advisors, the verified flag, and the research links kept.

[Back to top](#)

ST-OUT UNIVERSITY OUTBOUND

Objective Confirm the advising office by phone, launch the call-and-email campaign, then work the queues it generates until the office books a meeting or the row runs out.

Same machinery, different cadence. ST-OUT runs on the same pre-flight call, the same Calls and Emails queues, and the same log modals as the provider side. What differs is the campaign: the partner cadence is **five emails and one call**, and every email is meeting-first. The ask is a conversation with Dr. DuBose, not a service. Providers get **three emails and two calls**. Nobody should have to remember which; the launch modal states it before anything sends.

Trigger	An office is generated as a prospect and sitting in the Partners tab
Tools	Partners tab, the partner drawer · Call to Confirm and Log Pre-Flight outcome · Launch outreach and Confirm outreach plan · the shared Calls and Emails queues · Follow-up
Communications	Pre-flight confirming call · Day 0 intro email (meeting-first) with flyer and program PDF · Day 3 one-line bump · the remaining cadence emails · the cadence call · the reply the office sends back. Emails send from partnerships@findmedjobs.co
Completion criteria	A meeting on the Sales Lead's calendar. Or a recorded terminal outcome, or a finished cadence that drops the row into Follow-up
Handoff	Admin Team to Sales Lead when a meeting is booked. No meeting and the cadence finishes, and the row drops to Follow-up

Recipients. The general office contact always; any advisor added in ST1 with their own email as a selectable extra, which is why ST1 accepts only advisors who have one. **Launch activation** sits beside Launch outreach as the second cadence, run once a row has engaged.




Exhibit T. Partner drawer. RESEARCH states the sequence over the office name, general email and general phone, with **ADVISORS** and the rule beneath it. Three actions: **Call to Confirm**, **Launch outreach**, **Launch activation**.

REQUIRED ACTIONS

1. **Call before you launch.** The row is a prospect, not a confirmed address. The pre-flight call exists to verify the email actually reaches the office and to find the person who decides.
2. **Use the suggested script.** It leads with Dr. DuBose's office, names the program, and asks one thing: the best address to send the details to. Nothing is being sold on this call.
3. **Log the outcome, every time,** including the calls nobody answered. The override writes itself to the timeline with your name on it.
4. **Read the plan before starting.** Expand Day 0 and check the merge fields resolved. A wrong substitution is visible here and nowhere later.
5. **Keep the research notes honest.** The panel says the office was AI-sourced and tells you to confirm by phone. Replace that with what the call established.
6. **Answer every reply within one business day,** same day for anything mentioning a time.
7. **Do not hand-email a row mid-cadence.** Reply through the row so the cadence stops cleanly.
8. **Respect permission gating on professors.** Class visits and listserv posts happen because someone agreed to them; the ask on this cadence is a meeting, not a distribution.




Exhibit V. Confirm outreach plan, partner side. LAUNCH SUMMARY reads "5 emails + 1 call across the cadence below." Day 0 opens to the full meeting-first intro email, sending from `partnerships@findmedjobs.co`. This is the modal that tells you which cadence you are launching.

The pre-flight outcomes and the reply options are the same four and five as the provider side. One difference: **Launch activation cadence** drops out of the reply options once a row is already enrolled. The timeline then reads "Activation launched," and four choices remain.

WHAT MUST BE RECORDED

Pre-flight call outcome and notes, recipients launched, sends and opens and replies, call outcomes, scheduled sends and calls.

[Back to top](#)

BOOKING AND THE HANDOFF TO THE SALES LEAD

Booking is where both pipelines leave you. It is the same 30-minute *Student Caregiver Program* slot for providers and for advising offices.

Booking is an Admin Team action first. The operator putting it in the calendar during the call is the design. Sending the link and waiting is the slower fallback.

Trigger	A provider or an advising office agrees to a meeting, live on a call or in a reply that names a time
Tool	Calendly, the <code>Student Caregiver Program</code> event
What happens next	The booking lands the row in Meetings <code>olera.care/admin/medjobs/in-basket?tab=meetings</code> , under NEEDS LOGGING once the time has passed
What must be recorded	The booked time and the attendee. The row carries its full timeline into the Meetings queue
Handoff	Admin Team to Sales Lead. From the booked meeting on, the row is the Sales Lead's until they log the outcome




Exhibit M. Meetings tab. NEEDS LOGGING carries meetings whose time has passed. **FINDING A TIME** below it holds rows still coordinating by email, the state you set by hand.

Finding a time is a holding state, not a meeting. You set it by hand while a provider is going back and forth by email. It sits below **NEEDS LOGGING** in the Meetings tab.

[Back to top](#)

DAILY QUEUES, LOGGING AND FOLLOW-UP

This is the standing shape of the work, on both sides at once. Provider and partner rows are worked side by side in the same tabs with the same modals.

Queue	What it holds	The rule
Providers	The site's providers awaiting pre-flight research, filtered to a single site	Work every provider on a site before moving on
Calls	Calls grouped by the day they are due, each with a click-to-dial number	Work it to zero every day. The count beside the date is the day's workload
Emails	Rows grouped by state, <i>THEY REPLIED</i> over <i>PENDING REPLY</i>	Answer every reply within one business day, same day for anything mentioning a time
Meetings	NEEDS LOGGING over FINDING A TIME	Booked meetings pass to the Sales Lead. <i>Finding a time</i> is yours to maintain
Partners	Generated offices as prospects, each with its university and tag	Confirm by call, then launch
Follow-up	Rows whose cadence finished with no meeting	Re-engage-or-retire triage

The In Basket header carries the day's workload over three counters: **QUEUED**, **LOGS COMPLETED TODAY**, and a **STREAK** of consecutive business days hitting fifty logs.




Exhibit C. In Basket, Providers tab. The day's workload over three counters: **QUEUED**, **LOGS COMPLETED TODAY**, and a **STREAK** of consecutive business days hitting fifty logs.

Logging discipline, in one line. Log every outcome every time, including the calls nobody answered, because the timeline is the only record of how many attempts a row has had and who made them.

[Back to top](#)

EXCEPTIONS AND ESCALATION

Only the exceptions the master document defines are listed here.

Situation	What the master says to do
A row you are confident about without a confirming call	Override and launch outreach exists in the Log Pre-Flight modal. Use it deliberately, not as the default. It writes itself to the timeline with your name on it
Three failed pre-flight calls	Archive the provider and move on
An out-of-office auto-reply	OOO reply, restart last cadence. It is not a real answer; the cadence resumes and the row goes back to pending
A reply that names a time	Answer the same day, not within one business day
A reply mid-cadence	Reply through the row, never by hand-email, so the cadence stops cleanly
A cadence that finishes with no meeting	The row drops to Follow-up for re-engage-or-retire triage
A professor named on the university side	Permission gating applies. The ask on the ST-OUT cadence is a meeting, not a distribution

[Back to top](#)

GAPS AND DECISIONS NEEDED

Each of these is a place the master document leaves open or names as unbuilt. None is resolved here.

GAP / DECISION NEEDED · The provider cadence does not match the written protocol. The master records that Graize's written protocol calls this the *D0 to 30 campaign*, while what is shipped is three emails and two calls over seven days. The master states plainly: *"Either the protocol or the cadence should change; flagged rather than reconciled."* Until it is reconciled, work the shipped cadence, which is what the launch modal states.

GAP · Opens, replies and bounces depend on a webhook. The master notes these only reach the Emails and Follow-up queues if the send engine's webhook is wired, and that without it "*the Emails and Follow-up tabs look empty rather than broken.*" If those tabs look empty, check the webhook before concluding there is no work.

B1 · The Meetings tab holds only booked meetings. *Finding a time* is a hand-set state inside Meetings. It works, but it muddies the tab. Timing back-and-forth belongs with the email work.

B3 · A custom campaign any operator can launch on a single row. Pick the emails and calls, set the days, start it. Today *Launch custom cadence* exists in the reply modal only, not as a general action from a row.

B8 · A partner-facing booking event. Advisors book the provider's event. The slug `home-care-agency-manager-interview` shows in the URL they click.

[Back to top](#)

TRACEABILITY

Every section of this manual against its source in the master document. Ownership, sequence, handoffs and completion criteria are carried over unchanged.

This manual	Master document
PR1, all of it	PR1, objective, procedure steps 1 to 6, outcomes table, system and handoff row, communications
PR-OUT, all of it	PR-OUT, objective, the cadence, procedure steps 1 to 8, both outcome tables, system and handoff row
ST1, all of it	ST1, objective, the office-is-the-prospect note, procedure steps 1 to 7, system and handoff row
ST-OUT, all of it	ST-OUT, objective, the same-machinery note, recipients, procedure steps 1 to 8, system and handoff row
Booking and the handoff	PR2 journey step 1 and the booking note; ST2 journey step 1; PR2 exhibit M for <i>Finding a time</i>
Daily queues	PR1 exhibit C (the three counters), PR-OUT journey steps 3 to 7, ST-OUT journey steps 5 to 7, ST-OUT exhibit W (the shared queue)
Exceptions	PR1 override note and step 6; PR-OUT reply table and steps 6 to 8; ST-OUT steps 3 and 8
Gaps	PR-OUT cadence note; PR-OUT webhook note; deferred build list B1, B3, B8

Nothing was added. No stage, status, outcome, cadence, script, threshold or tool appears here that is not in the master. **Nothing owned by the Admin Team was omitted:** PR1, PR-OUT, ST1 and ST-OUT are carried in full, along with the booking action the master assigns to the Admin Team inside PR2 and ST2.

[Back to top](#)