

AWS MySQL Database

1. Navigate to RDS

- In the AWS Management Console, search for "RDS" in the search bar.
- Click on "RDS" to open the Amazon RDS dashboard.

2. Initiate Database Creation

- On the RDS dashboard, click the "Create database" button.

3. Choose Database Creation Method

- Select "Standard create" for more control over the configuration.

4. Select Engine Options

- For "Engine type", choose "MySQL".
- Under "Edition", select "MySQL Community".
- Choose the latest version compatible with the free tier.

5. Select Template

- Under "Templates", choose "Free tier".

6. Configure Settings

- For "DB instance identifier", enter a unique name for your database.
- Set up the "Master username" and "Master password".

7. Configure Instance Size

- Ensure "DB instance class" is set to "db.t2.micro" or "db.t3.micro" (whichever is available in the free tier).

8. Configure Storage

- Set "Allocated storage" to 20 GB (free tier limit).
- Leave "Storage autoscaling" disabled.

9. Configure Connectivity

- For "Virtual Private Cloud (VPC)", choose your desired VPC.

[[3]](<https://docs.aws.amazon.com/AmazonRDS/latest/gettingstartedguide/security-public-private.html>)

- Under "Public access", select "Yes".
- For "VPC security group", choose "Create new".
- Name your new security group (e.g., "mysql-public-access").

10. Additional Configuration

- Under "Additional configuration", enter an initial database name.
- Leave other settings at their defaults unless you have specific requirements.

Aurora and RDS

- Dashboard
- Databases
- Query Editor
- Performance insights
- Snapshots
- Exports in Amazon S3
- Automated backups
- Reserved Instances
- Proxies

- Subnet groups
- Parameter groups
- Option groups
- Custom engine versions
- Zero-ETL integrations **New**

- Events
- Event subscriptions

- Recommendations **0**
- Certificate update

testdb

Summary

DB identifier testdb	Status Available	Role Instance	Engine MySQL Community
CPU 4.26%	Class db.t4g.micro	Current activity 0 Connections	Region & AZ us-east-1d

[Connectivity & security](#)
[Monitoring](#)
[Logs & events](#)
[Configuration](#)
[Zero-ETL integrations](#)
[Maintenance & backups](#)

Connectivity & security

Endpoint & port

Endpoint
 testdb.cvkgj402g6iv.us-east-1.rds.amazonaws.com

Port
3306

Networking

Availability Zone
us-east-1d

VPC
vpc-0fe450a9cd4623c54

Subnet group
default-vpc-0fe450a9cd4623c54

Subnets
[subnet-0057c34d683a14614](#)
[subnet-07f1c2c212b858a17](#)
[subnet-0249e8715ce0a04cf](#)
[subnet-0612973c0468763af](#)
[subnet-0e9b05958d493d9cc](#)

Security

VPC security groups
[default \(sg-0d565c461cd9aee3\)](#)
 Active

Publicly accessible
Yes

Certificate authority [Info](#)
rds-ca-rsa2048-g1

Certificate authority date
May 25, 2061, 18:34 (UTC-05:00)

DB instance certificate expiration date
April 18, 2026, 10:12 (UTC-05:00)

11. Create Database

- Review your settings and click "Create database".

12. Configure Security Group

- While the database is being created, navigate to the EC2 dashboard.
- In the left sidebar, under "Network & Security", click "Security Groups".
- Find the security group you created (e.g., "mysql-public-access").
- Select it and click the "Inbound rules" tab.
- Click "Edit inbound rules".

13. Add Inbound Rule


- Click "Add rule".
- For "Type", select "MySQL/Aurora".
- For "Source", you can choose "My IP" to restrict access to your current IP address, or enter a specific IP range using CIDR notation.
- Add a description if desired.
- Click "Save rules".

14. Finalize Setup

- Return to the RDS dashboard and wait for your database to show "Available" status.
- Once available, you can find the endpoint and port in the "Connectivity & security" tab of your database details.

15. Connect to DB

- Use a SQL client such as [MySQLWorkbench](#) to connect to the RDS using the hostname, user name and password.



By completing these steps, you've created a publicly accessible MySQL database in the free tier and configured the security group to allow inbound connections. Remember to use strong passwords and restrict access to trusted IP addresses for enhanced security. Always follow AWS best practices and consider using more secure connection methods like VPNs or AWS Direct Connect for production environments.

Sources

[1] [[1] Creating your first Amazon RDS DB instance - Amazon Relational Database Service]
(<https://docs.aws.amazon.com/AmazonRDS/latest/gettingstartedguide/create-instance-overview.html>)

[3] [[2] Step 3: Create Your Target Amazon RDS for MySQL Database - Database Migration Guide]
(<https://docs.aws.amazon.com/dms/latest/sbs/schema-conversion-sql-server-mysql-step-3.html>)

[6] [[3] Setting up public or private access in Amazon RDS - Amazon Relational Database Service]
(<https://docs.aws.amazon.com/AmazonRDS/latest/gettingstartedguide/security-public-private.html>)