



Piscine Reloaded

It's good to be back

Summary:

The Piscine was good but the time has past. This serie of exercises will help you to remind all the basics you've learned during the piscine. Functions, loops, pointers, structures, let's remind together the syntactic and semantic bases of the C

Contents

I	Foreword	2
II	Introduction	3
III	General rules	4
IV	Exercise 00 : Oh yeah, mooore...	6
V	Exercise 01 : Z	8
VI	Exercise 02 : clean	9
VII	Exercise 03 : find_sh	10
VIII	Exercise 04 : MAC	11
IX	Exercise 05 : Can you create it ?	12
X	Exercise 06 : ft_print_alphabet	13
XI	Exercise 07 : ft_print_numbers	14
XII	Exercise 08 : ft_is_negative	15
XIII	Exercise 09 : ft_ft	16
XIV	Exercise 10 : ft_swap	17
XV	Exercise 11 : ft_div_mod	18
XVI	Exercise 12 : ft_iterative_factorial	19
XVII	Exercise 13 : ft_recursive_factorial	20
XVIII	Exercise 14 : ft_sqrt	21
XIX	Exercise 15 : ft_putstr	22
XX	Exercise 16 : ft_strlen	23
XXI	Exercise 17 : ft_strcmp	24
XXII	Exercise 18 : ft_print_params	25
XXIII	Exercise 19 : ft_sort_params	26

XXIV	Exercise 20 : ft_strdup	27
XXV	Exercise 21 : ft_range	28
XXVI	Exercise 22 : ft_abs.h	29
XXVII	Exercise 23 : ft_point.h	30
XXVIII	Exercise 24 : Makefile	31
XXIX	Exercise 25 : ft_foreach	32
XXX	Exercise 26 : ft_count_if	33
XXXI	Exercise 27 : display_file	34
XXXII	Rendu et peer-évaluation	35

Chapter I

Foreword

Edward Joseph Snowden (born June 21, 1983) is an American computer professional, former Central Intelligence Agency (CIA) employee, and former contractor for the United States government who copied and leaked classified information from the National Security Agency (NSA) in 2013 without authorization. His disclosures revealed numerous global surveillance programs, many run by the NSA and the Five Eyes Intelligence Alliance with the cooperation of telecommunication companies and European governments.

In 2013, Snowden was hired by an NSA contractor, Booz Allen Hamilton, after previous employment with Dell and the CIA. On May 20, 2013, Snowden flew to Hong Kong after leaving his job at an NSA facility in Hawaii, and in early June he revealed thousands of classified NSA documents to journalists Glenn Greenwald, Laura Poitras, and Ewen MacAskill. Snowden came to international attention after stories based on the material appeared in *The Guardian* and *The Washington Post*. Further disclosures were made by other publications including *Der Spiegel* and *The New York Times*.

On June 21, 2013, the U.S. Department of Justice unsealed charges against Snowden of two counts of violating the Espionage Act of 1917 and theft of government property. Two days later, he flew into Moscow's Sheremetyevo Airport, but Russian authorities noted that his U.S. passport had been cancelled and he was restricted to the airport terminal for over one month. Russia ultimately granted him right of asylum for one year, and repeated extensions have permitted him to stay at least until 2020. He reportedly lives in an undisclosed location in Moscow, and continues to seek asylum elsewhere in the world.

A subject of controversy, Snowden has been variously called a hero, a whistleblower, a dissident, a traitor and a patriot. His disclosures have fueled debates over mass surveillance, government secrecy, and the balance between national security and information privacy.

There is a very good documentary on HBO [here](#).

Chapter II

Introduction

The `Piscine Reloaded` is a best-of of the exercises you did during the `Piscine C` to remind you all the basics of the `C` programming language. All the exercises has to be done entierly to unlock the next project.

If you have already done some of these exercises during the `Piscine C`, we highly recommend not be tempted to retrieve your old code. The learning of programming involves practice and making an existing code has no interest.

Chapter III


General rules

- Only this page will serve as reference; do not trust rumors.
- Make sure you have the appropriate permissions on your files and directories.
- You have to follow the turn-in procedures for every exercise.
- Your exercises will be checked and graded by a program called Moulinette.
- Moulinette is very meticulous and strict in its evaluation of your work. It is entirely automated and there is no way to negotiate with it. So if you want to avoid bad surprises, be as thorough as possible.
- Exercises in Shell must be executable with `/bin/sh`.
- You cannot leave any additional file in your directory than those specified in the subject.
- Got a question? Ask your peer on the right. Otherwise, try your peer on the left.
- Your reference guide is called `Google / man / the Internet /`
- Check out the forum on the intranet and Slack.
- Examine the examples thoroughly. They could very well call for details that are not explicitly mentioned in the subject...
- Moulinette is not very open-minded. It won't try and understand your code if it doesn't respect the Norm. Moulinette relies on a program called `Norminator` to check if your files respect the norm. TL;DR: it would be idiotic to submit a piece of work that doesn't pass `Norminator`'s check.
- Using a forbidden function is considered cheating. Cheaters get `-42`, and this grade is non-negotiable.
- You'll only have to submit a `main()` function if we ask for a program.

- Moulinette compiles with these flags: `-Wall -Wextra -Werror`, and uses `gcc`.
- If `ft_putchar()` is an authorized function, we will compile your code with our `ft_putchar.c`.
- If your program doesn't compile, you'll get 0.
- By Odin, by Thor! Use your brain!!!

Chapter IV

Exercise 00 : Oh yeah, mooore...

	Exercise 00
Oh yeah, mooore...	
Turn-in directory : <i>ex00/</i>	
Files to turn in : exo.tar	
Allowed functions : None	
Notes : n/a	

- Create the following files and directories. Do what's necessary so that when you use the `ls -l` command in your directory, the output will look like this :

```
$> ls -l
total 42
drwx--xr-x  2 login  wheel  XX Jun  1 20:47 test0
-rwx--xr--  1 login  wheel   4 Jun  1 21:46 test1
dr-x---r--  2 login  wheel  XX Jun  1 22:45 test2
-r-----r-- 2 login  wheel   1 Jun  1 23:44 test3
-rw-r----- 1 login  wheel   2 Jun  1 23:43 test4
-r-----r-- 2 login  wheel   1 Jun  1 23:44 test5
lrwxr-xr-x  1 login  wheel   5 Jun  1 22:20 test6 -> test0
$>
```

- About the hours, it will be accepted if the year is displayed in the case of the exercise's date (1 Jun) is outdated by six months or more.
- Once you've done that, run `tar -cf exo.tar *` to create the file to be submitted.



"login" & "wheel" will respectively be replaced by your login and your group.




You won't be able to have the same "total 42" line as shown in the example.



Don't worry about what you've got instead of "XX".

Chapter V

Exercise 01 : Z


	Exercise 01
Only the best know how to display Z	
Turn-in directory : <i>ex01/</i>	
Files to turn in : z	
Allowed functions : None	
Notes : n/a	

- Create a file called **z** that returns "Z", followed by a new line, whenever the command **cat** is used on it.

```
?>cat z
Z
?>
```

Chapter VI

Exercise 02 : clean

	Exercise 02
Turn-in directory : <i>ex02/</i>	
Files to turn in : clean	
Allowed functions : None	
Notes : n/a	


- In a file called **clean** place the command line that will search for all files - in the current directory as well as in its sub-directories - with a name ending by `~`, or with a name that start and end by `#`
- The command line will show and erase all files found.
- Only one command is allowed: no `';` or `'&&'` or other shenanigans.



`man find`

Chapter VII

Exercise 03 : find_sh


	Exercise 03
find_sh.sh	
Turn-in directory : <i>ex03/</i>	
Files to turn in : find_sh.sh	
Allowed functions : None	
Notes : n/a	

- Write a command line that searches for all file names that end with ".sh" (without quotation marks) in the current directory and all its sub-directories. It should display only the file names without the .sh.
- Example of output :

```
$>./find_sh.sh | cat -e
find_sh$
file1$
file2$
file3$
$>
```

Chapter VIII

Exercise 04 : MAC

	Exercise 04
MAC.sh	
Turn-in directory : <i>ex04/</i>	
Files to turn in : MAC.sh	
Allowed functions : None	
Notes : n/a	


- Write a command line that displays your machine's MAC addresses. Each address must be followed by a line break.



`man ifconfig`

Chapter IX

Exercise 05 : Can you create it ?

	Exercise 05
Can you create it ?	
Turn-in directory : <i>ex05/</i>	
Files to turn in : " <code>\?\$*'KwaMe'*\$?\</code> "	
Allowed functions : None	
Notes : n/a	

- Create a file containing only "42", and NOTHING else.

- Its name will be :


```
"\?$*'KwaMe'*$?\"
```

- Example :

```
$>ls -lRa *waM* | cat -e
-rw---xr-- 1 75355 32015 2 Oct 2 12:21 "\?$*'KwaMe'*$?\ "$
$>
```

Chapter X

Exercise 06 : ft_print_alphabet


	Exercise 06
ft_print_alphabet	
Turn-in directory : <i>ex06/</i>	
Files to turn in : ft_print_alphabet.c	
Allowed functions : ft_putchar	
Notes : n/a	

- Create a function that displays the alphabet in lowercase, on a single line, by ascending order, starting from the letter 'a'.
- Here's how it should be prototyped :

```
void ft_print_alphabet(void);
```

Chapter XI

Exercise 07 : ft_print_numbers


	Exercise 07
ft_print_numbers	
Turn-in directory : <i>ex07/</i>	
Files to turn in : ft_print_numbers.c	
Allowed functions : ft_putchar	
Notes : n/a	

- Create a function that displays all digits, on a single line, by ascending order.
- Here's how it should be prototyped :

```
void ft_print_numbers(void);
```


Chapter XII

Exercise 08 : ft_is_negative


	Exercise 08
ft_is_negative	
Turn-in directory : <i>ex08/</i>	
Files to turn in : ft_is_negative.c	
Allowed functions : ft_putchar	
Notes : n/a	

- Create a function that displays 'N' or 'P' depending on the integer's sign entered as a parameter. If **n** is negative, display 'N'. If **n** is positive or null, display 'P'.
- Here's how it should be prototyped :

```
void ft_is_negative(int n);
```

Chapter XIII

Exercise 09 : ft_ft


	Exercise 09
ft_ft	
Turn-in directory : <i>ex09/</i>	
Files to turn in : ft_ft.c	
Allowed functions : None	
Notes : n/a	

- Create a function that takes a pointer to int as a parameter, and sets the value "42" to that int.
- Here's how it should be prototyped :

```
void ft_ft(int *nbr);
```

Chapter XIV

Exercise 10 : ft_swap


	Exercise 10
ft_swap	
Turn-in directory : <i>ex10/</i>	
Files to turn in : ft_swap.c	
Allowed functions : None	
Notes : n/a	

- Create a function that swaps the value of two integers whose addresses are entered as parameters.
- Here's how it should be prototyped :

```
void    ft_swap(int *a, int *b);
```

Chapter XV

Exercise 11 : ft_div_mod

	Exercise 11
	ft_div_mod
	Turn-in directory : <i>ex11/</i>
	Files to turn in : ft_div_mod.c
	Allowed functions : None
	Notes : n/a


- Create a function `ft_div_mod` prototyped like this :

```
void    ft_div_mod(int a, int b, int *div, int *mod);
```

- This function divides parameters `a` by `b` and stores the result in the int pointed by `div`. It also stores the remainder of the division of `a` by `b` in the int pointed by `mod`.

Chapter XVI

Exercise 12 : ft_iterative_factorial

	Exercise 12
ft_iterative_factorial	
Turn-in directory : <i>ex12/</i>	
Files to turn in : ft_iterative_factorial.c	
Allowed functions : None	
Notes : n/a	


- Create an iterated function that returns a number. This number is the result of a factorial operation based on the number given as a parameter.
- If there's an error, the function should return 0.
- Here's how it should be prototyped :

```
int ft_iterative_factorial(int nb);
```

- Your function must return its result in less than two seconds.

Chapter XVII

Exercise 13 : ft_recursive_factorial


	Exercise 13
ft_recursive_factorial	
Turn-in directory : <i>ex13/</i>	
Files to turn in : ft_recursive_factorial.c	
Allowed functions : None	
Notes : n/a	

- Create a recursive function that returns the factorial of the number given as a parameter.
- If there's an error, the function should return 0.
- Here's how it should be prototyped :

```
int ft_recursive_factorial(int nb);
```

Chapter XVIII

Exercise 14 : ft_sqrt

	Exercise 14
ft_sqrt	
Turn-in directory : <i>ex14/</i>	
Files to turn in : ft_sqrt.c	
Allowed functions : None	
Notes : n/a	


- Create a function that returns the square root of a number (if it exists), or 0 if the square root is an irrational number.
- Here's how it should be prototyped :

```
int ft_sqrt(int nb);
```

- Your function must return its result in less than two seconds.

Chapter XIX

Exercise 15 : ft_putstr


	Exercise 15
ft_putstr	
Turn-in directory : <i>ex15/</i>	
Files to turn in : ft_putstr.c	
Allowed functions : ft_putchar	
Notes : n/a	

- Create a function that displays a string of characters on the standard output.
- Here's how it should be prototyped :

```
void    ft_putstr(char *str);
```


Chapter XX

Exercise 16 : ft_strlen


	Exercise 16
ft_strlen	
Turn-in directory : <i>ex16/</i>	
Files to turn in : ft_strlen.c	
Allowed functions : None	
Notes : n/a	

- Reproduce the behavior of the function **strlen** (man strlen).
- Here's how it should be prototyped :

```
int ft_strlen(char *str);
```

Chapter XXI

Exercise 17 : ft_strcmp


	Exercise 17
ft_strcmp	
Turn-in directory : <i>ex17/</i>	
Files to turn in : ft_strcmp.c	
Allowed functions : None	
Notes : n/a	

- Reproduce the behavior of the function `strcmp` (man `strcmp`).
- Here's how it should be prototyped :

```
int ft_strcmp(char *s1, char *s2);
```

Chapter XXII

Exercise 18 : ft_print_params


	Exercise 18
ft_print_params	
Turn-in directory : <i>ex18/</i>	
Files to turn in : ft_print_params.c	
Allowed functions : ft_putchar	
Notes : n/a	

- We're dealing with a program here, you should therefore have a function **main** in your **.c** file.
- Create a program that displays its given arguments.
- Example :

```
$>./a.out test1 test2 test3
test1
test2
test3
$>
```

Chapter XXIII


Exercise 19 : ft_sort_params

	Exercise 19
ft_sort_params	
Turn-in directory : <i>ex19/</i>	
Files to turn in : <code>ft_sort_params.c</code>	
Allowed functions : <code>ft_putchar</code>	
Notes : <code>n/a</code>	

- We're dealing with a program here, you should therefore have a function `main` in your `.c` file.
- Create a program that displays its given arguments sorted by ascii order.
- It should display all arguments, except for `argv[0]`.
- All arguments have to have their own line.

Chapter XXIV

Exercise 20 : ft_strdup


	Exercise 20
ft_strdup	
Turn-in directory : <i>ex20/</i>	
Files to turn in : ft_strdup.c	
Allowed functions : malloc	
Notes : n/a	

- Reproduce the behavior of the function **strdup** (man strdup).
- Here's how it should be prototyped :

```
char *ft_strdup(char *src);
```

Chapter XXV

Exercise 21 : ft_range

	Exercise 21
ft_range	
Turn-in directory : <i>ex21/</i>	
Files to turn in : ft_range.c	
Allowed functions : malloc	
Notes : n/a	


- Create a function **ft_range** which returns an array of **ints**. This **int** array should contain all values between **min** and **max**.
- **Min** included - **max** excluded.
- Here's how it should be prototyped :

```
int *ft_range(int min, int max);
```

- If **min** value is greater or equal to **max**'s value, a null pointer should be returned.

Chapter XXVI

Exercise 22 : ft_abs.h

	Exercise 22
	ft_abs.h
	Turn-in directory : <i>ex22/</i>
	Files to turn in : ft_abs.h
	Allowed functions : None
	Notes : n/a

- Create a macro ABS which replaces its argument by its absolute value :


```
#define ABS(Value)
```



You are asked to do something that is normally banned by the Norm, that will be the only time we authorize it.

Chapter XXVII

Exercise 23 : ft_point.h

	Exercise 23
ft_point.h	
Turn-in directory : <i>ex23/</i>	
Files to turn in : ft_point.h	
Allowed functions : None	
Notes : n/a	

- Create a file **ft_point.h** that'll compile the following main :

```
#include "ft_point.h"


void set_point(t_point *point)
{
    point->x = 42;
    point->y = 21;
}

int main(void)
{
    t_point point;

    set_point(&point);
    return (0);
}
```


Chapter XXVIII

Exercise 24 : Makefile

	Exercise 24
Makefile	
Turn-in directory : <i>ex24/</i>	
Files to turn in : Makefile	
Allowed functions : None	
Notes : n/a	


- Create the **Makefile** that'll compile your **libft.a**.
- The **Makefile** will get its source files from the "srcs" directory.
- The **Makefile** will get its header files from the "includes" directory.
- The lib will be at the root of the exercise.
- The **Makefile** should also implement the following rules: **clean**, **fclean** and **re** as well as **all**.
- **fclean** does the equivalent of a **make clean** and also erases the binary created during the **make**. **re** does the equivalent of a **make fclean** followed by a **make**.
- We'll only fetch your **Makefile** and test it with our files. For this exercise, only the following 5 mandatory functions of your lib have to be handled : (**ft_putchar**, **ft_putstr**, **ft_strcmp**, **ft_strlen** and **ft_swap**).



Watch out for wildcards!

Chapter XXIX

Exercise 25 : ft_foreach

	Exercise 25
	ft_foreach
Turn-in directory : <i>ex25/</i>	
Files to turn in : ft_foreach.c	
Allowed functions : None	
Notes : n/a	

- Create the function **ft_foreach** which, for a given ints array, applies a function on all elements of the array. This function will be applied following the array's order.
- Here's how the function should be prototyped :


```
void ft_foreach(int *tab, int length, void(*f)(int));
```

- For example, the function **ft_foreach** could be called as follows in order to display all ints of the array :

```
ft_foreach(tab, 1337, &ft_putnbr);
```

Chapter XXX

Exercise 26 : ft_count_if

	Exercise 26
ft_count_if	
Turn-in directory : <i>ex26/</i>	
Files to turn in : ft_count_if.c	
Allowed functions : None	
Notes : n/a	


- Create a function `ft_count_if` which will return the number of elements of the array that return 1, passed to the function `f`.
- Here's how the function should be prototyped :

```
int ft_count_if(char **tab, int(*f)(char*));
```

- The array will be delimited by 0.

Chapter XXXI

Exercise 27 : display_file

	Exercise 27
display_file	
Turn-in directory : <i>ex27/</i>	
Files to turn in : Makefile, and files needed for your program	
Allowed functions : close, open, read, write	
Notes : n/a	

- Create a program called `ft_display_file` that displays, on the standard output, only the content of the file given as argument.
- The submission directory should have a `Makefile` with the following rules : `all`, `clean`, `fclean`. The binary will be called `ft_display_file`.
- The `malloc` function is forbidden. You can only do this exercise by declaring a fixed-sized array.
- All files given as arguments will be valid.
- Error messages have to be displayed on their reserved output.

```
$> ./ft_display_file
File name missing.
$> ./ft_display_file Makefile
*content of file Makefile*
$> ./ft_display_file Makefile display_file.c
Too many arguments.
$>
```

Chapter XXXII

Rendu et peer-évaluation

Rendez votre travail sur votre dépôt **GiT** comme d'habitude. Seul le travail présent sur votre dépôt sera évalué par **Deepthoughts**.

Je vous rappelle qu'exceptionnellement, ce projet sera corrigé uniquement par **Deepthoughts**. Il n'y aura donc pas de peer-évaluation.

La seule note acceptable pour réussir ce projet est 100%. Si **Deepthoughts** vous attribue une note inférieure, c'est que vous avez échoué et que vous devez réessayer de faire mieux en cliquant sur le bouton **Retry** de votre passage de projet.

Bon courage à tous et n'oubliez pas votre fichier auteur !