Practice workbook · Functions, procedures, parameters and libraries

Why subprograms and libraries are used, what a built-in subprogram is, how functions and procedures are alike and differ, what a function returns, and why parameters are used.

6 question parts: 1 worked-example retry and 5 further practice parts.
Name: _____ Class: _____ Date: _____

Practise one question type at a time. Attempt the part inside the red boundary; the rest of the question and any figures are kept for context. Write your working in the answer space.

The first question is a retry of the website worked example, without its solution. Check your answers online with 'Check my answer', or ask your teacher for the answer booklet.

OLevels.com SCHOOL

Type ID: CSC-T2-04

1. Question 5 · part c.ii · 2 marks

2020 NOV · Paper 02

Worked-example retry · Attempt part c.ii only.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

5 Cerys Jones is the manager of a shop that sells electrical goods.

She is creating a stock control program.

(a) Each item of stock will have a ten-character code.

Each code consists of three parts.

Part	Description
Characters 1 to 3	Uppercase letters
Characters 4 to 9	Numbers between 1 and 9 inclusive
Character 10	'e' or 'o' indicating whether the sum of the numbers is even or odd

WAS123456o, FDG232324e and VAC129222e are valid codes.

All codes need to be validated.

Complete the table to show **two** additional validation tests.

For each test, give **one** example of erroneous data. The example that you give should fail **only** that test.

(4)

Validation test	Erroneous data
Is the last character 'o' or 'e'?	ABC654321v

(b) Cerys will need an algorithm to search the table of stock data.

(i) State **two** advantages of using a linear search algorithm rather than a binary search algorithm.

(2)

1 .....

.....

2 .....

.....

OLevels.COM SCHOOL

1. Question 5 · part c.ii · 2 marks

2020 NOV · Paper 02

Worked-example retry · Attempt part c.ii only.

(ii) State **two** disadvantages of using a linear search algorithm rather than a binary search algorithm.

(2)

1 .....

.....

2 .....

.....

(c) Cerys will use functions and procedures in her program.

(i) One similarity between a function and a procedure is that they are both subprograms.

State **two** other similarities.

(2)

1 .....

.....

2 .....

.....

(ii) Explain **one** difference between a function and a procedure.

(2)

.....

.....

.....

.....

(Total for Question 5 = 12 marks)

DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA DO

OLevels.COM — SCHOOL —

1. Question 5 · part c.ii · 2 marks · Working and answer

Working and answer

OLevels.com SCHOOL

2. Question 5 · part c.i · 2 marks

2020 NOV · Paper 02

Further practice · Attempt part c.i only.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

5 Cerys Jones is the manager of a shop that sells electrical goods.

She is creating a stock control program.

(a) Each item of stock will have a ten-character code.

Each code consists of three parts.

Part	Description
Characters 1 to 3	Uppercase letters
Characters 4 to 9	Numbers between 1 and 9 inclusive
Character 10	'e' or 'o' indicating whether the sum of the numbers is even or odd

WAS123456o, FDG232324e and VAC129222e are valid codes.

All codes need to be validated.

Complete the table to show **two** additional validation tests.

For each test, give **one** example of erroneous data. The example that you give should fail **only** that test.

(4)

Validation test	Erroneous data
Is the last character 'o' or 'e'?	ABC654321v

(b) Cerys will need an algorithm to search the table of stock data.

(i) State **two** advantages of using a linear search algorithm rather than a binary search algorithm.

(2)

1 .....

.....

2 .....

.....

OLevels.COM SCHOOL

2. Question 5 · part c.i · 2 marks

2020 NOV · Paper 02

Further practice · Attempt part c.i only.

(ii) State **two** disadvantages of using a linear search algorithm rather than a binary search algorithm.

(2)

1 .....

.....

2 .....

.....

(c) Cerys will use functions and procedures in her program.

(i) One similarity between a function and a procedure is that they are both subprograms.

State **two** other similarities.

(2)

1 .....

.....

2 .....

.....

(ii) Explain **one** difference between a function and a procedure.

(2)

.....

.....

.....

.....

(Total for Question 5 = 12 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

OLevels.COM — SCHOOL —

2. Question 5 · part c.i · 2 marks · Working and answer

Working and answer

OLevels.com SCHOOL

3. Question 3 · part d.iii · 1 mark

2021 JUN · Paper 02

Further practice · Attempt part d.iii only.

3 Several encryption algorithms have been developed.

(a) Ahmed has started to create a Caesar cipher encryption program.

Caesar cipher encryption works by giving a number value to a key.

Each letter in a plaintext message is replaced by a new ciphertext letter using the key.

For example, as shown in the table, a key value of +2 would change the plaintext message **encrypt** to the ciphertext message **gpetarv**.

Plaintext	e	n	c	r	y	p	t
Ciphertext	g	p	e	t	a	r	v

Ahmed's program already converts from plaintext to ciphertext.

He wants to extend the program to:

- accept the input of a plaintext message
- accept the input of the key, which must be a positive integer between 1 and 25
- write the generated ciphertext to a text file named **Cipher.txt**
- display the ciphertext.

Open **Q03a** in the code editor.

Complete the program code.

You must use the structure given in the file **Q03a** to complete the program.

Do not add any further functionality.

Save your code as **Q03aFINISHED** with the correct file extension for the programming language.

(8)

(b) Explain **one** reason why the Caesar cipher is a weak encryption algorithm.

(2)

DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA

OLevels.COM — SCHOOL —

3. Question 3 · part d.iii · 1 mark

2021 JUN · Paper 02

Further practice · Attempt part d.iii only.

DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA

(c) The Vigenere cipher encrypts plaintext using a series of Caesar ciphers, based on the letters of a keyword and a Vigenere square.

Figure 1 shows a Vigenere square.

	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	r	s	t	u	v	w	x	y	z
a	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	r	s	t	u	v	w	x	y	z
b	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	r	s	t	u	v	w	x	y	z	a
c	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	r	s	t	u	v	w	x	y	z	a	b
d	d	e	f	g	h	i	j	k	l	m	n	o	p	q	r	s	t	u	v	w	x	y	z	a	b	c
e	e	f	g	h	i	j	k	l	m	n	o	p	q	r	s	t	u	v	w	x	y	z	a	b	c	d
f	f	g	h	i	j	k	l	m	n	o	p	q	r	s	t	u	v	w	x	y	z	a	b	c	d	e
g	g	h	i	j	k	l	m	n	o	p	q	r	s	t	u	v	w	x	y	z	a	b	c	d	e	f
h	h	i	j	k	l	m	n	o	p	q	r	s	t	u	v	w	x	y	z	a	b	c	d	e	f	g
i	i	j	k	l	m	n	o	p	q	r	s	t	u	v	w	x	y	z	a	b	c	d	e	f	g	h
j	j	k	l	m	n	o	p	q	r	s	t	u	v	w	x	y	z	a	b	c	d	e	f	g	h	i
k	k	l	m	n	o	p	q	r	s	t	u	v	w	x	y	z	a	b	c	d	e	f	g	h	i	j
l	l	m	n	o	p	q	r	s	t	u	v	w	x	y	z	a	b	c	d	e	f	g	h	i	j	k
m	m	n	o	p	q	r	s	t	u	v	w	x	y	z	a	b	c	d	e	f	g	h	i	j	k	l
n	n	o	p	q	r	s	t	u	v	w	x	y	z	a	b	c	d	e	f	g	h	i	j	k	l	m
o	o	p	q	r	s	t	u	v	w	x	y	z	a	b	c	d	e	f	g	h	i	j	k	l	m	n
p	p	q	r	s	t	u	v	w	x	y	z	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
q	q	r	s	t	u	v	w	x	y	z	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p
r	r	s	t	u	v	w	x	y	z	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q
s	s	t	u	v	w	x	y	z	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	r
t	t	u	v	w	x	y	z	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	r	s
u	u	v	w	x	y	z	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	r	s	t
v	v	w	x	y	z	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	r	s	t	u
w	w	x	y	z	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	r	s	t	u	v
x	x	y	z	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	r	s	t	u	v	w
y	y	z	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	r	s	t	u	v	w	x
z	z	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	r	s	t	u	v	w	x	y

Figure 1

Complete the table to perform a Vigenere decryption of the ciphertext message **flmktrwhee** using the keyword **thirty**.

(4)

Encrypted letter	f	l	m	k	t	r	w	h	e	e
Keyword letter										
Decrypted letter										

O-Levels.com School

3. Question 3 · part d.iii · 1 mark

2021 JUN · Paper 02

Further practice · Attempt part d.iii only.

(d) A user-defined function uses a Vigenere cipher to encrypt plaintext into ciphertext.

This pseudocode shows how the function is called.

```
SET ciphertext TO ciphertext & getCipherLetter(keywordLetter, plaintextLetter)
```

(i) State what would be returned by this function.

(1)

.....

.....

(ii) Give the name of **one** parameter passed to this function.

(1)

.....

(iii) State what is meant by a **built-in subprogram**.

(1)

.....

.....

(Total for Question 3 = 17 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE

O'Levels.com SCHOOL

Working and answer

4. Question 3 · part b · 2 marks

2021 NOV · Paper 02

Further practice · Attempt part b only.

3 Dates are often used in programs.

(a) A program accepts the number of a month and outputs the number of days in the month.

Open **Q03a** in the code editor.

Use the code to answer these questions.

(i) Identify the name of a local variable.

(1)

(ii) Identify the name of a data structure.

(1)

(iii) Identify the name of a built-in subprogram.

(1)

(iv) Identify the name of a user-written function.

(1)

(v) Identify the name of a parameter.

(1)

(vi) The program includes validation to ensure the month number is between 1 and 12 inclusive.

Complete the table by adding the type of test data that is being used to test the validation.

The first type of test has been completed for you.

(2)

Type of test data	Test data
Normal	3
	1
	15

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

OLevels.com SCHOOL

4. Question 3 · part b · 2 marks

2021 NOV · Paper 02

Further practice · Attempt part b only.

(b) Explain **one** reason why parameters are used to pass data into subprograms.

(2)

(c) A leap year is a year that has 366 days rather than 365 days. A leap year usually occurs every four years.

A year that is a leap year:

- can be exactly divided by 400

Or

- can be exactly divided by 4, but **not** exactly divided by 100.

These years are leap years: 2000, 2012 and 2020.

These years are not leap years: 1700, 1900 and 2021.

A program is needed that will accept the input of a year and output whether it is a leap year or not.

Open **Q03c** in the code editor.

Write the program.

You **must** use the structure given in **Q03c**.

Do not add any further functionality.

Save your code as **Q03cFINISHED** with the correct file extension for the programming language.

(6)

(Total for Question 3 = 15 marks)

DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA

OLevels.com SCHOOL

4. Question 3 · part b · 2 marks · Working and answer

Working and answer

OLevels.com SCHOOL

5. Question 2 · part a.i · 2 marks

2023 JUN · Paper 02

Further practice · Attempt part a.i only.

2 Solutions to problems are made up of many different components.

(a) Programmers use subprograms when developing code.

(i) Give **two** reasons to use **subprogram libraries** when developing code.

(2)

1 .....

.....

2 .....

.....

(ii) Identify which **one** of these must return a result.

(1)

- ☒ **A** Function
- ☒ **B** Iteration
- ☒ **C** Procedure
- ☒ **D** Selection

(iii) State what is meant by the term **local variable**.

(1)

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

OLevels.COM SCHOOL

5. Question 2 · part a.i · 2 marks · Working and answer

Working and answer

OLevels.com SCHOOL

6. Question 2 · part a.ii · 1 mark

2023 JUN · Paper 02

Further practice · Attempt part a.ii only.

2 Solutions to problems are made up of many different components.

(a) Programmers use subprograms when developing code.

(i) Give **two** reasons to use **subprogram libraries** when developing code.

(2)

1 .....

.....

2 .....

.....

(ii) Identify which **one** of these must return a result.

(1)

- ☒ **A** Function
- ☒ **B** Iteration
- ☒ **C** Procedure
- ☒ **D** Selection

(iii) State what is meant by the term **local variable**.

(1)

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

OLevels.COM — SCHOOL

6. Question 2 · part a.ii · 1 mark · Working and answer

Working and answer

OLevels.com SCHOOL