Block practice · Graphs

Work through each question type in order. Each section has a worked-example retry and all further practice. Attempt only the part outlined in red.

Finding the unknown letters in a rational curve

OLevels.com SCHOOL

Practice workbook · Finding the unknown letters in a rational curve

Working backwards from given asymptotes and intercepts to find the unknown letters in y = (ax + b)/(cx + d).

11 question parts: 1 worked-example retry and 10 further practice parts.
Name: _____ Class: _____ Date: _____

Practise one question type at a time. Attempt the part inside the red boundary; the rest of the question and any figures are kept for context. Write your working in the answer space.

The first question is a retry of the website worked example, without its solution. Check your answers online with 'Check my answer', or ask your teacher for the answer booklet.

OLevels.com SCHOOL

Type ID: FPM-GRA-07

1. Question 3 · part b · 2 marks

2021 NOV · Paper 02

Worked-example retry · Attempt part b only.

3




Diagram **NOT** accurately drawn

Figure 1

Figure 1 shows a sketch of the curve with equation

$$y = \frac{a - bx}{cx - d} \qquad x \neq \frac{d}{c}$$

where a, c and d are prime numbers and b is an integer.

The asymptote to the curve that is parallel to the y-axis has equation $x = \frac{3}{2}$

(a) Write down the value of c and the value of d

(2)

The curve crosses the x-axis at the point $\left(\frac{5}{4}, 0\right)$

(b) Find the value of a and the value of b

(2)

The curve crosses the y-axis at the point $(0, p)$ where p is a rational number.

(c) Find the value of p

(2)

(d) Find an equation of the asymptote to the curve that is parallel to the x-axis.

(1)

DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA

OLevels.COM SCHOOL

8

P 6 6 0 2 7 R R A 0 8 3 6

1. Question 3 · part b · 2 marks · Working and answer

Working and answer

OLevels.com SCHOOL

2. Question 3 · part a · 2 marks

2023 JAN · Paper 01

Further practice · Attempt part a only.

3 Curve C has equation $y = \dfrac{ax + 3}{1 - 2x}$ where $x \neq \dfrac{1}{2}$ and a is a constant.

The asymptote to C that is parallel to the x-axis has equation $y = 4$

(a) Find the value of a

(2)

(b) Write down the equation of the asymptote to C that is parallel to the y-axis.

(1)


(c) Find the coordinates of the point where C crosses

(i) the x-axis, (ii) the y-axis.

(2)

(d) Using the axes below, sketch C, showing clearly the asymptotes and the coordinates of the points where C crosses the coordinate axes.

(4)



OLevels.COM — SCHOOL —

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

P 7 1 8 1 7 A 0 8 3 2

2. Question 3 · part a · 2 marks · Working and answer

Working and answer

OLevels.com SCHOOL

3. Question 2 · part whole · 4 marks

2019 JUN · Paper 02 (regional R)

Further practice · Attempt part whole only.

2




Figure 1

Figure 1 shows part of the curve S with equation $y = \dfrac{ax + b}{x + c}$ where a, b and c are integers.

The asymptote to S that is parallel to the x-axis has equation $y = -2$
The asymptote to S that is parallel to the y-axis has equation $x = -3$
The curve crosses the x-axis at the point with coordinates $(4, 0)$
The curve crosses the y-axis at the point with coordinates $(0, p)$ where p is a rational number.

Find

(i) the value of a,

(ii) the value of b,

(iii) the value of c,

(iv) the value of p.

(4)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

4

P 6 1 8 8 3 A 0 4 3 6

3. Question 2 · part whole · 4 marks

2019 JUN · Paper 02 (regional R)

Further practice · Attempt part whole only.

Question 2 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

OLevels.com SCHOOL

(Total for Question 2 is 4 marks)

3. Question 2 · part whole · 4 marks · Working and answer

Working and answer

OLevels.com SCHOOL

4. Question 4 · part a.i · 0 marks

2023 JAN · Paper 02 (regional R)

Further practice · Attempt part a.i only.

4




Diagram **NOT** accurately drawn

Figure 1

Figure 1 shows part of the curve C with equation

$$y = \frac{2x + q}{x + r} \qquad x \neq -r$$

where q and r are integers.

The asymptote to C that is parallel to the y-axis has equation $x = -4$
The asymptote to C that is parallel to the x-axis has equation $y = p$

(a) Write down

(i) the value of p

(ii) the value of r

(2)

Given that C crosses the y-axis at the point with coordinates $\left(0, \frac{3}{2}\right)$

(b) find the value of q

(2)

Given that C crosses the x-axis at the point with coordinates $(s, 0)$

(c) find the value of s

(2)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

P 7 1 8 2 0 A 0 8 3 6

4. Question 4 · part a.i · 0 marks · Working and answer

Working and answer

OLevels.com SCHOOL

5. Question 4 · part a.ii · 2 marks

2023 JAN · Paper 02 (regional R)

Further practice · Attempt part a.ii only.

4




Diagram **NOT** accurately drawn

Figure 1

Figure 1 shows part of the curve C with equation

$$y = \frac{2x + q}{x + r} \qquad x \neq -r$$

where q and r are integers.

The asymptote to C that is parallel to the y-axis has equation $x = -4$
The asymptote to C that is parallel to the x-axis has equation $y = p$

(a) Write down

(i) the value of p

(ii) the value of r

(2)

Given that C crosses the y-axis at the point with coordinates $\left(0, \frac{3}{2}\right)$

(b) find the value of q

(2)

Given that C crosses the x-axis at the point with coordinates $(s, 0)$

(c) find the value of s

(2)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

5. Question 4 · part a.ii · 2 marks · Working and answer

Working and answer

OLevels.com SCHOOL

6. Question 4 · part b · 2 marks

2023 JAN · Paper 02 (regional R)

Further practice · Attempt part b only.

4




Diagram **NOT** accurately drawn

Figure 1

Figure 1 shows part of the curve C with equation

$$y = \frac{2x + q}{x + r} \qquad x \neq -r$$

where q and r are integers.

The asymptote to C that is parallel to the y-axis has equation $x = -4$
The asymptote to C that is parallel to the x-axis has equation $y = p$

(a) Write down

(i) the value of p

(ii) the value of r

(2)

Given that C crosses the y-axis at the point with coordinates $\left(0, \frac{3}{2}\right)$

(b) find the value of q

(2)

Given that C crosses the x-axis at the point with coordinates $(s, 0)$

(c) find the value of s

(2)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

P 7 1 8 2 0 A 0 8 3 6

6. Question 4 · part b · 2 marks · Working and answer

Working and answer

OLevels.com SCHOOL

7. Question 10 · part a.i · 0 marks

2025 JUN · Paper 02 (regional R)

Further practice · Attempt part a.i only.

10 The curve C has equation

$$y = \frac{5x-2}{ax+b} \qquad x \neq -\frac{b}{a}$$

The asymptote to C that is parallel to the y-axis has equation $x = -\frac{4}{3}$

C crosses the y-axis at the point with coordinates $\left(0, -\frac{1}{4}\right)$

(a) (i) Show that $b = 8$

(ii) Find the value of a

(3)

(b) Write down the equation of the asymptote to C that is parallel to the x-axis.

(1)

(c) Find the coordinates of the point where C crosses the x-axis.

(1)

(d) Using calculus, show that at every point on C, the gradient is positive.

(4)

(e) Using the axes on the next page, sketch C
Clearly label the asymptotes and the coordinates where C crosses the coordinate axes.

(3)

The gradient of C is $\frac{13}{100}$ at the point E and at the point F

(f) Find the length of the line EF, giving your answer to 2 decimal places.

(6)

DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA

P 7 6 5 0 9 A 0 2 6 3 2

7. Question 10 · part a.i · 0 marks · Working and answer

Working and answer

OLevels.com SCHOOL

8. Question 10 · part a.ii · 3 marks

2025 JUN · Paper 02 (regional R)

Further practice · Attempt part a.ii only.

10 The curve C has equation

$$y = \frac{5x-2}{ax+b} \qquad x \neq -\frac{b}{a}$$

The asymptote to C that is parallel to the y-axis has equation $x = -\frac{4}{3}$

C crosses the y-axis at the point with coordinates $\left(0, -\frac{1}{4}\right)$

(a) (i) Show that $b = 8$

(ii) Find the value of a

(3)

(b) Write down the equation of the asymptote to C that is parallel to the x-axis.

(1)

(c) Find the coordinates of the point where C crosses the x-axis.

(1)

(d) Using calculus, show that at every point on C, the gradient is positive.

(4)

(e) Using the axes on the next page, sketch C
Clearly label the asymptotes and the coordinates where C crosses the coordinate axes.

(3)

The gradient of C is $\frac{13}{100}$ at the point E and at the point F

(f) Find the length of the line EF, giving your answer to 2 decimal places.

(6)

DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA

P 7 6 5 0 9 A 0 2 6 3 2

8. Question 10 · part a.ii · 3 marks · Working and answer

Working and answer

OLevels.com SCHOOL

9. Question 10 · part a · 2 marks

2024 JUN · Paper 01

Further practice · Attempt part a only.

10 The curve C has equation $y = \dfrac{ax - 5}{b - x}$ where a and b are integers and $x \neq b$

One intersection of C with the coordinate axes is at the point with coordinates $\left(\frac{5}{4}, 0\right)$

The asymptote parallel to the y-axis has equation $x = 3$

(a) Find the value of a and the value of b

(2)

(b) Sketch C, showing clearly the asymptotes with their equations and the coordinates of the points of intersection with the coordinate axes.

(5)

The straight line l with equation $4y - 7x = k$ has no points of intersection with C

(c) Show, using algebra, that the range of possible values of k can be written as

$$m < k < n$$

where m and n are integers to be found.

(9)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

OLevels.com SCHOOL

9. Question 10 · part a · 2 marks · Working and answer

Working and answer

OLevels.com SCHOOL

10. Question 3 · part a · 2 marks

2021 NOV · Paper 02

Further practice · Attempt part a only.

3




Diagram **NOT** accurately drawn

Figure 1

Figure 1 shows a sketch of the curve with equation

$$y = \frac{a - bx}{cx - d} \qquad x \neq \frac{d}{c}$$

where a, c and d are prime numbers and b is an integer.

The asymptote to the curve that is parallel to the y-axis has equation $x = \frac{3}{2}$

(a) Write down the value of c and the value of d

(2)

The curve crosses the x-axis at the point $\left(\frac{5}{4}, 0\right)$

(b) Find the value of a and the value of b

(2)

The curve crosses the y-axis at the point $(0, p)$ where p is a rational number.

(c) Find the value of p

(2)

(d) Find an equation of the asymptote to the curve that is parallel to the x-axis.

(1)

DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA

10. Question 3 · part a · 2 marks · Working and answer

Working and answer

OLevels.com SCHOOL

11. Question 11 · part b.ii · 1 mark

2022 JUN · Paper 02

Further practice · Attempt part b.ii only.

11 A curve C has equation

$$y = \frac{(2a-1)x+1}{ax-6} \qquad \text{where } a \text{ is a constant and } x \neq \frac{6}{a}$$

(a) Find $\frac{dy}{dx}$

(3)

The curve crosses the y-axis at the point A.

The normal to C at the point A is the line l with equation $66y - 72x + 11 = 0$

Show that

(b) (i) $a = 3$

(4)

(ii) the equation of C is $y = \frac{5x+1}{3x-6}$ where $x \neq 2$

(1)

(c) Using the axes on the opposite page, sketch C, showing clearly the asymptotes with their equations and the coordinates of the points where C crosses the coordinate axes.

(5)

The line l meets C again at the point D.

(d) Find the x coordinate of D.
Give your answer as an improper fraction.

(4)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

OLevels.COM SCHOOL

11. Question 11 · part b.ii · 1 mark · Working and answer

Working and answer

OLevels.com SCHOOL