Block practice · The quadratic function

Work through each question type in order. Each section has a worked-example retry and all further practice. Attempt only the part outlined in red.

The difference of the roots

OLevels.com SCHOOL

Practice workbook · The difference of the roots

Using (alpha - beta)^2 = (alpha + beta)^2 - 4alpha*beta to find alpha - beta, and using it in difference-of-squares factorisations such as alpha^4 - beta^4 or alpha^2 - beta^2 to get exact surd values.

12 question parts: 1 worked-example retry and 11 further practice parts.
Name: _____ Class: _____ Date: _____

Practise one question type at a time. Attempt the part inside the red boundary; the rest of the question and any figures are kept for context. Write your working in the answer space.

The first question is a retry of the website worked example, without its solution. Check your answers online with 'Check my answer', or ask your teacher for the answer booklet.

OLevels.com SCHOOL

Type ID: FPM-QUA-08

1. Question 11 · part b.ii · 2 marks

2023 JUN · Paper 02

Worked-example retry · Attempt part b.ii only.

11 The roots of a quadratic equation E are α and β where $\alpha > \beta > 0$

Given that $\alpha - \beta = 2\sqrt{6}$ and $\alpha^2 + \beta^2 = 30$

(a) show that

(i) $\alpha\beta = 3$

(4)

(ii) $\alpha + \beta = 6$

(2)

(b) Without solving E

(i) find the value of $\alpha^4 + \beta^4$

(2)

(ii) find the exact value of $\alpha^4 - \beta^4$

(2)

Given that $\alpha^4 = P + Q\sqrt{6}$ where P and Q are positive integers,

(c) find the value of P and the value of Q

(2)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

OLevels.com SCHOOL

1. Question 11 · part b.ii · 2 marks · Working and answer

Working and answer

OLevels.com SCHOOL

2. Question 10 · part b · 2 marks

2019 JUN · Paper 02

Further practice · Attempt part b only.

10 The roots of the equation $x^2 + 3x - 5 = 0$ are α and β.

(a) Without solving the equation, find

(i) the value of $\alpha^2 + \beta^2$

(ii) the value of $\alpha^4 + \beta^4$

(5)

Given that $\alpha > \beta$ and without solving the equation

(b) show that $\alpha - \beta = \sqrt{29}$

(2)

(c) Factorise $\alpha^4 - \beta^4$ completely.

(3)

(d) Hence find the exact value of $\alpha^4 - \beta^4$

(2)

Given that $\beta^4 = p + q\sqrt{29}$ where p and q are positive constants

(e) find the value of p and the value of q.

(3)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

OLevels.com — SCHOOL —

2. Question 10 · part b · 2 marks · Working and answer

Working and answer

OLevels.com SCHOOL

3. Question 10 · part c · 3 marks

2019 JUN · Paper 02

Further practice · Attempt part c only.

10 The roots of the equation $x^2 + 3x - 5 = 0$ are α and β.

(a) Without solving the equation, find

(i) the value of $\alpha^2 + \beta^2$

(ii) the value of $\alpha^4 + \beta^4$

(5)

Given that $\alpha > \beta$ and without solving the equation

(b) show that $\alpha - \beta = \sqrt{29}$

(2)

(c) Factorise $\alpha^4 - \beta^4$ completely.

(3)

(d) Hence find the exact value of $\alpha^4 - \beta^4$

(2)

Given that $\beta^4 = p + q\sqrt{29}$ where p and q are positive constants

(e) find the value of p and the value of q.

(3)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

OLevels.com — SCHOOL —

3. Question 10 · part c · 3 marks · Working and answer

Working and answer

OLevels.com SCHOOL

4. Question 10 · part d · 2 marks

2019 JUN · Paper 02

Further practice · Attempt part d only.

10 The roots of the equation $x^2 + 3x - 5 = 0$ are α and β.

(a) Without solving the equation, find

(i) the value of $\alpha^2 + \beta^2$

(ii) the value of $\alpha^4 + \beta^4$

(5)

Given that $\alpha > \beta$ and without solving the equation

(b) show that $\alpha - \beta = \sqrt{29}$

(2)

(c) Factorise $\alpha^4 - \beta^4$ completely.

(3)

(d) Hence find the exact value of $\alpha^4 - \beta^4$

(2)

Given that $\beta^4 = p + q\sqrt{29}$ where p and q are positive constants

(e) find the value of p and the value of q.

(3)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

OLevels.com — SCHOOL —

4. Question 10 · part d · 2 marks · Working and answer

Working and answer

OLevels.com SCHOOL

5. Question 10 · part e · 3 marks

2019 JUN · Paper 02

Further practice · Attempt part e only.

10 The roots of the equation $x^2 + 3x - 5 = 0$ are α and β.

(a) Without solving the equation, find

(i) the value of $\alpha^2 + \beta^2$

(ii) the value of $\alpha^4 + \beta^4$

(5)

Given that $\alpha > \beta$ and without solving the equation

(b) show that $\alpha - \beta = \sqrt{29}$

(2)

(c) Factorise $\alpha^4 - \beta^4$ completely.

(3)

(d) Hence find the exact value of $\alpha^4 - \beta^4$

(2)

Given that $\beta^4 = p + q\sqrt{29}$ where p and q are positive constants

(e) find the value of p and the value of q.

(3)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

OLevels.com SCHOOL

5. Question 10 · part e · 3 marks

2019 JUN · Paper 02

Further practice · Attempt part e only.

Question 10 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

OLevels.com SCHOOL

5. Question 10 · part e · 3 marks

2019 JUN · Paper 02

Further practice · Attempt part e only.

Question 10 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

OLevels.com SCHOOL

5. Question 10 · part e · 3 marks

2019 JUN · Paper 02

Further practice · Attempt part e only.

Question 10 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

OLevels.com SCHOOL

(Total for Question 10 is 15 marks)

5. Question 10 · part e · 3 marks · Working and answer

Working and answer

OLevels.com SCHOOL

6. Question 6 · part a · 3 marks

2021 JUN · Paper 01

Further practice · Attempt part a only.

6 (a) Show that $(\alpha - \beta)^2 = (\alpha + \beta)^2 - 4\alpha\beta$

(3)

The quadratic equation $x^2 - 7kx + k^2 = 0$, where k is a positive constant, has roots α and β where $\alpha > \beta$

(b) Show that $\alpha - \beta = 3k\sqrt{5}$

(3)

(c) Hence form a quadratic equation with roots $\alpha + 1$ and $\beta - 1$

Give your equation in the form $x^2 + px + q = 0$ where p and q should be given in terms of k.

(4)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

OLevels.com SCHOOL

6. Question 6 · part a · 3 marks · Working and answer

Working and answer

OLevels.com SCHOOL

7. Question 6 · part b · 3 marks

2021 JUN · Paper 01

Further practice · Attempt part b only.

6 (a) Show that $(\alpha - \beta)^2 = (\alpha + \beta)^2 - 4\alpha\beta$

(3)

The quadratic equation $x^2 - 7kx + k^2 = 0$, where k is a positive constant, has roots α and β where $\alpha > \beta$

(b) Show that $\alpha - \beta = 3k\sqrt{5}$

(3)

(c) Hence form a quadratic equation with roots $\alpha + 1$ and $\beta - 1$

Give your equation in the form $x^2 + px + q = 0$ where p and q should be given in terms of k.

(4)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

OLevels.com SCHOOL

7. Question 6 · part b · 3 marks · Working and answer

Working and answer

OLevels.com SCHOOL

8. Question 7 · part b · 4 marks

2022 JAN · Paper 02

Further practice · Attempt part b only.

7 $f(x) = 2x^2 + px + q$ where p and q are integers
$g(x) = 14x^2 + 37x + 14$

The equation $f(x) = 0$ has roots α and β

The equation $g(x) = 0$ has roots $\frac{\alpha}{\beta}$ and $\frac{\beta}{\alpha}$

Given that $p + q = -4$ where $p > 0$ and without solving the equation $g(x) = 0$

(a) find

(i) the value of p

(ii) the value of q

(9)

Given also that $\alpha > \beta$

(b) show that $\alpha^2 - \beta^2 = -\frac{3\sqrt{65}}{4}$

(4)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

OLevels.com SCHOOL

8. Question 7 · part b · 4 marks

2022 JAN · Paper 02

Further practice · Attempt part b only.

Question 7 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

OLevels.com SCHOOL

8. Question 7 · part b · 4 marks

2022 JAN · Paper 02

Further practice · Attempt part b only.

Question 7 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

OLevels.com SCHOOL

8. Question 7 · part b · 4 marks

2022 JAN · Paper 02

Further practice · Attempt part b only.

Question 7 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

OLevels.com SCHOOL

(Total for Question 7 is 13 marks)

8. Question 7 · part b · 4 marks · Working and answer

Working and answer

OLevels.com SCHOOL

9. Question 5 · part b · 4 marks

2022 JUN · Paper 02

Further practice · Attempt part b only.

5 The roots of the quadratic equation $2x^2 + (6 + 2p)x + 2p = 0$ are α and β

(a) Write down an expression in terms of p for

(i) $\alpha + \beta$ (ii) $\alpha\beta$

(2)

(b) Show that $(\alpha - \beta)^2 = 9 + 2p + p^2$

(4)

Given that $(\alpha - \beta) = 3$

(c) find the possible values of p

(3)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

OLevels.com SCHOOL

9. Question 5 · part b · 4 marks · Working and answer

Working and answer

OLevels.com SCHOOL

10. Question 11 · part a.i · 4 marks

2023 JUN · Paper 02

Further practice · Attempt part a.i only.

11 The roots of a quadratic equation E are α and β where $\alpha > \beta > 0$

Given that $\alpha - \beta = 2\sqrt{6}$ and $\alpha^2 + \beta^2 = 30$

(a) show that

(i) $\alpha\beta = 3$

(4)

(ii) $\alpha + \beta = 6$

(2)

(b) Without solving E

(i) find the value of $\alpha^4 + \beta^4$

(2)

(ii) find the exact value of $\alpha^4 - \beta^4$

(2)

Given that $\alpha^4 = P + Q\sqrt{6}$ where P and Q are positive integers,

(c) find the value of P and the value of Q

(2)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
OLevels.com SCHOOL

P 7 2 8 6 6 A 0 3 4 3 6

10. Question 11 · part a.i · 4 marks · Working and answer

Working and answer

OLevels.com SCHOOL

11. Question 11 · part a.ii · 2 marks

2023 JUN · Paper 02

Further practice · Attempt part a.ii only.

11 The roots of a quadratic equation E are α and β where $\alpha > \beta > 0$

Given that $\alpha - \beta = 2\sqrt{6}$ and $\alpha^2 + \beta^2 = 30$

(a) show that

(i) $\alpha\beta = 3$

(4)

(ii) $\alpha + \beta = 6$

(2)

(b) Without solving E

(i) find the value of $\alpha^4 + \beta^4$

(2)

(ii) find the exact value of $\alpha^4 - \beta^4$

(2)

Given that $\alpha^4 = P + Q\sqrt{6}$ where P and Q are positive integers,

(c) find the value of P and the value of Q

(2)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

OLevels.com SCHOOL

P 7 2 8 6 6 A 0 3 4 3 6

11. Question 11 · part a.ii · 2 marks · Working and answer

Working and answer

OLevels.com SCHOOL

12. Question 11 · part c · 2 marks

2023 JUN · Paper 02

Further practice · Attempt part c only.

11 The roots of a quadratic equation E are α and β where $\alpha > \beta > 0$

Given that $\alpha - \beta = 2\sqrt{6}$ and $\alpha^2 + \beta^2 = 30$

(a) show that

(i) $\alpha\beta = 3$

(4)

(ii) $\alpha + \beta = 6$

(2)

(b) Without solving E

(i) find the value of $\alpha^4 + \beta^4$

(2)

(ii) find the exact value of $\alpha^4 - \beta^4$

(2)

Given that $\alpha^4 = P + Q\sqrt{6}$ where P and Q are positive integers,

(c) find the value of P and the value of Q

(2)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

OLevels.com SCHOOL

P 7 2 8 6 6 A 0 3 4 3 6

12. Question 11 · part c · 2 marks

2023 JUN · Paper 02

Further practice · Attempt part c only.

Question 11 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

OLevels.com SCHOOL

12. Question 11 · part c · 2 marks

2023 JUN · Paper 02

Further practice · Attempt part c only.

Question 11 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

OLevels.com SCHOOL

(Total for Question 11 is 12 marks)

12. Question 11 · part c · 2 marks · Working and answer

Working and answer

OLevels.com SCHOOL