Practice workbook · Explain how smoking damages health, including in pregnancy

Tar, carbon monoxide and other smoke effects on lungs, circulation and the fetus, and reasons for lung cancer patterns.

6 question parts: 1 worked-example retry and 5 further practice parts.
Name: _____ Class: _____ Date: _____

Practise one question type at a time. Attempt the part inside the red boundary; the rest of the question and any figures are kept for context. Write your working in the answer space.

The first question is a retry of the website worked example, without its solution. Check your answers online with 'Check my answer', or ask your teacher for the answer booklet.

OLevels.com SCHOOL

Type ID: HBI-SMOKING-HEALTH-DAMAGE

1. Question 2 · part d · 4 marks

January 2022 Paper 2

Worked-example retry · Attempt part d only.

2 Read the passage below. Use the information in the passage and your own knowledge to answer the questions that follow.

The breathing system consists of airways that allow the movement of air into the lungs. Air can be breathed in through the nose or through the mouth. The lining of the nose has a good supply of blood capillaries and a layer of sticky mucus.

The whole of the trachea and the larger air passages have C-shaped rings of cartilage within their walls. These rings help the air to flow freely into the lungs. The trachea divides into two tubes which then divide further into finer branches. These finer branches eventually end in air sacs. It is in the air sacs that gaseous exchange occurs.

The lungs are located in the thorax which is surrounded by the ribs. The thorax is separated from the abdomen by the diaphragm. Together, the ribs and the diaphragm can change the volume of the thorax and therefore the pressure in the thorax.

During breathing, at rest, an average of 0.50 dm^3 of air is breathed in and out. The air breathed in contains 20% oxygen and the air breathed out contains 16% oxygen. At rest, an adult will breathe 17 times a minute on average. The breathing rate is controlled by a part of the brain which receives information about carbon dioxide levels in the blood.

Carbon monoxide may be present in the air that is breathed in. The carbon monoxide can enter the blood and combine with haemoglobin in the red blood cells. Carbon monoxide is found in cigarette smoke and car exhaust fumes.

(a) (i) Discuss whether it is better to breathe in through the nose or the mouth. (lines 2 to 3)

(3)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

OLevels.COM SCHOOL

1. Question 2 · part d · 4 marks

January 2022 Paper 2

Worked-example retry · Attempt part d only.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(ii) Explain why the larger air passages have C-shaped rings of cartilage within their walls. (lines 4 to 5)

(2)

(iii) The trachea divides into two tubes.

What is the name of these tubes? (line 6)

(1)

- ☒ **A** alveoli
- ☒ **B** bronchi
- ☒ **C** bronchioles
- ☒ **D** oesophagus

OLevels.COM SCHOOL

(b) Which of these is the name of the part of the brain that controls breathing rate? (line 16)

(1)

- ☒ **A** cerebrum
- ☒ **B** cerebellum
- ☒ **C** hypothalamus
- ☒ **D** medulla oblongata

1. Question 2 · part d · 4 marks

January 2022 Paper 2

Worked-example retry · Attempt part d only.

(c) Calculate the average volume of oxygen absorbed by the lungs during one minute of breathing, at rest. (lines 13 to 15)

(3)

volume of oxygen absorbed = ... dm^3

(d) Explain why pregnant women are advised not to smoke cigarettes.

(4)

.....

.....

.....

.....

.....

.....

.....

.....

(Total for Question 2 = 14 marks)

DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA DO NOT W

OLevels.COM SCHOOL

1. Question 2 · part d · 4 marks · Working and answer

Working and answer

OLevels.com SCHOOL

2. Question 3 · part c · 5 marks

June 2019 Paper 2R

Further practice · Attempt part c only.

3 A woman who smokes when she is pregnant risks harming her developing fetus.

The table lists the birth masses of 310 children born to non-smoking mothers or to mothers who smoke.

	Birth masses of children in kg					
	Less than 2.4	**2.4 – 3.1**	**3.2 – 3.5**	**3.6 – 3.9**	**More than 3.9**	**Total number of births in sample**
Number of children born to non-smoking mothers	4	42	70	60	34	210
Number of children born to mothers who smoke	3	24	44	23	6	100

(a) (i) What is the most common birth mass in kg?

(1)

- ☒ **A** 2.4 – 3.1
- ☒ **B** 3.2 – 3.5
- ☒ **C** 3.6 – 3.9
- ☒ **D** More than 3.9

(ii) Calculate the percentage of children with a birth mass of 3.6 kg or more in the sample of non-smoking mothers.

(2)

percentage = ...

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

OLevels.com SCHOOL

2. Question 3 · part c · 5 marks

June 2019 Paper 2R

Further practice · Attempt part c only.

(b) Use data from the table to deduce what can be concluded about the effect of smoking on birth mass.

(2)

(c) Suggest why smoking affects birth mass.

(5)

(Total for Question 3 = 10 marks)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

2. Question 3 · part c · 5 marks · Working and answer

Working and answer


OLevels.com SCHOOL

3. Question 2 · part b.i · 1 mark

November 2020 Paper 1R

Further practice · Attempt part b.i only.

2 The diagram shows a cell from the human breathing system.



(a) (i) Add these labels to the diagram.

- cilia
- cell membrane
- nucleus

(3)

(ii) Each of the cell structures has a particular function.

The boxes give a list of structures and functions.

Draw one straight line from each structure to its function.

(3)

Structure	Function
cilia	holds the genetic code
cell membrane	site where most chemical reactions occur
nucleus	controls the entry and exit of substances
	makes proteins
	moves mucus through the trachea

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

OLevels.COM SCHOOL

3. Question 2 · part b.i · 1 mark

November 2020 Paper 1R

Further practice · Attempt part b.i only.

DO NOT WRITE IN THIS AREA

(b) (i) Cigarette smoking affects the function of the cell shown in the diagram.

Name a substance in cigarette smoke that causes damage to this cell.

(1)

.....

(ii) Describe how cigarette smoking affects the cell shown in the diagram.

(2)

.....

.....

.....

.....

(Total for Question 2 = 9 marks)

OLevels.com SCHOOL

Working and answer

4. Question 3 · part a · 2 marks

June 2024 Paper 2

Further practice · Attempt part a only.

3 Read the passage below.

Use the information in the passage and your own knowledge to answer the questions that follow.

People make lifestyle choices that can sometimes have a negative effect on their health. People who drink too much alcohol are at risk of brain and liver damage, certain types of cancer and mental illness. Liver damage can affect the digestion of fat. Alcohol can also affect the eyes, increasing the risk of developing cataracts that cause the lenses in the eyes to become cloudy. Alcohol is also a depressant. It increases the activity of a chemical in parts of the brain that control balance, speech, motor skills and memory. In addition, alcohol suppresses an area of the brain called the amygdala. The amygdala is responsible for the fight or flight function which prepares the body for action, initiating the release of stress hormones. These hormones increase glucose usage by the brain and other parts of the body.

When a person stops drinking alcohol after years of drinking a lot of alcohol, the amygdala in the brain becomes fully active again, which is the cause of all forms of alcohol withdrawal. Over time, if a person regularly drinks heavily, the central nervous system gets used to the suppressing effect of the alcohol, which means the brain and body are affected if the alcohol level suddenly drops. An individual can go straight into fight or flight mode as the alcohol leaves the system and levels of stress hormones begin to return to normal. Symptoms of withdrawal can be as severe as seizures and hallucinations or less severe symptoms such as loss of appetite and insomnia (an inability to sleep).

(a) Drinking alcohol and diet are two lifestyle choices.

Describe how a lifestyle choice, other than drinking alcohol and diet, can have a harmful effect on health (Lines 1 and 2).

(2)

DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA DO NOT WRITE IN THIS AREA

eLevels — SCHOOL —

4. Question 3 · part a · 2 marks

June 2024 Paper 2

Further practice · Attempt part a only.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(b) Explain how drinking alcohol affects the digestion of fat (Lines 3 to 4).

(2)

(c) State how cataracts affect vision (Lines 4 to 5).

(1)

(d) Name a part of the brain, other than the amygdala, that is affected by alcohol (Lines 5 to 7).

(1)

OLevels.com SCHOOL

(e) Explain how alcohol acts as a depressant on the nervous system (Line 5).

(3)

4. Question 3 · part a · 2 marks · Working and answer

Working and answer

OLevels.com SCHOOL

5. Question 4 · part a.iii · 2 marks


June 2025 Paper 2R

Further practice · Attempt part a.iii only.

4 (a) Cigarette smoking is the biggest cause of lung cancer worldwide.

The bar chart shows the percentage occurrence of lung cancer, from 2010 to 2014, in ex-smokers and in people who have never smoked cigarettes.

People who still smoke are not included in the bar chart.



(Source adapted from: https://www.thetimes.co.uk/article/pollution-blamed-for-lung-cancer-in-people-who-have-never-smoked-r52fr7m89)

(i) Describe the trend in the percentage occurrence of lung cancer in ex-smokers, from 2010 to 2014.

(2)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

5. Question 4 · part a.iii · 2 marks

June 2025 Paper 2R

Further practice · Attempt part a.iii only.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(ii) Calculate the ratio of the percentage occurrence of lung cancer in ex-smokers to people who have never smoked, in 2012.

Give your answer in the form n : 1

(2)

ratio = ... : 1

(iii) Suggest two reasons for the difference in the percentage occurrence of lung cancer, from 2010 to 2014, in people who have never smoked, compared with ex-smokers.

(2)

.....

.....

.....

.....

(iv) Name the substance in cigarette smoke that causes lung cancer.

(1)

.....

OLevels.COM SCHOOL

5. Question 4 · part a.iii · 2 marks · Working and answer

Working and answer

OLevels.com SCHOOL

6. Question 4 · part a.iv · 1 mark


June 2025 Paper 2R

Further practice · Attempt part a.iv only.

4 (a) Cigarette smoking is the biggest cause of lung cancer worldwide.

The bar chart shows the percentage occurrence of lung cancer, from 2010 to 2014, in ex-smokers and in people who have never smoked cigarettes.

People who still smoke are not included in the bar chart.



(Source adapted from: https://www.thetimes.co.uk/article/pollution-blamed-for-lung-cancer-in-people-who-have-never-smoked-r52fr7m89)

(i) Describe the trend in the percentage occurrence of lung cancer in ex-smokers, from 2010 to 2014.

(2)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

6. Question 4 · part a.iv · 1 mark

June 2025 Paper 2R

Further practice · Attempt part a.iv only.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(ii) Calculate the ratio of the percentage occurrence of lung cancer in ex-smokers to people who have never smoked, in 2012.

Give your answer in the form n : 1

(2)

ratio = ... : 1

(iii) Suggest two reasons for the difference in the percentage occurrence of lung cancer, from 2010 to 2014, in people who have never smoked, compared with ex-smokers.

(2)

.....

.....

.....

.....

(iv) Name the substance in cigarette smoke that causes lung cancer.

(1)

.....

OLevels.COM SCHOOL


6. Question 4 · part a.iv · 1 mark

June 2025 Paper 2R

Further practice · Attempt part a.iv only.

(b) Emphysema is a lung condition that can be caused by cigarette smoking.

The diagram shows part of a lung from a healthy person and part of a lung from a person with emphysema.



(Source: © ttsz / Getty Images)

(i) Name part X.

(1)

(ii) Name part Y.

(1)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

P 7 4 6 3 2 A 0 1 2 2 4

6. Question 4 · part a.iv · 1 mark · Working and answer

Working and answer

OLevels.com SCHOOL