Type MS · Lobes of the brain and the cerebellum

Answer 1 of 6 · Question 17 part a · 2 marks

2025 JUN · Paper 01 · extract 1 of 2 · find part a in this mark scheme extract

Question number	Answer	Mark
17 (a)	**One** mark for accurate understanding of the occipital lobes. **One** mark for exemplification of how the occipital lobes can be used to explain the scenario. For example: • The occipital lobes are responsible for processing visual information and interpreting what we are seeing (1). The patient has damaged their occipital lobes as they have performed poorly on the colour naming test which would involve the eyes seeing the coloured paper and interpreting this (1). Accept any other appropriate response.	(2)

Question number	Answer	Mark
17(b)	**One** mark for identification of a relevant improvement. **One** mark for justification, which must be linked to the improvement identified. For example: • Sandy could have also done the tests on male patients who had damaged 'Region G' as well as her female patient (1) as this would make her findings about the function of the damaged region 'Region G' more representative to both male and females, increasing the generalisability of her results (1). Accept any other appropriate response.	(2)

Type MS · Lobes of the brain and the cerebellum

Answer 1 of 6 · Question 17 part a · 2 marks

2025 JUN · Paper 01 · extract 2 of 2 · find part a in this mark scheme extract

Section E
Social influence – How do others affect you?

Type MS · Lobes of the brain and the cerebellum

Answer 2 of 6 · Question 17 part whole · 4 marks

2021 NOV · Paper 01 · find part whole in this mark scheme extract

Question number	Answer	Mark
17	**One** mark for each conclusion made. **One** mark for justification of each conclusion through analysis/interpretation. For example: • Group 1 must have damage to a region of the brain involving balance and coordination (e.g. cerebellum) (1) because they had 16 errors on the balance task compared to the group with no brain damage who had 1 error on average (1). • Group 2 must have damage to a region of the brain involving visual processing (e.g. occipital lobe) (1) because they could only name 1 household object on average compared to 10/10 for the group with no brain damage (1). Accept any other appropriate response.	**(4)**

Type MS · Lobes of the brain and the cerebellum

Answer 3 of 6 · Question 20 part whole · 2 marks

2021 NOV · Paper 01 · extract 1 of 2 · find part whole in this mark scheme extract

Question number	Answer	Mark
20	**One** mark for demonstrating accurate understanding of the function of the parietal lobes. **One** mark for exemplification of how the function of the parietal lobes can be used to explain the scenario. For example: • The parietal lobe is involved in the perception of pain and touch (1). As Lynne's patients have damaged their parietal lobe, she is likely to find her patients struggle with the pain task as this lobe would enable them to distinguish which pad was active (1). Accept any other appropriate response.	**(2)**

Type MS · Lobes of the brain and the cerebellum

Answer 3 of 6 · Question 20 part whole · 2 marks

2021 NOV · Paper 01 · extract 2 of 2 · find part whole in this mark scheme extract

Section E
Social influence – How do others affect you?

Type MS · Lobes of the brain and the cerebellum

Answer 4 of 6 · Question 17 part whole · 2 marks

2022 JUN · Paper 01 · extract 1 of 2 · find part whole in this mark scheme extract

Question number	Answer	Mark
17	**One** mark for accurate completion of each box. For example: • 1 – Parietal lobe. • 2 – Temporal lobe. Accept any other appropriate response.	**(2)**

Type MS · Lobes of the brain and the cerebellum

Answer 4 of 6 · Question 17 part whole · 2 marks

2022 JUN · Paper 01 · extract 2 of 2 · find part whole in this mark scheme extract

Type MS · Lobes of the brain and the cerebellum

Answer 5 of 6 · Question 16 part whole · 2 marks

2023 JUN · Paper 01 · find part whole in this mark scheme extract

Question number	Answer	Mark
16	**One** mark for accurate understanding of the temporal lobes. **One** mark for exemplification of how the temporal lobes can be used to explain the scenario. For example: • The temporal lobe is the primary target for auditory information, such as speech based information (1). Diogo is likely to find those without damage to the temporal lobe will be able to hear and then sing the song, whereas those with damage to the temporal lobes will find difficulty in singing the song (1). Accept any other appropriate response.	**(2)**

Type MS · Lobes of the brain and the cerebellum

Answer 6 of 6 · Question 14 part whole · 2 marks

2025 JUN · Paper 01 · extract 1 of 2 · find part whole in this mark scheme extract

Question number	Answer	Mark
14	Up to **two** marks for description. For example: • The parietal lobe is responsible for interpreting body sensations such as the sense of touch (1). It integrates information from other parts of the brain such as the visual system and occipital lobe to give an overall picture of spatial orientation (1). Accept any other appropriate response.	**(2)**

Type MS · Lobes of the brain and the cerebellum

Answer 6 of 6 · Question 14 part whole · 2 marks

2025 JUN · Paper 01 · extract 2 of 2 · find part whole in this mark scheme extract