Type MS · Retrograde and anterograde amnesia

Answer 1 of 5 · Question 8 part a · 2 marks

2023 JUN · Paper 01 · extract 1 of 2 · find part a in this mark scheme extract

Question number	Answer	Mark
8(a)	One mark for demonstrating accurate understanding of retrograde amnesia. **One** mark for exemplification of how retrograde amnesia can be used to explain the scenario. For example: • Retrograde amnesia is when an individual cannot remember information and events from before the onset of their condition (1), so Ivana is likely to find the patient having difficulty in recognising many of the faces of famous people from the past five years if they have retrograde amnesia (1). Accept any other appropriate response.	**(2)**

Question number	Answer	Mark
8(b)	**One** mark for identification of each relevant improvement (maximum **two** marks). **One** mark for justification of each improvement, which must be linked to the improvement identified (maximum **two** marks). For example: • Ivana could have used more than 20 famous faces, such as 200 faces (1) which would give a more representative understanding of who they remember from the past five years because they may just have not been familiar with the 20 Ivana chose (1). • Ivana could have chosen to test them on things other than just faces, such as world events that happened in the past 5 years too (1) which would give her a better assessment of what they can remember than just famous faces as they may not have engaged with celebrity news so would give a more valid assessment (1). Accept any other appropriate response.	**(4)**

Type MS · Retrograde and anterograde amnesia

Answer 1 of 5 · Question 8 part a · 2 marks

2023 JUN · Paper 01 · extract 2 of 2 · find part a in this mark scheme extract

Type MS · Retrograde and anterograde amnesia

Answer 2 of 5 · Question 9 part a · 4 marks

2019 JUN · Paper 01 · extract 1 of 2 · find part a in this mark scheme extract

Question number	Answer	Mark
9(a)	**One** mark for each conclusion made. (maximum **two** marks). **One** mark for justification of each conclusion through analysis/interpretation. (maximum **two** marks). For example: • The participant with anterograde amnesia showed difficulty in learning new skills (1) because they scored at least 18 less on the picture task, which relied on learning after the onset of amnesia, compared to the other two participants (1). • The participant with retrograde amnesia scored only 40/100 vs. at least 80/100 compared to the other two participants on Task 2 (1), which shows that they found difficulty in remembering before the onset of their amnesia as the news events happened prior to their amnesia (1). Accept any other appropriate response.	**(4)**

Question number	Answer	Mark
9(b)	**One** mark for identification of the strength / weakness (maximum **two** marks). **One** mark for justification, which must be linked to the strength / weakness identified (maximum **two** marks). For example: Strength • Dekota used a healthy control participant to compare the amnesic participants to (1) which is a strength as they can see the impact of amnesia against the baseline measure scored by the control (1). Weakness • Dekota only recruited one participant with amnesia (or a control) for each condition (1) which is a weakness as each participant may have been unique in their amnesia so the study has limited generalisability to the target population of amnesics (1). Accept any other appropriate response.	**(4)**

Type MS · Retrograde and anterograde amnesia

Answer 2 of 5 · Question 9 part a · 4 marks

2019 JUN · Paper 01 · extract 2 of 2 · find part a in this mark scheme extract

Section C
Psychological problems – How would psychological problems affect you?

Type MS · Retrograde and anterograde amnesia

Answer 3 of 5 · Question 8 part whole · 1 mark

2021 NOV · Paper 01 · find part whole in this mark scheme extract

Question number	Answer	Mark
8	**One** mark for definition of 'retrograde amnesia'. For example: • Retrograde amnesia is where a patient has difficulty recalling events prior to the onset of their condition (1). Accept any other appropriate response.	**(1)**

Type MS · Retrograde and anterograde amnesia

Answer 4 of 5 · Question 11 part a · 2 marks

2024 JUN · Paper 01 · extract 1 of 2 · find part a in this mark scheme extract

Question number	Answer	Mark
11(a)	**One** mark for a conclusion made. **One** mark for justification of the conclusion through analysis/interpretation. For example: • The painkiller appeared to cause the participants to have difficulty in remembering new information (anterograde amnesia) (1). This is because the average image recognition was 2.9 before the painkiller but was only 1.1 after they had experienced the painkiller (1). Accept any other appropriate response.	(2)

Question number	Answer	Mark
11(b)	**One** mark for identification of a relevant improvement. **One** mark for justification, which must be linked to the improvement identified. For example: • Lydia could have done the picture memory test with female participants, rather than just male participants (1) which would give her a more representative sample of whether the new painkiller affects memory as the findings could be generalisable to both males and females (1). Accept any other appropriate response.	(2)

Type MS · Retrograde and anterograde amnesia

Answer 4 of 5 · Question 11 part a · 2 marks

2024 JUN · Paper 01 · extract 2 of 2 · find part a in this mark scheme extract

Section C
Psychological problems – How would psychological problems affect you?

Type MS · Retrograde and anterograde amnesia

Answer 5 of 5 · Question 8 part a · 2 marks

2025 JUN · Paper 01 · extract 1 of 2 · find part a in this mark scheme extract

Question number	Answer	Mark
8(a)	**One** mark for demonstrating accurate understanding of anterograde amnesia. **One** mark for exemplification of how anterograde amnesia can be used to explain the scenario. For example: • Anterograde amnesia is where an individual cannot form new memories since the onset of the condition (1). The psychologist is likely to find the patient is unable to recall the 10 news events as they will have been unable to form new memories of these events since their fall (1). Accept any other appropriate response.	**(2)**

Question number	Answer	Mark
8(b)	**One** mark for identification of a relevant improvement. **One** mark for justification of the improvement, which must be linked to the improvement identified. For example: • The psychologist could have given Lucía's partner something like a puzzle to remember for them to recall rather than the 10 news events (1) because they may never have known about the news events as they did not use social media so the solution to the puzzle will be a new memory and would be a more valid test of whether they cannot form new memories (1). Accept any other appropriate response.	**(2)**

Type MS · Retrograde and anterograde amnesia

Answer 5 of 5 · Question 8 part a · 2 marks

2025 JUN · Paper 01 · extract 2 of 2 · find part a in this mark scheme extract