Type MS · Genes and depression: Caspi et al. (2003)

Answer 1 of 8 · Question 15 part whole · 2 marks

2022 JUN · Paper 01 · extract 1 of 2 · find part whole in this mark scheme extract

Question number	Answer	Mark
15	**One** mark for accurate understanding of Caspi et al. (2003). **One** mark for exemplification of how Caspi et al. (2003) can be used to explain the scenario. For example: • Caspi et al. (2003) showed that those with the short version of the 5-HTT gene and more stressful life experiences suffered from depression more than those without the gene (1). Bob's father had depression so he may have the 5-HTT gene and combined with stressful life experiences such as job losses he is very likely to develop depression (1). Accept any other appropriate response.	**(2)**

Type MS · Genes and depression: Caspi et al. (2003)

Answer 1 of 8 · Question 15 part whole · 2 marks

2022 JUN · Paper 01 · extract 2 of 2 · find part whole in this mark scheme extract

Section D
The brain and neuropsychology – How does your brain affect you?

Type MS · Genes and depression: Caspi et al. (2003)

Answer 2 of 8 · Question 12 part whole · 2 marks

2019 JUN · Paper 01 · find part whole in this mark scheme extract

Question number	Answer	Mark
12	**One** mark for demonstrating accurate understanding of the influence of genes for addiction. **One** mark for exemplification of how the influence of genes can be used to explain the scenario. For example: • Alleles of the DRD2 gene have been associated with drug abuse, such as alcohol abuse (1) so it may be that Olivia has inherited a susceptibility to addiction as her parents both suffered with drug addiction (1). Accept any other appropriate response.	**(2)**

Type MS · Genes and depression: Caspi et al. (2003)

Answer 3 of 8 · Question 11 part a · 2 marks

2020 NOV · Paper 01 · extract 1 of 2 · find part a in this mark scheme extract

Question number	Answer	Mark
11(a)	**One** mark for demonstrating accurate understanding of a suitable study. **One** mark for exemplification of how the study can be used to explain the scenario. For example: • Caspi et al. (2003) concluded that the 5-HTT gene interacted with life events to predict depressive symptoms and a diagnosis of depression (1). Rachel may have the 5-HTT gene which interacted with her serious injury and abusive messages to cause the onset of depression (1). Accept any other appropriate response.	**(2)**

Question number	Answer	Mark
11(b)	**One** mark for identification of a weakness. **One** mark for justification which must be linked to the weakness identified. For example: • The influence of genes to explain Rachel's depression is reductionist as it simplifies a complex disorder to faulty gene(s) being the cause (1) but gene(s) alone may not be the cause and significant life events like Rachel's serious injury may also contribute to depression which is a more holistic approach (1). Accept any other appropriate response.	**(2)**

Type MS · Genes and depression: Caspi et al. (2003)

Answer 3 of 8 · Question 11 part a · 2 marks

2020 NOV · Paper 01 · extract 2 of 2 · find part a in this mark scheme extract

Type MS · Genes and depression: Caspi et al. (2003)

Answer 4 of 8 · Question 11 part b · 2 marks

2020 NOV · Paper 01 · extract 1 of 2 · find part b in this mark scheme extract

Question number	Answer	Mark
11(a)	**One** mark for demonstrating accurate understanding of a suitable study. **One** mark for exemplification of how the study can be used to explain the scenario. For example: • Caspi et al. (2003) concluded that the 5-HTT gene interacted with life events to predict depressive symptoms and a diagnosis of depression (1). Rachel may have the 5-HTT gene which interacted with her serious injury and abusive messages to cause the onset of depression (1). Accept any other appropriate response.	**(2)**

Question number	Answer	Mark
11(b)	**One** mark for identification of a weakness. **One** mark for justification which must be linked to the weakness identified. For example: • The influence of genes to explain Rachel's depression is reductionist as it simplifies a complex disorder to faulty gene(s) being the cause (1) but gene(s) alone may not be the cause and significant life events like Rachel's serious injury may also contribute to depression which is a more holistic approach (1). Accept any other appropriate response.	**(2)**

Type MS · Genes and depression: Caspi et al. (2003)

Answer 4 of 8 · Question 11 part b · 2 marks

2020 NOV · Paper 01 · extract 2 of 2 · find part b in this mark scheme extract

Type MS · Genes and depression: Caspi et al. (2003)

Answer 5 of 8 · Question 12 part a · 1 mark

2021 NOV · Paper 01 · find part a in this mark scheme extract

Question number	Answer	Mark
12(a)	**A** – 15% The only correct answer is A. B is incorrect because it was not 25% C is incorrect because it was not 35% D is incorrect because it was not 45%	(1)

Question number	Answer	Mark
12(b)	**One** mark for accurate statement. For example: • 17% (1). Reject other answers.	(1)

Type MS · Genes and depression: Caspi et al. (2003)

Answer 6 of 8 · Question 12 part b · 1 mark

2021 NOV · Paper 01 · find part b in this mark scheme extract

Question number	Answer	Mark
12(a)	**A** – 15% The only correct answer is A. B is incorrect because it was not 25% C is incorrect because it was not 35% D is incorrect because it was not 45%	(1)

Question number	Answer	Mark
12(b)	**One** mark for accurate statement. For example: • 17% (1). Reject other answers.	(1)

Type MS · Genes and depression: Caspi et al. (2003)

Answer 7 of 8 · Question 12 part a · 2 marks

2024 JUN · Paper 01 · extract 1 of 2 · find part a in this mark scheme extract

Question number	Answer	Mark
12(a)	Up to **two** marks for description. For example: • Caspi et al. (2003) recruited different participants using a longitudinal design at ages 3-21 and then virtually all again at age 26 (1). Of the 1037 participants from a previous study, 847 Caucasian non-Maori study members were selected (1). Accept any other appropriate response.	**(2)**

Question number	Answer	Mark
12(b)	**One** mark for accurate statement of each finding (maximum **two** marks). For example: • There were no differences across the three groups in terms of number of stressful life events experienced (1). • Individuals carrying an (s) allele had a significantly stronger interaction between life events and self-reported depression at age 26 (1). Accept any other appropriate response.	**(2)**

Type MS · Genes and depression: Caspi et al. (2003)

Answer 7 of 8 · Question 12 part a · 2 marks

2024 JUN · Paper 01 · extract 2 of 2 · find part a in this mark scheme extract

Type MS · Genes and depression: Caspi et al. (2003)

Answer 8 of 8 · Question 12 part b · 2 marks

2024 JUN · Paper 01 · extract 1 of 2 · find part b in this mark scheme extract

Question number	Answer	Mark
12(a)	Up to **two** marks for description. For example: • Caspi et al. (2003) recruited different participants using a longitudinal design at ages 3-21 and then virtually all again at age 26 (1). Of the 1037 participants from a previous study, 847 Caucasian non-Maori study members were selected (1). Accept any other appropriate response.	**(2)**

Question number	Answer	Mark
12(b)	**One** mark for accurate statement of each finding (maximum **two** marks). For example: • There were no differences across the three groups in terms of number of stressful life events experienced (1). • Individuals carrying an (s) allele had a significantly stronger interaction between life events and self-reported depression at age 26 (1). Accept any other appropriate response.	**(2)**

Type MS · Genes and depression: Caspi et al. (2003)

Answer 8 of 8 · Question 12 part b · 2 marks

2024 JUN · Paper 01 · extract 2 of 2 · find part b in this mark scheme extract