Type MS · Left and right hemispheres, corpus callosum and sex differences

Answer 1 of 5 · Question 19 part a · 2 marks

2022 JUN · Paper 01 · find part a in this mark scheme extract

Question number	Answer	Mark
19(a)	**One** mark for accurate understanding of research evidence regarding sex differences in lateralisation. **One** mark for exemplification of how research evidence regarding sex differences can be used to explain the scenario. For example: • Rilea et al. (2005) found differences in lateralisation and also sex differences in performance on some spatial ability tasks (1). This suggests that males may have differences in lateralisation and so a better performance compared to females, so males will get to the cake shop quicker than females (1). Accept any other appropriate response.	(2)

Question number	Answer	Mark
19(b)	**One** mark for identification of a relevant improvement. **One** mark for justification, which must be linked to the improvement identified. For example: • More than one man and woman could have been asked to do the as they could have been particularly good or bad at navigating (1) so it could have been more representative of all men and women in terms of spatial ability if Josh's investigation had more males and females complete the map reading task (1). Accept any other appropriate response.	(2)

Type MS · Left and right hemispheres, corpus callosum and sex differences

Answer 2 of 5 · Question 16 part whole · 2 marks

2019 JUN · Paper 01 · find part whole in this mark scheme extract

Question number	Answer	Mark
16	**One** mark for accurate understanding of the role of the left hemisphere. **One** mark for exemplification of how the role of the left hemisphere can be used to explain the scenario. For example: • The left hemisphere is heavily involved in language processing, such as that of Broca's area in speech (1), so Antoine may struggle with talking due to the damage to his left hemisphere (1). Accept any other appropriate response.	**(2)**

Type MS · Left and right hemispheres, corpus callosum and sex differences

Answer 3 of 5 · Question 17 part whole · 4 marks

2019 JUN · Paper 01 · extract 1 of 2 · find part whole in this mark scheme extract

Question number	Answer	Mark
17	**One** mark for identification of the strength / weakness (maximum **two** marks). **One** mark for justification, which must be linked to the strength / weakness identified (maximum **two** marks). For example: Strength • There is experimental evidence showing sex differences in spatial ability which could account for Ahmed enjoying competitive activities and Sadiah enjoying cooperative activities (1) such as that of Rilea et al. (2005) who showed men outperforming women on a waterlevel task that used spatial ability therefore supporting the difference between Ahmed and Sadiah's choice of activity (1). Weakness • Experimental evidence does not consistently find a difference between men and women in spatial ability so lateralisation is not a complete explanation of why Ahmed and Sadiah enjoy different activities (1), which is shown in Rilea et al. (2005) where no sex or hemispheric differences were observed in a paperfolding task which used spatial ability (1). Accept any other appropriate response.	**(4)**

Type MS · Left and right hemispheres, corpus callosum and sex differences

Answer 3 of 5 · Question 17 part whole · 4 marks

2019 JUN · Paper 01 · extract 2 of 2 · find part whole in this mark scheme extract

Type MS · Left and right hemispheres, corpus callosum and sex differences

Answer 4 of 5 · Question 15 part b · 2 marks

2020 NOV · Paper 01 · extract 1 of 2 · find part b in this mark scheme extract

Question number	Answer	Mark
15(a)	**One** mark for identification of the strength / weakness (maximum **two** marks). **One** mark for justification, which must be linked to the strength / weakness identified (maximum **two** marks). For example: Strength • Ishfaq gathered both qualitative and quantitative data through interviews and experiments with his brain-damaged patient so his findings could be tested for reliability (1) as the information collected from the interviews could be checked for consistency with the experimental data on the role of the corpus callosum (1). Weakness • Only one patient has been studied with damage to their corpus callosum so the investigation lacks generalisability (1) because the problems the patient suffers from may be unique to them and may not be representative of all people with damage to the corpus callosum (1). Accept any other appropriate response.	**(4)**

Type MS · Left and right hemispheres, corpus callosum and sex differences

Answer 4 of 5 · Question 15 part b · 2 marks

2020 NOV · Paper 01 · extract 2 of 2 · find part b in this mark scheme extract

Question number	Answer	Mark
15(b)	**One** mark for accurate understanding of the role of the corpus callosum. **One** mark for exemplification of how the role of the corpus callosum can be used to explain the scenario. For example: • The corpus callosum is a bundle of fibres that transfers information from one hemisphere to the other (1) so the damage experienced by Ishfaq's patient may result in them being able to handle an object correctly but not being able to name it (1). Accept any other appropriate response.	**(2)**

Type MS · Left and right hemispheres, corpus callosum and sex differences

Answer 5 of 5 · Question 15 part whole · 2 marks

2023 JUN · Paper 01 · extract 1 of 2 · find part whole in this mark scheme extract

Question number	Answer	Mark
15	Up to **two** marks for description. For example: • The left hemisphere is specialised for language whereas the right hemisphere is not (1) because the right hemisphere is specialised for spatial tasks (1). Accept any other appropriate response.	**(2)**

Type MS · Left and right hemispheres, corpus callosum and sex differences

Answer 5 of 5 · Question 15 part whole · 2 marks

2023 JUN · Paper 01 · extract 2 of 2 · find part whole in this mark scheme extract