## Type MS · Drawing conclusions from data

Answer 1 of 24 · Question 4 part b · 2 marks

2025 JUN · Paper 02 · extract 1 of 2 · find part b in this mark scheme extract

| Question Number | Answer | Mark |
|---|---|---|
| **4(a)** | **One** mark for correct calculation of the mode before the ban.<br><br>• 7<br><br>Reject all other answers. | **(1)** |

| Question Number | Answer | Mark |
|---|---|---|
| **4(b)** | **One** mark for conclusion made.<br>**One** mark for justification of conclusion through analysis of data. For<br><br>example:<br><br>• Putting in place an unhealthy food ban leads to a more negative attitude towards eating unhealthy food (1), as ratings are at least two points lower for all participants after the ban (1).<br><br>Accept any other appropriate response. | **(2)** |

| Question Number | Answer | Mark |
|---|---|---|
| **4(c)** | **One** mark for accurate definition of qualitative data.<br>**One** mark for suitable example of qualitative data. For<br><br>example:<br><br>• Qualitative data is non-numerical/descriptive data which allows researchers to explore a topic in more depth (1). For example, using open questions to gather opinions on a specific topic area (1).<br><br>Accept any other appropriate response. | **(2)** |

## Type MS · Drawing conclusions from data

### Answer 1 of 24 · Question 4 part b · 2 marks

2025 JUN · Paper 02 · extract 2 of 2 · find part b in this mark scheme extract

## Type MS · Drawing conclusions from data

### Answer 2 of 24 · Question 2 part c · 1 mark

2019 JUN · Paper 02 · find part c in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| 2(a) | **One** mark for naming the independent variable.<br>• The gender (male and female) of the participants (1).<br>Accept any other appropriate response. | (1) |

| Question number | Answer | Mark |
|---|---|---|
| 2(b) | **One** mark for calculation of totals for all participants and male participants<br>**One** mark for correct calculation of males as a fraction of all participants.<br>• Total participants =48 and total males =18 (1)<br>• $\frac{18}{48}$ simplified 18/6 and 48/6 = $\frac{3}{8}$ (1)<br>Reject all other answers. | (2) |

| Question number | Answer | Mark |
|---|---|---|
| 2(c) | **One** mark for a reason given<br>• The data shows that over twice as many females took the mobile phone to the police station than males (1).<br>Accept any other appropriate response. | (1) |

## Type MS · Drawing conclusions from data

### Answer 3 of 24 · Question 3 part f · 2 marks

2020 NOV · Paper 02 · extract 1 of 3 · find part f in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| 3(a) | **One** mark for correct knowledge of a feature of a laboratory experiment<br><br>For example:<br><br>• A laboratory experiment takes place in an artificial environment for the participants (1).<br><br>Accept any other appropriate response. | (1) |

| Question number | Answer | Mark |
|---|---|---|
| 3(b) | **One** mark for knowledge of sampling method<br>**One** mark for application to the scenario<br><br>For example:<br><br>• A volunteer sample is where people offer to take part in a piece of research (1), so Becca could advertise her experiment and ask for males and females to sign up to take part (1).<br><br>Accept any other appropriate response | (2) |

## Type MS · Drawing conclusions from data

### Answer 3 of 24 · Question 3 part f · 2 marks

2020 NOV · Paper 02 · extract 2 of 3 · find part f in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| 3(c) | **One** mark for knowledge of single-blind technique.<br>**One** mark for application to the scenario.<br><br>• A single-blind technique hides the true aim of the study from the participants taking part (1) so that the males do not change their behaviour and try harder on the coordination task (1).<br><br>Accept any other appropriate response. | (2) |

| Question number | Answer | Mark |
|---|---|---|
| 3(d) | **One** mark for correct answer.<br><br>Calculation: 30:25 simplified using common factor 30/5:25/5<br>• 6:5<br><br>Reject all other answers. | (1) |

| Question number | Answer | Mark |
|---|---|---|
| 3(e) | **One** mark for calculating the difference.<br>**One** mark for answer to two significant figures.<br><br>• 63.51-57.24=6.27 (1)<br>• 6.3 (1)<br><br>Accept any other appropriate response. | (2) |

| Question number | Answer | Mark |
|---|---|---|
| 3(f) | **One** mark for conclusion made.<br>**One** mark for justification of conclusion through analysis of data.<br><br>• Females are better at word-meaning tasks than males (1) as the female participants were 12.15 seconds quicker than the male participants at this task (1).<br><br>Accept any other appropriate response. | (2) |

## Type MS · Drawing conclusions from data

### Answer 3 of 24 · Question 3 part f · 2 marks


2020 NOV · Paper 02 · extract 3 of 3 · find part f in this mark scheme extract

Type MS · Drawing conclusions from data

Answer 4 of 24 · Question 4 part c · 1 mark

2020 NOV · Paper 02 · extract 1 of 3 · find part c in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| 4(a) | **One** mark for calculation of totals for students.<br>**One** mark for calculation of percentage of students who completed the work set.<br><br>• 16+15+8+10= 49<br>• (31/49)*100 = 63.27%<br><br>Accept any other appropriate response. | (2) |

| Question number | Answer | Mark |
|---|---|---|
| 4(b) | **One** mark for labelling of y-axis<br>**One** mark for plotting bar for sociology students who did complete the work.<br>**One** mark for plotting bar for sociology students who did not complete the work set.<br><br>  <br><br><br>Accept any other appropriate response. | (3) |

## Type MS · Drawing conclusions from data

### Answer 4 of 24 · Question 4 part c · 1 mark

2020 NOV · Paper 02 · extract 2 of 3 · find part c in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| 4(c) | **One** mark for giving one way findings support conclusion.<br><br>For example:<br>• There was only one more English student that completed the work compared to Sociology students (1).<br><br>Accept any other appropriate response. | (1) |

| Question number | Answer | Mark |
|---|---|---|
| 4(d) | **One** mark for giving a participant variable.<br><br>• Ricky could have made sure that the students participating were from the same school year group (1).<br><br>Accept any other appropriate response. | (1) |

## Type MS · Drawing conclusions from data

### Answer 4 of 24 · Question 4 part c · 1 mark

2020 NOV · Paper 02 · extract 3 of 3 · find part c in this mark scheme extract

## Type MS · Drawing conclusions from data

### Answer 5 of 24 · Question 2 part d · 2 marks

2021 NOV · Paper 02 · extract 1 of 3 · find part d in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| 2(a) | **One** mark for correct knowledge of an observation<br><br>For example:<br><br>• An observation is where the researcher records behaviours they see displayed by their sample group (1).<br><br>Accept any other appropriate response | (1) |

## Type MS · Drawing conclusions from data

### Answer 5 of 24 · Question 2 part d · 2 marks

2021 NOV · Paper 02 · extract 2 of 3 · find part d in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| 2(b) | **One** mark for understanding of sampling method<br>**One** mark for application to the scenario<br><br>For example:<br><br>• An opportunity sample is of those who are available at the time (1), so Yolanda may record the activities of any children who happen to be playing during her time in the setting (1).<br><br>Accept any other appropriate response | (2) |

| Question number | Answer | Mark |
|---|---|---|
| 2(c)(i) | **One** mark for correct calculation of children who played with arts and crafts toys.<br>**One** mark for correct answer.<br><br>Calculation: 74-23-11-29=<br>• 11<br><br>Calculation: 11:11 simplified using a common factor<br>• 1:1<br><br>Accept any other appropriate response. | (2) |

| Question number | Answer | Mark |
|---|---|---|
| 2(c)(ii) | **One** mark for calculation of percentage of children who played with role play toys.<br>**One** mark for answer to two decimal places.<br><br>• (29/74)*100 = 39.189189%<br>• 39.19% (2d.p)<br><br>Accept any other appropriate response. | (2) |

| Question number | Answer | Mark |
|---|---|---|
| 2(d) | **One** mark for conclusion made.<br>**One** mark for justification of conclusion through analysis of data.<br><br>• Boys prefer to play with stereotypically male toys (1) as there were 13 more boys observed playing with vehicles than girls (1).<br><br>Accept any other appropriate response. | (2) |

## Type MS · Drawing conclusions from data

### Answer 5 of 24 · Question 2 part d · 2 marks

2021 NOV · Paper 02 · extract 3 of 3 · find part d in this mark scheme extract


Type MS · Drawing conclusions from data

Answer 6 of 24 · Question 5 part b · 1 mark

2021 NOV · Paper 02 · extract 1 of 2 · find part b in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| 5(a) | **One** mark for identifying the independent variable<br><br>For example:<br>• Whole or grouped telephone numbers (1).<br><br>Accept any other appropriate response. | (1) |

| Question number | Answer | Mark |
|---|---|---|
| 5(b) | **One** mark for reason given.<br><br>• Group B correctly recalled twice as many telephone numbers compared to Group A (1).<br><br>Accept any other appropriate response. | (1) |

| Question number | Answer | Mark |
|---|---|---|
| 5(c) | **One** mark for labelling of y-axis<br>**One** mark for plotting bar for correct recall of participants aged 30-49.<br>**One** mark for plotting bar for incorrect recall of participants aged 30-49.<br><br>  <br><br><br>Accept any other appropriate response. | (3) |

## Type MS · Drawing conclusions from data

### Answer 6 of 24 · Question 5 part b · 1 mark

2021 NOV · Paper 02 · extract 2 of 2 · find part b in this mark scheme extract

Type MS · Drawing conclusions from data

Answer 7 of 24 · Question 6 part c · 1 mark

2021 NOV · Paper 02 · extract 1 of 2 · find part c in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| 6(a) | **One** mark for calculation of totals for all patients and placebo patients<br>**One** mark for correct calculation of placebo patients as a fraction of all patients.<br><br>• Total patients =60; patients receiving a placebo =20<br>• $\frac{20}{60}$ simplified 20/20 and 60/20 = $\frac{1}{3}$<br><br>Accept any other appropriate response. | (2) |

| Question number | Answer | Mark |
|---|---|---|
| 6(b) | **One** mark for a correct answer.<br><br>Calculation:<br>20%=0.20<br>0.20 x 20 = 4<br><br>• 4<br><br>Reject all other answers. | (1) |

| Question number | Answer | Mark |
|---|---|---|
| 6(c) | **One** mark for giving one way.<br><br>• 65% more patients taking the new drug treatment reported a decrease in symptoms compared to the placebo group (1).<br><br>Accept any other appropriate response. | (1) |

## Type MS · Drawing conclusions from data

### Answer 7 of 24 · Question 6 part c · 1 mark

2021 NOV · Paper 02 · extract 2 of 2 · find part c in this mark scheme extract

## Type MS · Drawing conclusions from data

### Answer 8 of 24 · Question 1 part e · 2 marks

2022 JUN · Paper 02 · extract 1 of 2 · find part e in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| 1(a) | C – Quantitative data<br>**The only correct answer is C**<br>A is incorrect as the data is numerical<br>B is incorrect as the data is objective<br>D is incorrect as the data is primary | (1) |

| Question number | Answer | Mark |
|---|---|---|
| 1(b) | **One** mark for each appropriate way to standardise the procedure (maximum **two** marks).<br><br>For example:<br><br>• Andrew could use the same trigrams for each participant (1)<br>• Andrew could show the trigrams to participants for the same amount of time (1).<br><br>Accept any other appropriate response. | (2) |

| Question number | Answer | Mark |
|---|---|---|
| 1(c) | **One** mark for correct calculation of male participants.<br>**One** mark for correct answer.<br><br>Calculation: 20/4=<br>• 5 males<br><br>Calculation: 5:15 simplified using a common factor<br>• 1:3<br><br>Accept any other appropriate response. | (2) |

| Question number | Answer | Mark |
|---|---|---|
| 1(d) | **One** mark for calculation of total number of participants.<br>**One** mark for calculation of percentage.<br><br>• 3+8 = 11<br>• (11/20)*100 = 55%<br><br>Accept any other appropriate response | (2) |

| Question number | Answer | Mark |
|---|---|---|

## Type MS · Drawing conclusions from data

### Answer 8 of 24 · Question 1 part e · 2 marks

2022 JUN · Paper 02 · extract 2 of 2 · find part e in this mark scheme extract

| | | |
|---|---|---|
| **1(e)** | **One** mark for conclusion made.<br>**One** mark for justification of conclusion through analysis of data.<br><br>• The capacity of short-term memory is between 5 and 12 items (1) as 90% of participants correctly recalled between 5 and 12 of the trigrams they were shown (1).<br><br>Accept any other appropriate response. | **(2)** |

Type MS · Drawing conclusions from data

Answer 9 of 24 · Question 1 part f · 2 marks

2023 JUN · Paper 02 · extract 1 of 3 · find part f in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| 1(a) | B – gender<br>**The only correct answer is B**<br>A is incorrect as this is not the independent variable.<br>C is incorrect as this is not the independent variable.<br>D is incorrect as this is not the independent variable. | (1) |

| Question number | Answer | Mark |
|---|---|---|
| 1(b) | **One** mark for each correct ethical issue given (maximum **two** marks)<br><br>For example:<br><br>• Informed consent can be gained by explaining the study to parents when asking if the children can take part (1).<br>• Gary could use pseudonyms for the children to make sure none of them could be identified from his research (1).<br><br>Accept any other appropriate response. | (2) |

| Question number | Answer | Mark |
|---|---|---|
| 1(c) | **One** mark for calculation of total number of participants.<br>**One** mark for calculation of percentage.<br><br>• 50+50 = 100<br>• (25/100)*100 = 25%<br><br>Accept any other appropriate response. | (2) |

| Question number | Answer | Mark |
|---|---|---|
| 1(d) | **One** mark for correct calculation.<br><br>Calculation: 32-24<br>• 8<br><br>Accept any other appropriate response. | (1) |

## Type MS · Drawing conclusions from data

### Answer 9 of 24 · Question 1 part f · 2 marks

2023 JUN · Paper 02 · extract 2 of 3 · find part f in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| 1(e) | **One** mark for correct calculation of number of children. | (2) |
| | **One** mark for correct answer.<br><br>Calculation:<br>• 32+24= 56<br><br>Calculation: 56:100 simplified using a common factor<br>• 14:25<br><br>Accept any other appropriate response. | |

| Question number | Answer | Mark |
|---|---|---|
| 1(f) | **One** mark for conclusion made.<br>**One** mark for justification of conclusion through analysis of data.<br><br>• At six years old, girls can conserve number more accurately than boys (1) as more than twice as many girls than boys identified that the rows contained the same number of buttons (1).<br><br>Accept any other appropriate response. | (2) |

## Type MS · Drawing conclusions from data

### Answer 9 of 24 · Question 1 part f · 2 marks

2023 JUN · Paper 02 · extract 3 of 3 · find part f in this mark scheme extract

## Type MS · Drawing conclusions from data

### Answer 10 of 24 · Question 4 part d · 1 mark

2024 JUN · Paper 02 · extract 1 of 4 · find part d in this mark scheme extract


| Question number | Answer | Mark |
|---|---|---|
| 4(a) | **One** mark for correct calculation of percentage.<br>• (3/4)*100 = 75%<br>Reject all other answers. | (1) |

| Question number | Answer | Mark |
|---|---|---|
| 4(b) | **One** mark for correct calculation of students who recalled less than five unusual objects as a fraction of all students.<br>• Total students = 4; students who recalled less than five unusual objects = 2<br>• $\frac{1}{2}$<br>Accept any other appropriate response. | (1) |

## Type MS · Drawing conclusions from data

Answer 10 of 24 · Question 4 part d · 1 mark

2024 JUN · Paper 02 · extract 2 of 4 · find part d in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| 4(c) | **One** mark for labelling of y-axis.<br>**One** mark for plotting bar for Student A.<br>**One** mark for plotting bar for Student C.<br>  <br><br>Accept any other appropriate response. | (3) |

## Type MS · Drawing conclusions from data

### Answer 10 of 24 · Question 4 part d · 1 mark

2024 JUN · Paper 02 · extract 3 of 4 · find part d in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| 4(d) | **One** mark for giving one way findings support conclusion.<br><br>For example:<br>• All of the students recalled less unusual objects in the classroom than typical objects (1).<br><br>Accept any other appropriate response. | (1) |

## Type MS · Drawing conclusions from data

### Answer 10 of 24 · Question 4 part d · 1 mark

2024 JUN · Paper 02 · extract 4 of 4 · find part d in this mark scheme extract

Type MS · Drawing conclusions from data

Answer 11 of 24 · Question 1 part e · 1 mark

2025 JUN · Paper 02 · extract 1 of 2 · find part e in this mark scheme extract

| Question Number | Answer | Mark |
|---|---|---|
| **1(a)** | **The only correct answer is C -** *The number of participants who obeyed the man `s instruction to remain silent.*<br><br>A is incorrect as this is the independent variable.<br>B is incorrect as this is a control measure.<br>D is incorrect as this is not the dependent variable. | **(1)** |

| Question Number | Answer | Mark |
|---|---|---|
| **1(b)** | **One** mark for understanding of a participant variable.<br>**One** mark for application to the scenario. For<br><br>example:<br><br>• A participant variable is any characteristic of a person that could affect the study's results, other than the independent variable (1) for example, Thomas may have considered the gender of his sample as one gender/age may naturally be more obedient than the other (1).<br><br>Accept any other appropriate response. | **(2)** |

| Question Number | Answer | Mark |
|---|---|---|
| **1(c)** | **One** mark for calculation of total number of participants.<br>**One** mark for calculation of percentage.<br><br>22+11+8+19 = 60<br>(33/60)*100 = 55%<br><br>Accept any other appropriate response. | **(2)** |

| Question Number | Answer | Mark |
|---|---|---|
| **1(d)** | **One** mark for calculation of total number of participants who disobeyed.<br>**One** mark for correct answer.<br><br>Calculation:<br>• 8 + 19 = 27<br><br>Calculation: 27:60 simplified using a common factor<br>• 9:20<br><br>Accept any other appropriate response. | **(2)** |

## Type MS · Drawing conclusions from data

Answer 11 of 24 · Question 1 part e · 1 mark

2025 JUN · Paper 02 · extract 2 of 2 · find part e in this mark scheme extract

| Question Number | Answer | Mark |
|---|---|---|
| **1(e)** | **One** mark for giving one way the findings support the conclusion.<br><br>For example:<br><br>• More than twice as many participants disobeyed the instruction to be silent when the man was wearing a jeans and t shirt than when the man was wearing a uniform.<br><br>Accept any other appropriate answer. | **(1)** |

## Type MS · Drawing conclusions from data

### Answer 12 of 24 · Question 4 part a · 4 marks

2020 NOV · Paper 01 · extract 1 of 2 · find part a in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| 4(a) | **One** mark for each conclusion made (maximum **two** marks).<br>**One** mark for justification of each conclusion through analysis/interpretation (maximum **two** marks).<br><br>For example:<br><br>• The children in the class have not made much improvement over the four days (1) with an increase of only 1% in the average percentage getting the order of planets correct from day 1 to day 4 assessments (1).<br>• The children have not got quicker on the task on average over the four days (1) which is shown by the average time taken to name the planets in order from the Sun remaining at around 21 seconds from day 1 to day 4 assessments (1).<br><br>Accept any other appropriate response. | (4) |

| Question number | Answer | Mark |
|---|---|---|
| 4(b) | **One** mark for accurate understanding of Willingham's learning theory.<br>**One** mark for exemplification of how the theory can be used to explain the scenario.<br><br>For example:<br>• Willingham's learning theory suggests that in order to improve a new cognitive skill, practice is required using effort (1) so Mr Harris could ask his class to put pictures of the planets in the correct order repeatedly to reinforce the correct order of planets which will help them practise the new skill (1).<br><br>Accept any other appropriate response. | (2) |

Type MS · Drawing conclusions from data

Answer 12 of 24 · Question 4 part a · 4 marks

2020 NOV · Paper 01 · extract 2 of 2 · find part a in this mark scheme extract

**Section B**
**Memory – How does your memory work?**

## Type MS · Drawing conclusions from data

### Answer 13 of 24 · Question 13 part a · 2 marks

2019 JUN · Paper 01 · extract 1 of 3 · find part a in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| 13(a) | **One** mark for a conclusion made.<br>**One** mark for justification of the conclusion through analysis/interpretation.<br><br>For example:<br>• Siobhan will need to plan for increased staffing costs over the next 5 years (1) because as the number of patients has increased by 11, the staffing costs have increased by £220,000 (1).<br><br>Accept any other appropriate response. | (2) |

## Type MS · Drawing conclusions from data

### Answer 13 of 24 · Question 13 part a · 2 marks

2019 JUN · Paper 01 · extract 2 of 3 · find part a in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| 13(b) | **One** mark for identification of a relevant improvement.<br>**One** mark for justification, which must be linked to the improvement identified.<br><br>For example:<br><br>• Siobhan could look at the incidence of mental health issues in other wards in the area over the last 5 years (1), which would give her a more representative idea of the likely change in number of admissions over the next 5 years which will affect staffing costs (1).<br><br>Accept any other appropriate response. | (2) |

Type MS · Drawing conclusions from data

Answer 13 of 24 · Question 13 part a · 2 marks

2019 JUN · Paper 01 · extract 3 of 3 · find part a in this mark scheme extract

**Section D**
**The brain and neuropsychology – How does your brain affect you?**

## Type MS · Drawing conclusions from data

### Answer 14 of 24 · Question 12 part a · 2 marks

2020 NOV · Paper 01 · extract 1 of 2 · find part a in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| 12(a) | **One** mark for a conclusion made.<br>**One** mark for justification of the conclusion through analysis/interpretation.<br><br>For example:<br>• The drug 8-Gv2 has not been effective in reducing depression in the participants (1) which is shown by almost identical self-reported symptoms of depression with only a 0.1 decrease (out of 10) after 12-months (1).<br><br>Accept any other appropriate response. | (2) |

| Question number | Answer | Mark |
|---|---|---|
| 12(b) | **One** mark for identification of a relevant improvement.<br>**One** mark for justification, which must be linked to the improvement identified.<br><br>For example:<br><br>• The study could have used a control group where some participants were not given the 8-Gv2 drug (1) which would have given a baseline measure of symptom severity to compare against the drug condition to see how much impact the drug has on depression (1).<br><br>Accept any other appropriate response. | (2) |

Type MS · Drawing conclusions from data

Answer 14 of 24 · Question 12 part a · 2 marks

2020 NOV · Paper 01 · extract 2 of 2 · find part a in this mark scheme extract

**Section D**
**The brain and neuropsychology – How does your brain affect you?**

## Type MS · Drawing conclusions from data

### Answer 15 of 24 · Question 16 part whole · 4 marks

2020 NOV · Paper 01 · extract 1 of 2 · find part whole in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| 16 | **One** mark for each conclusion made.<br>**One** mark for justification of each conclusion through analysis/interpretation.<br><br>For example:<br><br>• 'Drug JL-2' does not affect memory ability but it does affect speed of memory (1) which is shown by only a 1% drop for ability but 14 seconds longer for time taken (1).<br>• The drug does not really affect coordination but does affect navigation (1) with navigation errors increasing by 5/10 but coordination only increased by 1/20 (1).<br><br>Accept any other appropriate response. | **(4)** |

Type MS · Drawing conclusions from data

Answer 15 of 24 · Question 16 part whole · 4 marks

2020 NOV · Paper 01 · extract 2 of 2 · find part whole in this mark scheme extract

**Section E**
**Social influence – How do others affect you?**

## Type MS · Drawing conclusions from data

### Answer 16 of 24 · Question 15 part a · 2 marks

2021 NOV · Paper 01 · extract 1 of 2 · find part a in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| 15(a) | **One** mark for a conclusion made.<br>**One** mark for justification of the conclusion through analysis/interpretation.<br><br>For example:<br>• Diagnosis of mental health issues leads to individuals having more negative experiences than positive experiences (1), which is shown by most of the countries categorised as 'Low' on preferential treatment but 'High' on shunned and isolated (1).<br><br>Accept any other appropriate response. | (2) |

| Question number | Answer | Mark |
|---|---|---|
| 15(b) | **One** mark for identification of a relevant improvement.<br>**One** mark for justification, which must be linked to the improvement identified.<br><br>For example:<br><br>• Jasper could have asked people in a wider range of countries, such as those outside of Europe (1) who may have experienced different treatment than only asking European countries so this would be more representative of people with mental health issues across the world (1).<br><br>Accept any other appropriate response. | (2) |

Type MS · Drawing conclusions from data

Answer 16 of 24 · Question 15 part a · 2 marks

2021 NOV · Paper 01 · extract 2 of 2 · find part a in this mark scheme extract

**Section D**
**The brain and neuropsychology – How does your brain affect you?**

## Type MS · Drawing conclusions from data

### Answer 17 of 24 · Question 14 part a · 2 marks

2022 JUN · Paper 01 · extract 1 of 2 · find part a in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| 14(a) | **One** mark for a conclusion made.<br>**One** mark for justification of the conclusion through analysis/interpretation.<br><br>For example:<br>• After reading the articles there was no real difference in the patient motivation to attend CBT (1) which is shown by just a 0.1 difference out of 10 for the likelihood of attending CBT after either reading a case study article or research evidence article (1).<br><br>Accept any other appropriate response. | (2) |

| Question number | Answer | Mark |
|---|---|---|
| 14(b) | **One** mark for identification of a relevant improvement.<br>**One** mark for justification, which must be linked to the improvement identified.<br><br>For example:<br><br>• Jonah could have given all patients both articles to eliminate individual differences accounting for the results (1) because this would mean every individual patient read both articles and any differences in their personality, education or age could be removed as a reason for their responses (1).<br><br>Accept any other appropriate response. | (2) |

## Type MS · Drawing conclusions from data

### Answer 17 of 24 · Question 14 part a · 2 marks

2022 JUN · Paper 01 · extract 2 of 2 · find part a in this mark scheme extract

Type MS · Drawing conclusions from data

Answer 18 of 24 · Question 12 part c · 2 marks

2023 JUN · Paper 01 · extract 1 of 3 · find part c in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| 12(a) | **One** mark for accurate understanding of cognitive theory.<br>**One** mark for exemplification of how cognitive theory can be used to explain the scenario.<br><br>For example:<br><br>• Beck's cognitive triad suggested someone may show symptoms of depression if they have a negative view of the self, the world, and the future (1). For example, Maddie believes she will always be a failure so there is no point in work anymore, which suggests she has developed a negative view of the future (1).<br><br>Accept any other appropriate response. | **(2)** |

| Question number | Answer | Mark |
|---|---|---|
| 12(b) | **One** mark for identification of the strength / weakness (maximum **two** marks).<br>**One** mark for justification, which must be linked to the strength / weakness identified (maximum **two** marks).<br><br>For example:<br><br>Strength<br>• Cognitive theory has received support from studies, such as Evans et al. (2005), which have found women with the most negative self-beliefs were more likely to later become depressed so this could have happened to Maddie with her negative beliefs of her not getting a future promotion (1), as women with the highest negative self-schema scores were more likely to become depressed so can support Maddie becoming depressed as a result of her negative schema (1).<br><br>Weakness<br>• Cognitive theory does not take biological factors into account, such as genes or imbalanced neurotransmitters so may not fully explain why Maddie thinks work is pointless and is depressed (1) because biological factors, such as gene linked to depression, could have made Maddie more vulnerable to developing depression rather than cognitive theory because there does not appear to have been any significant negative events to activate negativity in Maddie (1).<br><br>Accept any other appropriate response. | **(4)** |

## Type MS · Drawing conclusions from data

### Answer 18 of 24 · Question 12 part c · 2 marks

2023 JUN · Paper 01 · extract 2 of 3 · find part c in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| **12(c)** | **One** mark for appropriate conclusion.<br>**One** mark for justification of the conclusion through analysis/interpretation.<br><br>For example:<br><br>• The new antidepressant 'H3-a' had less chance of relapse to depression than the standard antidepressant so may be effective for Maddie (1), which is shown by 13% less chance on average to relapse to depressed symptoms for 'H3-a' compared to standard antidepressant after 1 year (1).<br><br>Accept any other appropriate response. | **(2)** |

| Question number | Answer | Mark |
|---|---|---|
| **12(d)** | **One** mark for accurate understanding of cognitive behavioural therapy (CBT).<br>**One** mark for exemplification of how cognitive behavioural therapy (CBT) can be used to explain the scenario.<br><br>For example:<br><br>• Cognitive behavioural therapy (CBT) involves 'homework' which is where the patient practises using the new, more rational ways of thinking between sessions (1). So, Maddie will need to practise thinking more logically about getting a promotion by focusing on areas highlighted in her performance review and showing her boss that she has the necessary skills for a promotion (1).<br><br>Accept any other appropriate response. | **(2)** |

## Type MS · Drawing conclusions from data

### Answer 18 of 24 · Question 12 part c · 2 marks

2023 JUN · Paper 01 · extract 3 of 3 · find part c in this mark scheme extract

## Type MS · Drawing conclusions from data

### Answer 19 of 24 · Question 17 part a · 4 marks

2023 JUN · Paper 01 · extract 1 of 2 · find part a in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| 17(a) | **One** mark for each appropriate conclusion (maximum **two** marks).<br>**One** mark for justification of each conclusion through analysis/interpretation (maximum **two** marks).<br><br>For example:<br><br>• The training programme improved the ability of patients to recognise faces (1) because those in the training programme improved their performance by 19% from before to after the training programme (1).<br>• The training programme was more effective than the control condition for the patients (1) which is shown by a similar performance before treatment but the training programme were 22% better on average than control at recognising faces at the end of treatment (1).<br><br>Accept any other appropriate response. | **(4)** |

## Type MS · Drawing conclusions from data

### Answer 19 of 24 · Question 17 part a · 4 marks

2023 JUN · Paper 01 · extract 2 of 2 · find part a in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| 17(b) | **One** mark for identification of each strength (maximum **two** marks).<br>**One** mark for justification, which must be linked to the strength identified (maximum **two** marks).<br><br>For example:<br><br>Strength one<br>• A strength is that Mattéo recorded the performance of those on the training programme before treatment to gain a baseline measure (1) which enabled Mattéo to accurately measure how effective the training programme was as he could compare before to after with the same patients which increases validity (1).<br><br>Strength two<br>• Mattéo used a control group in his study to compare with the treatment programme patients which increases validity (1) because he can compare the performance of patients with prosopagnosia with and without the training programme to see the impact of the treatment accurately (1).<br><br>Accept any other appropriate response. | **(4)** |

## Type MS · Drawing conclusions from data

### Answer 20 of 24 · Question 14 part whole · 4 marks

2024 JUN · Paper 01 · extract 1 of 2 · find part whole in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| 14 | **One** mark for identification of each conclusion (maximum **two** marks).<br>**One** mark for justification of each conclusion through analysis/interpretation (maximum **two** marks).<br><br>For example:<br><br>• The established, already commonly used drug was more effective than the new drug 'rndo-7' for addiction (1) because the symptom severity reduced by an average of 3.3 for the established drug compared to 0.3 for the new drug (1).<br>• The new drug 'rndo-7' was no more effective than taking no drugs at all for addiction (1) because symptom severity decreased by 0.3 by the end of the investigation which was the same as group C who took no drug at all (1).<br><br>Accept any other appropriate response. | **(4)** |

## Type MS · Drawing conclusions from data

### Answer 20 of 24 · Question 14 part whole · 4 marks

2024 JUN · Paper 01 · extract 2 of 2 · find part whole in this mark scheme extract

## Type MS · Drawing conclusions from data

### Answer 21 of 24 · Question 19 part a · 2 marks

2024 JUN · Paper 01 · extract 1 of 2 · find part a in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| 19(a) | **One** mark for a conclusion made.<br>**One** mark for justification of the conclusion through analysis/interpretation.<br><br>For example:<br><br>• The left hemisphere is involved in both verbal and spatial abilities (1). This is shown by the participant with damage to their left hemisphere performing poorly on both verbal and spatial tasks, scoring just 4% and 8% respectively (1).<br><br>Accept any other appropriate response. | **(2)** |

| Question number | Answer | Mark |
|---|---|---|
| 19(b) | **One** mark for identification of each strength/weakness (maximum **two** marks).<br>**One** mark for justification, which must be linked to each strength/weakness identified (maximum **two** marks).<br><br>For example:<br><br>Strength<br>• Mikel gave both the brain-damaged participants the same tasks involving words and shapes so the investigation has a standardised procedure (1) which is a strength because the investigation involving verbal and spatial abilities in the roles of the hemispheres can be replicated to test for consistency over time in different brain-damaged patients (1).<br><br>Weakness<br>• Mikel only used a single participant with left or right hemisphere damaged so there is a lack of generalisability in his investigation of the role of the hemispheres (1) because the brain-damaged participants who did the word and shape tasks may have specific damage in their brain that is not representative of all people with left or right hemisphere damage (1).<br><br>Accept any other appropriate response. | **(4)** |

## Type MS · Drawing conclusions from data

### Answer 21 of 24 · Question 19 part a · 2 marks

2024 JUN · Paper 01 · extract 2 of 2 · find part a in this mark scheme extract

## Type MS · Drawing conclusions from data

### Answer 22 of 24 · Question 13 part a · 2 marks

2025 JUN · Paper 01 · extract 1 of 2 · find part a in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| 13(a) | **One** mark for appropriate conclusion.<br>**One** mark for justification of the conclusion through analysis/interpretation.<br><br>For example:<br><br>• Stressful life events did not affect the severity of depressive symptoms experienced (1) which is shown by there being less than 1 point difference between the severity across all ranges of life events with the lowest being 12.5 and highest 13.2 (1).<br><br>• Stressful life events did affect the length of time depressive symptoms were experienced (1) which is shown by participants reporting 6.3 months on average for 0-5 stressful life events which increased to 25.6 months on average for 16+ stressful life events (1).<br><br>Accept any other appropriate response. | (2) |

| Question number | Answer | Mark |
|---|---|---|
| 13(b) | **One** mark for identification of a relevant improvement.<br>**One** mark for justification, which must be linked to the improvement identified.<br><br>For example:<br><br>• Mary could have asked participants who had suffered depression from a range of businesses across the country, rather than just a single local business (1) which would have given her a more representative understanding of how life events affected depression as a broader cross-section of participants would have been sampled, increasing generalisability (1).<br><br>• Mary could have included open-ended questions about stressful life events on her questionnaire, rather than just using closed-ended questions (1) which would have given her a more detailed understanding of the ways in which stressful life events affected their depression as participants could freely express how stressful life events have impacted them, increasing validity (1).<br><br>Accept any other appropriate response. | (2) |

Type MS · Drawing conclusions from data

Answer 22 of 24 · Question 13 part a · 2 marks

2025 JUN · Paper 01 · extract 2 of 2 · find part a in this mark scheme extract

**Section D**
**The brain and neuropsychology – How does your brain affect you?**

## Type MS · Drawing conclusions from data

### Answer 23 of 24 · Question 23 part a · 2 marks

2019 JUN · Paper 01 · extract 1 of 2 · find part a in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| 23(a) | **One** mark for conclusion made.<br>**One** mark for justification of conclusion through analysis/interpretation.<br><br>For example:<br><br>• Males were the most disobedient (1) as 92% of the males did not obey compared to just 17% of females (1).<br><br>Accept any other appropriate response. | (2) |

| Question number | Answer | Mark |
|---|---|---|
| 23(b) | **One** mark for identification of a relevant improvement.<br>**One** mark for justification which must be linked to the improvement identified.<br><br>For example:<br><br>• Michael could have conducted the study in different locations than just on a bus (1) which would mean he would have a more representative understanding of male and female obedience than in a single setting (1).<br><br>Accept any other appropriate response. | (2) |

Type MS · Drawing conclusions from data

Answer 23 of 24 · Question 23 part a · 2 marks

2019 JUN · Paper 01 · extract 2 of 2 · find part a in this mark scheme extract

**Section F**

## Type MS · Drawing conclusions from data

### Answer 24 of 24 · Question 24 part c · 4 marks

2021 NOV · Paper 01 · extract 1 of 3 · find part c in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| 24(a) | **One** mark for demonstrating accurate understanding of pro-social behaviour.<br>**One** mark for exemplification of how pro-social behaviour can be used to explain the scenario.<br><br>For example:<br><br>• Pro-social behaviour is acting in a desirable way in society by being kind and caring to others and helping when they might be hurt (1). Kyle could have helped as he may have been trained in helping with injuries through a first aid course at work so felt more capable to act pro-socially and help the drunk man (1).<br><br>Accept any other appropriate response. | **(2)** |

## Type MS · Drawing conclusions from data

### Answer 24 of 24 · Question 24 part c · 4 marks

2021 NOV · Paper 01 · extract 2 of 3 · find part c in this mark scheme extract

| Question number | Answer | Mark |
|---|---|---|
| 24(b) | **One** mark for demonstrating accurate understanding of Piliavin et al. (1969).<br>**One** mark for exemplification of how Piliavin et al. (1969) can be used to explain the scenario.<br><br>For example:<br><br>• Piliavin et al. (1969) found women are less likely to help a male victim than men with 90% of the spontaneous helpers being male (1) so as Joanne is female she may have chosen not to help because the cost to her is potentially higher than for Kyle who is male and she may feel threatened by the drunk man (1).<br><br>Accept any other appropriate response. | (2) |

| Question number | Answer | Mark |
|---|---|---|
| 24(c) | **One** mark for each conclusion made. (maximum **two** marks).<br>**One** mark for justification of conclusion through analysis/interpretation. (maximum **two** marks).<br><br>For example:<br><br>• Females were unwilling to help the drunk man (1) which is shown by a total of five females who did not help compared to four males who did help (1).<br>• Help was either given quickly or not at all (1) because four people helped within 30 seconds, but nobody helped within 30-60 seconds and they just chose not to instead (1).<br><br>Accept any other appropriate response. | (4) |

Type MS · Drawing conclusions from data

Answer 24 of 24 · Question 24 part c · 4 marks

2021 NOV · Paper 01 · extract 3 of 3 · find part c in this mark scheme extract

## Section F