Type MS · Calculating percentages

Answer 1 of 9 · Question 1 part c · 2 marks

2025 JUN · Paper 02 · extract 1 of 2 · find part c in this mark scheme extract

Question Number	Answer	Mark
1(a)	**The only correct answer is C -** *The number of participants who obeyed the man `s instruction to remain silent.* A is incorrect as this is the independent variable. B is incorrect as this is a control measure. D is incorrect as this is not the dependent variable.	**(1)**

Question Number	Answer	Mark
1(b)	**One** mark for understanding of a participant variable. **One** mark for application to the scenario. For example: • A participant variable is any characteristic of a person that could affect the study's results, other than the independent variable (1) for example, Thomas may have considered the gender of his sample as one gender/age may naturally be more obedient than the other (1). Accept any other appropriate response.	**(2)**

Question Number	Answer	Mark
1(c)	**One** mark for calculation of total number of participants. **One** mark for calculation of percentage. 22+11+8+19 = 60 (33/60)*100 = 55% Accept any other appropriate response.	**(2)**

Question Number	Answer	Mark
1(d)	**One** mark for calculation of total number of participants who disobeyed. **One** mark for correct answer. Calculation: • 8 + 19 = 27 Calculation: 27:60 simplified using a common factor • 9:20 Accept any other appropriate response.	**(2)**

Type MS · Calculating percentages

Answer 1 of 9 · Question 1 part c · 2 marks

2025 JUN · Paper 02 · extract 2 of 2 · find part c in this mark scheme extract

Question Number	Answer	Mark
1(e)	**One** mark for giving one way the findings support the conclusion. For example: • More than twice as many participants disobeyed the instruction to be silent when the man was wearing a jeans and t shirt than when the man was wearing a uniform. Accept any other appropriate answer.	**(1)**

Type MS · Calculating percentages

Answer 2 of 9 · Question 1 part d.i · 2 marks

2019 JUN · Paper 02 · extract 1 of 3 · find part d.i in this mark scheme extract

Question number	Answer	Mark
1(a)	A - structured interview **The only correct answer is A** B is incorrect as this uses open questions C is incorrect as this uses mixed question types D is incorrect as this is not an interview method	(1)

Question number	Answer	Mark
1(b)	**One** mark for correct knowledge of right to withdraw. • A right to withdraw is when a participant can stop taking part in a research investigation (1). Accept any other appropriate response.	(1)


Question number	Answer	Mark
1(c)	**One** mark for each way to ensure confidentiality (maximum of **two** marks). For example: • Real names of the patients with depression interviewed would not be included in the research (1). • The location of the mental health service provider could be kept out of the public domain (1). Accept any other appropriate response.	(2)

Question number	Answer	Mark
1(d)(i)	**One** mark for calculation of decrease in score. **One** mark for calculation of percentage decrease. • 4-1 = 3 • (3/4)*100 = 75% Reject all other answers.	(2)

Type MS · Calculating percentages

Answer 2 of 9 · Question 1 part d.i · 2 marks

2019 JUN · Paper 02 · extract 2 of 3 · find part d.i in this mark scheme extract

Question number	Answer	Mark
1(d)(ii)	**One** mark for labelling of y-axis. **One** mark for plotting data for participant A. **One** mark for plotting data for participant C. For example:  	(3)

Type MS · Calculating percentages

Answer 2 of 9 · Question 1 part d.i · 2 marks

2019 JUN · Paper 02 · extract 3 of 3 · find part d.i in this mark scheme extract

Type MS · Calculating percentages

Answer 3 of 9 · Question 6 part c · 1 mark

2019 JUN · Paper 02 · extract 1 of 3 · find part c in this mark scheme extract

Question number	Answer	Mark
6(a)	**One** mark for a correct answer • 39,980,000 = 3.998 x 10^7 Reject all other answers.	(1)

Type MS · Calculating percentages

Answer 3 of 9 · Question 6 part c · 1 mark

2019 JUN · Paper 02 · extract 2 of 3 · find part c in this mark scheme extract

Question number	Answer	Mark
6(b)	**One** mark for an appropriate estimation 40,000,000 – 10,000,000 • 30,000,000 Accept any other appropriate response.	(1)

Question number	Answer	Mark
6(c)	**One** mark for a correct answer Calculation: 63% = 0.63 0.63 x 39,980,000 = 25,187,400 • 25,187,400 Reject all other answers.	(1)

Question number	Answer	Mark
6(d)	**One** mark for correct identification of primary data example **One** mark for correct identification of secondary data example **Type of data** / **Example from Kayla's investigation** Primary data — **Online questionnaire** Secondary data — **Two newspaper articles** Accept any other appropriate response.	(2)

Type MS · Calculating percentages

Answer 3 of 9 · Question 6 part c · 1 mark


2019 JUN · Paper 02 · extract 3 of 3 · find part c in this mark scheme extract

Type MS · Calculating percentages

Answer 4 of 9 · Question 4 part a · 2 marks

2020 NOV · Paper 02 · extract 1 of 3 · find part a in this mark scheme extract

Question number	Answer	Mark
4(a)	**One** mark for calculation of totals for students. **One** mark for calculation of percentage of students who completed the work set. • 16+15+8+10= 49 • (31/49)*100 = 63.27% Accept any other appropriate response.	(2)

Question number	Answer	Mark
4(b)	**One** mark for labelling of y-axis **One** mark for plotting bar for sociology students who did complete the work. **One** mark for plotting bar for sociology students who did not complete the work set.  Accept any other appropriate response.	(3)

Type MS · Calculating percentages

Answer 4 of 9 · Question 4 part a · 2 marks

2020 NOV · Paper 02 · extract 2 of 3 · find part a in this mark scheme extract

Question number	Answer	Mark
4(c)	**One** mark for giving one way findings support conclusion. For example: • There was only one more English student that completed the work compared to Sociology students (1). Accept any other appropriate response.	(1)

Question number	Answer	Mark
4(d)	**One** mark for giving a participant variable. • Ricky could have made sure that the students participating were from the same school year group (1). Accept any other appropriate response.	(1)

Type MS · Calculating percentages

Answer 4 of 9 · Question 4 part a · 2 marks

2020 NOV · Paper 02 · extract 3 of 3 · find part a in this mark scheme extract

Type MS · Calculating percentages

Answer 5 of 9 · Question 2 part c.ii · 2 marks

2021 NOV · Paper 02 · extract 1 of 3 · find part c.ii in this mark scheme extract

Question number	Answer	Mark
2(a)	**One** mark for correct knowledge of an observation For example: • An observation is where the researcher records behaviours they see displayed by their sample group (1). Accept any other appropriate response	(1)

Type MS · Calculating percentages

Answer 5 of 9 · Question 2 part c.ii · 2 marks

2021 NOV · Paper 02 · extract 2 of 3 · find part c.ii in this mark scheme extract

Question number	Answer	Mark
2(b)	**One** mark for understanding of sampling method **One** mark for application to the scenario For example: • An opportunity sample is of those who are available at the time (1), so Yolanda may record the activities of any children who happen to be playing during her time in the setting (1). Accept any other appropriate response	(2)

Question number	Answer	Mark
2(c)(i)	**One** mark for correct calculation of children who played with arts and crafts toys. **One** mark for correct answer. Calculation: 74-23-11-29= • 11 Calculation: 11:11 simplified using a common factor • 1:1 Accept any other appropriate response.	(2)

Question number	Answer	Mark
2(c)(ii)	**One** mark for calculation of percentage of children who played with role play toys. **One** mark for answer to two decimal places. • (29/74)*100 = 39.189189% • 39.19% (2d.p) Accept any other appropriate response.	(2)

Question number	Answer	Mark
2(d)	**One** mark for conclusion made. **One** mark for justification of conclusion through analysis of data. • Boys prefer to play with stereotypically male toys (1) as there were 13 more boys observed playing with vehicles than girls (1). Accept any other appropriate response.	(2)

Type MS · Calculating percentages

Answer 5 of 9 · Question 2 part c.ii · 2 marks

2021 NOV · Paper 02 · extract 3 of 3 · find part c.ii in this mark scheme extract

Type MS · Calculating percentages

Answer 6 of 9 · Question 6 part b · 1 mark

2021 NOV · Paper 02 · extract 1 of 2 · find part b in this mark scheme extract

Question number	Answer	Mark
6(a)	**One** mark for calculation of totals for all patients and placebo patients **One** mark for correct calculation of placebo patients as a fraction of all patients. • Total patients =60; patients receiving a placebo =20 • $\frac{20}{60}$ simplified 20/20 and 60/20 = $\frac{1}{3}$ Accept any other appropriate response.	(2)

Question number	Answer	Mark
6(b)	**One** mark for a correct answer. Calculation: 20%=0.20 0.20 x 20 = 4 • 4 Reject all other answers.	(1)

Question number	Answer	Mark
6(c)	**One** mark for giving one way. • 65% more patients taking the new drug treatment reported a decrease in symptoms compared to the placebo group (1). Accept any other appropriate response.	(1)

Type MS · Calculating percentages

Answer 6 of 9 · Question 6 part b · 1 mark

2021 NOV · Paper 02 · extract 2 of 2 · find part b in this mark scheme extract

Type MS · Calculating percentages

Answer 7 of 9 · Question 1 part d · 2 marks

2022 JUN · Paper 02 · extract 1 of 2 · find part d in this mark scheme extract

Question number	Answer	Mark
1(a)	C – Quantitative data **The only correct answer is C** A is incorrect as the data is numerical B is incorrect as the data is objective D is incorrect as the data is primary	(1)

Question number	Answer	Mark
1(b)	**One** mark for each appropriate way to standardise the procedure (maximum **two** marks). For example: • Andrew could use the same trigrams for each participant (1) • Andrew could show the trigrams to participants for the same amount of time (1). Accept any other appropriate response.	(2)

Question number	Answer	Mark
1(c)	**One** mark for correct calculation of male participants. **One** mark for correct answer. Calculation: 20/4= • 5 males Calculation: 5:15 simplified using a common factor • 1:3 Accept any other appropriate response.	(2)

Question number	Answer	Mark
1(d)	**One** mark for calculation of total number of participants. **One** mark for calculation of percentage. • 3+8 = 11 • (11/20)*100 = 55% Accept any other appropriate response	(2)
Question number	**Answer**	**Mark**

Type MS · Calculating percentages

Answer 7 of 9 · Question 1 part d · 2 marks

2022 JUN · Paper 02 · extract 2 of 2 · find part d in this mark scheme extract

1(e)	**One** mark for conclusion made. **One** mark for justification of conclusion through analysis of data. • The capacity of short-term memory is between 5 and 12 items (1) as 90% of participants correctly recalled between 5 and 12 of the trigrams they were shown (1). Accept any other appropriate response.	**(2)**

Type MS · Calculating percentages

Answer 8 of 9 · Question 1 part c · 2 marks

2023 JUN · Paper 02 · extract 1 of 3 · find part c in this mark scheme extract

Question number	Answer	Mark
1(a)	B – gender **The only correct answer is B** A is incorrect as this is not the independent variable. C is incorrect as this is not the independent variable. D is incorrect as this is not the independent variable.	(1)

Question number	Answer	Mark
1(b)	**One** mark for each correct ethical issue given (maximum **two** marks) For example: • Informed consent can be gained by explaining the study to parents when asking if the children can take part (1). • Gary could use pseudonyms for the children to make sure none of them could be identified from his research (1). Accept any other appropriate response.	(2)

Question number	Answer	Mark
1(c)	**One** mark for calculation of total number of participants. **One** mark for calculation of percentage. • 50+50 = 100 • (25/100)*100 = 25% Accept any other appropriate response.	(2)

Question number	Answer	Mark
1(d)	**One** mark for correct calculation. Calculation: 32-24 • 8 Accept any other appropriate response.	(1)

Type MS · Calculating percentages

Answer 8 of 9 · Question 1 part c · 2 marks

2023 JUN · Paper 02 · extract 2 of 3 · find part c in this mark scheme extract

Question number	Answer	Mark
1(e)	**One** mark for correct calculation of number of children.	(2)
	One mark for correct answer. Calculation: • 32+24= 56 Calculation: 56:100 simplified using a common factor • 14:25 Accept any other appropriate response.	

Question number	Answer	Mark
1(f)	**One** mark for conclusion made. **One** mark for justification of conclusion through analysis of data. • At six years old, girls can conserve number more accurately than boys (1) as more than twice as many girls than boys identified that the rows contained the same number of buttons (1). Accept any other appropriate response.	(2)

Type MS · Calculating percentages

Answer 8 of 9 · Question 1 part c · 2 marks

2023 JUN · Paper 02 · extract 3 of 3 · find part c in this mark scheme extract

Type MS · Calculating percentages

Answer 9 of 9 · Question 4 part a · 1 mark

2024 JUN · Paper 02 · extract 1 of 4 · find part a in this mark scheme extract


Question number	Answer	Mark
4(a)	**One** mark for correct calculation of percentage. • (3/4)*100 = 75% Reject all other answers.	(1)

Question number	Answer	Mark
4(b)	**One** mark for correct calculation of students who recalled less than five unusual objects as a fraction of all students. • Total students = 4; students who recalled less than five unusual objects = 2 • $\frac{1}{2}$ Accept any other appropriate response.	(1)

Type MS · Calculating percentages

Answer 9 of 9 · Question 4 part a · 1 mark

2024 JUN · Paper 02 · extract 2 of 4 · find part a in this mark scheme extract

Question number	Answer	Mark
4(c)	**One** mark for labelling of y-axis. **One** mark for plotting bar for Student A. **One** mark for plotting bar for Student C.  Accept any other appropriate response.	(3)

Type MS · Calculating percentages

Answer 9 of 9 · Question 4 part a · 1 mark

2024 JUN · Paper 02 · extract 3 of 4 · find part a in this mark scheme extract

Question number	Answer	Mark
4(d)	**One** mark for giving one way findings support conclusion. For example: • All of the students recalled less unusual objects in the classroom than typical objects (1). Accept any other appropriate response.	(1)

Type MS · Calculating percentages

Answer 9 of 9 · Question 4 part a · 1 mark

2024 JUN · Paper 02 · extract 4 of 4 · find part a in this mark scheme extract