

TABLE OF CONTENTS

Nu Html Checker	1
Showing results for https://skillspace.ru/ (checked with vnu 26.7.22)	1
Message Filtering 104 messages hidden by filtering	1

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for <https://skillspace.ru/> (checked with vnu 26.7.22)

Checker Input

Show

☐

source

☐

outline

☐

image report

☐

errors & warnings only

Options...

Check by address ▼

<https://skillspace.ru/>

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering *104 messages hidden by filtering*

- Error** A document must not include both a `meta` element with an `http-equiv` attribute whose value is `content-type`, and a `meta` element with a `charset` attribute.

From line 1, column 56; to line 1, column 124

```
utf-8" /> <meta http-equiv="Content-Type" content="text/html; charset=utf-8" /> <meta
```

- Error** Bad value `x-dns-prefetch-control` for attribute `http-equiv` on element `meta`.

From line 1, column 1742; to line 1, column 1796

```
ne=no" /> <meta http-equiv="x-dns-prefetch-control" content="on"> <link
```

- Warning** The `charset` attribute on the `script` element is obsolete.

From line 1, column 2838; to line 1, column 2927

```
ssets --> <script src="https://neo.tildacdn.com/js/tilda-fallback-1.0.min.js" async  
charset="utf-8"></scri
```

- Warning** The `charset` attribute on the `script` element is obsolete.

From line 1, column 4341; to line 1, column 4436

```
= 'y';" /> <script nomodule src="https://static.tildacdn.com/js/tilda-polyfill-  
1.0.min.js" charset="utf-8"></scri
```

- Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 1, column 4447; to line 1, column 4477

```
</script> <script type="text/javascript">functi
```

6. **Warning** The `charset` attribute on the `script` element is obsolete.

From line 2, column 2083; to line 2, column 2192

```
</script> <script src="https://static.tildacdn.com/js/jquery-1.10.2.min.js"
charset="utf-8" onerror="this.loaderr='y';"></scri
```

7. **Warning** The `charset` attribute on the `script` element is obsolete.

From line 2, column 2203; to line 2, column 2322

```
</script> <script src="https://static.tildacdn.com/js/tilda-scripts-3.0.min.js"
charset="utf-8" defer onerror="this.loaderr='y';"></scri
```

8. **Warning** The `charset` attribute on the `script` element is obsolete.

From line 2, column 2333; to line 2, column 2488

```
</script> <script src="https://static.tildacdn.com/ws/project1476727/tilda-blocks-
page23640134.min.js?t=1784538427" charset="utf-8" async onerror="this.loaderr='y';">
</scri
```

9. **Warning** The `charset` attribute on the `script` element is obsolete.

From line 2, column 2499; to line 2, column 2619

```
</script> <script src="https://static.tildacdn.com/js/tilda-lazyload-1.0.min.js"
charset="utf-8" async onerror="this.loaderr='y';"></scri
```

10. **Warning** The `charset` attribute on the `script` element is obsolete.

From line 2, column 2630; to line 2, column 2751

```
</script> <script src="https://static.tildacdn.com/js/tilda-animation-2.0.min.js"
charset="utf-8" async onerror="this.loaderr='y';"></scri
```

11. **Warning** The `charset` attribute on the `script` element is obsolete.

From line 2, column 2762; to line 2, column 2878

```
</script> <script src="https://static.tildacdn.com/js/tilda-zero-1.1.min.js"
charset="utf-8" async onerror="this.loaderr='y';"></scri
```

12. **Warning** The `charset` attribute on the `script` element is obsolete.

From line 2, column 2889; to line 2, column 3008

```
</script> <script src="https://static.tildacdn.com/js/tilda-menusub-1.0.min.js"
charset="utf-8" async onerror="this.loaderr='y';"></scri
```

13. **Warning** The `charset` attribute on the `script` element is obsolete.

From line 2, column 3019; to line 2, column 3135

```
</script> <script src="https://static.tildacdn.com/js/tilda-menu-1.0.min.js"
charset="utf-8" async onerror="this.loaderr='y';"></scri
```

14. **Warning** The `charset` attribute on the `script` element is obsolete.

From line 2, column 3146; to line 2, column 3274

```
</script> <script src="https://static.tildacdn.com/js/tilda-menu-widgeticons-1.0.min.js"
charset="utf-8" async onerror="this.loaderr='y';"></scri
```

15. **Warning** The `charset` attribute on the `script` element is obsolete.

From line 2, column 3285; to line 2, column 3402

```
</script> <script src="https://static.tildacdn.com/js/tilda-popup-1.0.min.js"
charset="utf-8" async onerror="this.loaderr='y';"></scri
```

16. **Warning** The `charset` attribute on the `script` element is obsolete.

From line 2, column 3413; to line 2, column 3530

```
</script> <script src="https://static.tildacdn.com/js/tilda-forms-1.0.min.js"
charset="utf-8" async onerror="this.loaderr='y';"></scri
```

17. **Warning** The `charset` attribute on the `script` element is obsolete.

From line 2, column 3541; to line 2, column 3666

```
</script> <script src="https://static.tildacdn.com/js/tilda-animation-sbs-1.0.min.js"
charset="utf-8" async onerror="this.loaderr='y';"></scri
```

18. **Warning** The `charset` attribute on the `script` element is obsolete.

From line 2, column 3677; to line 2, column 3799

```
</script> <script src="https://static.tildacdn.com/js/tilda-zero-scale-1.0.min.js"
charset="utf-8" async onerror="this.loaderr='y';"></scri
```

19. **Warning** The `charset` attribute on the `script` element is obsolete.

From line 2, column 3810; to line 2, column 3932

```
</script> <script src="https://static.tildacdn.com/js/tilda-zero-fixed-1.0.min.js"
charset="utf-8" async onerror="this.loaderr='y';"></scri
```

20. **Warning** The `charset` attribute on the `script` element is obsolete.

From line 2, column 3943; to line 2, column 4063

```
</script> <script src="https://static.tildacdn.com/js/tilda-skiplink-1.0.min.js"
charset="utf-8" async onerror="this.loaderr='y';"></scri
```

21. **Warning** The `charset` attribute on the `script` element is obsolete.

From line 2, column 4074; to line 2, column 4192

```
</script> <script src="https://static.tildacdn.com/js/tilda-events-1.0.min.js"
charset="utf-8" async onerror="this.loaderr='y';"></scri
```

22. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 333, column 32; to line 333, column 62

```
fy end --><script type="text/javascript">window
```

23. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 333, column 139; to line 333, column 169

nager --> `<script type="text/javascript">(funct`

24. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 333, column 578; to line 333, column 645

Code --> `<script type="text/javascript" data-tilda-cookie-type="advertising">setTim`

25. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 334, column 476; to line 334, column 506

Code --> `<script type="text/javascript">(funct`

26. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 335, column 2112; to line 335, column 2118

T396 --> `<style>#rec10`

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `div`:

If the element is a child of a [dl](#) element: One or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

Otherwise, if the element is a descendant of an [option](#) element: Zero or more [option element inner content elements](#).

Otherwise, if the element is a descendant of an [optgroup](#) element: Zero or more [optgroup element inner content elements](#).

Otherwise, if the element is a descendant of a [select](#) element: Zero or more [select element inner content elements](#).

Otherwise: [flow content](#).

27. **Error** CSS: too few values for the property `width`

At line 335, column 4964

`,(min-width:0\0){#rec103897759`

28. **Error** CSS: too few values for the property `width`

At line 335, column 5260

`,(min-width:0\0){#rec103897759`

29. **Error** CSS: too few values for the property `width`

At line 335, column 5484

`,(min-width:0\0){#rec103897759`

30. **Error** CSS: `width`: Too many values or values are not recognized.

From line 335, column 5830; to line 335, column 5831

```
x);;width:px;}#rec
```

31. **Error** CSS: too few values for the property `width`

At line 335, column 6568

```
, (min-width:0\0){#rec103897759
```

32. **Error** CSS: too few values for the property `width`

At line 335, column 6864

```
, (min-width:0\0){#rec103897759
```

33. **Error** CSS: `width`: Too many values or values are not recognized.

From line 335, column 7212; to line 335, column 7213

```
x);;width:px;}#rec
```

34. **Error** CSS: too few values for the property `width`

At line 335, column 7950

```
, (min-width:0\0){#rec103897759
```

35. **Error** CSS: too few values for the property `width`

At line 335, column 8246

```
, (min-width:0\0){#rec103897759
```

36. **Error** CSS: `width`: Too many values or values are not recognized.

From line 335, column 8595; to line 335, column 8596

```
x);;width:px;}#rec
```

37. **Error** CSS: too few values for the property `width`

At line 335, column 9333

```
, (min-width:0\0){#rec103897759
```

38. **Error** CSS: too few values for the property `width`

At line 335, column 9629

```
, (min-width:0\0){#rec103897759
```

39. **Error** CSS: too few values for the property `width`

At line 335, column 10731

```
, (min-width:0\0){#rec103897759
```

40. **Error** CSS: too few values for the property `width`

At line 335, column 11027

```
, (min-width:0\0){#rec103897759
```

41. **Error** CSS: too few values for the property `width`

At line 335, column 14295

```
, (min-width: 0\0) {#rec103897759
```

42. **Error** CSS: too few values for the property `width`

At line 335, column 14591

```
, (min-width: 0\0) {#rec103897759
```

43. **Error** CSS: too few values for the property `width`

At line 335, column 14815

```
, (min-width: 0\0) {#rec103897759
```

44. **Error** CSS: `width`: Too many values or values are not recognized.

From line 335, column 15161; to line 335, column 15162

```
x);;width:px;}#rec
```

45. **Error** CSS: too few values for the property `width`

At line 335, column 15899

```
, (min-width: 0\0) {#rec103897759
```

46. **Error** CSS: too few values for the property `width`

At line 335, column 16195

```
, (min-width: 0\0) {#rec103897759
```

47. **Error** CSS: `width`: Too many values or values are not recognized.

From line 335, column 16543; to line 335, column 16544

```
x);;width:px;}#rec
```

48. **Error** CSS: too few values for the property `width`

At line 335, column 17281

```
, (min-width: 0\0) {#rec103897759
```

49. **Error** CSS: too few values for the property `width`

At line 335, column 17577

```
, (min-width: 0\0) {#rec103897759
```

50. **Error** CSS: too few values for the property `width`

At line 335, column 18744

```
, (min-width: 0\0) {#rec103897759
```

51. **Error** CSS: too few values for the property `width`

At line 335, column 19040

```
, (min-width: 0\0) {#rec103897759
```

52. **Error** CSS: too few values for the property `width`

At line 335, column 20150

```
, (min-width: 0\0) {#rec103897759
```

53. **Error** CSS: too few values for the property `width`

At line 335, column 20446

```
, (min-width: 0\0) {#rec103897759
```

54. **Error** CSS: too few values for the property `width`

At line 335, column 27607

```
, (min-width: 0\0) {#rec103897759
```

55. **Error** CSS: `width`: Too many values or values are not recognized.

From line 335, column 28027; to line 335, column 28028

```
x);;width:px;}#rec
```

56. **Error** CSS: too few values for the property `width`

At line 335, column 28569

```
, (min-width: 0\0) {#rec103897759
```

57. **Error** CSS: `width`: Too many values or values are not recognized.

From line 335, column 28958; to line 335, column 28959

```
px;;width:px;}#rec
```

58. **Error** CSS: too few values for the property `width`

At line 335, column 29500

```
, (min-width: 0\0) {#rec103897759
```

59. **Error** CSS: `width`: Too many values or values are not recognized.

From line 335, column 29878; to line 335, column 29879

```
ock;width:px;}#rec
```

60. **Error** CSS: too few values for the property `width`

At line 335, column 30420

```
, (min-width: 0\0) {#rec103897759
```

61. **Error** CSS: `width`: Too many values or values are not recognized.

From line 335, column 30798; to line 335, column 30799

```
ock;width:px;}#rec
```

62. **Error** CSS: too few values for the property `width`

At line 335, column 31340

```
, (min-width: 0\0) {#rec103897759
```

63. **Error** CSS: too few values for the property `width`

At line 335, column 33090

```
, (min-width: 0\0) {#rec103897759
```

64. **Error** CSS: `width`: Too many values or values are not recognized.

From line 335, column 33510; to line 335, column 33511

```
x);;width:px;}#rec
```

65. **Error** CSS: too few values for the property `width`

At line 335, column 34052

```
, (min-width: 0\0) {#rec103897759
```

66. **Error** CSS: `width`: Too many values or values are not recognized.

From line 335, column 34441; to line 335, column 34442

```
px;;width:px;}#rec
```

67. **Error** CSS: too few values for the property `width`

At line 335, column 34983

```
, (min-width: 0\0) {#rec103897759
```

68. **Error** CSS: `width`: Too many values or values are not recognized.

From line 335, column 35361; to line 335, column 35362

```
ock;width:px;}#rec
```

69. **Error** CSS: too few values for the property `width`

At line 335, column 35903

```
, (min-width: 0\0) {#rec103897759
```

70. **Error** CSS: `width`: Too many values or values are not recognized.

From line 335, column 36281; to line 335, column 36282

```
ock;width:px;}#rec
```

71. **Error** CSS: too few values for the property `width`

At line 335, column 36823

```
, (min-width: 0\0) {#rec103897759
```

72. **Error** CSS: too few values for the property `width`

At line 335, column 38573

```
, (min-width: 0\0) {#rec103897759
```

73. **Error** CSS: `width`: Too many values or values are not recognized.

From line 335, column 38993; to line 335, column 38994

```
x);;width:px;}#rec
```

74. **Error** CSS: too few values for the property `width`

At line 335, column 39535

```
, (min-width: 0\0) {#rec103897759
```

75. **Error** CSS: `width`: Too many values or values are not recognized.

From line 335, column 39924; to line 335, column 39925

```
px;;width:px;}#rec
```

76. **Error** CSS: too few values for the property `width`

At line 335, column 40466

```
, (min-width: 0\0) {#rec103897759
```

77. **Error** CSS: `width`: Too many values or values are not recognized.

From line 335, column 40844; to line 335, column 40845

```
ock;width:px;}#rec
```

78. **Error** CSS: too few values for the property `width`

At line 335, column 41386

```
, (min-width: 0\0) {#rec103897759
```

79. **Error** CSS: `width`: Too many values or values are not recognized.

From line 335, column 41764; to line 335, column 41765

```
ock;width:px;}#rec
```

80. **Error** CSS: too few values for the property `width`

At line 335, column 42306

```
, (min-width: 0\0) {#rec103897759
```

81. **Error** CSS: too few values for the property `width`

At line 335, column 44055

```
, (min-width: 0\0) {#rec103897759
```

82. **Error** CSS: `width`: Too many values or values are not recognized.

From line 335, column 44475; to line 335, column 44476

```
x);;width:px;}#rec
```

83. **Error** CSS: too few values for the property `width`

At line 335, column 45017

```
, (min-width: 0\0) {#rec103897759
```

84. **Error** CSS: `width`: Too many values or values are not recognized.

From line 335, column 45406; to line 335, column 45407

```
px;;width:px;}#rec
```

85. **Error** CSS: too few values for the property `width`

At line 335, column 45948

```
,(min-width:0\0){#rec103897759}
```

86. **Error** CSS: `width`: Too many values or values are not recognized.

From line 335, column 46326; to line 335, column 46327

```
ock;width:px;}#rec
```

87. **Error** CSS: too few values for the property `width`

At line 335, column 46868

```
,(min-width:0\0){#rec103897759}
```

88. **Error** CSS: `width`: Too many values or values are not recognized.

From line 335, column 47246; to line 335, column 47247

```
ock;width:px;}#rec
```

89. **Error** CSS: too few values for the property `width`

At line 335, column 47788

```
,(min-width:0\0){#rec103897759}
```

90. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 335, column 51011; to line 338, column 2

```
pace.ru"> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild3036-3135-4632-b531-  
323836343263/Vector_1.svg'↵src='https://static.tildacdn.com/tild3036-3135-4632-b531-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

91. **Error** No space between attributes.

At line 338, column 2226

```
class='tn-atom'field='tn_text_
```

92. **Error** Attribute `field` not allowed on element `div` at this point.

From line 338, column 2206; to line 338, column 2255

```
e="1501"> <div class='tn-atom' field='tn_text_1665405599250'><a href
```

Attributes for element `div`:

[Global attributes](#)

93. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 338, column 3334; to line 341, column 2

```
tn-atom"> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild3030-3332-4464-b736-  
326435643138/Vector_18.svg'↵src='https://static.tildacdn.com/tild3030-3332-4464-b736-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

94. **Error** No space between attributes.

At line 341, column 919

```
class='tn-atom' field='tn_text_
```

95. **Error** Attribute `field` not allowed on element `div` at this point.

From line 341, column 899; to line 341, column 948

```
e="1330"> <div class='tn-atom' field='tn_text_1665405698161'>Бесна
```

Attributes for element `div`:

[Global attributes](#)

96. **Error** Element `style` not allowed as child of element `div` in this context.
(Suppressing further errors from this subtree.)

From line 341, column 5888; to line 341, column 5894

```
T396 --> <style>#rec10
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: One or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

Otherwise, if the element is a descendant of an [option](#) element: Zero or more [option element inner content elements](#).

Otherwise, if the element is a descendant of an [optgroup](#) element: Zero or more [optgroup element inner content elements](#).

Otherwise, if the element is a descendant of a [select](#) element: Zero or more [select element inner content elements](#).

Otherwise: [flow content](#).

97. **Error** CSS: `width`: Too many values or values are not recognized.

From line 341, column 11220; to line 341, column 11221

```
x);;width:px;}#rec
```

98. **Error** CSS: `width`: Too many values or values are not recognized.

From line 341, column 11472; to line 341, column 11473

```
x);;width:px;}#rec
```

99. **Error** CSS: `width`: Too many values or values are not recognized.

From line 341, column 11724; to line 341, column 11725

```
x);;width:px;}#rec
```

100. **Error** CSS: `width`: Too many values or values are not recognized.

From line 341, column 13187; to line 341, column 13188

```
x);;width:px;}#rec
```

101. **Error** CSS: `width`: Too many values or values are not recognized.

From line 341, column 13439; to line 341, column 13440

```
x);;width:px;}#rec
```

102. **Error** CSS: `width`: Too many values or values are not recognized.

From line 341, column 13691; to line 341, column 13692

```
x);;width:px;}#rec
```

103. **Error** CSS: `width`: Too many values or values are not recognized.

From line 341, column 19030; to line 341, column 19031

```
x);;width:px;}#rec
```

104. **Error** CSS: `width`: Too many values or values are not recognized.

From line 341, column 19282; to line 341, column 19283

```
x);;width:px;}#rec
```

105. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 19534; to line 341, column 19535

```
x);;width:px;}#rec
```

106. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 20995; to line 341, column 20996

```
x);;width:px;}#rec
```

107. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 21247; to line 341, column 21248

```
x);;width:px;}#rec
```

108. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 21499; to line 341, column 21500

```
x);;width:px;}#rec
```

109. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 28213; to line 341, column 28214

```
x);;width:px;}#rec
```

110. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 28465; to line 341, column 28466

```
x);;width:px;}#rec
```

111. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 28717; to line 341, column 28718

```
x);;width:px;}#rec
```

112. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 30180; to line 341, column 30181

```
x);;width:px;}#rec
```

113. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 30432; to line 341, column 30433

```
x);;width:px;}#rec
```

114. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 30684; to line 341, column 30685

```
x);;width:px;}#rec
```

115. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 34650; to line 341, column 34651

```
x);;width:px;}#rec
```

116. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 34902; to line 341, column 34903

```
x);;width:px;}#rec
```

117. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 35154; to line 341, column 35155

```
x);;width:px;}#rec
```

118. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 36616; to line 341, column 36617

```
x);;width:px;}#rec
```

119. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 36868; to line 341, column 36869

```
x);;width:px;}#rec
```

120. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 37120; to line 341, column 37121

```
x);;width:px;}#rec
```

121. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 42454; to line 341, column 42455

```
x);;width:px;}#rec
```

122. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 42706; to line 341, column 42707

```
x);;width:px;}#rec
```

123. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 42958; to line 341, column 42959

```
x);;width:px;}#rec
```

124. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 44418; to line 341, column 44419

```
x);;width:px;}#rec
```

125. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 44670; to line 341, column 44671

```
x);;width:px;}#rec
```

126. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 44922; to line 341, column 44923

```
x);;width:px;}#rec
```

127. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 50254; to line 341, column 50255

```
x);;width:px;}#rec
```

128. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 50506; to line 341, column 50507

```
x);;width:px;}#rec
```

129. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 50758; to line 341, column 50759

```
x);;width:px;}#rec
```

130. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 52219; to line 341, column 52220

```
x);;width:px;}#rec
```

131. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 52471; to line 341, column 52472

```
x);;width:px;}#rec
```

132. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 52723; to line 341, column 52724

```
x);;width:px;}#rec
```

133. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 58058; to line 341, column 58059

```
x);;width:px;}#rec
```

134. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 58310; to line 341, column 58311

```
x);;width:px;}#rec
```

135. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 58562; to line 341, column 58563

```
x);;width:px;}#rec
```

136. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 60023; to line 341, column 60024

```
x);;width:px;}#rec
```

137. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 60275; to line 341, column 60276

```
x);;width:px;}#rec
```

138. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 60527; to line 341, column 60528

```
x);;width:px;}#rec
```

139. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 65862; to line 341, column 65863

```
x);;width:px;}#rec
```

140. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 66114; to line 341, column 66115

```
x);;width:px;}#rec
```

141. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 66366; to line 341, column 66367

```
x);;width:px;}#rec
```

142. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 67826; to line 341, column 67827

```
x);;width:px;}#rec
```

143. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 68078; to line 341, column 68079

```
x);;width:px;}#rec
```

144. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 68330; to line 341, column 68331

```
x);;width:px;}#rec
```

145. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 73662; to line 341, column 73663

```
x);;width:px;}#rec
```

146. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 73914; to line 341, column 73915

```
x);;width:px;}#rec
```

147. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 74166; to line 341, column 74167

```
x);;width:px;}#rec
```

148. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 75626; to line 341, column 75627

```
x);;width:px;}#rec
```

149. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 75878; to line 341, column 75879

```
x);;width:px;}#rec
```

150. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 76130; to line 341, column 76131

```
x);;width:px;}#rec
```

151. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 81459; to line 341, column 81460

```
x);;width:px;}#rec
```

152. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 81711; to line 341, column 81712

```
x);;width:px;}#rec
```

153. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 81963; to line 341, column 81964

```
x);;width:px;}#rec
```

154. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 83421; to line 341, column 83422

```
x);;width:px;}#rec
```

155. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 83673; to line 341, column 83674

```
x);;width:px;}#rec
```

156. **Error** CSS: width : Too many values or values are not recognized.

From line 341, column 83925; to line 341, column 83926

```
x);;width:px;}#rec
```

157. **Error** CSS: order : Parse Error.

At line 341, column 92543

```
-shrink:0;order:;align-self:au
```

158. **Error** CSS: order : Parse Error.

At line 341, column 93515

```
-shrink:0;order:;align-self:au
```

159. **Error** CSS: order : Parse Error.

At line 341, column 93783

```
-shrink:0;order:;align-self:au
```

160. **Error** CSS: order : Parse Error.

At line 341, column 94039

```
-shrink:0;order:;align-self:au
```

161. **Error** CSS: order : Parse Error.

At line 341, column 97322

```
-shrink:0;order:;align-self:au
```

162. **Error** CSS: order : Parse Error.

At line 341, column 97590

```
-shrink:0;order:;align-self:au
```

163. **Error** CSS: order : Parse Error.

At line 341, column 97858

```
-shrink:0;order:;align-self:au
```

164. **Error** CSS: order : Parse Error.

At line 341, column 98126

```
-shrink:0;order:;align-self:au
```

165. **Error** CSS: order : Parse Error.

At line 341, column 99483

```
-shrink:0;order:;align-self:au
```

166. **Error** CSS: order : Parse Error.

At line 341, column 99763

```
-shrink:0;order:;align-self:au
```

167. **Error** CSS: order : Parse Error.

At line 341, column 100031

```
-shrink:0;order:;align-self:au
```

168. **Error** CSS: order : Parse Error.

At line 341, column 100299

```
-shrink:0;order:;align-self:au
```

169. **Error** CSS: order : Parse Error.

At line 341, column 101693

```
-shrink:0;order:;align-self:au
```

170. **Error** CSS: order : Parse Error.

At line 341, column 101981

```
-shrink:0;order:;align-self:au
```

171. **Error** CSS: order : Parse Error.

At line 341, column 102260

```
-shrink:0;order:;align-self:au
```

172. **Error** CSS: order : Parse Error.

At line 341, column 102539

```
-shrink:0;order:;align-self:au
```

173. **Error** CSS: order : Parse Error.

At line 341, column 105834

```
-shrink:0;order:;align-self:au
```

174. **Error** CSS: order : Parse Error.

At line 341, column 106122

```
-shrink:0;order:;align-self:au
```

175. **Error** CSS: order : Parse Error.

At line 341, column 106401

```
-shrink:0;order:;align-self:au
```

176. **Error** CSS: order : Parse Error.

At line 341, column 106680

```
-shrink:0;order:;align-self:au
```

177. **Error** CSS: order : Parse Error.

At line 341, column 109978

```
-shrink:0;order:;align-self:au
```

178. **Error** CSS: order : Parse Error.

At line 341, column 110265

```
-shrink:0;order:;align-self:au
```

179. **Error** CSS: order : Parse Error.

At line 341, column 110544

```
-shrink:0;order:;align-self:au
```

180. **Error** CSS: order : Parse Error.

At line 341, column 110823

```
-shrink:0;order:;align-self:au
```

181. **Error** CSS: order : Parse Error.

At line 341, column 114118

```
-shrink:0;order:;align-self:au
```

182. **Error** CSS: order : Parse Error.

At line 341, column 114405

```
-shrink:0;order:;align-self:au
```

183. **Error** CSS: order : Parse Error.

At line 341, column 114684

```
-shrink:0;order:;align-self:au
```

184. **Error** CSS: order : Parse Error.

At line 341, column 114963

```
-shrink:0;order:;align-self:au
```

185. **Error** CSS: order : Parse Error.

At line 341, column 118201

```
-shrink:0;order:;align-self:au
```

186. **Error** CSS: order : Parse Error.

At line 341, column 119085

```
-shrink:0;order:;align-self:au
```

187. **Error** CSS: order : Parse Error.

At line 341, column 119364

```
-shrink:0;order:;align-self:au
```

188. **Error** CSS: order : Parse Error.

At line 341, column 119643

```
-shrink:0;order:;align-self:au
```

189. **Error** CSS: order : Parse Error.

At line 341, column 124873

```
-shrink:0;order:;align-self:au
```

190. **Error** CSS: order : Parse Error.

At line 341, column 125152

```
-shrink:0;order:;align-self:au
```

191. **Error** CSS: order : Parse Error.

At line 341, column 125431

```
-shrink:0;order:;align-self:au
```

192. **Error** CSS: order : Parse Error.

At line 341, column 125710

```
-shrink:0;order:;align-self:au
```

193. **Error** No space between attributes.

At line 341, column 133807

```
class='tn-atom'field='tn_text_
```

194. **Error** Attribute `field` not allowed on element `div` at this point.

From line 341, column 133787; to line 341, column 133836

```
xedsize"> <div class='tn-atom'field='tn_text_1745955422546'>Готово
```

Attributes for element `div`:

[Global attributes](#)

195. **Error** No space between attributes.

At line 341, column 134888

```
class='tn-atom'field='tn_text_
```

196. **Error** Attribute `field` not allowed on element `div` at this point.

From line 341, column 134868; to line 341, column 134917

```
xedsize"> <div class='tn-atom'field='tn_text_1745955422528'>Прием
```

Attributes for element `div`:

[Global attributes](#)

197. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 341, column 135998; to line 344, column 2

```
tn-atom'> <img class='tn-atom_img t-img' data-  
original='https://static.tildacdn.com/tild3466-6162-4163-b466-  
326233303761/Property_1_.svg'↵src='https://static.tildacdn.com/tild3466-6162-4163-b466-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

198. **Error** No space between attributes.

At line 344, column 3420

```
class='tn-atom' field='tn_text_
```

199. **Error** Attribute `field` not allowed on element `div` at this point.

From line 344, column 3400; to line 344, column 3449

```
xedsize"> <div class='tn-atom' field='tn_text_1745955422338'>Соברי
```

Attributes for element `div`:

[Global attributes](#)

200. **Error** No space between attributes.

At line 344, column 4493

```
class='tn-atom' field='tn_text_
```

201. **Error** Attribute `field` not allowed on element `div` at this point.

From line 344, column 4473; to line 344, column 4522

```
xedsize"> <div class='tn-atom' field='tn_text_1745955422322'>Констр
```

Attributes for element `div`:

[Global attributes](#)

202. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 344, column 5609; to line 347, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild3638-6366-4133-b965-  
376433646563/Property_1_.svg'↵src='https://static.tildacdn.com/tild3638-6366-4133-b965-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

203. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 347, column 3491; to line 350, column 2

```
tn-atom"> <img class='tn-atom_img t-img' data-  
original='https://static.tildacdn.com/tild6234-3238-4662-b863-  
313533336336/Frame_1597881172.svg' ↵src='https://static.tildacdn.com/tild6234-3238-4662-
```

Attributes for element [img](#):

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

204. **Error** No space between attributes.

At line 350, column 1006

```
class='tn-atom'field='tn_text_
```

205. **Error** Attribute `field` not allowed on element `div` at this point.

From line 350, column 986; to line 350, column 1035

```
xedsize"> <div class='tn-atom'field='tn_text_1748258967883'>Общайт
```

Attributes for element [div](#):

[Global attributes](#)

206. **Error** No space between attributes.

At line 350, column 2083

```
class='tn-atom'field='tn_text_
```

207. **Error** Attribute `field` not allowed on element `div` at this point.

From line 350, column 2063; to line 350, column 2112

```
xedsize"> <div class='tn-atom'field='tn_text_1748258967885'>Онлайн
```

Attributes for element [div](#):

[Global attributes](#)

208. **Error** No space between attributes.

At line 350, column 5544

```
class='tn-atom'field='tn_text_
```

209. **Error** Attribute `field` not allowed on element `div` at this point.

From line 350, column 5524; to line 350, column 5573

```
xedsize"> <div class='tn-atom' field='tn_text_1745955422269'>Авто-В
```

Attributes for element `div`:

[Global attributes](#)

210. **Error** No space between attributes.

At line 350, column 6613

```
class='tn-atom'field='tn_text_
```

211. **Error** Attribute `field` not allowed on element `div` at this point.

From line 350, column 6593; to line 350, column 6642

```
xedsize"> <div class='tn-atom' field='tn_text_1745955422252'>Выдача
```

Attributes for element `div`:

[Global attributes](#)

212. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 350, column 7727; to line 353, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild6263-3235-4362-a662-  
663231613966/Property_1_.svg'↵src='https://static.tildacdn.com/tild6263-3235-4362-a662-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

213. **Error** No space between attributes.

At line 353, column 3421

```
class='tn-atom'field='tn_text_
```

214. **Error** Attribute `field` not allowed on element `div` at this point.

From line 353, column 3401; to line 353, column 3450

```
xedsize"> <div class='tn-atom' field='tn_text_1747210666728'>Провод
```

Attributes for element `div`:

[Global attributes](#)

215. **Error** No space between attributes.

At line 353, column 4496

```
class='tn-atom' field='tn_text_
```

216. **Error** Attribute `field` not allowed on element `div` at this point.

From line 353, column 4476; to line 353, column 4525

```
xedsize"> <div class='tn-atom' field='tn_text_1747210666730'>Вебина
```

Attributes for element `div`:

[Global attributes](#)

217. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 353, column 5609; to line 356, column 2

```
tn-atom'> <img class='tn-atom_img t-img' data-  
original='https://static.tildacdn.com/tild3662-3731-4161-b936-  
386665613636/Property_1_.svg'↵src='https://static.tildacdn.com/tild3662-3731-4161-b936-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

218. **Error** No space between attributes.

At line 356, column 3417

```
class='tn-atom' field='tn_text_
```

219. **Error** Attribute `field` not allowed on element `div` at this point.

From line 356, column 3397; to line 356, column 3446

```
xedsize"> <div class='tn-atom' field='tn_text_1745955422135'>Защити
```

Attributes for element [div](#):

[Global attributes](#)

220. **Error** No space between attributes.

At line 356, column 4500

```
class='tn-atom' field='tn_text_
```

221. **Error** Attribute `field` not allowed on element `div` at this point.

From line 356, column 4480; to line 356, column 4529

```
xedsize"> <div class='tn-atom' field='tn_text_1745955422116'>Защита
```

Attributes for element [div](#):

[Global attributes](#)

222. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 356, column 5615; to line 359, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild3763-3662-4766-a437-  
353531653639/Property_1__.svg'↵src='https://static.tildacdn.com/tild3763-3662-4766-a437-
```

Attributes for element [img](#):

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

223. **Error** No space between attributes.

At line 359, column 3426

```
class='tn-atom' field='tn_text_
```

224. **Error** Attribute `field` not allowed on element `div` at this point.

From line 359, column 3406; to line 359, column 3455

```
xedsize"> <div class='tn-atom' field='tn_text_1745955422476'>Создав
```

Attributes for element [div](#):

[Global attributes](#)

225. **Error** No space between attributes.

At line 359, column 4508

```
class='tn-atom'field='tn_text_
```

226. **Error** Attribute `field` not allowed on element `div` at this point.

From line 359, column 4488; to line 359, column 4537

```
xedsize"> <div class='tn-atom'field='tn_text_1745955422459'>Констр
```

Attributes for element `div`:

[Global attributes](#)

227. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 359, column 5621; to line 362, column 2

```
tn-atom'> <img class='tn-atom_img t-img' data-  
original='https://static.tildacdn.com/tild3030-6165-4163-b464-  
396336316165/Property_1_.svg'↵src='https://static.tildacdn.com/tild3030-6165-4163-b464-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

228. **Error** No space between attributes.

At line 362, column 3422

```
class='tn-atom'field='tn_text_
```

229. **Error** Attribute `field` not allowed on element `div` at this point.

From line 362, column 3402; to line 362, column 3451

```
xedsize"> <div class='tn-atom'field='tn_text_1748940217880'>Задани
```

Attributes for element `div`:

[Global attributes](#)

230. **Error** No space between attributes.

At line 362, column 4504

```
class='tn-atom' field='tn_text_
```

231. **Error** Attribute `field` not allowed on element `div` at this point.

From line 362, column 4484; to line 362, column 4533

```
xedsize"> <div class='tn-atom' field='tn_text_1748940217882'>Домашн
```

Attributes for element `div`:

[Global attributes](#)

232. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 362, column 5613; to line 365, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild3134-3561-4139-b937-  
616461393539/Property_1_.svg' <?src='https://static.tildacdn.com/tild3134-3561-4139-b937-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

233. **Error** No space between attributes.

At line 365, column 3417

```
class='tn-atom' field='tn_text_
```

234. **Error** Attribute `field` not allowed on element `div` at this point.

From line 365, column 3397; to line 365, column 3446

```
xedsize"> <div class='tn-atom' field='tn_text_1745955422203'>Просто
```

Attributes for element `div`:

[Global attributes](#)

235. **Error** No space between attributes.

At line 365, column 4481

```
class='tn-atom' field='tn_text_
```

236. **Error** Attribute `field` not allowed on element `div` at this point.

From line 365, column 4461; to line 365, column 4510

```
xedsize"> <div class='tn-atom' field='tn_text_1745955422187'>Констр
```

Attributes for element `div`:

[Global attributes](#)

237. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 365, column 5593; to line 368, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild3336-3331-4939-b061-  
323264323731/Property_1_.svg' ↵ src='https://static.tildacdn.com/tild3336-3331-4939-b061-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

238. **Error** No space between attributes.

At line 368, column 3419

```
class='tn-atom' field='tn_text_
```

239. **Error** Attribute `field` not allowed on element `div` at this point.

From line 368, column 3399; to line 368, column 3448

```
xedsize"> <div class='tn-atom' field='tn_text_1745955422066'>Подроб
```

Attributes for element `div`:

[Global attributes](#)

240. **Error** No space between attributes.

At line 368, column 4479

```
class='tn-atom' field='tn_text_
```

241. **Error** Attribute `field` not allowed on element `div` at this point.

From line 368, column 4459; to line 368, column 4508

```
xedsize"> <div class='tn-atom' field='tn_text_1745955422050'>Bce Bo
```

Attributes for element `div`:

[Global attributes](#)

242. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 368, column 5586; to line 371, column 2

```
tn-atom"> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild3431-6464-4637-b462-  
636163326431/Property_1_.svg'↵src='https://static.tildacdn.com/tild3431-6464-4637-b462-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

243. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 371, column 3108; to line 374, column 2

```
tn-atom"> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild3630-3535-4062-b064-  
663333653966/Frame_1597881178_1.png'↵src='https://thb.tildacdn.com/tild3630-3535-4062-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

244. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 383, column 769; to line 386, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild3363-3739-4232-a664-  
666237333336/sparkles.svg'↵src='https://static.tildacdn.com/tild3363-3739-4232-a664-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

245. **Error** No space between attributes.

At line 386, column 718

```
class='tn-atom'field='tn_text_
```

246. **Error** Attribute `field` not allowed on element `div` at this point.

From line 386, column 698; to line 386, column 747

```
lue="30"> <div class='tn-atom'field='tn_text_1748259200151'>New</d
```

Attributes for element `div`:

[Global attributes](#)

247. **Error** No space between attributes.

At line 390, column 952

```
class='tn-atom'field='tn_text_
```

248. **Error** Attribute `field` not allowed on element `div` at this point.

From line 390, column 932; to line 390, column 981

```
ue="248"> <div class='tn-atom' field='tn_text_1747645426185'>Вебина
```

Attributes for element `div`:

[Global attributes](#)

249. **Error** No space between attributes.

At line 390, column 1944

```
class='tn-atom'field='tn_text_
```

250. **Error** Attribute `field` not allowed on element `div` at this point.

From line 390, column 1924; to line 390, column 1973

```
ue="248"> <div class='tn-atom' field='tn_text_1747645426189'>Создав
```

Attributes for element `div`:

[Global attributes](#)

251. **Error** No space between attributes.

At line 396, column 771

```
class='tn-atom'field='tn_text_
```

252. **Error** Attribute `field` not allowed on element `div` at this point.

From line 396, column 751; to line 396, column 800

```
lue="95"> <div class='tn-atom' field='tn_text_1747645426202'>Катало
```

Attributes for element `div`:

[Global attributes](#)

253. **Error** No space between attributes.

At line 399, column 771

```
class='tn-atom'field='tn_text_
```

254. **Error** Attribute `field` not allowed on element `div` at this point.

From line 399, column 751; to line 399, column 800

```
lue="67"> <div class='tn-atom' field='tn_text_1747645426212'>Распис
```

Attributes for element `div`:

[Global attributes](#)

255. **Error** No space between attributes.

At line 402, column 773

```
class='tn-atom'field='tn_text_
```

256. **Error** Attribute `field` not allowed on element `div` at this point.

From line 402, column 753; to line 402, column 802

```
ue="126"> <div class='tn-atom' field='tn_text_1747645426223'>Продаю
```

Attributes for element `div`:

257. Error No space between attributes.

At line 405, column 772

```
class='tn-atom' field='tn_text_
```

258. Error Attribute field not allowed on element div at this point.

From line 405, column 752; to line 405, column 801

```
lue="68"> <div class='tn-atom' field='tn_text_1747645426234'>Интера
```

Attributes for element [div](#):

[Global attributes](#)

259. Error No space between attributes.

At line 408, column 946

```
class='tn-atom' field='tn_text_
```

260. Error Attribute field not allowed on element div at this point.

From line 408, column 926; to line 408, column 975

```
lue="78"> <div class='tn-atom' field='tn_text_1747645426258'>Подроб
```

Attributes for element [div](#):

[Global attributes](#)

261. Error Element style not allowed as child of element div in this context.

(Suppressing further errors from this subtree.)

From line 408, column 2491; to line 408, column 2497

```
T396 --> <style>#rec10
```

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: One or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

Otherwise, if the element is a descendant of an [option](#) element: Zero or more [option element inner content elements](#).

Otherwise, if the element is a descendant of an [optgroup](#) element: Zero or more [optgroup element inner content elements](#).

Otherwise, if the element is a descendant of a [select](#) element: Zero or more [select element inner content elements](#).

Otherwise: [flow content](#).

262. Error CSS: width: Too many values or values are not recognized.

From line 408, column 7340; to line 408, column 7341

```
x));width:px;heigh
```

263. **Error** CSS: width : Too many values or values are not recognized.

From line 408, column 7604; to line 408, column 7605

```
x);;width:px;heigh
```

264. **Error** CSS: width : Too many values or values are not recognized.

From line 408, column 7867; to line 408, column 7868

```
x);;width:px;heigh
```

265. **Error** CSS: width : Too many values or values are not recognized.

From line 408, column 8130; to line 408, column 8131

```
x);;width:px;heigh
```

266. **Error** CSS: width : Too many values or values are not recognized.

From line 408, column 9292; to line 408, column 9293

```
x);;width:px;heigh
```

267. **Error** CSS: width : Too many values or values are not recognized.

From line 408, column 9556; to line 408, column 9557

```
x);;width:px;heigh
```

268. **Error** CSS: width : Too many values or values are not recognized.

From line 408, column 9819; to line 408, column 9820

```
x);;width:px;heigh
```

269. **Error** CSS: width : Too many values or values are not recognized.

From line 408, column 10082; to line 408, column 10083

```
x);;width:px;heigh
```

270. **Error** CSS: width : Too many values or values are not recognized.

From line 408, column 14927; to line 408, column 14928

```
x);;width:px;heigh
```

271. **Error** CSS: width : Too many values or values are not recognized.

From line 408, column 15191; to line 408, column 15192

```
x);;width:px;heigh
```

272. **Error** CSS: width : Too many values or values are not recognized.

From line 408, column 15454; to line 408, column 15455

```
x);;width:px;heigh
```

273. **Error** CSS: width : Too many values or values are not recognized.

From line 408, column 15717; to line 408, column 15718

```
x);;width:px;heigh
```

274. **Error** CSS: width : Too many values or values are not recognized.

From line 408, column 16880; to line 408, column 16881

```
x);;width:px;heigh
```

275. **Error** CSS: width : Too many values or values are not recognized.

From line 408, column 17144; to line 408, column 17145

```
x);;width:px;heigh
```

276. **Error** CSS: width : Too many values or values are not recognized.

From line 408, column 17407; to line 408, column 17408

```
x);;width:px;heigh
```

277. **Error** CSS: width : Too many values or values are not recognized.

From line 408, column 17670; to line 408, column 17671

```
x);;width:px;heigh
```

278. **Error** CSS: width : Too many values or values are not recognized.

From line 408, column 22518; to line 408, column 22519

```
x);;width:px;heigh
```

279. **Error** CSS: width : Too many values or values are not recognized.

From line 408, column 22782; to line 408, column 22783

```
x);;width:px;heigh
```

280. **Error** CSS: width : Too many values or values are not recognized.

From line 408, column 23045; to line 408, column 23046

```
x);;width:px;heigh
```

281. **Error** CSS: width : Too many values or values are not recognized.

From line 408, column 23308; to line 408, column 23309

```
x);;width:px;heigh
```

282. **Error** CSS: width : Too many values or values are not recognized.

From line 408, column 24471; to line 408, column 24472

```
x);;width:px;heigh
```

283. **Error** CSS: width : Too many values or values are not recognized.

From line 408, column 24735; to line 408, column 24736

```
x);;width:px;heigh
```

284. **Error** CSS: width : Too many values or values are not recognized.

From line 408, column 24998; to line 408, column 24999

```
x);;width:px;heigh
```

285. **Error** CSS: `width` : Too many values or values are not recognized.

From line 408, column 25261; to line 408, column 25262

```
x);;width:px;heigh
```

286. **Error** CSS: `width` : Too many values or values are not recognized.

From line 408, column 30107; to line 408, column 30108

```
x);;width:px;heigh
```

287. **Error** CSS: `width` : Too many values or values are not recognized.

From line 408, column 30371; to line 408, column 30372

```
x);;width:px;heigh
```

288. **Error** CSS: `width` : Too many values or values are not recognized.

From line 408, column 30634; to line 408, column 30635

```
x);;width:px;heigh
```

289. **Error** CSS: `width` : Too many values or values are not recognized.

From line 408, column 30897; to line 408, column 30898

```
x);;width:px;heigh
```

290. **Error** CSS: `width` : Too many values or values are not recognized.

From line 408, column 32059; to line 408, column 32060

```
x);;width:px;heigh
```

291. **Error** CSS: `width` : Too many values or values are not recognized.

From line 408, column 32323; to line 408, column 32324

```
x);;width:px;heigh
```

292. **Error** CSS: `width` : Too many values or values are not recognized.

From line 408, column 32586; to line 408, column 32587

```
x);;width:px;heigh
```

293. **Error** CSS: `width` : Too many values or values are not recognized.

From line 408, column 32849; to line 408, column 32850

```
x);;width:px;heigh
```

294. **Error** No space between attributes.

At line 408, column 38190

```
class='tn-atom'field='tn_text_
```

295. **Error** Attribute `field` not allowed on element `div` at this point.

From line 408, column 38170; to line 408, column 38219

```
ue="380"> <div class='tn-atom'field='tn_text_1745831301112'>0 ВОЗМ
```

Attributes for element `div`:

296. **Error** No space between attributes.

At line 408, column 39046

```
class='tn-atom' field='tn_text_
```

297. **Error** Attribute `field` not allowed on element `div` at this point.

From line 408, column 39026; to line 408, column 39075

```
ue="380"> <div class='tn-atom' field='tn_text_1745831301099'>Для го
```

Attributes for element `div`:

[Global attributes](#)

298. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 408, column 40015; to line 411, column 2

```
tn-atom'> <img class='tn-atom_img t-img' data-  
original='https://static.tildacdn.com/tild6433-3137-4138-b761-  
323332633364/Property_1_.svg'↵src='https://static.tildacdn.com/tild6433-3137-4138-b761-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

299. **Error** No space between attributes.

At line 411, column 2638

```
class='tn-atom' field='tn_text_
```

300. **Error** Attribute `field` not allowed on element `div` at this point.

From line 411, column 2618; to line 411, column 2667

```
ue="380"> <div class='tn-atom' field='tn_text_1745831269588'>Подроб
```

Attributes for element `div`:

[Global attributes](#)

301. **Error** No space between attributes.

At line 411, column 3503

```
class='tn-atom'field='tn_text_
```

302. **Error** Attribute `field` not allowed on element `div` at this point.

From line 411, column 3483; to line 411, column 3532

```
ue="380"> <div class='tn-atom'field='tn_text_1745831269574'>Для об
```

Attributes for element `div`:

[Global attributes](#)

303. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 411, column 4470; to line 414, column 2

```
tn-atom'> <img class='tn-atom_img t-img' data-  
original='https://static.tildacdn.com/tild6164-6664-4966-a234-  
363838323262/Property_1__.svg'↵src='https://static.tildacdn.com/tild6164-6664-4966-a234-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

304. **Error** No space between attributes.

At line 414, column 2637

```
class='tn-atom'field='tn_text_
```

305. **Error** Attribute `field` not allowed on element `div` at this point.

From line 414, column 2617; to line 414, column 2666

```
ue="380"> <div class='tn-atom'field='tn_text_1745831236331'>Подроб
```

Attributes for element `div`:

[Global attributes](#)

306. **Error** No space between attributes.

At line 414, column 3497

```
class='tn-atom' field='tn_text_
```

307. **Error** Attribute `field` not allowed on element `div` at this point.

From line 414, column 3477; to line 414, column 3526

```
ue="380"> <div class='tn-atom' field='tn_text_1745831236314'>Для он
```

Attributes for element `div`:

[Global attributes](#)

308. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 414, column 4457; to line 417, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild6639-3931-4232-b637-  
633562663930/Property_1__.svg' <?src='https://static.tildacdn.com/tild6639-3931-4232-b637-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

309. **Error** No space between attributes.

At line 417, column 2639

```
class='tn-atom' field='tn_text_
```

310. **Error** Attribute `field` not allowed on element `div` at this point.

From line 417, column 2619; to line 417, column 2668

```
ue="380"> <div class='tn-atom' field='tn_text_1745830963690'>Подроб
```

Attributes for element `div`:

[Global attributes](#)

311. **Error** No space between attributes.

At line 417, column 3519

```
class='tn-atom' field='tn_text_
```

312. **Error** Attribute `field` not allowed on element `div` at this point.

From line 417, column 3499; to line 417, column 3548

```
ue="380"> <div class='tn-atom' field='tn_text_1745831012104'>Для на
```

Attributes for element `div`:

[Global attributes](#)

313. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 417, column 4489; to line 420, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild3839-6535-4730-b132-  
376166653734/Property_1____.svg' <?src='https://static.tildacdn.com/tild3839-6535-4730-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

314. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 420, column 1214; to line 420, column 1220

```
T396 --> <style>#rec10
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `div`:

If the element is a child of a [dl](#) element: One or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

Otherwise, if the element is a descendant of an [option](#) element: Zero or more [option element inner content elements](#).

Otherwise, if the element is a descendant of an [optgroup](#) element: Zero or more [optgroup element inner content elements](#).

Otherwise, if the element is a descendant of a [select](#) element: Zero or more [select element inner content elements](#).

Otherwise: [flow content](#).

315. **Error** CSS: `width` : Too many values or values are not recognized.

From line 420, column 6103; to line 420, column 6104

```
x);;width:px;}#rec
```

316. **Error** CSS: `width` : Too many values or values are not recognized.

From line 420, column 6355; to line 420, column 6356

```
x);;width:px;}#rec
```

317. **Error** CSS: `width` : Too many values or values are not recognized.

From line 420, column 6607; to line 420, column 6608

```
x);;width:px;}#rec
```

318. **Error** CSS: `width` : Too many values or values are not recognized.

From line 420, column 6858; to line 420, column 6859

```
x);;width:px;}#rec
```

319. **Error** CSS: `width` : Too many values or values are not recognized.

From line 420, column 8008; to line 420, column 8009

```
x);;width:px;}#rec
```

320. **Error** CSS: `width` : Too many values or values are not recognized.

From line 420, column 8260; to line 420, column 8261

```
x);;width:px;}#rec
```

321. **Error** CSS: `width` : Too many values or values are not recognized.

From line 420, column 8512; to line 420, column 8513

```
x);;width:px;}#rec
```

322. **Error** CSS: `width` : Too many values or values are not recognized.

From line 420, column 8763; to line 420, column 8764

```
x);;width:px;}#rec
```

323. **Error** CSS: `width` : Too many values or values are not recognized.

From line 420, column 13596; to line 420, column 13597

```
x);;width:px;}#rec
```

324. **Error** CSS: `width` : Too many values or values are not recognized.

From line 420, column 13848; to line 420, column 13849

```
x);;width:px;}#rec
```

325. **Error** CSS: width : Too many values or values are not recognized.

From line 420, column 14100; to line 420, column 14101

```
x);;width:px;}#rec
```

326. **Error** CSS: width : Too many values or values are not recognized.

From line 420, column 14351; to line 420, column 14352

```
x);;width:px;}#rec
```

327. **Error** CSS: width : Too many values or values are not recognized.

From line 420, column 15502; to line 420, column 15503

```
x);;width:px;}#rec
```

328. **Error** CSS: width : Too many values or values are not recognized.

From line 420, column 15754; to line 420, column 15755

```
x);;width:px;}#rec
```

329. **Error** CSS: width : Too many values or values are not recognized.

From line 420, column 16006; to line 420, column 16007

```
x);;width:px;}#rec
```

330. **Error** CSS: width : Too many values or values are not recognized.

From line 420, column 16257; to line 420, column 16258

```
x);;width:px;}#rec
```

331. **Error** CSS: width : Too many values or values are not recognized.

From line 420, column 21093; to line 420, column 21094

```
x);;width:px;}#rec
```

332. **Error** CSS: width : Too many values or values are not recognized.

From line 420, column 21345; to line 420, column 21346

```
x);;width:px;}#rec
```

333. **Error** CSS: width : Too many values or values are not recognized.

From line 420, column 21597; to line 420, column 21598

```
x);;width:px;}#rec
```

334. **Error** CSS: width : Too many values or values are not recognized.

From line 420, column 21848; to line 420, column 21849

```
x);;width:px;}#rec
```

335. **Error** CSS: width : Too many values or values are not recognized.

From line 420, column 22999; to line 420, column 23000

```
x);;width:px;}#rec
```

336. **Error** CSS: width : Too many values or values are not recognized.

From line 420, column 23251; to line 420, column 23252

```
x);;width:px;}#rec
```

337. **Error** CSS: width : Too many values or values are not recognized.

From line 420, column 23503; to line 420, column 23504

```
x);;width:px;}#rec
```

338. **Error** CSS: width : Too many values or values are not recognized.

From line 420, column 23754; to line 420, column 23755

```
x);;width:px;}#rec
```

339. **Error** CSS: width : Too many values or values are not recognized.

From line 420, column 28588; to line 420, column 28589

```
x);;width:px;}#rec
```

340. **Error** CSS: width : Too many values or values are not recognized.

From line 420, column 28840; to line 420, column 28841

```
x);;width:px;}#rec
```

341. **Error** CSS: width : Too many values or values are not recognized.

From line 420, column 29092; to line 420, column 29093

```
x);;width:px;}#rec
```

342. **Error** CSS: width : Too many values or values are not recognized.

From line 420, column 29343; to line 420, column 29344

```
x);;width:px;}#rec
```

343. **Error** CSS: width : Too many values or values are not recognized.

From line 420, column 30493; to line 420, column 30494

```
x);;width:px;}#rec
```

344. **Error** CSS: width : Too many values or values are not recognized.

From line 420, column 30745; to line 420, column 30746

```
x);;width:px;}#rec
```

345. **Error** CSS: width : Too many values or values are not recognized.

From line 420, column 30997; to line 420, column 30998

```
x);;width:px;}#rec
```

346. **Error** CSS: width : Too many values or values are not recognized.

From line 420, column 31248; to line 420, column 31249

```
x);;width:px;}#rec
```

347. **Error** CSS: `order` : Parse Error.

At line 420, column 39807

```
-shrink:0;order:;align-self:au
```

348. **Error** CSS: `order` : Parse Error.

At line 420, column 40789

```
-shrink:0;order:;align-self:au
```

349. **Error** CSS: `order` : Parse Error.

At line 420, column 41057

```
-shrink:0;order:;align-self:au
```

350. **Error** CSS: `order` : Parse Error.

At line 420, column 41313

```
-shrink:0;order:;align-self:au
```

351. **Error** CSS: `order` : Parse Error.

At line 420, column 44631

```
-shrink:0;order:;align-self:au
```

352. **Error** CSS: `order` : Parse Error.

At line 420, column 44918

```
-shrink:0;order:;align-self:au
```

353. **Error** CSS: `order` : Parse Error.

At line 420, column 45186

```
-shrink:0;order:;align-self:au
```

354. **Error** CSS: `order` : Parse Error.

At line 420, column 45454

```
-shrink:0;order:;align-self:au
```

355. **Error** CSS: `order` : Parse Error.

At line 420, column 46810

```
-shrink:0;order:;align-self:au
```

356. **Error** CSS: `order` : Parse Error.

At line 420, column 47711

```
-shrink:0;order:;align-self:au
```

357. **Error** CSS: `order` : Parse Error.

At line 420, column 47990

```
-shrink:0;order:;align-self:au
```

358. **Error** CSS: `order`: Parse Error.

At line 420, column 48269

```
-shrink:0;order:;align-self:au
```

359. **Error** No space between attributes.

At line 420, column 56414

```
class='tn-atom'field='tn_text_
```

360. **Error** Attribute `field` not allowed on element `div` at this point.

From line 420, column 56394; to line 420, column 56443

```
ue="376"> <div class='tn-atom'field='tn_text_1745955573190'>Инстру
```

Attributes for element `div`:

[Global attributes](#)

361. **Error** No space between attributes.

At line 420, column 57259

```
class='tn-atom'field='tn_text_
```

362. **Error** Attribute `field` not allowed on element `div` at this point.

From line 420, column 57239; to line 420, column 57288

```
ue="376"> <div class='tn-atom'field='tn_text_1745955573176'>Справо
```

Attributes for element `div`:

[Global attributes](#)

363. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 420, column 58220; to line 423, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild3763-3430-4333-b639-  
396131346363/Property_1_.svg'↵src='https://static.tildacdn.com/tild3763-3430-4333-b639-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

364. **Error** No space between attributes.

At line 423, column 2683

```
class='tn-atom'field='tn_text_
```

365. **Error** Attribute `field` not allowed on element `div` at this point.

From line 423, column 2663; to line 423, column 2712

```
ue="375"> <div class='tn-atom'field='tn_text_1745955573134'>Статьи
```

Attributes for element `div`:

[Global attributes](#)

366. **Error** No space between attributes.

At line 423, column 3536

```
class='tn-atom'field='tn_text_
```

367. **Error** Attribute `field` not allowed on element `div` at this point.

From line 423, column 3516; to line 423, column 3565

```
ue="375"> <div class='tn-atom'field='tn_text_1745955573119'>Блог S
```

Attributes for element `div`:

[Global attributes](#)

368. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 423, column 4496; to line 426, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild3330-3231-4433-a138-  
333433313465/Property_1.svg'<?src='https://static.tildacdn.com/tild3330-3231-4433-a138-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

369. **Error** No space between attributes.

At line 426, column 2663

```
class='tn-atom' field='tn_text_
```

370. **Error** Attribute `field` not allowed on element `div` at this point.

From line 426, column 2643; to line 426, column 2692

```
ue="376"> <div class='tn-atom' field='tn_text_1745955573077'>Реконе
```

Attributes for element `div`:

[Global attributes](#)

371. **Error** No space between attributes.

At line 426, column 3506

```
class='tn-atom' field='tn_text_
```

372. **Error** Attribute `field` not allowed on element `div` at this point.

From line 426, column 3486; to line 426, column 3535

```
ue="376"> <div class='tn-atom' field='tn_text_1745955573060'>Партне
```

Attributes for element `div`:

[Global attributes](#)

373. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 426, column 4472; to line 429, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild3764-3638-4463-b364-  
373762663739/Property_1_.svg'↵src='https://static.tildacdn.com/tild3764-3638-4463-b364-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

374. **Error** No space between attributes.

At line 429, column 2648

```
class='tn-atom'field='tn_text_
```

375. **Error** Attribute `field` not allowed on element `div` at this point.

From line 429, column 2628; to line 429, column 2677

```
ue="376"> <div class='tn-atom'field='tn_text_1745955573017'>100+ p
```

Attributes for element `div`:

[Global attributes](#)

376. **Error** No space between attributes.

At line 429, column 3484

```
class='tn-atom'field='tn_text_
```

377. **Error** Attribute `field` not allowed on element `div` at this point.

From line 429, column 3464; to line 429, column 3513

```
ue="376"> <div class='tn-atom'field='tn_text_1745955573003'>Отзывы
```

Attributes for element `div`:

[Global attributes](#)

378. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 429, column 4448; to line 432, column 2

```
tn-atom'> <img class='tn-atom_img t-img' data-  
original='https://static.tildacdn.com/tild6333-3536-4162-b662-  
633862333831/Property_1_.svg'↵src='https://static.tildacdn.com/tild6333-3536-4162-b662-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

379. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 432, column 2888; to line 435, column 2

```
tn-atom'> <img class='tn-atom_img t-img' data-  
original='https://static.tildacdn.com/tild3032-3161-4662-b637-  
376563313334/Frame_1597881177_1.png' ↵src='https://thb.tildacdn.com/tild3032-3161-4662-
```

Attributes for element [img](#):

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

380. **Error** No space between attributes.

At line 445, column 952

```
class='tn-atom' field='tn_text'
```

381. **Error** Attribute `field` not allowed on element `div` at this point.

From line 445, column 932; to line 445, column 981

```
ue="248"> <div class='tn-atom' field='tn_text_1750074548674'>Telegr
```

Attributes for element [div](#):

[Global attributes](#)

382. **Error** No space between attributes.

At line 445, column 1942

```
class='tn-atom' field='tn_text_
```

383. **Error** Attribute `field` not allowed on element `div` at this point.

From line 445, column 1922; to line 445, column 1971

```
ue="248"> <div class='tn-atom' field='tn_text_1750074548678'>Обновл
```

Attributes for element [div](#):

[Global attributes](#)

384. **Error** No space between attributes.

At line 448, column 946

```
class='tn-atom' field='tn_text_
```

385. **Error** Attribute `field` not allowed on element `div` at this point.

From line 448, column 926; to line 448, column 975

```
lue="87"> <div class='tn-atom' field='tn_text_1750074548779'>Подпис
```

Attributes for element `div`:

[Global attributes](#)

386. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 448, column 4895; to line 448, column 4901

```
</script> <style> .me
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `div`:

If the element is a child of a [dl](#) element: One or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

Otherwise, if the element is a descendant of an [option](#) element: Zero or more [option element inner content elements](#).

Otherwise, if the element is a descendant of an [optgroup](#) element: Zero or more [optgroup element inner content elements](#).

Otherwise, if the element is a descendant of a [select](#) element: Zero or more [select element inner content elements](#).

Otherwise: [flow content](#).

387. **Error** CSS: `transition: s` is not a `transition` value.

At line 448, column 5257

```
ight s, opacity; } @media
```

388. **Error** CSS: `transition: s` is not a `transition` value.

At line 448, column 5432

```
ight s, opacity; } }
```

389. **Error** CSS: `transition: s` is not a `transition` value.

At line 448, column 5745

```
idth s, height s; } @media
```

390. **Error** CSS: `transition: s` is not a `transition` value.

At line 448, column 5924

```
ight s, opacity; } }
```

391. **Error** CSS: `transition: s` is not a `transition` value.

At line 448, column 6421

```
ght s, opacity s; } .men;
```

392. **Error** CSS: `transition: s` is not a `transition` value.

At line 448, column 6608

```
ght s, opacity s; } }
```

393. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 448, column 7047; to line 448, column 7053

```
u-sub --> <style> ↵.uc-
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `div`:

If the element is a child of a [dl](#) element: One or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

Otherwise, if the element is a descendant of an [option](#) element: Zero or more [option element inner content elements](#).

Otherwise, if the element is a descendant of an [optgroup](#) element: Zero or more [optgroup element inner content elements](#).

Otherwise, if the element is a descendant of a [select](#) element: Zero or more [select element inner content elements](#).

Otherwise: [flow content](#).

394. **Error** CSS: `border-color: Parse Error.`

From line 467, column 20; to line 467, column 29

```
r-color: !important;↵}↵</
```

395. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 518, column 10051; to line 518, column 10057

```
</script> <style> .cust
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `div`:

If the element is a child of a [dl](#) element: One or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

Otherwise, if the element is a descendant of an [option](#) element: Zero or more [option element inner content elements](#).

Otherwise, if the element is a descendant of an [optgroup](#) element: Zero or more [optgroup element inner content elements](#).

Otherwise, if the element is a descendant of a [select](#) element: Zero or more [select element inner content elements](#).

Otherwise: [flow content](#).

396. **Error** CSS: `color`: Parse Error.

From line 518, column 11163; to line 518, column 11172

```
{ color: !important; opac
```

397. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 525, column 115; to line 525, column 121

```
</script> <style>.t-men
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `div`:

If the element is a child of a [dl](#) element: One or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

Otherwise, if the element is a descendant of an [option](#) element: Zero or more [option element inner content elements](#).

Otherwise, if the element is a descendant of an [optgroup](#) element: Zero or more [optgroup element inner content elements](#).

Otherwise, if the element is a descendant of a [select](#) element: Zero or more [select element inner content elements](#).

Otherwise: [flow content](#).

398. **Error** CSS: too few values for the property `width`

At line 525, column 1769

```
,(min-width:0\0){.t-menuburger
```

399. **Error** CSS: too few values for the property `width`

At line 525, column 2229

```
,(min-width:0\0){.t-menuburger
```

400. **Error** CSS: too few values for the property `width`

At line 525, column 2847

```
,(min-width:0\0){.t-menuburger
```

401. **Error** CSS: too few values for the property `width`

At line 525, column 3912

```
,(min-width:0\0){.t-menuburger
```

402. **Error** Element `div` not allowed as child of element `button` in this context.

(Suppressing further errors from this subtree.)

From line 529, column 61; to line 529, column 113

```
se menu"> <div class="t450__close_icon" style="color:#4d5868;"> <span
```

Contexts in which element [div](#) may be used:

Where [flow content](#) is expected.

As a child of a [dl](#) element.

Content model for element [button](#):

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified. If the element is the first child of a [select](#) element, then it may also have zero or one descendant [selectedcontent](#) element.

403. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 529, column 300; to line 532, column 7

```
href="/">  </a>
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

404. **Warning** The `list` role is unnecessary for element `ul`.

From line 532, column 46; to line 532, column 93

```
0__menu"> <ul role="list" class="t450__list t-menu__list"> <li c
```

405. **Warning** The `list` role is unnecessary for element `ul`.

From line 541, column 187; to line 541, column 226

```
content"> <ul role="list" class="t-menusub__list"> <li c
```

406. **Warning** The `list` role is unnecessary for element `ul`.

From line 550, column 187; to line 550, column 226

```
content"> <ul role="list" class="t-menusub__list"> <li c
```

407. **Warning** The `list` role is unnecessary for element `ul`.

From line 565, column 187; to line 565, column 226

```
content"> <ul role="list" class="t-menusub__list"> <li c
```

408. **Error** Attribute `field` not allowed on element `div` at this point.

From line 573, column 97; to line 573, column 160

```
ntainer"> <div class="t450__right_descr t-descr t-descr_xs" field="descr">Следит
```

Attributes for element `div`:

[Global attributes](#)

409. **Warning** The `list` role is unnecessary for element `ul`.

From line 573, column 269; to line 573, column 338

```
allinks"> <ul role="list" class="t-sociallinks__wrapper" aria-label="Соц. сети"> <!--
```

410. **Error** Text not allowed in element `ul` in this context.

From line 576, column 34; to line 576, column 39

```
></a></li>&nbsp;<li cl
```

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

411. **Error** Element `style` not allowed as child of element `a` in this context. (Suppressing further errors from this subtree.) Note: The “a” element has a transparent content model; its allowed content is inherited from its parent element.

From line 581, column 142; to line 581, column 148

```
од</span> <style>#rec10
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `a`:

[Transparent](#), but there must be no [interactive content](#) descendant, `a` element descendant, or descendant with the [tabindex](#) attribute specified.

412. **Error** Element `style` not allowed as child of element `a` in this context. (Suppressing further errors from this subtree.) Note: The “a” element has a transparent content model; its allowed content is inherited from its parent element.

From line 583, column 152; to line 583, column 158

```
ия</span> <style>#rec10
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `a`:

[Transparent](#), but there must be no [interactive content](#) descendant, `a` element descendant, or descendant with the [tabindex](#) attribute specified.

413. **Error** Element `style` not allowed as child of element `div` in this context. (Suppressing further errors from this subtree.)

From line 583, column 928; to line 583, column 934

```
</script> <style>#rec10
```

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: One or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

Otherwise, if the element is a descendant of an [option](#) element: Zero or more [option element inner content elements](#).

Otherwise, if the element is a descendant of an [optgroup](#) element: Zero or more [optgroup element inner content elements](#).

Otherwise, if the element is a descendant of a [select](#) element: Zero or more [select element inner content elements](#).

Otherwise: [flow content](#).

414. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

From line 583, column 1595; to line 583, column 1601

```
}</style> <style>#rec10
```

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: One or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

Otherwise, if the element is a descendant of an [option](#) element: Zero or more [option element inner content elements](#).

Otherwise, if the element is a descendant of an [optgroup](#) element: Zero or more [optgroup element inner content elements](#).

Otherwise, if the element is a descendant of a [select](#) element: Zero or more [select element inner content elements](#).

Otherwise: [flow content](#).

415. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

From line 583, column 2860; to line 583, column 2866

```
</script> <style> #rec1
```

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: One or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

Otherwise, if the element is a descendant of an [option](#) element: Zero or more [option element inner content elements](#).

Otherwise, if the element is a descendant of an [optgroup](#) element: Zero or more [optgroup element inner content elements](#).

Otherwise, if the element is a descendant of a [select](#) element: Zero or more [select element inner content elements](#).

Otherwise: [flow content](#).

416. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 583, column 2971; to line 583, column 2977

```
}</style> <style> #rec1
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `div`:

If the element is a child of a [dl](#) element: One or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

Otherwise, if the element is a descendant of an [option](#) element: Zero or more [option element inner content elements](#).

Otherwise, if the element is a descendant of an [optgroup](#) element: Zero or more [optgroup element inner content elements](#).

Otherwise, if the element is a descendant of a [select](#) element: Zero or more [select element inner content elements](#).

Otherwise: [flow content](#).

417. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 583, column 3048; to line 583, column 3054

```
}</style> <style> #rec1
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `div`:

If the element is a child of a [dl](#) element: One or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

Otherwise, if the element is a descendant of an [option](#) element: Zero or more [option element inner content elements](#).

Otherwise, if the element is a descendant of an [optgroup](#) element: Zero or more [optgroup element inner content elements](#).

Otherwise, if the element is a descendant of a [select](#) element: Zero or more [select element inner content elements](#).

Otherwise: [flow content](#).

418. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 583, column 3171; to line 583, column 3177

```
}</style> <style> #rec1
```

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: One or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

Otherwise, if the element is a descendant of an [option](#) element: Zero or more [option element inner content elements](#).

Otherwise, if the element is a descendant of an [optgroup](#) element: Zero or more [optgroup element inner content elements](#).

Otherwise, if the element is a descendant of a [select](#) element: Zero or more [select element inner content elements](#).

Otherwise: [flow content](#).

419. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 583, column 3544; to line 583, column 3574

```
BEGIN --> <script type="text/javascript">...!func
```

420. **Error** Element `style` not allowed as child of element `div` in this context.
(Suppressing further errors from this subtree.)

From line 585, column 251; to line 585, column 257

```
T396 --> <style>#rec24
```

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: One or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

Otherwise, if the element is a descendant of an [option](#) element: Zero or more [option element inner content elements](#).

Otherwise, if the element is a descendant of an [optgroup](#) element: Zero or more [optgroup element inner content elements](#).

Otherwise, if the element is a descendant of a [select](#) element: Zero or more [select element inner content elements](#).

Otherwise: [flow content](#).

421. **Error** CSS: too few values for the property `width`

At line 585, column 9935

```
,(min-width:0\0){#rec247693889
```

422. **Error** CSS: too few values for the property `width`

At line 585, column 10967

```
, (min-width: 0\0) {#rec247693889
```

423. **Error** CSS: too few values for the property `width`

At line 585, column 12014

```
, (min-width: 0\0) {#rec247693889
```

424. **Error** CSS: too few values for the property `width`

At line 585, column 13062

```
, (min-width: 0\0) {#rec247693889
```

425. **Error** CSS: too few values for the property `width`

At line 585, column 14110

```
, (min-width: 0\0) {#rec247693889
```

426. **Error** CSS: too few values for the property `width`

At line 585, column 15929

```
, (min-width: 0\0) {#rec247693889
```

427. **Error** CSS: too few values for the property `width`

At line 585, column 17002

```
, (min-width: 0\0) {#rec247693889
```

428. **Error** CSS: too few values for the property `width`

At line 585, column 18090

```
, (min-width: 0\0) {#rec247693889
```

429. **Error** CSS: too few values for the property `width`

At line 585, column 19176

```
, (min-width: 0\0) {#rec247693889
```

430. **Error** CSS: too few values for the property `width`

At line 585, column 20262

```
, (min-width: 0\0) {#rec247693889
```

431. **Error** Bad value `#popup: -40%` for attribute `href` on element `a`: Percentage ("%") is not followed by two hexadecimal digits.

From line 585, column 29262; to line 585, column 29299

```
= "fixed"> <a class='tn-atom' href="#popup: -40%"> </a>
```

432. **Error** Bad value `#popup: -40%` for attribute `href` on element `a`: Percentage ("%") is not followed by two hexadecimal digits.

From line 585, column 30349; to line 585, column 30386

```
ue="270"> <a class='tn-atom' href="#popup: -40%"> <img
```

433. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 585, column 30388; to line 588, column 2

```
up:-40%"> <img class='tn-atom_img t-img' data-  
original='https://static.tildacdn.com/tild3962-3639-4365-b363-  
333133666531/Frame_1597881185.png' ↵src='https://thb.tildacdn.com/tild3962-3639-4365-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

434. **Error** Bad value `#popup:-40%` for attribute `href` on element `a`: Percentage ("%") is not followed by two hexadecimal digits.

From line 588, column 1074; to line 588, column 1111

```
ue="132"> <a class='tn-atom' href="#popup:-40%"> <img
```

435. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 588, column 1113; to line 591, column 2

```
up:-40%"> <img class='tn-atom_img t-img' data-  
original='https://static.tildacdn.com/tild3162-3337-4435-b637-  
353165323835/Ellipse_15_2.png' ↵src='https://thb.tildacdn.com/tild3162-3337-4435-b637-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

436. **Error** No space between attributes.

At line 591, column 1761

```
f="#popup:-40%"style="color: i
```

437. **Error** Bad value `#popup:-40%` for attribute `href` on element `a`: Percentage ("%") is not followed by two hexadecimal digits.

From line 591, column 1740; to line 591, column 1783

```
'tn-atom'><a href="#popup:-40%"style="color: inherit">Запиши
```

438. **Error** Bad value `#popup:-40%` for attribute `href` on element `a`: Percentage ("%") is not followed by two hexadecimal digits.

From line 591, column 3494; to line 591, column 3531

```
="fixed"> <a class='tn-atom' href="#popup:-40%"> <div
```

439. **Error** Bad value `#popup:-40%` for attribute `href` on element `a`: Percentage ("%") is not followed by two hexadecimal digits.

From line 591, column 6580; to line 591, column 6617

```
lue="24"> <a class='tn-atom' href="#popup:-40%"> <img
```

440. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 591, column 6619; to line 594, column 2

```
up:-40%"> <img class='tn-atom_img t-img' data-  
original='https://static.tildacdn.com/tild3731-3234-4931-a566-  
326664666663/Frame_11.svg'↵src='https://static.tildacdn.com/tild3731-3234-4931-a566-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

441. **Error** No space between attributes.

At line 594, column 1909

```
f="#popup:-40%"style="color: i
```

442. **Error** Bad value `#popup:-40%` for attribute `href` on element `a`: Percentage ("%") is not followed by two hexadecimal digits.

From line 594, column 1888; to line 594, column 1931

```
'tn-atom'><a href="#popup:-40%"style="color: inherit">Ранний
```

443. **Error** Bad value `#popup:-40%` for attribute `href` on element `a`: Percentage ("%") is not followed by two hexadecimal digits.

From line 594, column 3218; to line 594, column 3255

```
ue="100"> <a class='tn-atom' href="#popup:-40%"> <img
```

444. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 594, column 3257; to line 597, column 2

```
up:-40%"> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild6530-3866-4562-a531-  
346433653235/40_percent_true_tran.png'↵src='https://thb.tildacdn.com/tild6530-3866-4562-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

445. **Error** Bad value `#popup:-40%` for attribute `href` on element `a`: Percentage ("%") is not followed by two hexadecimal digits.

From line 597, column 1040; to line 597, column 1077

```
ue="237"> <a class='tn-atom' href="#popup:-40%"> <img
```

446.

Error Attribute `imgfield` not allowed on element `img` at this point.

From line 597, column 1079; to line 600, column 2

```
up:-40%"> <img class='tn-atom_img t-img' data-  
original='https://static.tildacdn.com/tild3834-3737-4766-b133-  
333861353833/Frame_1597882040.png' ↵src='https://thb.tildacdn.com/tild3834-3737-4766-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

447.

Error Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 600, column 408; to line 600, column 414

```
T396 --> <style>#rec11
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `div`:

If the element is a child of a [dl](#) element: One or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

Otherwise, if the element is a descendant of an [option](#) element: Zero or more [option element inner content elements](#).

Otherwise, if the element is a descendant of an [optgroup](#) element: Zero or more [optgroup element inner content elements](#).

Otherwise, if the element is a descendant of a [select](#) element: Zero or more [select element inner content elements](#).

Otherwise: [flow content](#).

448.

Error CSS: too few values for the property `width`

At line 600, column 5835

```
, (min-width: 0\0) {#rec116900022
```

449. **Error** CSS: too few values for the property `width`

At line 600, column 6131

```
, (min-width: 0\0) {#rec116900022
```

450. **Error** CSS: too few values for the property `width`

At line 600, column 6355

```
, (min-width: 0\0) {#rec116900022
```

451. **Error** CSS: `width`: Too many values or values are not recognized.

From line 600, column 6701; to line 600, column 6702

```
x);;width: px; }#rec
```

452. **Error** CSS: too few values for the property `width`

At line 600, column 7439

```
, (min-width: 0\0) {#rec116900022
```

453. **Error** CSS: too few values for the property `width`

At line 600, column 7735

```
, (min-width: 0\0) {#rec116900022
```

454. **Error** CSS: `width`: Too many values or values are not recognized.

From line 600, column 8083; to line 600, column 8084

```
x);;width: px; }#rec
```

455. **Error** CSS: too few values for the property `width`

At line 600, column 8821

```
, (min-width: 0\0) {#rec116900022
```

456. **Error** CSS: too few values for the property `width`

At line 600, column 9117

```
, (min-width: 0\0) {#rec116900022
```

457. **Error** CSS: too few values for the property `width`

At line 600, column 10284

```
, (min-width: 0\0) {#rec116900022
```

458. **Error** CSS: too few values for the property `width`

At line 600, column 10580

```
, (min-width: 0\0) {#rec116900022
```

459. **Error** CSS: too few values for the property `width`

At line 600, column 11690

```
, (min-width: 0\0) {#rec116900022
```

460. **Error** CSS: too few values for the property `width`

At line 600, column 11986

```
, (min-width: 0\0) {#rec116900022
```

461. **Error** CSS: too few values for the property `width`

At line 600, column 14982

```
, (min-width: 0\0) {#rec116900022
```

462. **Error** CSS: too few values for the property `width`

At line 600, column 15278

```
, (min-width: 0\0) {#rec116900022
```

463. **Error** CSS: `width`: Too many values or values are not recognized.

From line 600, column 15624; to line 600, column 15625

```
x);;width:px;}#rec
```

464. **Error** CSS: too few values for the property `width`

At line 600, column 16221

```
, (min-width: 0\0) {#rec116900022
```

465. **Error** CSS: `width`: Too many values or values are not recognized.

From line 600, column 16641; to line 600, column 16642

```
x);;width:px;}#rec
```

466. **Error** CSS: too few values for the property `width`

At line 600, column 17238

```
, (min-width: 0\0) {#rec116900022
```

467. **Error** CSS: `width`: Too many values or values are not recognized.

From line 600, column 17658; to line 600, column 17659

```
x);;width:px;}#rec
```

468. **Error** CSS: too few values for the property `width`

At line 600, column 18255

```
, (min-width: 0\0) {#rec116900022
```

469. **Error** CSS: too few values for the property `width`

At line 600, column 19288

```
, (min-width: 0\0) {#rec116900022
```

470. **Error** CSS: `width`: Too many values or values are not recognized.

From line 600, column 21440; to line 600, column 21441

```
ble;width:px;}#rec
```

471. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 600, column 26491; to line 603, column 2

```
pace.ru"> <img class='tn-atom_img t-img' data-  
original='https://static.tildacdn.com/tild3036-3135-4632-b531-  
323836343263/Vector_1.svg'↵src='https://static.tildacdn.com/tild3036-3135-4632-b531-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

472. **Error** No space between attributes.

At line 603, column 1995

```
class='tn-atom'field='tn_text_
```

473. **Error** Attribute `field` not allowed on element `div` at this point.

From line 603, column 1975; to line 603, column 2024

```
ue="332"> <div class='tn-atom'field='tn_text_1752062560149'><
```

Attributes for element `div`:

[Global attributes](#)

474. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 603, column 2538; to line 603, column 2544

```
T396 --> <style>#rec11
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `div`:

If the element is a child of a [dl](#) element: One or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

Otherwise, if the element is a descendant of an [option](#) element: Zero or more [option element inner content elements](#).

Otherwise, if the element is a descendant of an [optgroup](#) element: Zero or more [optgroup element inner content elements](#).

Otherwise, if the element is a descendant of a [select](#) element: Zero or more [select element inner content elements](#).

Otherwise: [flow content](#).

475. **Error** CSS: `order`: Parse Error.

At line 603, column 10821

```
-shrink:0;order:;align-self:au
```

476. **Error** CSS: `order`: Parse Error.

At line 603, column 11120

```
-shrink:0;order:;align-self:au
```

477. **Error** CSS: `order`: Parse Error.

At line 603, column 11419

```
-shrink:0;order:;align-self:au
```

478. **Error** CSS: `order`: Parse Error.

At line 603, column 12086

```
-shrink:0;order:;align-self:au
```

479. **Error** CSS: too few values for the property `width`

At line 603, column 13793

```
,(min-width:0\0){#rec114042954
```

480. **Error** CSS: too few values for the property `width`

At line 603, column 14089

```
,(min-width:0\0){#rec114042954
```

481. **Error** CSS: too few values for the property `width`

At line 603, column 15141

```
,(min-width:0\0){#rec114042954
```

482. **Error** CSS: too few values for the property `width`

At line 603, column 15437

```
,(min-width:0\0){#rec114042954
```

483. **Error** CSS: too few values for the property `width`

At line 603, column 16474

```
, (min-width: 0\0) {#rec114042954}
```

484. **Error** CSS: too few values for the property `width`

At line 603, column 16770

```
, (min-width: 0\0) {#rec114042954}
```

485. **Error** CSS: too few values for the property `width`

At line 603, column 17805

```
, (min-width: 0\0) {#rec114042954}
```

486. **Error** CSS: too few values for the property `width`

At line 603, column 18101

```
, (min-width: 0\0) {#rec114042954}
```

487. **Error** CSS: too few values for the property `width`

At line 603, column 19136

```
, (min-width: 0\0) {#rec114042954}
```

488. **Error** CSS: too few values for the property `width`

At line 603, column 19432

```
, (min-width: 0\0) {#rec114042954}
```

489. **Error** CSS: too few values for the property `width`

At line 603, column 21129

```
, (min-width: 0\0) {#rec114042954}
```

490. **Error** CSS: too few values for the property `width`

At line 603, column 22167

```
, (min-width: 0\0) {#rec114042954}
```

491. **Error** CSS: too few values for the property `width`

At line 603, column 23189

```
, (min-width: 0\0) {#rec114042954}
```

492. **Error** CSS: too few values for the property `width`

At line 603, column 24209

```
, (min-width: 0\0) {#rec114042954}
```

493. **Error** CSS: too few values for the property `width`

At line 603, column 25229

```
, (min-width: 0\0) {#rec114042954}
```

494. **Error** CSS: `order`: Parse Error.

At line 603, column 26722

```
-shrink:0;order:;align-self:au
```

495. **Error** CSS: `order` : Parse Error.

At line 603, column 27030

```
-shrink:0;order:;align-self:au
```

496. **Error** CSS: `order` : Parse Error.

At line 603, column 27346

```
-shrink:0;order:;align-self:au
```

497. **Error** CSS: `order` : Parse Error.

At line 603, column 28266

```
-shrink:0;order:;align-self:au
```

498. **Error** CSS: `order` : Parse Error.

At line 603, column 33953

```
-shrink:0;order:;align-self:au
```

499. **Error** CSS: `order` : Parse Error.

At line 603, column 34238

```
-shrink:0;order:;align-self:au
```

500. **Error** CSS: `order` : Parse Error.

At line 603, column 34546

```
-shrink:0;order:;align-self:au
```

501. **Error** CSS: `order` : Parse Error.

At line 603, column 34831

```
-shrink:0;order:;align-self:au
```

502. **Error** CSS: `order` : Parse Error.

At line 603, column 56350

```
-shrink:0;order:;align-self:au
```

503. **Error** CSS: `order` : Parse Error.

At line 603, column 56646

```
-shrink:0;order:;align-self:au
```

504. **Error** CSS: `order` : Parse Error.

At line 603, column 56942

```
-shrink:0;order:;align-self:au
```

505. **Error** CSS: `order` : Parse Error.

At line 603, column 57257

```
-shrink:0;order:;align-self:au
```

506. **Error** No space between attributes.

At line 612, column 1242

```
class='tn-atom' field='tn_text_
```

507. **Error** Attribute `field` not allowed on element `h2` at this point.

From line 612, column 1223; to line 612, column 1271

```
ue="260"> <h2 class='tn-atom' field='tn_text_1744360185316'>ПЛАТФ
```

508. **Error** No space between attributes.

At line 615, column 2412

```
class='tn-atom' field='tn_text_
```

509. **Error** Attribute `field` not allowed on element `h1` at this point.

From line 615, column 2393; to line 615, column 2441

```
lue="36"> <h1 class='tn-atom' field='tn_text_1745954606866'>Платфо
```

510. **Error** No space between attributes.

At line 615, column 4701

```
class='tn-atom' field='tn_text_
```

511. **Error** Attribute `field` not allowed on element `div` at this point.

From line 615, column 4681; to line 615, column 4730

```
lue="16"> <div class='tn-atom' field='tn_text_1744360185311'>Создав
```

Attributes for element `div`:

[Global attributes](#)

512. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 618, column 4637; to line 621, column 2

```
tn-atom'> <img class='tn-atom_img t-img' data-  
original='https://static.tildacdn.com/tild3665-3139-4461-b230-  
303866333230/1.png' ↵src='https://thb.tildacdn.com/tild3665-3139-4461-b230-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

513. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 621, column 1016; to line 624, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild3336-3031-4364-b237-  
616666373934/2_14.png' ↵src='https://thb.tildacdn.com/tild3336-3031-4364-b237-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

514. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 624, column 1570; to line 627, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild3065-3864-4136-a438-  
343335353932/Frame_1597881699.png' ↵src='https://thb.tildacdn.com/tild3065-3864-4136-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

515. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 627, column 1533; to line 630, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild3433-3566-4836-a533-  
623336626537/Frame_1597881699.png' ↵src='https://thb.tildacdn.com/tild3433-3566-4836-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

516. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 636, column 1170; to line 639, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild3162-6266-4533-b130-  
636561656330/Star_11.svg' ↵src='https://static.tildacdn.com/tild3162-6266-4533-b130-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

517. **Error** No space between attributes.

At line 639, column 1042

```
class='tn-atom' field='tn_text_
```

518. **Error** Attribute `field` not allowed on element `div` at this point.

From line 639, column 1022; to line 639, column 1071

```
lue="23"> <div class='tn-atom' field='tn_text_1751125882427'>4.8</d
```

Attributes for element `div`:

[Global attributes](#)

519. **Error** No space between attributes.

At line 639, column 2094

```
class='tn-atom' field='tn_text_
```

520. **Error** Attribute `field` not allowed on element `div` at this point.

From line 639, column 2074; to line 639, column 2123

```
ue="190"> <div class='tn-atom' field='tn_text_1751125842260'>Ha och
```

Attributes for element `div`:

[Global attributes](#)

521. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 639, column 2535; to line 639, column 2541

```
T396 --> <style>#rec11
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `div`:

If the element is a child of a [dl](#) element: One or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

Otherwise, if the element is a descendant of an [option](#) element: Zero or more [option element inner content elements](#).

Otherwise, if the element is a descendant of an [optgroup](#) element: Zero or more [optgroup element inner content elements](#).

Otherwise, if the element is a descendant of a [select](#) element: Zero or more [select element inner content elements](#).

522. **Error** CSS: `order` : Parse Error.

At line 639, column 7425

```
-shrink:0;order:;align-self:au
```

523. **Error** CSS: `order` : Parse Error.

At line 639, column 7713

```
-shrink:0;order:;align-self:au
```

524. **Error** CSS: `order` : Parse Error.

At line 639, column 8020

```
-shrink:0;order:;align-self:au
```

525. **Error** CSS: `order` : Parse Error.

At line 639, column 8299

```
-shrink:0;order:;align-self:au
```

526. **Error** CSS: `order` : Parse Error.

At line 639, column 17972

```
-shrink:1;order:;align-self:au
```

527. **Error** CSS: `order` : Parse Error.

At line 639, column 18296

```
-shrink:1;order:;align-self:au
```

528. **Error** CSS: `order` : Parse Error.

At line 639, column 18592

```
-shrink:1;order:;align-self:au
```

529. **Error** CSS: `order` : Parse Error.

At line 639, column 18931

```
-shrink:1;order:;align-self:au
```

530. **Error** CSS: `order` : Parse Error.

At line 639, column 29428

```
-shrink:1;order:;align-self:au
```

531. **Error** CSS: `order` : Parse Error.

At line 639, column 29771

```
-shrink:1;order:;align-self:st
```

532. **Error** CSS: `order` : Parse Error.

At line 639, column 30128

```
-shrink:1;order:;align-self:au
```

533. **Error** CSS: `order` : Parse Error.

At line 639, column 30467

```
-shrink:0;order:;align-self:au
```

534. **Error** CSS: `order` : Parse Error.

At line 639, column 40897

```
-shrink:1;order:;align-self:au
```

535. **Error** CSS: `order` : Parse Error.

At line 639, column 41221

```
-shrink:1;order:;align-self:au
```

536. **Error** CSS: `order` : Parse Error.

At line 639, column 42171

```
-shrink:1;order:;align-self:au
```

537. **Error** CSS: `order` : Parse Error.

At line 639, column 42510

```
-shrink:1;order:;align-self:au
```

538. **Error** CSS: `order` : Parse Error.

At line 639, column 50688

```
-shrink:0;order:;align-self:au
```

539. **Error** CSS: `order` : Parse Error.

At line 639, column 50986

```
-shrink:0;order:;align-self:au
```

540. **Error** CSS: `order` : Parse Error.

At line 639, column 51955

```
-shrink:0;order:;align-self:au
```

541. **Error** CSS: `order` : Parse Error.

At line 639, column 52268

```
-shrink:0;order:;align-self:au
```

542. **Error** CSS: `order` : Parse Error.

At line 639, column 61801

```
-shrink:0;order:;align-self:au
```

543. **Error** CSS: `order` : Parse Error.

At line 639, column 62099

```
-shrink:0;order:;align-self:au
```

544. **Error** CSS: `order`: Parse Error.

At line 639, column 62397

```
-shrink:0;order:;align-self:au
```

545. **Error** CSS: `order`: Parse Error.

At line 639, column 62710

```
-shrink:0;order:;align-self:au
```

546. **Error** CSS: `order`: Parse Error.

At line 639, column 72208

```
-shrink:0;order:;align-self:au
```

547. **Error** CSS: `order`: Parse Error.

At line 639, column 72506

```
-shrink:0;order:;align-self:au
```

548. **Error** CSS: `order`: Parse Error.

At line 639, column 72827

```
-shrink:0;order:;align-self:au
```

549. **Error** CSS: `order`: Parse Error.

At line 639, column 73140

```
-shrink:0;order:;align-self:au
```

550. **Error** No space between attributes.

At line 645, column 2014

```
class='tn-atom'field='tn_text_
```

551. **Error** Attribute `field` not allowed on element `h2` at this point.

From line 645, column 1995; to line 645, column 2043

```
lue="28"> <h2 class='tn-atom'field='tn_text_1745927615016'>Почему
```

552. **Error** No space between attributes.

At line 645, column 4232

```
class='tn-atom'field='tn_text_
```

553. **Error** Attribute `field` not allowed on element `h2` at this point.

From line 645, column 4213; to line 645, column 4261

```
lue="14"> <h2 class='tn-atom'field='tn_text_1745964242089'>Платфо
```

554. **Error** No space between attributes.

At line 651, column 1451

```
class='tn-atom' field='tn_text_
```

555. **Error** Attribute `field` not allowed on element `h3` at this point.

From line 651, column 1432; to line 651, column 1480

```
lue="18"> <h3 class='tn-atom' field='tn_text_1751127489812'>Удобно
```

556. **Error** No space between attributes.

At line 651, column 2997

```
class='tn-atom' field='tn_text_
```

557. **Error** Attribute `field` not allowed on element `div` at this point.

From line 651, column 2977; to line 651, column 3026

```
lue="14"> <div class='tn-atom' field='tn_text_1751127511897'>Соврем
```

Attributes for element `div`:

[Global attributes](#)

558. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 651, column 4448; to line 654, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild6435-6637-4361-b732-  
636363303665/Frame_1597881701_1.png' ↵ src='https://thb.tildacdn.com/tild6435-6637-4361-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

559. **Error** No space between attributes.

At line 660, column 1922

```
class='tn-atom' field='tn_text_
```

560. **Error** Attribute `field` not allowed on element `h3` at this point.

From line 660, column 1903; to line 660, column 1951

```
lue="18"> <h3 class='tn-atom' field='tn_text_1751127725609'>Бсё, ч
```

561. **Error** No space between attributes.

At line 660, column 3467

```
class='tn-atom' field='tn_text_
```

562. **Error** Attribute `field` not allowed on element `div` at this point.

From line 660, column 3447; to line 660, column 3496

```
lue="14"> <div class='tn-atom' field='tn_text_1751127725631'>Уроки,
```

Attributes for element `div`:

[Global attributes](#)

563. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 660, column 4891; to line 663, column 2

```
tn-atom'> <img class='tn-atom_img t-img' data-
```

```
original='https://static.tildacdn.com/tild6261-3636-4863-b362-
```

```
353565623334/Frame_1321314974_2.png'↵src='https://thb.tildacdn.com/tild6261-3636-4863-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

564. **Error** No space between attributes.

At line 669, column 1452

```
class='tn-atom' field='tn_text_
```

565. **Error** Attribute `field` not allowed on element `h3` at this point.

From line 669, column 1433; to line 669, column 1481

```
lue="18"> <h3 class='tn-atom' field='tn_text_1751127727936'>Курсы
```

566. **Error** No space between attributes.

At line 669, column 3016

```
class='tn-atom' field='tn_text_
```

567. **Error** Attribute `field` not allowed on element `div` at this point.

From line 669, column 2996; to line 669, column 3045

```
lue="14"> <div class='tn-atom' field='tn_text_1751127727955'>Провод
```

Attributes for element `div`:

[Global attributes](#)

568. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 669, column 4430; to line 672, column 2

```
tn-atom'> <img class='tn-atom_img t-img' data-  
original='https://static.tildacdn.com/tild6465-6330-4266-a536-  
353435326261/Frame_1597881702_1.png'↵src='https://thb.tildacdn.com/tild6465-6330-4266-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

569. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 675, column 1371; to line 678, column 2

```
tn-atom'> <img class='tn-atom_img t-img' data-  
original='https://static.tildacdn.com/tild3535-6236-4636-a664-626330663563/accent-  
icon.svg'↵src='https://static.tildacdn.com/tild3535-6236-4636-a664-626330663563/accent-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

570. **Error** No space between attributes.

At line 681, column 2090

```
class='tn-atom' field='tn_text_
```

571. **Error** Attribute `field` not allowed on element `h3` at this point.

From line 681, column 2071; to line 681, column 2119

```
lue="18"> <h3 class='tn-atom' field='tn_text_1751127832265'>Продум
```

572. **Error** No space between attributes.

At line 681, column 4281

```
class='tn-atom' field='tn_text_
```

573. **Error** Attribute `field` not allowed on element `div` at this point.

From line 681, column 4261; to line 681, column 4310

```
lue="14"> <div class='tn-atom' field='tn_text_1751127832286'>Катало
```

Attributes for element [div](#):

[Global attributes](#)

574. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 684, column 1371; to line 687, column 2

```
tn-atom'> <img class='tn-atom_img t-img' data-
```

```
original='https://static.tildacdn.com/tild6230-6339-4437-a534-623564316566/accent-icon-1.svg'↵src='https://static.tildacdn.com/tild6230-6339-4437-a534-623564316566/accent-
```

Attributes for element [img](#):

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

575. **Error** No space between attributes.

At line 690, column 2172

```
class='tn-atom' field='tn_text_
```

576. **Error** Attribute `field` not allowed on element `h3` at this point.

From line 690, column 2153; to line 690, column 2201

```
lue="18"> <h3 class='tn-atom' field='tn_text_1751128005313'>Выгодн
```

577. **Error** No space between attributes.

At line 690, column 4046

```
class='tn-atom' field='tn_text_
```

578. **Error** Attribute `field` not allowed on element `div` at this point.

From line 690, column 4026; to line 690, column 4075

```
lue="14"> <div class='tn-atom' field='tn_text_1751128005330'>Подклю
```

Attributes for element `div`:

[Global attributes](#)

579. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 693, column 1406; to line 696, column 2

```
tn-atom'> <img class='tn-atom_img t-img' data-  
original='https://static.tildacdn.com/tild6337-6334-4866-b062-313966313833/accent-icon-  
2.svg'↵src='https://static.tildacdn.com/tild6337-6334-4866-b062-313966313833/accent-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

580. **Error** No space between attributes.

At line 699, column 1960

```
class='tn-atom'field='tn_text_
```

581. **Error** Attribute `field` not allowed on element `h3` at this point.

From line 699, column 1941; to line 699, column 1989

```
lue="18"> <h3 class='tn-atom'field='tn_text_1751128007792'>Можно
```

582. **Error** No space between attributes.

At line 699, column 3701

```
class='tn-atom'field='tn_text_
```

583. **Error** Attribute `field` not allowed on element `div` at this point.

From line 699, column 3681; to line 699, column 3730

```
lue="14"> <div class='tn-atom'field='tn_text_1751128007809'>Создай
```

Attributes for element `div`:

[Global attributes](#)

584. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 699, column 4212; to line 699, column 4218

```
T396 --> <style>#rec11
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `div`:

If the element is a child of a [dl](#) element: One or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

Otherwise, if the element is a descendant of an [option](#) element: Zero or more [option element inner content elements](#).

Otherwise, if the element is a descendant of an [optgroup](#) element: Zero or more [optgroup element inner content elements](#).

Otherwise, if the element is a descendant of a [select](#) element: Zero or more [select element inner content elements](#).

Otherwise: [flow content](#).

585. **Error** CSS: `order`: Parse Error.

At line 699, column 9096

```
-shrink:0;order:;align-self:au
```

586. **Error** CSS: order : Parse Error.

At line 699, column 9384

```
-shrink:0;order:;align-self:au
```

587. **Error** CSS: order : Parse Error.

At line 699, column 9691

```
-shrink:0;order:;align-self:au
```

588. **Error** CSS: order : Parse Error.

At line 699, column 9970

```
-shrink:0;order:;align-self:au
```

589. **Error** CSS: order : Parse Error.

At line 699, column 15834

```
-shrink:0;order:;align-self:au
```

590. **Error** CSS: order : Parse Error.

At line 699, column 16472

```
-shrink:0;order:;align-self:au
```

591. **Error** CSS: order : Parse Error.

At line 699, column 16770

```
-shrink:0;order:;align-self:au
```

592. **Error** CSS: order : Parse Error.

At line 699, column 17111

```
-shrink:0;order:;align-self:au
```

593. **Error** CSS: order : Parse Error.

At line 699, column 18464

```
-shrink:0;order:;align-self:au
```

594. **Error** CSS: order : Parse Error.

At line 699, column 18762

```
-shrink:0;order:;align-self:au
```

595. **Error** CSS: order : Parse Error.

At line 699, column 19060

```
-shrink:0;order:;align-self:au
```

596. **Error** CSS: order : Parse Error.

At line 699, column 19358

```
-shrink:0;order:;align-self:au
```

597. **Error** CSS: order : Parse Error.

At line 699, column 31480

```
-shrink:0;order:;align-self:st
```

598. **Error** CSS: order : Parse Error.

At line 699, column 32130

```
-shrink:1;order:;align-self:st
```

599. **Error** CSS: order : Parse Error.

At line 699, column 32441

```
-shrink:1;order:;align-self:st
```

600. **Error** CSS: order : Parse Error.

At line 699, column 32795

```
-shrink:1;order:;align-self:st
```

601. **Error** CSS: order : Parse Error.

At line 699, column 34163

```
-shrink:0;order:;align-self:au
```

602. **Error** CSS: order : Parse Error.

At line 699, column 34461

```
-shrink:0;order:;align-self:au
```

603. **Error** CSS: order : Parse Error.

At line 699, column 34759

```
-shrink:0;order:;align-self:au
```

604. **Error** CSS: order : Parse Error.

At line 699, column 35057

```
-shrink:0;order:;align-self:au
```

605. **Error** CSS: order : Parse Error.

At line 699, column 45821

```
-shrink:0;order:;align-self:st
```

606. **Error** CSS: order : Parse Error.

At line 699, column 46471

```
-shrink:1;order:;align-self:st
```

607. **Error** CSS: order : Parse Error.

At line 699, column 46782

```
-shrink:1;order:;align-self:st
```

608. **Error** CSS: `order` : Parse Error.

At line 699, column 47136

```
-shrink:1;order;align-self:st
```

609. **Error** CSS: `order` : Parse Error.

At line 699, column 48504

```
-shrink:0;order;align-self:au
```

610. **Error** CSS: `order` : Parse Error.

At line 699, column 48802

```
-shrink:0;order;align-self:au
```

611. **Error** CSS: `order` : Parse Error.

At line 699, column 49100

```
-shrink:0;order;align-self:au
```

612. **Error** CSS: `order` : Parse Error.

At line 699, column 49398

```
-shrink:0;order;align-self:au
```

613. **Error** CSS: `order` : Parse Error.

At line 699, column 58730

```
-shrink:0;order;align-self:au
```

614. **Error** CSS: `order` : Parse Error.

At line 699, column 59368

```
-shrink:0;order;align-self:au
```

615. **Error** CSS: `order` : Parse Error.

At line 699, column 59666

```
-shrink:0;order;align-self:au
```

616. **Error** CSS: `order` : Parse Error.

At line 699, column 60007

```
-shrink:0;order;align-self:au
```

617. **Error** CSS: `order` : Parse Error.

At line 699, column 61360

```
-shrink:0;order;align-self:au
```

618. **Error** CSS: `order` : Parse Error.

At line 699, column 61658

```
-shrink:0;order;align-self:au
```

619. **Error** CSS: order : Parse Error.

At line 699, column 61956

```
-shrink:0;order:;align-self:au
```

620. **Error** CSS: order : Parse Error.

At line 699, column 62254

```
-shrink:0;order:;align-self:au
```

621. **Error** CSS: order : Parse Error.

At line 699, column 74738

```
-shrink:0;order:;align-self:st
```

622. **Error** CSS: order : Parse Error.

At line 699, column 75388

```
-shrink:1;order:;align-self:st
```

623. **Error** CSS: order : Parse Error.

At line 699, column 75699

```
-shrink:1;order:;align-self:au
```

624. **Error** CSS: order : Parse Error.

At line 699, column 76349

```
-shrink:1;order:;align-self:au
```

625. **Error** CSS: order : Parse Error.

At line 699, column 77702

```
-shrink:0;order:;align-self:au
```

626. **Error** CSS: order : Parse Error.

At line 699, column 78000

```
-shrink:0;order:;align-self:au
```

627. **Error** CSS: order : Parse Error.

At line 699, column 78298

```
-shrink:0;order:;align-self:au
```

628. **Error** CSS: order : Parse Error.

At line 699, column 78596

```
-shrink:0;order:;align-self:au
```

629. **Error** CSS: order : Parse Error.

At line 699, column 89673

```
-shrink:0;order:;align-self:au
```

630. **Error** CSS: order : Parse Error.

At line 699, column 90309

```
-shrink:0;order:;align-self:au
```

631. **Error** CSS: order : Parse Error.

At line 699, column 90606

```
-shrink:0;order:;align-self:au
```

632. **Error** CSS: order : Parse Error.

At line 699, column 91257

```
-shrink:0;order:;align-self:au
```

633. **Error** CSS: order : Parse Error.

At line 699, column 92610

```
-shrink:0;order:;align-self:au
```

634. **Error** CSS: order : Parse Error.

At line 699, column 92908

```
-shrink:0;order:;align-self:au
```

635. **Error** CSS: order : Parse Error.

At line 699, column 93206

```
-shrink:0;order:;align-self:au
```

636. **Error** CSS: order : Parse Error.

At line 699, column 93504

```
-shrink:0;order:;align-self:au
```

637. **Error** CSS: order : Parse Error.

At line 699, column 103571

```
-shrink:0;order:;align-self:au
```

638. **Error** CSS: order : Parse Error.

At line 699, column 103869

```
-shrink:1;order:;align-self:au
```

639. **Error** CSS: order : Parse Error.

At line 699, column 104167

```
-shrink:0;order:;align-self:au
```

640. **Error** CSS: order : Parse Error.

At line 699, column 104480

```
-shrink:0;order:;align-self:au
```

641. **Error** CSS: `order`: Parse Error.

At line 699, column 114598

```
-shrink:0;order:;align-self:au
```

642. **Error** CSS: `order`: Parse Error.

At line 699, column 114896

```
-shrink:1;order:;align-self:au
```

643. **Error** CSS: `order`: Parse Error.

At line 699, column 115194

```
-shrink:0;order:;align-self:au
```

644. **Error** CSS: `order`: Parse Error.

At line 699, column 115507

```
-shrink:0;order:;align-self:au
```

645. **Error** Duplicate ID `molecule-174596426340279950`.

From line 700, column 1090; to line 702, column 33

```
= "fixed"> <div class="tn-molecule" id="molecule-174596426340279950"> <div
```

646. **Warning** The first occurrence of ID `molecule-174596426340279950` was here.

From line 640, column 1095; to line 642, column 33

```
= "fixed"> <div class="tn-molecule" id="molecule-174596426340279950"> <div
```

647. **Error** Duplicate ID `molecule-174643821035817380`.

From line 703, column 1059; to line 705, column 33

```
ue="840"> <div class="tn-molecule" id="molecule-174643821035817380"> <div
```

648. **Warning** The first occurrence of ID `molecule-174643821035817380` was here.

From line 643, column 1064; to line 645, column 33

```
ue="841"> <div class="tn-molecule" id="molecule-174643821035817380"> <div
```

649. **Error** No space between attributes.

At line 705, column 2013

```
class='tn-atom' field='tn_text_
```

650. **Error** Attribute `field` not allowed on element `h2` at this point.

From line 705, column 1994; to line 705, column 2042

```
lue="28"> <h2 class='tn-atom' field='tn_text_1745927615016'>Skills
```

651. **Error** Duplicate ID `molecule-175112758222848740`.

From line 706, column 1396; to line 708, column 33

```
60="hug"> <div class="tn-molecule" id="molecule-175112758222848740"> <div
```

652. **Warning** The first occurrence of ID `molecule-175112758222848740` was here.

From line 646, column 1471; to line 648, column 33

```
= "fixed"> <div class="tn-molecule" id="molecule-175112758222848740"> <div
```

653. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 708, column 1332; to line 711, column 2

```
tn-atom">  <div class="tn-molecule" id="molecule-175112757962180780"> <div
```

655. **Warning** The first occurrence of ID `molecule-175112757962180780` was here.

From line 649, column 1193; to line 651, column 33

```
ue="276"> <div class="tn-molecule" id="molecule-175112757962180780"> <div
```

656. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 714, column 1374; to line 717, column 2

```
tn-atom">  <h3 class='tn-atom'field='tn_text_1751127489812'>Экспер
```

659. **Error** No space between attributes.

At line 720, column 3260

```
class='tn-atom'field='tn_text_
```

660. **Error** Attribute `field` not allowed on element `div` at this point.

From line 720, column 3240; to line 720, column 3289

```
lue="14"> <div class='tn-atom'field='tn_text_1751127511897'>Заныч
```

Attributes for element `div`:

[Global attributes](#)

661. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 726, column 1376; to line 729, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-
```

```
original='https://static.tildacdn.com/tild3332-3135-4533-b837-373361393238/accent-icon-1.svg'↵src='https://static.tildacdn.com/tild3332-3135-4533-b837-373361393238/accent-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

662. **Error** No space between attributes.

At line 732, column 1751

```
class='tn-atom' field='tn_text_
```

663. **Error** Attribute `field` not allowed on element `h3` at this point.

From line 732, column 1732; to line 732, column 1780

```
lue="18"> <h3 class='tn-atom' field='tn_text_1751189403861'>Пабота
```

664. **Error** No space between attributes.

At line 732, column 3245

```
class='tn-atom' field='tn_text_
```

665. **Error** Attribute `field` not allowed on element `div` at this point.

From line 732, column 3225; to line 732, column 3274

```
lue="14"> <div class='tn-atom' field='tn_text_1751189403879'>Macшта
```

Attributes for element `div`:

[Global attributes](#)

666. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 732, column 4785; to line 735, column 2

```
tn-atom'> <img class='tn-atom_img t-img' data-  
original='https://static.tildacdn.com/tild3763-3234-4661-a564-  
346130366166/Frame_1597880957_1.png' ↵src='https://thb.tildacdn.com/tild3763-3234-4661-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

667. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 741, column 1376; to line 744, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild3332-3135-4533-b837-373361393238/accent-icon-  
1.svg'↵src='https://static.tildacdn.com/tild3332-3135-4533-b837-373361393238/accent-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

668. **Error** No space between attributes.

At line 747, column 1752

```
class='tn-atom'field='tn_text_
```

669. **Error** Attribute `field` not allowed on element `div` at this point.

From line 747, column 1732; to line 747, column 1781

```
lue="18"> <div class='tn-atom'field='tn_text_1751438071851'>Работа
```

Attributes for element `div`:

[Global attributes](#)

670. **Error** No space between attributes.

At line 747, column 3247

```
class='tn-atom'field='tn_text_
```

671. **Error** Attribute `field` not allowed on element `div` at this point.

From line 747, column 3227; to line 747, column 3276

```
lue="14"> <div class='tn-atom' field='tn_text_1751438071868'>MacшTa
```

Attributes for element `div`:

[Global attributes](#)

672. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 747, column 4792; to line 750, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild3933-3065-4533-b232-  
613137323433/Frame_1597880957_1.png' ↵src='https://thb.tildacdn.com/tild3933-3065-4533-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

673. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 753, column 1334; to line 756, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild6433-3139-4332-a632-  
323934366537/Frame_1597881730_1.png' ↵src='https://thb.tildacdn.com/tild6433-3139-4332-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

674. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 759, column 1377; to line 762, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild3333-3035-4266-a232-343261373564/accent-  
icon.svg'↵src='https://static.tildacdn.com/tild3333-3035-4266-a232-343261373564/accent-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

675. **Error** No space between attributes.

At line 765, column 1753

```
class='tn-atom'field='tn_text_
```

676. **Error** Attribute `field` not allowed on element `div` at this point.

From line 765, column 1733; to line 765, column 1782

```
lue="18"> <div class='tn-atom'field='tn_text_1751438071739'>Экнеп
```

Attributes for element `div`:

[Global attributes](#)

677. **Error** No space between attributes.

At line 765, column 3266

```
class='tn-atom'field='tn_text_
```

678. **Error** Attribute `field` not allowed on element `div` at this point.

From line 765, column 3246; to line 765, column 3295

```
lue="14"> <div class='tn-atom' field='tn_text_1751438071756'>3anyck
```

Attributes for element `div`:

[Global attributes](#)

679. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 771, column 1373; to line 774, column 2

```
tn-atom"> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild3332-3135-4533-b837-373361393238/accent-icon-  
1.svg'↵src='https://static.tildacdn.com/tild3332-3135-4533-b837-373361393238/accent-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

680. **Error** No space between attributes.

At line 777, column 1963

```
class='tn-atom' field='tn_text_
```

681. **Error** Attribute `field` not allowed on element `div` at this point.

From line 777, column 1943; to line 777, column 1992

```
lue="18"> <div class='tn-atom' field='tn_text_1751190724724'>Работа
```

Attributes for element `div`:

[Global attributes](#)

682. **Error** No space between attributes.

At line 777, column 3455

```
class='tn-atom' field='tn_text_
```

683. **Error** Attribute `field` not allowed on element `div` at this point.

From line 777, column 3435; to line 777, column 3484

```
lue="14"> <div class='tn-atom' field='tn_text_1751190724744'>Macwta
```

Attributes for element [div](#):

[Global attributes](#)

684. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 777, column 4995; to line 780, column 2

```
tn-atom'> <img class='tn-atom_img t-img' data-  
original='https://static.tildacdn.com/tild6663-3030-4230-a335-  
623234303263/Frame_1597880957_2.png' ↵src='https://thb.tildacdn.com/tild6663-3030-4230-
```

Attributes for element [img](#):

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

685. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 786, column 1373; to line 789, column 2

```
tn-atom'> <img class='tn-atom_img t-img' data-  
original='https://static.tildacdn.com/tild3333-3035-4266-a232-343261373564/accent-  
icon.svg' ↵src='https://static.tildacdn.com/tild3333-3035-4266-a232-343261373564/accent-
```

Attributes for element [img](#):

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

686. **Error** No space between attributes.

At line 792, column 1749

```
class='tn-atom'field='tn_text_
```

687. **Error** Attribute `field` not allowed on element `div` at this point.

From line 792, column 1729; to line 792, column 1778

```
lue="18"> <div class='tn-atom'field='tn_text_1751190724631'>Экспер
```

Attributes for element `div`:

[Global attributes](#)

688. **Error** No space between attributes.

At line 792, column 3251

```
class='tn-atom'field='tn_text_
```

689. **Error** Attribute `field` not allowed on element `div` at this point.

From line 792, column 3231; to line 792, column 3280

```
lue="14"> <div class='tn-atom'field='tn_text_1751190724649'>Зануль
```

Attributes for element `div`:

[Global attributes](#)

690. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 792, column 4784; to line 795, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild3031-3334-4763-a561-  
356635363761/Frame_1597881730_2.png'↵src='https://thb.tildacdn.com/tild3031-3334-4763-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

691. **Error** Duplicate ID `molecule-175112783226578620`.

From line 796, column 1329; to line 798, column 33

```
= "fixed"> <div class="tn-molecule" id="molecule-175112783226578620"> <div
```

692. **Warning** The first occurrence of ID `molecule-175112783226578620` was here.

From line 673, column 1407; to line 675, column 33

```
= "fixed"> <div class="tn-molecule" id="molecule-175112783226578620"> <div
```

693. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 798, column 1369; to line 801, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild3864-3864-4639-b832-343232636664/accent-  
icon.svg' src='https://static.tildacdn.com/tild3864-3864-4639-b832-343232636664/accent-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

694. **Error** Duplicate ID `molecule-175112799485374630`.

From line 802, column 1182; to line 804, column 33

```
ue="372"> <div class="tn-molecule" id="molecule-175112799485374630"> <div
```

695. **Warning** The first occurrence of ID `molecule-175112799485374630` was here.

From line 679, column 1376; to line 681, column 33

```
ue="225"> <div class="tn-molecule" id="molecule-175112799485374630"> <div
```

696. **Error** No space between attributes.

At line 804, column 2172

```
class='tn-atom' field='tn_text_
```

697. **Error** Attribute `field` not allowed on element `h3` at this point.

From line 804, column 2153; to line 804, column 2201

```
lue="18"> <h3 class='tn-atom' field='tn_text_1751127832265'>Бизнес
```

698. **Error** No space between attributes.

At line 804, column 3915

```
class='tn-atom' field='tn_text_
```

699. **Error** Attribute `field` not allowed on element `div` at this point.

From line 804, column 3895; to line 804, column 3944

```
lue="14"> <div class='tn-atom' field='tn_text_1751127832286'>Автома
```

Attributes for element `div`:

[Global attributes](#)

700. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 807, column 1372; to line 810, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild3231-3266-4130-b736-653734316437/accent-icon-  
1.svg'↵src='https://static.tildacdn.com/tild3231-3266-4130-b736-653734316437/accent-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

701. **Error** No space between attributes.

At line 813, column 2174

```
class='tn-atom' field='tn_text_
```

702. **Error** Attribute `field` not allowed on element `h3` at this point.

From line 813, column 2155; to line 813, column 2203

```
lue="18"> <h3 class='tn-atom' field='tn_text_1751189769295'>BY3aM,
```

703. **Error** No space between attributes.

At line 813, column 3925

```
class='tn-atom'field='tn_text_
```

704. **Error** Attribute `field` not allowed on element `div` at this point.

From line 813, column 3905; to line 813, column 3954

```
lue="14"> <div class='tn-atom' field='tn_text_1751189769310'>Провод
```

Attributes for element `div`:

[Global attributes](#)

705. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 813, column 4493; to line 813, column 4499

```
T396 --> <style>#rec11
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `div`:

If the element is a child of a [dl](#) element: One or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

Otherwise, if the element is a descendant of an [option](#) element: Zero or more [option element inner content elements](#).

Otherwise, if the element is a descendant of an [optgroup](#) element: Zero or more [optgroup element inner content elements](#).

Otherwise, if the element is a descendant of a [select](#) element: Zero or more [select element inner content elements](#).

Otherwise: [flow content](#).

706. **Error** CSS: too few values for the property `width`

At line 813, column 11068

```
, (min-width: 0\0) {#rec114043080}
```

707. **Error** CSS: too few values for the property `width`

At line 813, column 12097

```
, (min-width: 0\0) {#rec114043080}
```

708. **Error** CSS: too few values for the property `width`

At line 813, column 13089

```
, (min-width: 0\0) {#rec114043080}
```

709. **Error** CSS: too few values for the property `width`

At line 813, column 14102

```
,(min-width:0\0){#rec114043080
```

710. **Error** CSS: too few values for the property `width`

At line 813, column 15130

```
,(min-width:0\0){#rec114043080
```

711. **Error** CSS: `order`: Parse Error.

At line 813, column 16628

```
-shrink:0;order:;align-self:au
```

712. **Error** CSS: `order`: Parse Error.

At line 813, column 16907

```
-shrink:0;order:;align-self:au
```

713. **Error** CSS: `order`: Parse Error.

At line 813, column 17196

```
-shrink:0;order:;align-self:au
```

714. **Error** CSS: `order`: Parse Error.

At line 813, column 17796

```
-shrink:0;order:;align-self:au
```

715. **Error** No space between attributes.

At line 819, column 1371

```
class='tn-atom'field='tn_text_
```

716. **Error** Attribute `field` not allowed on element `h2` at this point.

From line 819, column 1352; to line 819, column 1400

```
lue="28"> <h2 class='tn-atom'field='tn_text_1743671020460'>Готовы
```

717. **Error** No space between attributes.

At line 819, column 2732

```
class='tn-atom'field='tn_text_
```

718. **Error** Attribute `field` not allowed on element `div` at this point.

From line 819, column 2712; to line 819, column 2761

```
lue="14"> <div class='tn-atom'field='tn_text_1743671020465'>Skills
```

Attributes for element `div`:

[Global attributes](#)

719. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 819, column 5673; to line 822, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild3663-6163-4764-a564-  
613463343430/Frame_1597881732_1.png' ↵src='https://thb.tildacdn.com/tild3663-6163-4764-
```

Attributes for element [img](#):

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

720.

Error Attribute `imgfield` not allowed on element `img` at this point.

From line 822, column 926; to line 825, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild6133-3935-4430-b333-  
383135656362/Frame_1597881731_1.png' ↵src='https://thb.tildacdn.com/tild6133-3935-4430-
```

Attributes for element [img](#):

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

721.

Error Attribute `imgfield` not allowed on element `img` at this point.

From line 825, column 962; to line 828, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild6332-3564-4166-a132-  
333466663335/Frame_1597881590_1.png' ↵src='https://thb.tildacdn.com/tild6332-3564-4166-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

722. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 828, column 1024; to line 831, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild6136-3464-4630-b235-  
373563633038/Vector.svg' ↵src='https://static.tildacdn.com/tild6136-3464-4630-b235-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

723. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 831, column 379; to line 831, column 385

```
T396 --> <style>#rec11
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `div`:

If the element is a child of a [dl](#) element: One or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

Otherwise, if the element is a descendant of an [option](#) element: Zero or more [option element inner content elements](#).

Otherwise, if the element is a descendant of an [optgroup](#) element: Zero or more [optgroup element inner content elements](#).

Otherwise, if the element is a descendant of a [select](#) element: Zero or more [select element inner content elements](#).

Otherwise: [flow content](#).

724. **Error** CSS: `order` : Parse Error.

At line 831, column 6855

```
-shrink:0;order:;align-self:au
```

725. **Error** CSS: `order` : Parse Error.

At line 831, column 7143

```
-shrink:0;order:;align-self:au
```

726. **Error** CSS: `order` : Parse Error.

At line 831, column 7431

```
-shrink:0;order:;align-self:au
```

727. **Error** CSS: `order` : Parse Error.

At line 831, column 8021

```
-shrink:0;order:;align-self:au
```

728. **Error** CSS: `order` : Parse Error.

At line 831, column 13596

```
-shrink:0;order:;align-self:au
```

729. **Error** CSS: `order` : Parse Error.

At line 831, column 13886

```
-shrink:0;order:;align-self:au
```

730. **Error** CSS: `order` : Parse Error.

At line 831, column 14183

```
-shrink:0;order:;align-self:au
```

731. **Error** CSS: `order` : Parse Error.

At line 831, column 14462

```
-shrink:0;order:;align-self:au
```

732. **Error** CSS: `order` : Parse Error.

At line 831, column 22054

```
-shrink:0;order:;align-self:au
```

733. **Error** CSS: `order` : Parse Error.

At line 831, column 22342

```
-shrink:0;order:;align-self:au
```

734. **Error** CSS: `order` : Parse Error.

At line 831, column 22639

```
-shrink:0;order:;align-self:au
```

735. **Error** CSS: `order` : Parse Error.

At line 831, column 23229

```
-shrink:0;order:;align-self:au
```

736. **Error** CSS: `order` : Parse Error.

At line 831, column 28820

```
-shrink:0;order:;align-self:au
```

737. **Error** CSS: `order` : Parse Error.

At line 831, column 29110

```
-shrink:0;order:;align-self:au
```

738. **Error** CSS: `order` : Parse Error.

At line 831, column 29407

```
-shrink:0;order:;align-self:au
```

739. **Error** CSS: `order` : Parse Error.

At line 831, column 29686

```
-shrink:0;order:;align-self:au
```

740. **Error** CSS: `order` : Parse Error.

At line 831, column 37839

```
-shrink:0;order:;align-self:au
```

741. **Error** CSS: `order` : Parse Error.

At line 831, column 38126

```
-shrink:0;order:;align-self:au
```

742. **Error** CSS: `order` : Parse Error.

At line 831, column 38403

```
-shrink:0;order:;align-self:au
```

743. **Error** CSS: `order` : Parse Error.

At line 831, column 38680

```
-shrink:0;order:;align-self:au
```

744. **Error** CSS: `order` : Parse Error.

At line 831, column 49592

```
-shrink:0;order:;align-self:au
```

745. **Error** CSS: `order` : Parse Error.

At line 831, column 50227

```
-shrink:1;order:;align-self:au
```

746. **Error** CSS: `order` : Parse Error.

At line 831, column 50514

```
-shrink:0;order:;align-self:au
```

747. **Error** CSS: `order` : Parse Error.

At line 831, column 50849

```
-shrink:0;order:;align-self:au
```

748. **Error** CSS: `order` : Parse Error.

At line 831, column 52219

```
-shrink:0;order:;align-self:au
```

749. **Error** CSS: `order` : Parse Error.

At line 831, column 52517

```
-shrink:0;order:;align-self:au
```

750. **Error** CSS: `order` : Parse Error.

At line 831, column 52805

```
-shrink:0;order:;align-self:au
```

751. **Error** CSS: `order` : Parse Error.

At line 831, column 53093

```
-shrink:0;order:;align-self:au
```

752. **Error** CSS: `order` : Parse Error.

At line 831, column 64046

```
-shrink:0;order:;align-self:au
```

753. **Error** CSS: `order` : Parse Error.

At line 831, column 64681

```
-shrink:1;order:;align-self:au
```

754. **Error** CSS: `order` : Parse Error.

At line 831, column 64977

```
-shrink:0;order:;align-self:au
```

755. **Error** CSS: `order` : Parse Error.

At line 831, column 65312

```
-shrink:0;order:;align-self:au
```

756. **Error** CSS: `order` : Parse Error.

At line 831, column 66682

```
-shrink:0;order:;align-self:au
```

757. **Error** CSS: `order` : Parse Error.

At line 831, column 66980

```
-shrink:0;order:;align-self:au
```

758. **Error** CSS: `order` : Parse Error.

At line 831, column 67278

```
-shrink:0;order:;align-self:au
```

759. **Error** CSS: `order` : Parse Error.

At line 831, column 67566

```
-shrink:0;order:;align-self:au
```

760. **Error** CSS: `order` : Parse Error.

At line 831, column 77456

```
-shrink:0;order:;align-self:au
```

761. **Error** CSS: `order` : Parse Error.

At line 831, column 77754

```
-shrink:0;order:;align-self:au
```

762. **Error** CSS: `order` : Parse Error.

At line 831, column 78052

```
-shrink:0;order:;align-self:au
```

763. **Error** CSS: `order` : Parse Error.

At line 831, column 78340

```
-shrink:0;order:;align-self:au
```

764. **Error** CSS: `order`: Parse Error.

At line 831, column 92630

```
-shrink:0;order:;align-self:au
```

765. **Error** CSS: `order`: Parse Error.

At line 831, column 92928

```
-shrink:0;order:;align-self:au
```

766. **Error** CSS: `order`: Parse Error.

At line 831, column 93226

```
-shrink:0;order:;align-self:au
```

767. **Error** CSS: `order`: Parse Error.

At line 831, column 93537

```
-shrink:0;order:;align-self:au
```

768. **Error** Duplicate ID `molecule-174596426340279950`.

From line 832, column 1131; to line 834, column 33

```
= "fixed"> <div class="tn-molecule" id="molecule-174596426340279950"> <div
```

769. **Warning** The first occurrence of ID `molecule-174596426340279950` was here.

From line 640, column 1095; to line 642, column 33

```
= "fixed"> <div class="tn-molecule" id="molecule-174596426340279950"> <div
```

770. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 837, column 1647; to line 840, column 2

```
tn-atom">  <div class='tn-atom'field='tn_text_1746438201364'>Констр
```

Attributes for element `div`:

[Global attributes](#)

773. **Error** No space between attributes.

At line 843, column 1938

```
class='tn-atom'field='tn_text_
```

774. **Error** Attribute `field` not allowed on element `h2` at this point.

From line 843, column 1919; to line 843, column 1967

```
lue="28"> <h2 class='tn-atom'field='tn_text_1745927615016'>Создав
```

775. **Error** No space between attributes.

At line 843, column 4162

```
class='tn-atom'field='tn_text_
```

776. **Error** Attribute `field` not allowed on element `h2` at this point.

From line 843, column 4143; to line 843, column 4191

```
lue="14"> <h2 class='tn-atom'field='tn_text_1745964242089'>Просто
```

777. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 849, column 1650; to line 852, column 2

```
tn-atom'> <img class='tn-atom_img t-img' data-  
original='https://static.tildacdn.com/tild3361-3061-4665-b563-623366303133/accent-icon-  
small.svg'↵src='https://static.tildacdn.com/tild3361-3061-4665-b563-623366303133/accent-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

778. **Error** No space between attributes.

At line 852, column 1728

```
class='tn-atom' field='tn_text_
```

779. **Error** Attribute `field` not allowed on element `div` at this point.

From line 852, column 1708; to line 852, column 1757

```
= "fixed"> <div class='tn-atom' field='tn_text_1751535770918'>Констр
```

Attributes for element `div`:

[Global attributes](#)

780. **Error** No space between attributes.

At line 855, column 2055

```
class='tn-atom' field='tn_text_
```

781. **Error** Attribute `field` not allowed on element `h2` at this point.

From line 855, column 2036; to line 855, column 2084

```
lue="28"> <h2 class='tn-atom' field='tn_text_1751535770945'>Создав
```

782. **Error** No space between attributes.

At line 855, column 4240

```
class='tn-atom' field='tn_text_
```

783. **Error** Attribute `field` not allowed on element `h2` at this point.

From line 855, column 4221; to line 855, column 4269

```
lue="14"> <h2 class='tn-atom' field='tn_text_1751535770966'>Просто
```

784. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 858, column 1099; to line 861, column 2

```
tn-atom'> <img class='tn-atom_img t-img' data-  
original='https://static.tildacdn.com/tild6132-3662-4166-b532-633933643738/accent-  
icon.svg'↵src='https://static.tildacdn.com/tild6132-3662-4166-b532-633933643738/accent-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

785. **Error** No space between attributes.

At line 864, column 1583

```
class='tn-atom'field='tn_text_
```

786. **Error** Attribute `field` not allowed on element `h3` at this point.

From line 864, column 1564; to line 864, column 1612

```
lue="18"> <h3 class='tn-atom'field='tn_text_1751192657153'>4 типа
```

787. **Error** No space between attributes.

At line 864, column 3230

```
class='tn-atom'field='tn_text_
```

788. **Error** Attribute `field` not allowed on element `div` at this point.

From line 864, column 3210; to line 864, column 3259

```
lue="14"> <div class='tn-atom'field='tn_text_1751192682372'>Лекции
```

Attributes for element `div`:

[Global attributes](#)

789. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 870, column 1100; to line 873, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-
```

```
original='https://static.tildacdn.com/tild6137-6362-4134-b437-363635333434/accent-icon-2.svg'↵src='https://static.tildacdn.com/tild6137-6362-4134-b437-363635333434/accent-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

790. **Error** No space between attributes.

At line 876, column 1580

```
class='tn-atom'field='tn_text_
```

791. **Error** Attribute `field` not allowed on element `h3` at this point.

From line 876, column 1561; to line 876, column 1609

```
lue="18"> <h3 class='tn-atom'field='tn_text_1751193133663'>12 фop
```

792. **Error** No space between attributes.

At line 876, column 3233

```
class='tn-atom'field='tn_text_
```

793. **Error** Attribute `field` not allowed on element `div` at this point.

From line 876, column 3213; to line 876, column 3262

```
lue="14"> <div class='tn-atom'field='tn_text_1751193133691'>Видео,
```

Attributes for element [div](#):

[Global attributes](#)

794. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 876, column 4831; to line 879, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild3932-6461-4238-b266-  
376631626666/Frame_1597881734_1.png'↵src='https://thb.tildacdn.com/tild3932-6461-4238-
```

Attributes for element [img](#):

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

795. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 885, column 1136; to line 888, column 2

```
tn-atom'> <img class='tn-atom_img t-img' data-  
original='https://static.tildacdn.com/tild6137-6362-4134-b437-363635333434/accent-icon-  
2.svg'↵src='https://static.tildacdn.com/tild6137-6362-4134-b437-363635333434/accent-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

796. **Error** No space between attributes.

At line 891, column 1581

```
class='tn-atom'field='tn_text_
```

797. **Error** Attribute `field` not allowed on element `div` at this point.

From line 891, column 1561; to line 891, column 1610

```
lue="18"> <div class='tn-atom'field='tn_text_1751439825519'>12 φop
```

Attributes for element `div`:

[Global attributes](#)

798. **Error** No space between attributes.

At line 891, column 3237

```
class='tn-atom'field='tn_text_
```

799. **Error** Attribute `field` not allowed on element `div` at this point.

From line 891, column 3217; to line 891, column 3266

```
lue="14"> <div class='tn-atom' field='tn_text_1751439825536'>Видео,
```

Attributes for element [div](#):

[Global attributes](#)

800.

Error Attribute `imgfield` not allowed on element `img` at this point.

From line 891, column 4837; to line 894, column 2

```
tn-atom'> <img class='tn-atom_img t-img' data-  
original='https://static.tildacdn.com/tild6530-3266-4765-b938-  
383866383561/Frame_1597881734_3.png' ↵src='https://thb.tildacdn.com/tild6530-3266-4765-
```

Attributes for element [img](#):

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

801.

Error Attribute `imgfield` not allowed on element `img` at this point.

From line 897, column 1102; to line 900, column 2

```
tn-atom'> <img class='tn-atom_img t-img' data-  
original='https://static.tildacdn.com/tild3364-3634-4266-b032-636231356430/accent-icon-  
3.svg' ↵src='https://static.tildacdn.com/tild3364-3634-4266-b032-636231356430/accent-
```

Attributes for element [img](#):

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

802. **Error** No space between attributes.

At line 903, column 1413

```
class='tn-atom'field='tn_text_
```

803. **Error** Attribute `field` not allowed on element `h3` at this point.

From line 903, column 1394; to line 903, column 1442

```
lue="18"> <h3 class='tn-atom'field='tn_text_1751192811952'>Гибкие
```

804. **Error** No space between attributes.

At line 903, column 3277

```
class='tn-atom'field='tn_text_
```

805. **Error** Attribute `field` not allowed on element `div` at this point.

From line 903, column 3257; to line 903, column 3306

```
lue="14"> <div class='tn-atom'field='tn_text_1751192811977'>Доступ
```

Attributes for element `div`:

[Global attributes](#)

806. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 903, column 4705; to line 906, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild6538-3837-4239-a662-616631343137/Wireframe_-  
_2_1.png'↵src='https://thb.tildacdn.com/tild6538-3837-4239-a662-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

807. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 906, column 1000; to line 909, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild3539-3664-4230-b838-  
613136326137/Frame_1597881733_1.png' ↵src='https://thb.tildacdn.com/tild3539-3664-4230-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

808. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 909, column 1056; to line 912, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild3533-3861-4433-a237-  
613336333964/Frame_1597881595_3.png' ↵src='https://thb.tildacdn.com/tild3533-3861-4433-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

809. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 915, column 1098; to line 918, column 2

```
tn-atom'> <img class='tn-atom_img t-img' data-  
original='https://static.tildacdn.com/tild3530-3930-4235-b730-376133303963/accent-icon-  
1.svg'↵src='https://static.tildacdn.com/tild3530-3930-4235-b730-376133303963/accent-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

810. **Error** No space between attributes.

At line 921, column 1334

```
class='tn-atom'field='tn_text_
```

811. **Error** Attribute `field` not allowed on element `h3` at this point.

From line 921, column 1315; to line 921, column 1363

```
lue="18"> <h3 class='tn-atom'field='tn_text_1751192892311'>Обучен
```

812. **Error** No space between attributes.

At line 921, column 2961

```
class='tn-atom'field='tn_text_
```

813. **Error** Attribute `field` not allowed on element `div` at this point.

From line 921, column 2941; to line 921, column 2990

```
lue="14"> <div class='tn-atom'field='tn_text_1751192892336'>Стон-у
```

Attributes for element `div`:

[Global attributes](#)

814. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 921, column 4160; to line 924, column 2

```
tn-atom'> <img class='tn-atom_img t-img' data-  
original='https://static.tildacdn.com/tild3434-3633-4737-b237-346332343036/task-  
variants_1.png' ↵src='https://thb.tildacdn.com/tild3434-3633-4737-b237-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

815. **Error** Element `style` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 924, column 379; to line 924, column 385

```
T396 --> <style>#rec11
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `div`:

If the element is a child of a [dl](#) element: One or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

Otherwise, if the element is a descendant of an [option](#) element: Zero or more [option element inner content elements](#).

Otherwise, if the element is a descendant of an [optgroup](#) element: Zero or more [optgroup element inner content elements](#).

Otherwise, if the element is a descendant of a [select](#) element: Zero or more [select element inner content elements](#).

Otherwise: [flow content](#).

816. **Error** CSS: `order`: Parse Error.

At line 924, column 5269

```
-shrink:0;order:;align-self:au
```

817. **Error** CSS: `order` : Parse Error.

At line 924, column 5557

```
-shrink:0;order:;align-self:au
```

818. **Error** CSS: `order` : Parse Error.

At line 924, column 5864

```
-shrink:0;order:;align-self:au
```

819. **Error** CSS: `order` : Parse Error.

At line 924, column 6143

```
-shrink:0;order:;align-self:au
```

820. **Error** CSS: `order` : Parse Error.

At line 924, column 11731

```
-shrink:0;order:;align-self:au
```

821. **Error** CSS: `order` : Parse Error.

At line 924, column 12021

```
-shrink:0;order:;align-self:au
```

822. **Error** CSS: `order` : Parse Error.

At line 924, column 12310

```
-shrink:0;order:;align-self:au
```

823. **Error** CSS: `order` : Parse Error.

At line 924, column 12589

```
-shrink:0;order:;align-self:au
```

824. **Error** CSS: `order` : Parse Error.

At line 924, column 22054

```
-shrink:0;order:;align-self:au
```

825. **Error** CSS: `order` : Parse Error.

At line 924, column 22397

```
-shrink:0;order:;align-self:au
```

826. **Error** CSS: `order` : Parse Error.

At line 924, column 22693

```
-shrink:0;order:;align-self:au
```

827. **Error** CSS: `order` : Parse Error.

At line 924, column 23032

```
-shrink:0;order:;align-self:au
```

828. **Error** CSS: order : Parse Error.

At line 924, column 31245

```
-shrink:0;order:;align-self:au
```

829. **Error** CSS: order : Parse Error.

At line 924, column 31543

```
-shrink:0;order:;align-self:au
```

830. **Error** CSS: order : Parse Error.

At line 924, column 31841

```
-shrink:0;order:;align-self:au
```

831. **Error** CSS: order : Parse Error.

At line 924, column 32790

```
-shrink:0;order:;align-self:au
```

832. **Error** CSS: order : Parse Error.

At line 924, column 42556

```
-shrink:0;order:;align-self:au
```

833. **Error** CSS: order : Parse Error.

At line 924, column 42854

```
-shrink:0;order:;align-self:au
```

834. **Error** CSS: order : Parse Error.

At line 924, column 43152

```
-shrink:0;order:;align-self:au
```

835. **Error** CSS: order : Parse Error.

At line 924, column 43488

```
-shrink:0;order:;align-self:au
```

836. **Error** CSS: order : Parse Error.

At line 924, column 53189

```
-shrink:0;order:;align-self:au
```

837. **Error** CSS: order : Parse Error.

At line 924, column 53487

```
-shrink:0;order:;align-self:au
```

838. **Error** CSS: order : Parse Error.

At line 924, column 53785

```
-shrink:0;order:;align-self:au
```

839. **Error** CSS: `order`: Parse Error.

At line 924, column 54121

```
-shrink:0;order:;align-self:au
```

840. **Error** Duplicate ID `molecule-174596426340279950`.

From line 925, column 1095; to line 927, column 33

```
= "fixed"> <div class="tn-molecule" id="molecule-174596426340279950"> <div
```

841. **Warning** The first occurrence of ID `molecule-174596426340279950` was here.

From line 640, column 1095; to line 642, column 33

```
= "fixed"> <div class="tn-molecule" id="molecule-174596426340279950"> <div
```

842. **Error** Duplicate ID `molecule-174643820134599990`.

From line 928, column 990; to line 930, column 33

```
ue="224"> <div class="tn-molecule" id="molecule-174643820134599990"> <div
```

843. **Warning** The first occurrence of ID `molecule-174643820134599990` was here.

From line 835, column 1027; to line 837, column 33

```
ue="201"> <div class="tn-molecule" id="molecule-174643820134599990"> <div
```

844. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 930, column 1640; to line 933, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild3566-3939-4631-b232-323931336463/accent-icon-  
small.svg' src='https://static.tildacdn.com/tild3566-3939-4631-b232-323931336463/accent-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

845. **Error** No space between attributes.

At line 933, column 1722

```
class='tn-atom' field='tn_text_
```

846. **Error** Attribute `field` not allowed on element `div` at this point.

From line 933, column 1702; to line 933, column 1751

```
= "fixed"> <div class='tn-atom' field='tn_text_1746438201364'>Вебина
```

Attributes for element `div`:

[Global attributes](#)

847. **Error** Duplicate ID `molecule-174643821035817380`.

From line 934, column 1065; to line 936, column 33

```
ue="841"> <div class="tn-molecule" id="molecule-174643821035817380"> <div
```

848. **Warning** The first occurrence of ID `molecule-174643821035817380` was here.

From line 643, column 1064; to line 645, column 33

```
ue="841"> <div class="tn-molecule" id="molecule-174643821035817380"> <div
```

849. **Error** No space between attributes.

At line 936, column 2055

```
class='tn-atom' field='tn_text_
```

850. **Error** Attribute `field` not allowed on element `h2` at this point.

From line 936, column 2036; to line 936, column 2084

```
lue="28"> <h2 class='tn-atom' field='tn_text_1745927615016'>Провод
```

851. **Error** No space between attributes.

At line 936, column 4244

```
class='tn-atom' field='tn_text_
```

852. **Error** Attribute `field` not allowed on element `h2` at this point.

From line 936, column 4225; to line 936, column 4273

```
lue="14"> <h2 class='tn-atom' field='tn_text_1745964242089'>Зануык
```

853. **Error** Duplicate ID `molecule-175112772793664300`.

From line 937, column 1467; to line 939, column 33

```
= "fixed"> <div class="tn-molecule" id="molecule-175112772793664300"> <div
```

854. **Warning** The first occurrence of ID `molecule-175112772793664300` was here.

From line 664, column 1595; to line 666, column 33

```
= "fixed"> <div class="tn-molecule" id="molecule-175112772793664300"> <div
```

855. **Error** Duplicate ID `molecule-175112772793675580`.

From line 940, column 1233; to line 942, column 33

```
60="hug"> <div class="tn-molecule" id="molecule-175112772793675580"> <div
```

856. **Warning** The first occurrence of ID `molecule-175112772793675580` was here.

From line 667, column 1394; to line 669, column 33

```
ue="276"> <div class="tn-molecule" id="molecule-175112772793675580"> <div
```

857. **Error** No space between attributes.

At line 942, column 1281

```
class='tn-atom'field='tn_text_
```

858. **Error** Attribute `field` not allowed on element `h3` at this point.

From line 942, column 1262; to line 942, column 1310

```
lue="18"> <h3 class='tn-atom'field='tn_text_1751127727936'>Вовлек
```

859. **Error** No space between attributes.

At line 942, column 2680

```
class='tn-atom'field='tn_text_
```

860. **Error** Attribute `field` not allowed on element `div` at this point.

From line 942, column 2660; to line 942, column 2709

```
lue="14"> <div class='tn-atom'field='tn_text_1751127727955'>Чаты,
```

Attributes for element `div`:

[Global attributes](#)

861. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 942, column 4369; to line 945, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-
```

```
original='https://static.tildacdn.com/tild3532-6564-4034-b461-
```

```
653730373234/Frame_1597881554_1.png' src='https://thb.tildacdn.com/tild3532-6564-4034-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

862. **Error** Duplicate ID `molecule-175112783226578620`.

From line 946, column 1404; to line 948, column 33

```
= "fixed"> <div class="tn-molecule" id="molecule-175112783226578620"> <div
```

863. **Warning** The first occurrence of ID `molecule-175112783226578620` was here.

From line 673, column 1407; to line 675, column 33

```
= "fixed"> <div class="tn-molecule" id="molecule-175112783226578620"> <div
```

864. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 948, column 1249; to line 951, column 2

```
tn-atom'> <img class='tn-atom_img t-img' data-  
original='https://static.tildacdn.com/tild3531-3364-4031-a437-  
303938633435/Frame_1597881736_1.png' src='https://thb.tildacdn.com/tild3531-3364-4031-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

865. **Error** Duplicate ID `molecule-175112799485374630`.

From line 952, column 1328; to line 954, column 33

```
ue="228"> <div class="tn-molecule" id="molecule-175112799485374630"> <div
```

866. **Warning** The first occurrence of ID `molecule-175112799485374630` was here.

From line 679, column 1376; to line 681, column 33

```
ue="225"> <div class="tn-molecule" id="molecule-175112799485374630"> <div
```

867. **Error** No space between attributes.

At line 954, column 2172

```
class='tn-atom' field='tn_text_
```

868. **Error** Attribute `field` not allowed on element `h3` at this point.

From line 954, column 2153; to line 954, column 2201

```
lue="18"> <h3 class='tn-atom' field='tn_text_1751127832265'>Записи
```

869. **Error** No space between attributes.

At line 954, column 4321

```
class='tn-atom' field='tn_text_
```

870. **Error** Attribute `field` not allowed on element `div` at this point.

From line 954, column 4301; to line 954, column 4350

```
lue="14"> <div class='tn-atom' field='tn_text_1751127832286'>Анонси
```

Attributes for element `div`:

[Global attributes](#)

871. **Error** Duplicate ID `molecule-175112800529934740`.

From line 955, column 1405; to line 957, column 33

```
60="hug"> <div class="tn-molecule" id="molecule-175112800529934740"> <div
```

872. **Warning** The first occurrence of ID `molecule-175112800529934740` was here.

From line 682, column 1446; to line 684, column 33

```
="fixed"> <div class="tn-molecule" id="molecule-175112800529934740"> <div
```

873. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 957, column 1211; to line 960, column 2

```
tn-atom'> <img class='tn-atom_img t-img' data-  
original='https://static.tildacdn.com/tild3639-3238-4230-b934-  
663530373734/Frame_1597881663_2.png' src='https://thb.tildacdn.com/tild3639-3238-4230-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

874. **Error** Duplicate ID `molecule-175112800531365820`.

From line 961, column 1179; to line 963, column 33

```
ue="228"> <div↵class="tn-molecule"↵id="molecule-175112800531365820"> <div
```

875. **Warning** The first occurrence of ID `molecule-175112800531365820` was here.

From line 688, column 1185; to line 690, column 33

```
ue="228"> <div↵class="tn-molecule"↵id="molecule-175112800531365820"> <div
```

876. **Error** No space between attributes.

At line 963, column 1960

```
class='tn-atom'field='tn_text_
```

877. **Error** Attribute `field` not allowed on element `h3` at this point.

From line 963, column 1941; to line 963, column 1989

```
lue="18"> <h3 class='tn-atom'field='tn_text_1751128005313'>Напоми
```

878. **Error** No space between attributes.

At line 963, column 3687

```
class='tn-atom'field='tn_text_
```

879. **Error** Attribute `field` not allowed on element `div` at this point.

From line 963, column 3667; to line 963, column 3716

```
lue="14"> <div class='tn-atom'field='tn_text_1751128005330'>Авто-Н
```

Attributes for element `div`:

[Global attributes](#)

880. **Error** Duplicate ID `molecule-175112800777999240`.

From line 964, column 1404; to line 966, column 33

```
60="hug"> <div↵class="tn-molecule"↵id="molecule-175112800777999240"> <div
```

881. **Warning** The first occurrence of ID `molecule-175112800777999240` was here.

From line 691, column 1443; to line 693, column 33

```
= "fixed"> <div↵class="tn-molecule"↵id="molecule-175112800777999240"> <div
```

882. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 966, column 1251; to line 969, column 2

```
tn-atom'> <img class='tn-atom__img t-img' data-  
original='https://static.tildacdn.com/tild3439-3731-4165-b832-  
356638396664/Frame_1597881737_1.png'↵src='https://thb.tildacdn.com/tild3439-3731-4165-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

883. **Error** Duplicate ID `molecule-175112800779272070`.

From line 970, column 1178; to line 972, column 33

```
ue="228"> <div class="tn-molecule" id="molecule-175112800779272070"> <div
```

884. **Warning** The first occurrence of ID `molecule-175112800779272070` was here.

From line 697, column 1185; to line 699, column 33

```
ue="228"> <div class="tn-molecule" id="molecule-175112800779272070"> <div
```

885. **Error** No space between attributes.

At line 972, column 1959

```
class='tn-atom'field='tn_text_
```

886. **Error** Attribute `field` not allowed on element `h3` at this point.

From line 972, column 1940; to line 972, column 1988

```
lue="18"> <h3 class='tn-atom'field='tn_text_1751128007792'>Пригла
```

887. **Error** No space between attributes.

At line 972, column 4114

```
class='tn-atom'field='tn_text_
```

888. **Error** Attribute `field` not allowed on element `div` at this point.

From line 972, column 4094; to line 972, column 4143

```
lue="14"> <div class='tn-atom'field='tn_text_1751128007809'>Пригла
```

Attributes for element `div`:

[Global attributes](#)

889. **Error** Attribute `imgfield` not allowed on element `img` at this point.

From line 972, column 5497; to line 975, column 2

```
tn-atom'> <img class='tn-atom_img t-img' data-
```

```
original='https://static.tildacdn.com/tild3736-3363-4331-a261-
```

```
663432393834/Frame_1597881735_1.png' src='https://thb.tildacdn.com/tild3736-3363-4331-
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[controls](#) — Show user agent controls

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

890. **Error** Element [style](#) not allowed as child of element [div](#) in this context.

(Suppressing further errors from this subtree.)

From line 975, column 406; to line 975, column 412

```
T396 --> <style>#rec11
```

Contexts in which element [style](#) may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: One or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

Otherwise, if the element is a descendant of an [option](#) element: Zero or more [option element inner content elements](#).

Otherwise, if the element is a descendant of an [optgroup](#) element: Zero or more [optgroup element inner content elements](#).

Otherwise, if the element is a descendant of a [select](#) element: Zero or more [select element inner content elements](#).

Otherwise: [flow content](#).

891. **Error** CSS: [order](#) : Parse Error.

At line 975, column 9235

```
-shrink:0;order:;align-self:au
```

892. **Error** CSS: [order](#) : Parse Error.

At line 975, column 9533

```
-shrink:0;order:;align-self:au
```

893. **Error** CSS: [order](#) : Parse Error.

At line 975, column 9831

```
-shrink:0;order:;align-self:au
```

894. **Error** CSS: `order` : **Parse Error.**

At line 975, column 10119

```
-shrink:0;order:;align-self:au
```

895. **Error** CSS: `order` : **Parse Error.**

At line 975, column 22034

```
-shrink:1;order:;align-self:au
```

896. **Error** CSS: `order` : **Parse Error.**

At line 975, column 22669

```
-shrink:1;order:;align-self:au
```

897. **Fatal Error** Too many messages.

<https://skillspace.ru/>

Document checking completed.

Used the HTML parser. Externally specified character encoding was UTF-8.

Total execution time 1227 milliseconds.

[About this checker](#) • [Report an issue](#)