
kmerseek 0.4.0, 16 alphabets at ≥ 28.45 bits per k-mer
colour: HLA part most alphabets matched
Ig-like domain
transmembrane helix
cytoplasmic tail
not mapped (GENCODE isoform differs from UniProt; residues not found)
peptide-binding groove
FUN025104_PIK3AP1 vs HLA-E
FUN016327_flrt2 vs HLA-B
FUN006437_FUN006437 vs HLA-B
FUN025104_PIK3AP1 vs HLA-A
FUN008939_FUN008939 vs HLA-DQB2
FUN014809_PRR11 vs HLA-B
FUN033977_FUN033977 vs HLA-DOA
FUN025104_PIK3AP1 vs HLA-C
FUN019029_FUN019029 vs HLA-B
FUN028320_FUN028320 vs HLA-DQA1
FUN028320_FUN028320 vs HLA-DQA2
FUN000671_NCAPG vs HLA-DRA
FUN024102_FUN024102 vs HLA-F
FUN006195_FUN006195 vs HLA-DRB5
FUN017495_FUN017495 vs HLA-B
best E = 0.089
best E = 0.12
best E = 0.13
best E = 0.23
best E = 0.27
best E = 0.3
best E = 0.32
best E = 0.38
best E = 0.28
best E = 0.28
best E = 0.29
best E = 0.38
best E = 0.58
best E = 0.65
best E = 0.66
0
1
2
3
4
5
alphabets (of 16 with E-values) with this match at E ≤ 1