

pgAdmin 4

File Object Tools Help

Object Explorer

- Event Triggers
- Extensions
- Foreign Data Wrappers
- Languages
- Publications
- Schemas
- Subscriptions
- nyc
 - Cast
 - Catalogs
 - Event Triggers
 - Extensions (6)
 - hstore
 - pg_stat_statements
 - pgcrypto
 - plpgsql
 - postgis
 - uuid-oss
 - Foreign Data Wrappers
 - Languages
 - Publications
 - Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables

Dashboard Properties SQL Statistics Dependencies Dependents Processes nyc/postgres@PostgreSQL 16*

nyc/postgres@PostgreSQL 16

Query Query History

```
1 SELECT query, (total_exec_time / 1000 / 60) as total_min, mean_exec_time as avg_ms, call
2 FROM pg_stat_statements
3 ORDER BY 1
4 DESC LIMIT 10;
```

Data Output Messages Notifications

query	total_min	avg_ms	calls
text	double precision	double precision	bigint
1 UPDATE table1 SET password_hash = crypt(\$1, gen_salt(\$2))	9.566666666666667e-07	0.019133333333333332	3
2 UPDATE products	1.5616666666666666e-06	0.04685	2
3 UPDATE products	2.3699999999999998e-06	0.1422	1
4 UPDATE products SET attributes = attributes hstore(ARRAY[\$1, \$2], \$3, \$4)) WHERE id = ...	1.5833333333333333e-06	0.095	1
5 SET DateStyle=ISO	5.05e-07	0.0101	3
6 SET DateStyle=ISO	1.03e-06	0.00828571428571429	7
7 SET DateStyle=ISO	7.583333333333333e-07	0.009099999999999999	5
8 SET client_min_messages=notice	4.1166666666666666e-07	0.00494	5
9 SET client_min_messages=notice	3.633333333333333e-07	0.003114285714285714	7
10 SET client_min_messages=notice	1.2666666666666666e-07	0.0025333333333333336	3

Total rows: 10 of 10 Query complete 00:00:00.204 Ln 4, Col 15

pgAdmin 4

File Object Tools Help

Object Explorer

- Event Triggers
- Extensions
- Foreign Data Wrappers
- Languages
- Publications
- Schemas
- Subscriptions
- nyc
 - Cast
 - Catalogs
 - Event Triggers
 - Extensions (6)
 - hstore
 - pg_stat_statements
 - pgcrypto
 - plpgsql
 - postgis
 - uuid-oss
 - Foreign Data Wrappers
 - Languages
 - Publications
 - Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables

Dashboard Properties SQL Statistics Dependencies Dependents Processes nyc/postgres@PostgreSQL 16*

nyc/postgres@PostgreSQL 16

Query Query History

```
1 SELECT query, calls, total_exec_time, rows, shared_blks_hit, shared_blks_read
2 FROM pg_stat_statements
3 WHERE query LIKE 'SELECT%'
4 ORDER BY shared_blks_read DESC, calls DESC
5 LIMIT 5;
```

Data Output Messages Notifications

query
text
1 SELECT *
2 SELECT attname, ty, typename, at, attrnum
3 SELECT DISTINCT att.attname as name, att.attrnum as oid, pg_catalog.format_type(ty, oid, \$1) AS datatype,
4 SELECT
5 SELECT

Total rows: 5 of 5 Query complete 00:00:00.082 Ln 7, Col 1