BUG-10


Failed creates still use up ids

Executive Summary
POST /todos failing field validation still increments the id counter

Pre-Conditions
API running on localhost:4567, freshly started (next id is 3).

Steps to Reproduce
1. POST http://localhost:4567/todos with {"title": "Buy clothing"}. Note the id (3).
2. POST http://localhost:4567/todos with {"title": ""}. Gives 400.
3. POST http://localhost:4567/todos with {"title": "Buy gloves"}. Note the id.

Bug Description
Expected: I expected a rejected request not to consume an ID, so the next todo would be assigned ID 4.
Actual: The next todo was assigned ID 5. Requests failing field validation appear to consume IDs, while malformed JSON and requests containing a manually assigned ID do not.



Reproduced after the session (Oct 18, ~8:30 PM EDT; any Date header shown is in GMT)
In the screenshot, the API was not freshly restarted, so the ids are 6 and 8 instead of 3 and 5.

Frequency
Every time.

Potential Impact
Low. No todo data is lost but IDs can have awkward unexpected gaps. This could be problematic for clients that would assume IDs are sequential.

Notes
Noticed in session 1 when ids jumped from 3 to 7 and then 8 to 12 after some failed requests (6:45 PM and 6:54 PM). After the session I checked which kinds of errors use up an id. Unit tests: BUG-10 SPEC EXPECTED (fails) and BUG-10 OBSERVED (passes).