

PungentFunk Utilities - Snapshot Audit and Script Index

Generated from latest uploaded PungentFunkUtilities.zip on 2026-05-06

Volatile snapshot file generated from the uploaded PungentFunkUtilities.zip archive. This document should be regenerated when scripts change. The architecture/design bible is now separated and should be updated only when design principles or package doctrine change.

1. Snapshot Summary

Metric	Current value	Audit note
C# scripts	123	Up from the previous indexed snapshot of 94 scripts.
Editor scripts	82	Scripts under Editor/.
Runtime/shared scripts	41	Scripts outside Editor/.
Total C# lines	36,273	Approximate physical source lines.
Assembly definitions	2	Runtime and Editor asmdefs are now present.
Files with namespace declarations	122	1 script remains without a namespace.
Namespace declarations	122	One namespace declaration per namespaced file.
MenuItem declarations	80	Includes validation MenuItem duplicates for enable/disable checks.
CreateAssetMenu declarations	12	All detected CreateAssetMenu paths use the PungentFunk Utilities root.

Delta from previous snapshot

Area	Previous indexed snapshot	Current archive	Meaning
C# scripts	94	123	Major structural growth: +29 scripts.
Editor scripts	56	82	Most additions are editor-side split panels, audit tools, scan infrastructure, and appearance tooling.
Runtime/shared scripts	38	41	Small runtime growth; most architecture hardening stayed editor-side.
Total C# lines	30,404	36,273	Source grew by 5,869 lines while several systems were split/refactored.
Assembly definitions	0	2	Runtime/editor asmdefs were added.
Namespace declarations	0	122	Namespace pass is largely complete.
MenuItem declarations	77	80	Slight increase due new Design Validation Audit and Style Explorer access.
CreateAssetMenu declarations	12	12	Count unchanged; paths are now standardised under PungentFunk Utilities.

Headline findings

- Significant hardening completed: namespaces are present in 122 of 123 scripts, runtime/editor asmdefs exist, CreateAssetMenu roots are now consistent, and the Debug Control Center has been split into maintainable partial files.
- A reusable scan infrastructure has been added under Editor/Utilities Core/Scanning, which directly supports the design-bible performance rule for scanner-style tools.
- A Design Validation Audit window and release-readiness helper now exist, giving the package an internal mechanism to check itself against architecture rules.
- Appearance tooling expanded substantially with preset definitions/library and an experimental global editor skin/USS bridge.
- Remaining hardening targets: one non-namespaced script, residual runtime UnityEditor references behind #if UNITY_EDITOR, Thread.Sleep in PrefabIconGeneratorWindow, residual RepaintAll calls, and several still-large windows.

2. Lab Snapshot

Lab	Files	Editor	Runtime/shared	Lines
Asset Placement Lab	15	6	9	2,116
Asset Preview and Export Lab	4	4	0	1,489
Audio Lab	20	6	14	4,718
Colour Lab	13	4	9	3,802
Content Generation Lab	4	2	2	1,175
Debug Lab	12	9	3	3,864
Project Audit and Authoring Lab	7	7	0	4,439
Scene Workflow Lab	10	8	2	4,427
Texture Lab	5	3	2	1,924
UI and Feedback Lab	1	1	0	507
Utility Core and Appearance	32	32	0	7,812

3. Architecture Compliance Snapshot

Namespaces

Namespace	Files
(none)	1
PungentFunk.Utilities.Audio	14
PungentFunk.Utilities.Colour	9
PungentFunk.Utilities.Content	2
PungentFunk.Utilities.Debugging	3
PungentFunk.Utilities.Editor.Audio	6
PungentFunk.Utilities.Editor.Colour	4
PungentFunk.Utilities.Editor.Content	2
PungentFunk.Utilities.Editor.Core	12
PungentFunk.Utilities.Editor.Debugging	9
PungentFunk.Utilities.Editor.Generation	3
PungentFunk.Utilities.Editor.Placement	6
PungentFunk.Utilities.Editor.PreviewExport	4
PungentFunk.Utilities.Editor.ProjectAudit	7
PungentFunk.Utilities.Editor.Scanning	8
PungentFunk.Utilities.Editor.SceneTools	8
PungentFunk.Utilities.Editor.Theme	11
PungentFunk.Utilities.Editor.UI	1
PungentFunk.Utilities.Generation	2
PungentFunk.Utilities.Placement	9
PungentFunk.Utilities.SceneTools	2

Scripts without namespace declaration:

Path
Editor/Utilities Core/Window Themes/UtilityWindowThemeCustomizer.cs

Assembly definitions

Path	Name	References	Platforms
Editor/PungentFunk.Utilities.Editor.asmdef	PungentFunk.Utilities.Editor	PungentFunk.Utilities.Runtime	Editor
PungentFunk.Utilities.Runtime.asmdef	PungentFunk.Utilities.Runtime	-	All

CreateAssetMenu path audit

Menu path	File name	Script
PungentFunk.Utilities/Asset Placement/Asset Set	Placement Asset Set	Asset Placement Lab/PungentPlacementAssetSetSO.cs

Menu path	File name	Script
PungentFunk Utilities/Asset Placement/Rule Set	Placement Rule Set	Asset Placement Lab/PungentPlacementRuleSetSO.cs
PungentFunk Utilities/Audio/Clip Set	AudioClipSet	Audio Coverage/AudioClipSetSO.cs
PungentFunk Utilities/Audio/Coverage Profile	AudioCoverageProfile	Audio Coverage/AudioCoverageProfileSO.cs
PungentFunk Utilities/Audio/Interaction Matrix	AudioInteractionMatrix	Audio Coverage/AudioInteractionMatrixSO.cs
PungentFunk Utilities/Audio/Interaction Profile	AudioInteractionProfile	Audio Coverage/AudioInteractionProfileSO.cs
PungentFunk Utilities/Audio/Material Library	AudioMaterialLibrary	Audio Coverage/AudioMaterialLibrarySO.cs
PungentFunk Utilities/Audio/Surface Material	AudioSurfaceMaterial	Audio Coverage/AudioSurfaceMaterialSO.cs
PungentFunk Utilities/Audio/Terrain Material Profile	TerrainAudioMaterialProfile	Audio Coverage/TerrainAudioMaterialProfileSO.cs
PungentFunk Utilities/Content Generation/Mad-Lib Name List	New Mad-Lib Name List	Name Generator/MadLibNameList.cs
PungentFunk Utilities/Content Generation/Name List	New Name List	Name Generator/NameList.cs
PungentFunk Utilities/Colour/Palette	Pungent Colour Palette	Palette Designer/PungentColourPaletteSO.cs

Menu access audit

Menu root/category	Count
Assets/PungentFunk Utilities	9
GameObject/PungentFunk Utilities	19
Tools/Debug/Debug Control Center	1
Tools/Font Preview	1
Tools/Pungent Colour Suite/Open Palette Designer	1
Tools/RenameTool	1
Tools/Terrain/Terrain Usage Scanner	1
Tools/Utilities/Appearance	2
Tools/Utilities/Assets	2
Tools/Utilities/Audio	2
Tools/Utilities/Colour	1
Tools/Utilities/Components	2
Tools/Utilities/Core	1
Tools/Utilities/Debug	1
Tools/Utilities/Generation	3
Tools/Utilities/Input	4
Tools/Utilities/Labs	11
Tools/Utilities/Open Control Panel	1
Tools/Utilities/Placement	1
Tools/Utilities/Prefabs	1
Tools/Utilities/PungentFunk Control Panel	1
Tools/Utilities/Scene	7
Tools/Utilities/Terrain	1
Tools/Utilities/Texture	2
Tools/Utilities/Workflow	2

Duplicate MenuItem path entries are mostly validation methods paired with command methods, but they should remain intentional and clean.

Menu path	Count	Script(s)
Assets/PungentFunk Utilities/Create Placement Asset Set From Selected Prefabs	2	Editor/Asset Placement Lab/PungentAssetPlacementAccessMenus.cs
GameObject/PungentFunk Utilities/Add Placement Socket	2	Editor/Asset Placement Lab/PungentAssetPlacementAccessMenus.cs
GameObject/PungentFunk Utilities/Add Scene Gizmo Source	2	Editor/Utilities Core/PungentUtilityAccessMenus.cs
GameObject/PungentFunk Utilities/Fast Travel SceneView To Selection	2	Editor/PungentSceneNavigationWindow.cs
GameObject/PungentFunk Utilities/Open Component Tuning Copy	2	Editor/Utilities Core/PungentUtilityAccessMenus.cs
GameObject/PungentFunk Utilities/Open Modular Path Builder	2	Editor/Utilities Core/PungentUtilityAccessMenus.cs
GameObject/PungentFunk Utilities/Open Reference Assignment Scanner	2	Editor/Utilities Core/PungentUtilityAccessMenus.cs
GameObject/PungentFunk Utilities/Open Scene Navigation	2	Editor/Utilities Core/PungentUtilityAccessMenus.cs

Menu path	Count	Script(s)
GameObject/PungentFunk Utilities/Open Surface Align Tool	2	Editor/Utilities Core/PungentUtilityAccessMenus.cs
GameObject/PungentFunk Utilities/Open Tooltip Notes	2	Editor/Utilities Core/PungentUtilityAccessMenus.cs
Tools/Utilities/Input/Populate Selected Input Prompt Library	2	Editor/InputPromptIconLibraryAutoFill.cs

4. Performance and Safety Hotspot Audit

AssetDatabase.FindAssets usage

Acceptable when user-triggered/cached; avoid on every OnGUI repaint.

Script	Count
Editor/Audio Coverage/AudioCoverageContextWindow.cs	3
Editor/Audio Coverage/AudioCoverageWindow.cs	3
Editor/Audio Coverage/AudioInteractionMatrixEditor.cs	1
Editor/FontPreviewWindow.cs	2
Editor/InputPromptIconLibraryAutoFill.cs	4
Editor/Name Generator/NameGeneratorWindow.cs	2
Editor/PungentCoverageMatrixWindow.cs	1
Editor/PungentTokenValidatorWindow.cs	1
Editor/ReferenceAssignmentScannerWindow.cs	1
Editor/TerrainUsageScannerWindow.cs	2
Editor/Utilities Core/PungentUtilityDesignAudit.cs	5
Editor/Utilities Core/Window Themes/UtilityWindowTheme.cs	1

Resources.FindObjectsOfTypeAll usage

High-cost in large projects; should be explicit/cached and never continuous repaint work.

Script	Count
Editor/Debug Control Window/DebugControlDiscoveryService.cs	1
Editor/ReferenceAssignmentScannerWindow.cs	2
Editor/Scene Gizmos/PungentGizmoBrowserWindow.cs	1
Editor/Utilities Core/PungentUtilityDesignAudit.cs	1
Editor/Utilities Core/Window Themes/UtilityWindowTheme.cs	1

SceneView.RepaintAll usage

Prefer active SceneView/current window repaint unless broad repaint is required.

Script	Count
Editor/Utilities Core/PungentEditorPerformanceUtility.cs	1
Editor/Utilities Core/PungentUtilityDesignAudit.cs	1

Thread.Sleep usage

Should be removed from editor tools; use queued work instead.

Script	Count
Editor/PrefabIconGeneratorWindow.cs	1

Large-file maintainability watchlist

Script	Lines	Architectural note
Editor/Palette Designer/PaletteDesignerWindow.cs	2176	Split/continue modularising
Editor/Audio Coverage/AudioCoverageWindow.cs	1502	Split/continue modularising
Editor/TerrainUsageScannerWindow.cs	1098	Split/continue modularising
Editor/Utilities Core/Window Themes/UtilityWindowTheme.cs	1069	Split/continue modularising
Editor/Utilities Core/Window Themes/UtilityWindowThemeCustomizer.cs	1003	Split/continue modularising

Script	Lines	Architectural note
Modular Paths/ModularPathSpawner.cs	982	Split/continue modularising
Editor/ReferenceAssignmentScannerWindow.cs	894	Split/continue modularising
Editor/Name Generator/NameGeneratorWindow.cs	737	Split/continue modularising
Editor/Audio Coverage/AudioCoverageContextWindow.cs	730	Split/continue modularising
Editor/Debug Control Window/DebugControlActionScheduler.cs	686	Monitor
Editor/Utilities Core/PungentUtilityControlPanelWindow.cs	680	Monitor
Editor/FontPreviewWindow.cs	675	Monitor
Editor/Asset Placement Lab/AssetPlacementLabWindow.cs	666	Monitor
Editor/Modular Paths/ModularPathWindow.cs	661	Monitor
Editor/BulkRenameWindow.cs	658	Monitor
Debug/DebugRouter.cs	630	Monitor
Editor/Debug Control Window/DebugControlComponentPanel.cs	616	Monitor
Editor/PungentSceneNavigationWindow.cs	616	Monitor
Editor/Utilities Core/PungentUtilityDesignAudit.cs	606	Monitor
Generation/ProceduralTextureGenerator.cs	603	Monitor

Runtime/editor separation watchlist

Runtime/shared script with UnityEditor reference	Note
Modular Paths/ModularPathSpawner.cs	Currently guarded or should be split before stricter package export.

Optional dependency watchlist

Script	Dependency note
Editor/FontPreviewWindow.cs	TMP/TextMeshPro references detected; keep behind TMP_PRESENT, reflection, or optional asmdef/version define.
Editor/Palette Designer/PaletteApplyUtility.cs	TMP/TextMeshPro references detected; keep behind TMP_PRESENT, reflection, or optional asmdef/version define.

5. New or Materially Refactored Areas Since Last Snapshot

- **Namespace/asmdef pass:** package now includes PungentFunk.Utilities.Runtime and PungentFunk.Utilities.Editor asmdefs, and nearly every script has a PungentFunk namespace.
- **Debug Control split:** DebugControlWindow is now supported by action model, scheduler, component panel, discovery service, field model, reflection utility, router panel, and state partials.
- **Shared scanning infrastructure:** new reusable scan result/cache/session/severity/summary/GUI models under Utilities Core/Scanning.
- **Design validation tooling:** PungentUtilityDesignAudit, DesignAuditWindow, PackageStatus, and ReleaseReadiness provide self-auditing and next-pass brief generation.
- **Appearance Lab expansion:** theme preset definitions/library and experimental global skin bridge/style explorer files were added.
- **Menu/CreateAssetMenu cleanup:** CreateAssetMenu roots are standardised under PungentFunk Utilities; menu count increased slightly with new core/appearance tooling.

6. Script Index

Purpose and feature-set summaries are architecture-level descriptions intended to stay useful as code evolves. Line counts are from the uploaded archive.

Asset Placement Lab

Asset Placement Lab/PungentPlacedAssetMarker.cs (19 lines; Runtime/shared; namespace: PungentFunk.Utilities.Placement)

Purpose: Marker for generated placement instances.

Feature set / links: Stores group ID, module ID, seed, source prefab, estimated bounds, and generation timestamp.

Asset Placement Lab/PungentPlacementAssetSetS0.cs (157 lines; Runtime/shared; namespace: PungentFunk.Utilities.Placement)

Purpose: Weighted prefab catalogue for placement.

Feature set / links: Prefab entries, tags, weight/probability, random scale/rotation, footprint metadata, and random selection.

Asset Placement Lab/PungentPlacementBoundsUtility.cs (118 lines; Runtime/shared; namespace: PungentFunk.Utilities.Placement)

Purpose: Placement bounds helper.

Feature set / links: Hierarchy bounds, prefab local/world estimation, absolute extents, and selection encapsulation.

Asset Placement Lab/PungentPlacementGridUtility.cs (72 lines; Runtime/shared; namespace: PungentFunk.Utilities.Placement)

Purpose: Grid and footprint helper methods.

Feature set / links: World/cell conversion, snapping, rotated footprint cells, overlap checks, and occupancy marking.

Asset Placement Lab/PungentPlacementGroup.cs (29 lines; Runtime/shared; namespace: PungentFunk.Utilities.Placement)

Purpose: Root metadata for generated placement groups.

Feature set / links: Group ID, display name, module, seed, source asset set/rules, and child counting.

Asset Placement Lab/PungentPlacementRuleSetS0.cs (85 lines; Runtime/shared; namespace: PungentFunk.Utilities.Placement)

Purpose: Reusable placement rule profile.

Feature set / links: Surface masks, spacing, height/slope filtering, heatmap sampling, overlap settings, grouping, naming, marker behavior.

Asset Placement Lab/PungentPlacementScatterUtility.cs (341 lines; Runtime/shared; namespace: PungentFunk.Utilities.Placement)

Purpose: Candidate generation engine for scatter placement.

Feature set / links: Random, min-spacing, grid, jittered-grid, hex, spiral, ring, and line candidate generation with raycast/rule rejection states.

Asset Placement Lab/PungentPlacementSocket.cs (46 lines; Runtime/shared; namespace: PungentFunk.Utilities.Placement)

Purpose: Socket metadata for modular prefab connection points.

Feature set / links: Socket ID/category, accepted categories, size, direction, and compatibility checks.

Asset Placement Lab/PungentPlacementTypes.cs (194 lines; Runtime/shared; namespace: PungentFunk.Utilities.Placement)

Purpose: Placement enums and transfer models.

Feature set / links: Scatter patterns, area modes, alignment, rejection reasons, surface categories, footprint, tags, candidates, results, and contexts.

Editor/Asset Placement Lab/AssetPlacementLabWindow.cs (666 lines; Editor; namespace: PungentFunk.Utilities.Editor.Placement)

Purpose: Main Asset Placement Lab window.

Feature set / links: Area scatter, grid/footprint, socket validator, group manager, scene preview, rule summaries, asset-set builder, results application.

Editor/Asset Placement Lab/PungentAssetPlacementAccessMenus.cs (41 lines; Editor; namespace: PungentFunk.Utilities.Editor.Placement)

Purpose: Placement context menu helpers.

Feature set / links: Creates placement asset sets from selected prefabs and adds placement sockets to selected GameObjects.

Editor/Asset Placement Lab/PungentAssetPlacementUtilitiesRegistrar.cs (35 lines; Editor; namespace: PungentFunk.Utilities.Editor.Placement)

Purpose: Placement-lab registry hook.

Feature set / links: Registers Asset Placement Lab descriptor; should remain consistent with broader per-lab or central registry policy.

Editor/Asset Placement Lab/PungentPlacementApplyUtility.cs (137 lines; Editor; namespace: PungentFunk.Utilities.Editor.Placement)

Purpose: Scene application utility for placement results.

Feature set / links: Prefab instantiation, group root creation, Undo support, marker attachment, naming, scene dirtying.

Editor/Asset Placement Lab/PungentPlacementAssetSetBuilder.cs (90 lines; Editor; namespace: PungentFunk.Utilities.Editor.Placement)

Purpose: Asset-set creation helper.

Feature set / links: Imports selected prefabs, creates placement asset set assets, adds entries, and persists through AssetDatabase.

Editor/Asset Placement Lab/PungentPlacementSocketValidator.cs (86 lines; Editor; namespace: PungentFunk.Utilities.Editor.Placement)

Purpose: Socket diagnostics and setup helper.

Feature set / links: Finds missing/duplicate IDs, empty categories, invalid size/direction, and adds sockets to selection.

Asset Preview and Export Lab

Editor/FontPreviewWindow.cs (675 lines; Editor; namespace: PungentFunk.Utilities.Editor.PreviewExport)

Purpose: Font and TMP font preview window.

Feature set / links: Search/filter fonts, cached preview renders, queued preview generation, resize settings, Unity/TMP font comparison.

Editor/Prefab Exporter/PrefabAssetExporter.cs (297 lines; Editor; namespace: PungentFunk.Utilities.Editor.PreviewExport)

Purpose: Prefab asset extraction service.

Feature set / links: Copies/reuses meshes/materials/textures used by prefab hierarchies into export folders, supports skinned meshes, reports saved/reused assets.

Editor/Prefab Exporter/PrefabAssetExporterWindow.cs (114 lines; Editor; namespace: PungentFunk.Utilities.Editor.PreviewExport)

Purpose: Prefab Asset Exporter window.

Feature set / links: Selection source, output folder, include disabled/skinned options, material/texture copy controls, export report display.

Editor/PrefabIconGeneratorWindow.cs (403 lines; Editor; namespace: PungentFunk.Utilities.Editor.PreviewExport)

Purpose: Prefab icon generator window and service.

Feature set / links: Non-blocking preview-to-PNG jobs, queue/cancel workflow, selection support, asset icon export.

Audio Lab

Audio Coverage/AudioClipSetSO.cs (152 lines; Runtime/shared; namespace: PungentFunk.Utilities.Audio)

Purpose: Reusable audio clip-set asset.

Feature set / links: Weighted/sequential clip selection, volume/pitch ranges, cooldowns, immediate-repeat avoidance.

Audio Coverage/AudioCoverageProfileSO.cs (513 lines; Runtime/shared; namespace: PungentFunk.Utilities.Audio)

Purpose: Audio setup coverage profile asset.

Feature set / links: Cue binding rules, component expectations, required fields, runtime hook type names, ignored cues, scene/prefab options, generic defaults.

Audio Coverage/AudioInteractionMatrixSO.cs (91 lines; Runtime/shared; namespace: PungentFunk.Utilities.Audio)

Purpose: Surface interaction lookup matrix.

Feature set / links: Exact material-pair profiles, category fallback rules, default fallback profile resolution.

Audio Coverage/AudioInteractionProfileSO.cs (70 lines; Runtime/shared; namespace: PungentFunk.Utilities.Audio)

Purpose: Audio profile for material interactions.

Feature set / links: Contact-event clip rules and blend settings for material pairs.

Audio Coverage/AudioMaterialLibrarySO.cs (39 lines; Runtime/shared; namespace: PungentFunk.Utilities.Audio)

Purpose: Surface-audio material library.

Feature set / links: Find/contains/get-all access for AudioSurfaceMaterialSO entries.

Audio Coverage/AudioMaterialResolver.cs (119 lines; Runtime/shared; namespace: PungentFunk.Utilities.Audio)

Purpose: Runtime resolver from colliders/raycast hits/terrain to audio materials.

Feature set / links: AudioMaterialTag lookup, terrain dominant/weighted material lookup, surface resolution helpers.

Audio Coverage/AudioMaterialTag.cs (69 lines; Runtime/shared; namespace: PungentFunk.Utilities.Audio)

Purpose: Collider/object audio material tag.

Feature set / links: Primary/secondary material assignment, role metadata, child collider application, try-get helpers.

Audio Coverage/AudioSurfaceMaterialSO.cs (75 lines; Runtime/shared; namespace: PungentFunk.Utilities.Audio)

Purpose: Surface audio material definition.

Feature set / links: ID, display name, category, hardness/softness helpers, debug labels.

Audio Coverage/ContactAudioEvent.cs (23 lines; Runtime/shared; namespace: PungentFunk.Utilities.Audio)

Purpose: Contact audio event data structure.

Feature set / links: Material pair, point, normal, speeds, intensity, duration, source object/collider, sustained flag, contact ID.

Audio Coverage/ContactAudioEventType.cs (17 lines; Runtime/shared; namespace: PungentFunk.Utilities.Audio)

Purpose: Contact event type enum.

Feature set / links: Brush/slide/drag/scrape, light/medium/heavy impact, bounce, release, and related event classes.

Audio Coverage/ContactAudioRouter.cs (210 lines; Runtime/shared; namespace: PungentFunk.Utilities.Audio)

Purpose: Runtime contact audio playback router.

Feature set / links: Profiles/matrices, transient playback, sustained loops, AudioSource pooling, rule resolution, intensity updates, cleanup.

Audio Coverage/ContactEventClassifier.cs (111 lines; Runtime/shared; namespace: PungentFunk.Utilities.Audio)

Purpose: Runtime contact classifier.

Feature set / links: Converts collision/contact data into typed audio events using impact, tangential speed, bounce, and duration thresholds.

Audio Coverage/ContactLoopInstance.cs (67 lines; Runtime/shared; namespace: PungentFunk.Utilities.Audio)

Purpose: Runtime sustained-loop state object.

Feature set / links: Initialize/update/fade/expire/stop lifecycle for looping contact audio sources.

Audio Coverage/TerrainAudioMaterialProfileSO.cs (139 lines; Runtime/shared; namespace: PungentFunk.Utilities.Audio)

Purpose: TerrainLayer-to-audio-material profile.

Feature set / links: Layer bindings, dominant material resolution, weighted blending, fallback material support.

Editor/Audio Coverage/AudioCoverageContextWindow.cs (730 lines; Editor; namespace: PungentFunk.Utilities.Editor.Audio)

Purpose: Audio setup coverage scanner.

Feature set / links: Validates scenes/prefabs/assets against coverage profiles; reports severity, context, missing fields, runtime hooks, terrain profiles, matrices.

Editor/Audio Coverage/AudioCoverageProfileSOEditor.cs (57 lines; Editor; namespace: PungentFunk.Utilities.Editor.Audio)

Purpose: Custom editor for AudioCoverageProfileSO.

Feature set / links: Reset-to-defaults and profile inspector enhancements.

Editor/Audio Coverage/AudioCoverageWindow.cs (1502 lines; Editor; namespace: PungentFunk.Utilities.Editor.Audio)

Purpose: Audio catalog coverage scanner.

Feature set / links: Audits cue/catalog/binding coverage, script references, duplicate/missing/incomplete cues, setup helpers, catalog-profile relationships.

Editor/Audio Coverage/AudioInteractionMatrixEditor.cs (399 lines; Editor; namespace: PungentFunk.Utilities.Editor.Audio)

Purpose: Custom editor for interaction matrices.

Feature set / links: Missing pair diagnostics, duplicate checks, fallback/library validation, matrix authoring help.

Editor/Audio Coverage/AudioMaterialTagEditor.cs (160 lines; Editor; namespace: PungentFunk.Utilities.Editor.Audio)

Purpose: Custom editor for AudioMaterialTag.

Feature set / links: Tag inspector with child-collider application and material role guidance.

Editor/Audio Coverage/TerrainAudioProfileEditor.cs (175 lines; Editor; namespace: PungentFunk.Utilities.Editor.Audio)

Purpose: Custom editor for terrain audio profiles.

Feature set / links: Binding diagnostics, duplicate TerrainLayer checks, profile summary.

Colour Lab

Editor/Palette Designer/PaletteApplyUtility.cs (280 lines; Editor; namespace: PungentFunk.Utilities.Editor.Colour)

Purpose: Palette application helper.

Feature set / links: Finds materials/renderers/UI/text targets, applies colours to selected assets/objects, and uses reflection for optional TMP-style text support.

Editor/Palette Designer/PaletteDesignerWindow.cs (2176 lines; Editor; namespace: PungentFunk.Utilities.Editor.Colour)

Purpose: Main palette authoring window.

Feature set / links: Palette board, swatch editing, generation, selected swatch details, analysis, application tools, save/load, advanced options, resizable sections.

Editor/Palette Designer/PungentColourPaletteS0Editor.cs (33 lines; Editor; namespace: PungentFunk.Utilities.Editor.Colour)

Purpose: Custom editor for palette assets.

Feature set / links: Inspector integration for palette data and quick authoring hooks.

Editor/Palette Designer/PungentPaletteStorageUtility.cs (160 lines; Editor; namespace: PungentFunk.Utilities.Editor.Colour)

Purpose: Palette persistence helper.

Feature set / links: Default asset paths, save/load/create workflows, and palette asset management.

Palette Designer/ColourContrastUtility.cs (78 lines; Runtime/shared; namespace: PungentFunk.Utilities.Colour)

Purpose: Contrast helpers.

Feature set / links: Relative luminance, contrast ratios, readability ratings, and foreground/background scoring.

Palette Designer/ColourConversionUtility.cs (200 lines; Runtime/shared; namespace: PungentFunk.Utilities.Colour)

Purpose: Colour-mode conversion utilities.

Feature set / links: RGB/HSV/CMYK/LAB/grayscale-style value conversions and mode value containers.

Palette Designer/ColourDeficiencyPreviewUtility.cs (71 lines; Runtime/shared; namespace: PungentFunk.Utilities.Colour)

Purpose: Colour deficiency simulation.

Feature set / links: Preview modes and matrix-style transforms for colour-blindness review.

Palette Designer/ColourHarmonyUtility.cs (101 lines; Runtime/shared; namespace: PungentFunk.Utilities.Colour)

Purpose: Harmony calculations.

Feature set / links: Complementary, split, analogous, triadic, tetradic/square-like hue generation and harmony helpers.

Palette Designer/PaletteAnalysisUtility.cs (171 lines; Runtime/shared; namespace: PungentFunk.Utilities.Colour)

Purpose: Palette analysis and reporting.

Feature set / links: Contrast pairs, role coverage, readability diagnostics, duplicate/similarity concerns, report models.

Palette Designer/PaletteGenerationSettings.cs (81 lines; Runtime/shared; namespace: PungentFunk.Utilities.Colour)

Purpose: Palette generation settings model.

Feature set / links: Harmony mode, seed, count, role/tone/contrast controls, and generator configuration.

Palette Designer/PaletteGeneratorUtility.cs (306 lines; Runtime/shared; namespace: PungentFunk.Utilities.Colour)

Purpose: Palette generation engine.

Feature set / links: Harmony-aware generation, swatch naming, locked swatch preservation, variation generation, role assignment.

Palette Designer/PaletteSwatch.cs (62 lines; Runtime/shared; namespace: PungentFunk.Utilities.Colour)

Purpose: Serializable palette swatch model.

Feature set / links: Name, color, role, lock state, priority, clone support, and palette role enum.

Palette Designer/PungentColourPaletteSO.cs (83 lines; Runtime/shared; namespace: PungentFunk.Utilities.Colour)

Purpose: Reusable colour palette asset.

Feature set / links: Palette name, description, tags, swatches, add/remove/find operations, and clone-style editor use.

Content Generation Lab

Editor/Name Generator/NameGeneratorWindow.cs (737 lines; Editor; namespace: PungentFunk.Utilities.Editor.Content)

Purpose: Name generation window.

Feature set / links: List and MadLib modes, token bindings, source list management, generated results, uniqueness filtering, copy/export workflow.

Editor/Name Generator/NameListEditor.cs (123 lines; Editor; namespace: PungentFunk.Utilities.Editor.Content)

Purpose: Custom editors for name-list assets.

Feature set / links: Inspector support for NameList and MadLibNameList assets.

Name Generator/MadLibNameList.cs (184 lines; Runtime/shared; namespace: PungentFunk.Utilities.Content)

Purpose: Tokenised Mad-Lib name-list asset.

Feature set / links: Pattern fragments/tokens and list-backed generation for richer composed names.

Name Generator/NameList.cs (131 lines; Runtime/shared; namespace: PungentFunk.Utilities.Content)

Purpose: Simple reusable name-list asset.

Feature set / links: Entries, optional weighting/metadata, random selection, CreateAssetMenu path.

Debug Lab

Debug/DebugChannels.cs (69 lines; Runtime/shared; namespace: PungentFunk.Utilities.Debugging)

Purpose: Shared debug channel and signal constants.

Feature set / links: Reusable channel/signal naming for debug routing without project-specific dependencies.

Debug/DebugRouter.cs (630 lines; Runtime/shared; namespace: PungentFunk.Utilities.Debugging)

Purpose: Runtime/editor debug message router.

Feature set / links: Channels, source/state/signal snapshots, levels, subscriptions, source ownership, diagnostics history.

Debug/DebugSignalRelay.cs (90 lines; Runtime/shared; namespace: PungentFunk.Utilities.Debugging)

Purpose: Scene debug-signal relay component.

Feature set / links: String-event rules let scene objects react to debug signals through UnityEvents.

Editor/Debug Control Window/DebugControlActionModel.cs (74 lines; Editor; namespace: PungentFunk.Utilities.Editor.Debugging)

Purpose: Scheduled debug action save models.

Feature set / links: Serializable scheduled-call records, persistence fields, target identity, conditions, fire counts, and last result state.

Editor/Debug Control Window/DebugControlActionScheduler.cs (686 lines; Editor; namespace: PungentFunk.Utilities.Editor.Debugging)

Purpose: Scheduled action panel and executor.

Feature set / links: Draws scheduler UI, persists queued calls, resolves object references, evaluates conditions, and invokes reflected methods.

Editor/Debug Control Window/DebugControlComponentPanel.cs (616 lines; Editor; namespace: PungentFunk.Utilities.Editor.Debugging)

Purpose: Debug component/static field panels.

Feature set / links: Draws master toggles, static fields, component bools, context actions, grouped component controls, and selection actions.

Editor/Debug Control Window/DebugControlDiscoveryService.cs (122 lines; Editor; namespace: PungentFunk.Utilities.Editor.Debugging)

Purpose: Debug discovery service.

Feature set / links: Explicit scan of scene MonoBehaviours and static debug bools; invalidates cached discovery data on refresh.

Editor/Debug Control Window/DebugControlFieldModel.cs (39 lines; Editor; namespace: PungentFunk.Utilities.Editor.Debugging)

Purpose: Debug control data models.

Feature set / links: Small metadata models for component info, reflected bool fields, and action/state classifications.

Editor/Debug Control Window/DebugControlReflectionUtility.cs (496 lines; Editor; namespace: PungentFunk.Utilities.Editor.Debugging)

Purpose: Debug reflection helpers.

Feature set / links: Method/field classification, global object ID fallback, scene path resolution, search matching, transform paths.

Editor/Debug Control Window/DebugControlRouterPanel.cs (414 lines; Editor; namespace: PungentFunk.Utilities.Editor.Debugging)

Purpose: Debug router UI panel.

Feature set / links: Displays routed debug state, channel filters, signal history, source summaries, help text, and router controls.

Editor/Debug Control Window/DebugControlWindow.cs (425 lines; Editor; namespace: PungentFunk.Utilities.Editor.Debugging)

Purpose: Debug Control Center shell.

Feature set / links: Owns high-level window lifecycle, menus, header/search, shared styles, split panel orchestration, and update loop.

Editor/Debug Control Window/DebugControlWindowState.cs (203 lines; Editor; namespace: PungentFunk.Utilities.Editor.Debugging)

Purpose: Debug Control Center persistent state.

Feature set / links: Foldouts, search, filters, include-inactive flags, panel sizes, and saved window preferences.

Project Audit and Authoring Lab

Editor/BulkRenameWindow.cs (658 lines; Editor; namespace: PungentFunk.Utilities.Editor.ProjectAudit)

Purpose: Bulk rename tool.

Feature set / links: Manual targets, drag-and-drop, selection import, pattern/replace/numbering modes, preview, apply, legacy alias.

Editor/ComponentTuningCopyWindow.cs (577 lines; Editor; namespace: PungentFunk.Utilities.Editor.ProjectAudit)

Purpose: Generic component tuning copier.

Feature set / links: Match source/target components, protect target-specific references, dry-run/copy modes, serialized property copying, summary stats.

Editor/PungentCoverageMatrixWindow.cs (412 lines; Editor; namespace: PungentFunk.Utilities.Editor.ProjectAudit)

Purpose: Generic coverage matrix tool.

Feature set / links: Manual or asset-derived dimensions, status/notes, gaps/duplicates, coverage templates, scan/import support.

Editor/PungentTokenValidatorWindow.cs (217 lines; Editor; namespace: PungentFunk.Utilities.Editor.ProjectAudit)

Purpose: Token validation utility.

Feature set / links: Token definitions, pasted text/TextAsset scanning, required/optional token validation, result reporting.

Editor/PungentTooltipNotesBrowserWindow.cs (583 lines; Editor; namespace: PungentFunk.Utilities.Editor.ProjectAudit)

Purpose: Custom tooltip/note browser.

Feature set / links: Notes by component/property/scope, priorities, visibility, create/edit/delete, selection context, SceneView repaint hooks.

Editor/ReferenceAssignmentScannerWindow.cs (894 lines; Editor; namespace: PungentFunk.Utilities.Editor.ProjectAudit)

Purpose: Reference assignment scanner.

Feature set / links: Finds missing assignable references, scans scene/prefab/selection contexts, suggests candidates by type/name/path, previews/applies rows.

Editor/TerrainUsageScannerWindow.cs (1098 lines; Editor; namespace: PungentFunk.Utilities.Editor.ProjectAudit)

Purpose: Terrain usage scanner.

Feature set / links: Scans scenes and TerrainData assets, tracks used/unused terrain assets, configurable exclusions, split results, ping/select actions.

Scene Workflow Lab

Editor/Modular Paths/ModularPathSpawnerEditor.cs (316 lines; Editor; namespace: PungentFunk.Utilities.Editor.SceneTools)

Purpose: Custom editor and scene handles for ModularPathSpawner.

Feature set / links: Point handles, add/remove/select controls, delayed editor rebuilds, inspector support.

Editor/Modular Paths/ModularPathWindow.cs (661 lines; Editor; namespace: PungentFunk.Utilities.Editor.SceneTools)

Purpose: Dedicated Modular Path Builder window.

Feature set / links: Creates/manages path spawners, edits points, configures prefabs/surface rules, resize panels, scene-handle workflows.

Editor/PungentPathAuthoringToolkitWindow.cs (431 lines; Editor; namespace: PungentFunk.Utilities.Editor.SceneTools)

Purpose: Path authoring toolkit.

Feature set / links: Path edit modes, handle/waypoint helpers, sampling/validation concepts, and scene overlay guidance for path-based tools.

Editor/PungentSceneHelpOverlay.cs (29 lines; Editor; namespace: PungentFunk.Utilities.Editor.SceneTools)

Purpose: Scene help overlay hook.

Feature set / links: Lightweight SceneView overlay-style help entry point for authoring guidance.

Editor/PungentSceneNavigationWindow.cs (616 lines; Editor; namespace: PungentFunk.Utilities.Editor.SceneTools)

Purpose: Scene navigation and waypoint window.

Feature set / links: Saved waypoints, SceneView fast travel, selected object tracking, conditional trackers, context actions, scene GUI overlay.

Editor/Scene Gizmos/PungentGizmoBrowserWindow.cs (184 lines; Editor; namespace: PungentFunk.Utilities.Editor.SceneTools)

Purpose: Scene gizmo browser.

Feature set / links: Cached source scanning, include-inactive option, search, focus/select/toggle helpers, gizmo-source management.

Editor/Scene Gizmos/PungentSceneGizmoSourceEditor.cs (215 lines; Editor; namespace: PungentFunk.Utilities.Editor.SceneTools)

Purpose: Custom inspector for scene gizmo sources.

Feature set / links: Rule editing, template insertion, preview controls, and clearer source authoring.

Editor/TerrainAlignTool.cs (496 lines; Editor; namespace: PungentFunk.Utilities.Editor.SceneTools)

Purpose: Surface Align Tool plus legacy Terrain Align compatibility.

Feature set / links: Aligns selected objects to collider/surface raycasts with optional normal alignment, offsets, previews, and legacy alias.

Modular Paths/ModularPathSpawner.cs (982 lines; Runtime/shared; namespace: PungentFunk.Utilities.SceneTools)

Purpose: Runtime modular path generator component.

Feature set / links: Control points, polyline/Catmull-Rom sampling, socket placement, prefab length estimation, surface conformance, rebuild, generated root, legacy fence wrappers.

PungentSceneGizmoSource.cs (497 lines; Runtime/shared; namespace: PungentFunk.Utilities.SceneTools)

Purpose: Runtime scene gizmo source component.

Feature set / links: Configurable gizmo rules, conditions, labels, shapes, runtime/editor draw modes, object value resolution, templates.

Texture Lab

Editor/Procedural Texture Lab/ProceduralTextureLabWindow.cs (433 lines; Editor; namespace: PungentFunk.Utilities.Editor.Generation)

Purpose: Procedural Texture Lab editor window.

Feature set / links: Settings UI, live preview, generation/export, density/stamp fields, seed randomization, preview resizing.

Editor/Texture Array Baker/TextureArrayBakerUtility.cs (254 lines; Editor; namespace: PungentFunk.Utilities.Editor.Generation)

Purpose: Texture2DArray bake utility.

Feature set / links: Source validation, fallback slices, material property extraction, texture resizing/conversion, result reporting.

Editor/Texture Array Baker/TextureArrayBakerWindow.cs (459 lines; Editor; namespace: PungentFunk.Utilities.Editor.Generation)

Purpose: Texture array baker window.

Feature set / links: Texture/material source modes, drag-and-drop source list, shader property search, preview, bake output, fallback controls.

Generation/ProceduralTextureGenerator.cs (603 lines; Runtime/shared; namespace: PungentFunk.Utilities.Generation)

Purpose: Procedural texture generation engine.

Feature set / links: Pattern point generation, stamp drawing, blend modes, gradients, density map handling, and texture creation.

Generation/ProceduralTextureSettings.cs (175 lines; Runtime/shared; namespace: PungentFunk.Utilities.Generation)

Purpose: Runtime-safe procedural texture settings.

Feature set / links: Output, seed, pattern, stamp, colour, grid, hex, Poisson, density-map, polar, texture-stamp settings and clamping.

UI and Feedback Lab

Editor/InputPromptIconLibraryAutoFill.cs (507 lines; Editor; namespace: PungentFunk.Utilities.Editor.UI)

Purpose: Input prompt icon library populator.

Feature set / links: Serialized key filling, default keyboard/mouse/gamepad entries, sprite search, missing report, clear/fill options, selected/default commands.

Utility Core and Appearance

Editor/PungentUtilityTrayWindow.cs (354 lines; Editor; namespace: PungentFunk.Utilities.Editor.Core)

Purpose: Compact utility tray.

Feature set / links: Parks/reopens focused utilities, displays recent/parked tools, interacts with the registry and editor repainting.

Editor/Utilities Core/PungentEditorPerformanceUtility.cs (266 lines; Editor; namespace: PungentFunk.Utilities.Editor.Core)

Purpose: Shared editor-performance helpers.

Feature set / links: Incremental queued editor work; repaint scheduling; should absorb common long-running preview/export patterns.

Editor/Utilities Core/PungentUtilityAccessMenus.cs (142 lines; Editor; namespace: PungentFunk.Utilities.Editor.Core)

Purpose: Context and global menu access routes.

Feature set / links: Opens registry-backed tools from Assets and GameObject menus; should stay thin and descriptor-driven.

Editor/Utilities Core/PungentUtilityControlPanelWindow.cs (680 lines; Editor; namespace: PungentFunk.Utilities.Editor.Core)

Purpose: Main utility launcher and lab browser.

Feature set / links: Search, recent tools, lab/category/module filtering, descriptor opening, lab hub presentation, package status display.

Editor/Utilities Core/PungentUtilityDescriptor.cs (265 lines; Editor; namespace: PungentFunk.Utilities.Editor.Core)

Purpose: Metadata contract for discoverable utilities.

Feature set / links: Stable IDs, display names, lab/module/category, menu path, tags, status, related IDs, capability flags, icon/open action.

Editor/Utilities Core/PungentUtilityDesignAudit.cs (606 lines; Editor; namespace: PungentFunk.Utilities.Editor.Core)

Purpose: Static package design-bible audit engine.

Feature set / links: Scans scripts, asmdefs, menu paths, descriptors, namespaces, monoliths, repaint/scan risks, and outputs issue reports.

Editor/Utilities Core/PungentUtilityDesignAuditWindow.cs (348 lines; Editor; namespace: PungentFunk.Utilities.Editor.Core)

Purpose: Editor UI for package design validation.

Feature set / links: Runs design audit, filters issues, shows release-readiness assessment, copies markdown summary and next-pass brief.

Editor/Utilities Core/PungentUtilityLabMenus.cs (47 lines; Editor; namespace: PungentFunk.Utilities.Editor.Core)

Purpose: Direct lab-menu routing.

Feature set / links: Tools/Utilities/Labs entries open the control panel pre-filtered to the relevant lab.

Editor/Utilities Core/PungentUtilityLabs.cs (146 lines; Editor; namespace: PungentFunk.Utilities.Editor.Core)

Purpose: Central lab name constants.

Feature set / links: Prevents string drift across registry, control panel, menus, and documentation.

Editor/Utilities Core/PungentUtilityPackageStatus.cs (97 lines; Editor; namespace: PungentFunk.Utilities.Editor.Core)

Purpose: Shared package-status vocabulary.

Feature set / links: Stable, Experimental, In Progress, Deprecated, Project Adapter labels with descriptions, tints, normalization, and sort keys.

Editor/Utilities Core/PungentUtilityRegistry.cs (359 lines; Editor; namespace: PungentFunk.Utilities.Editor.Core)

Purpose: Central registry for utilities.

Feature set / links: Default registrations, duplicate-ID replacement, lab/category/module queries, sorting, descriptor opening, related-tool metadata.

Editor/Utilities Core/PungentUtilityReleaseReadiness.cs (249 lines; Editor; namespace: PungentFunk.Utilities.Editor.Core)

Purpose: Release-readiness interpretation layer.

Feature set / links: Turns design-audit reports into prioritized update passes, gates, and paste-ready brief text.

Editor/Utilities Core/Scanning/PungentScanCache.cs (52 lines; Editor; namespace: PungentFunk.Utilities.Editor.Scanning)

Purpose: Shared scan-result cache.

Feature set / links: Stores and retrieves tool scan results by tool ID to prevent repeated expensive scans.

Editor/Utilities Core/Scanning/PungentScanGUI.cs (125 lines; Editor; namespace: PungentFunk.Utilities.Editor.Scanning)

Purpose: Shared scan-result UI renderer.

Feature set / links: Draws summaries and issue lists with severity tints for scanner-style tools.

Editor/Utilities Core/Scanning/PungentScanIssue.cs (49 lines; Editor; namespace: PungentFunk.Utilities.Editor.Scanning)

Purpose: Reusable scan issue model.

Feature set / links: Severity, title, message, context object, path, code, timestamp, and searchable text.

Editor/Utilities Core/Scanning/PungentScanResult.cs (99 lines; Editor; namespace: PungentFunk.Utilities.Editor.Scanning)

Purpose: Reusable scan result model.

Feature set / links: Tool ID, scope, timing, totals, issue collection, status, completion/cancel state, and summary refresh.

Editor/Utilities Core/Scanning/PungentScanScope.cs (20 lines; Editor; namespace: PungentFunk.Utilities.Editor.Scanning)

Purpose: Scan scope enum.

Feature set / links: Shared vocabulary for project, scenes, selection, assets, prefabs, folders, and custom scan scope.

Editor/Utilities Core/Scanning/PungentScanSession.cs (87 lines; Editor; namespace: PungentFunk.Utilities.Editor.Scanning)

Purpose: Reusable scan lifecycle helper.

Feature set / links: Begin, complete, cancel, fail, duration tracking, and result persistence for scanner-style tools.

Editor/Utilities Core/Scanning/PungentScanSeverity.cs (17 lines; Editor; namespace: PungentFunk.Utilities.Editor.Scanning)

Purpose: Scan severity enum.

Feature set / links: Info, success, warning, error severity levels for shared scan reports.

Editor/Utilities Core/Scanning/PungentScanSummary.cs (34 lines; Editor; namespace: PungentFunk.Utilities.Editor.Scanning)

Purpose: Scan summary data model.

Feature set / links: Totals, issue counts, duration labels, completion/cancel state, and aggregate warning/error flags.

Editor/Utilities Core/Window Themes/Experimental Global Skin/PungentEditorGuiStyleBridge.cs (314 lines; Editor; namespace: PungentFunk.Utilities.Editor.Theme)

Purpose: Experimental IMGUI style bridge.

Feature set / links: Applies current theme text/fonts/backgrounds to known GUIStyles for the Unity editor session, with snapshot/restore support.

Editor/Utilities Core/Window Themes/Experimental Global Skin/PungentEditorSkinBridge.cs (161 lines; Editor; namespace: PungentFunk.Utilities.Editor.Theme)

Purpose: Experimental USS bridge controller.

Feature set / links: Generates/imports Unity editor stylesheet extensions, manages enable/disable/apply-on-load preferences, and pings generated assets.

Editor/Utilities Core/Window Themes/Experimental Global Skin/PungentEditorSkinDiagnostics.cs (47 lines; Editor; namespace: PungentFunk.Utilities.Editor.Theme)

Purpose: Global skin diagnostics snapshot.

Feature set / links: Captures bridge enabled state, skin mode, generated USS paths/existence, selector count, and last action.

Editor/Utilities Core/Window Themes/Experimental Global Skin/PungentEditorSkinProfile.cs (65 lines; Editor; namespace: PungentFunk.Utilities.Editor.Theme)

Purpose: Global skin profile and override model.

Feature set / links: Compatibility mode, generation toggles, exclusion rules, logging, style properties, override metadata, and raw values.

Editor/Utilities Core/Window Themes/Experimental Global Skin/PungentEditorSkinSelectorMap.cs (178 lines; Editor; namespace: PungentFunk.Utilities.Editor.Theme)

Purpose: Default selector map for global skin bridge.

Feature set / links: Central list of Unity editor USS selectors and theme-role mappings.

Editor/Utilities Core/Window Themes/Experimental Global Skin/PungentEditorSkinUssGenerator.cs (213 lines; Editor; namespace: PungentFunk.Utilities.Editor.Theme)

Purpose: USS generator for global skin bridge.

Feature set / links: Builds common/dark/light USS content, converts theme roles to USS properties, emits hierarchy/font hardening blocks.

Editor/Utilities Core/Window Themes/Experimental Global Skin/PungentEditorStyleExplorerWindow.cs (154 lines; Editor; namespace: PungentFunk.Utilities.Editor.Theme)

Purpose: Editor style explorer.

Feature set / links: Browses GUIStyles, previews role assignments, applies session text/font/background overrides, and resets session styling.

Editor/Utilities Core/Window Themes/UtilityThemePresetDefinition.cs (113 lines; Editor; namespace: PungentFunk.Utilities.Editor.Theme)

Purpose: Built-in theme preset definition.

Feature set / links: Immutable preset metadata, color roles, category, tags, panel density/borders/corners, hidden gallery state, and font hints.

Editor/Utilities Core/Window Themes/UtilityThemePresetLibrary.cs (414 lines; Editor; namespace: PungentFunk.Utilities.Editor.Theme)

Purpose: Built-in theme preset catalogue.

Feature set / links: Curated visible and archived themes, category data, readability-safe color values, tags, and preset lookup.

Editor/Utilities Core/Window Themes/UtilityWindowPrefs.cs (39 lines; Editor; namespace: PungentFunk.Utilities.Editor.Theme)

Purpose: EditorPrefs wrapper for shared window state.

Feature set / links: Stores booleans, ints, floats, and strings under consistent PungentFunk preference keys.

Editor/Utilities Core/Window Themes/UtilityWindowTheme.cs (1069 lines; Editor; namespace: PungentFunk.Utilities.Editor.Theme)

Purpose: Shared ImGui visual system.

Feature set / links: Headers, panels, pills, toolbar toggles, tinted buttons, foldouts, resize handles, text roles, colors, density, and theme presets.

Editor/Utilities Core/Window Themes/UtilityWindowThemeCustomizer.cs (1003 lines; Editor; namespace: NONE)

Purpose: Appearance Lab / theme customizer window.

Feature set / links: Preset browsing, custom palette records, text roles, density/borders/corners, developer-mode preset controls, global-skin options.