
sender id

first_name


[last_name


worker id last_name first_name

delive





Delivery or





0---





Storage worker

worker_id INT

first_name CHAR last_name CHAR sex CHAR sellery CHAR hired DATE

fk_delivery_id INT


Reciever


Sender_id INT

first_name CHAR last_name CHAR

state CHAR city CHAR address CHAR post_code INT

e-mail CHAR phone number INT





PACKAGE_DETAILS


DETAIL_ID INT,

DEPOSITED DATE, RECIEVED DATE, WEIGHT CHAR(10), STATUS ENUM ('YES','NO'),

PRIMARY KEY (DETAIL_ID)

CONTACT

CONTACT_ID INT,



R_DETAILS ETAILS_ID INT, Έ, DELIVERY_LOCATION TAILS_ID)); CUSTOMER_DETAILS_ID INT, FK_ADDRESS_ID INT, PRIMARY KEY (DELIVERY_LOC_ID) **ADDRESS** ADDRESS_ID INT, STATE CHAR (30), CITY CHAR(30), ADDRESS CHAR (30), ADDRESS_NUM INT, POST_CODE INT, DDIMADY KEY (ADDDECC ID)

PHONE_NUMBER INT,
`E-MAIL` CHAR(30),

PRIMARY KEY(CONTACT_ID)

