

1. Identify the type of Drug Nomenclature that is particularly derived and simpler than that of a chemical name; which is universally accepted and standardized to denote its active ingredient?
 - a. Chemical Name
 - b. Generic Name
 - c. Proprietary Name
 - d. Trade Name
2. Which of the following names of drugs listed below would correspond to a Chemical Name?
 - a. Acetaminophen
 - b. N-acetyl-p-aminophenol
 - c. Suprefact
 - d. No Answer
3. It is a type of Drug Nomenclature that is specifically assigned to identify the drug based on its molecular formulation that is registered and verified by the IUPAC:
 - a. Chemical Name
 - b. Generic Name
 - c. Proprietary Name
 - d. All of the above
4. Specify which of the following drug nomenclatures are most commonly utilized by the healthcare professionals – particularly Physicians when prescribing a drug for medication?
 - a. Brand Name
 - b. Generic Name
 - c. Proprietary Name
 - d. Trade Name
 - e. All of the above
5. Identify which of the following system of drug classification would Antibiotics/ Anti-Viral/ Analgesics fall under?
 - a. Chemical Classification of Drugs
 - b. Legal Classification of Drugs
 - c. Pharmacologic Classification of Drugs
 - d. Therapeutic Classification of Drugs
6. Name which of the following system of drug classification utilizes the drug's mechanism of action and/ or its physiologic effects in living systems:
 - a. Chemical Classification of Drugs
 - b. Legal Classification of Drugs
 - c. Pharmacologic Classification of Drugs
 - d. Therapeutic Classification of Drugs
 - e. All of the above
7. It is defined as the harmful effect of drug that is caused by the taking excessive amount/ concentration of the medication which leads into dangerous amount of drug concentration in the blood serum level?
 - a. Adverse Effects
 - b. Allergic Response
 - c. Side Effects
 - d. Toxicity
8. Which of the following system of drug classification primarily uses the chemical/ molecular composition of the drug to effectively categorize it?
 - a. Chemical Classification of Drugs
 - b. Legal Classification of Drugs
 - c. Pharmacologic Classification of Drugs
 - d. Therapeutic Classification of Drugs
 - e. All of the above
9. It is a system of drug classification which anchors its basis on the regulatory/government guidelines, the drug's potential for abuse, and prescription requirements to obtain the medication:
 - a. Chemical Classification of Drugs
 - b. Legal Classification of Drugs
 - c. Pharmacologic Classification of Drugs
 - d. Therapeutic Classification of Drugs
 - e. All of the above
10. What do you call the method of drug classification which is primarily based on the clinical use or a specific medical condition it treats?
 - a. Chemical Classification of Drugs
 - b. Pharmacologic Classification of Drugs
 - c. Regulatory Classification of Drugs
 - d. Therapeutic Classification of Drugs
 - e. All of the above
11. What do you call the specific biologic sites located on the cell surface at which various drugs attach themselves in order to elicit a biologic response?
 - a. Drug Receptors
 - b. Drug Affinity
 - c. Drug Efficacy
 - d. Drug Potency
 - e. All of the above are correct
12. Defined as the time required for the current serum drug concentration to be reduced to one-half of its original value is known to be:

- a. Half-Life
 - b. Rate of Elimination
 - c. Rate of Excretion
 - d. Rate of Filtration
 - e. No Answer
13. Specify which of the following types of Dosage Forms will entail the FASTEST absorption rate when administered to a patient?
- a. Compressed Tablets
 - b. Effervescent Tablets
 - c. Enteric-Coated Tablets
 - d. Intravenous Dosage Form
 - e. All of the above
14. A double contrast media study will entail the use of which of the following contrast media agents listed below?
1. Room Air
 2. Iodinated Contrast Media
 3. Carbon Dioxide
 4. Barium Sulfate
- a. I only
 - b. I and II only
 - c. I, II and III only
 - d. All of the above
15. Which of the following parts of the human body will naturally form the drug barriers that can hinder the natural distribution of drugs in its target organ?
- I. Brain
 - II. Lungs
 - III. Placenta
 - IV. G.I. Tract
- a. I and II only
 - b. I and III only
 - c. I and IV only
 - d. All of the above
16. The process of drug elimination in the human body takes place primarily via excretion through which of the following organs of the body?
- a. Kidneys
 - b. Liver
 - c. Pancreas
 - d. Stomach
 - e. All of the above
17. Name the parameter in Drug-Response Relationship which refers to the degree at which the drug is able to produce its desired/ intended effect?
- a. Efficacy
 - b. Half-Life
 - c. Potency
 - d. Mechanism of Action
18. Before a CT scan with IV contrast media study, the patient alerted the Radiologic Technologist that she is allergic of Seafood and Iodine containing medications. The Radiologic Technologist should:
- a. Defer the patient to another imaging modality that would be most likely to demonstrate the indicated pathology.
 - b. The patient should withheld ARBS, Metformin HCL, and ACE inhibitors to prevent the possibilities of Acute Kidney Injury.
 - c. The Radiologic Technologist should administer a Pre-Medication of Corticosteroids/ Cetirizine HCL, to decrease the likelihood of an Adverse reaction.
 - d. All of the above
19. An Anaphylactic Shock is a best example of which of the following effects of drugs?
- a. Adverse Effects
 - b. Side Effects
 - c. Toxic Effect
 - d. All of the above
20. The radiopaque appearance of Iodinated Contrast Media and Barium Sulfate in Conventional Radiography and Fluoroscopy is primarily attributed to which of the following characteristics?
- a. Atomic Mass and Number properties
 - b. Attenuation properties
 - c. It performs non-specific drug interaction.
 - d. Less Drug-Drug interactions and being non-toxic
21. What do you call the Highest Point of Contraction in the Ventricular Activity representing numerator value of the Blood Pressure value is derived from what Cardiac Phase?
- a. Asystole
 - b. Diastolic
 - c. Pulseless Electrical Activity
 - d. Systolic
22. A Heart Rate of less than 60 beats per minutes falls under the classification of:
- a. Arrhythmia
 - b. Bradycardia

- c. Dysrhythmia
- d. Tachycardia
23. In a hospital setting, you as the Radiologic Technologist found patient is unconscious, which method ensures “Right Patient”?
- Chart Verification.
 - Fellow patient and healthcare worker nearby.
 - Wrist Band Verification.
 - All of the above
24. When administering contrast media, which verification step most directly ensures compliance with the “Right Patient” principle?
- Asking the patient their medical history.
 - Asking the patient their past medical history.
 - Asking the patient to state their full name.
 - All of the above.
25. In the event 2 patients who’s both present in the department sharing the same last name, identify which of the following should the Radiologic Technologist do in order to prevent error?
- Verify the patient’s identity via Wrist Band with date of birth.
 - Verifying the patient’s identity via the requested examination.
 - Verifying the patient’s gender and address.
 - Verifying the patient’s identity based on the Technologist’s memory.
26. Identify which of the following pathologic conditions will exhibit a rapid onset of signs and symptoms and be considered as a Medical Emergency?
- Anaphylactic Shock
 - Cerebrovascular Accident
 - Respiratory Arrest
 - All of the above
27. Specify which of the following contrast media that is used for performing a routine Upper Gastrointestinal Series (UGIS) would be contraindicated if the patient has a history of Gastric Ulcer?
- Barium Sulfate
 - Gadolinium – DTPA
 - Iron Oxide
 - Water Soluble Iodinated Contrast Media
28. Identify which of the following drugs listed below is particularly useful for performing a contrast-enhanced MRI scan?
- Barium Sulfate
 - Gadolinium-DTPA
 - Oil-Based Iodinated Contrast Media
 - Water Soluble Iodinated Contrast Media
29. Which of the following properties of Iodinated Contrast Media can directly influence risk of increasing an adverse reaction after IV administration
- Antagonistic and Agonistic Effect
 - Osmolality
 - Persistence
 - Solubility
30. A patient is suffering a Deep Vein Thrombosis (DVT) in the left leg that was confirmed via Vascular Ultrasound procedure, which of the following classes of medication is particularly useful for dissolving a blood clot of the patient?
- Anti-platelet medication
 - Anti-coagulant medication
 - Thrombolytic medication
 - All of the above
31. Which of the following classes groups of Analgesic medications have the highest potential for abuse and addiction according to Drug surveillance agencies and Government regulating bodies?
- Acetaminophen Drug
 - Acetylsalicylic Acid
 - NSAIDs Analgesic Drugs
 - Opioid Analgesic Drugs
 - All of the above
32. NSAID’s are a group of drugs that is most commonly seen as an Over-the-Counter medication for treating which of the following medical conditions?
- Anti-coagulation
 - CNS depressants
 - Inflammatory processes and Pain
 - Muscle relaxants
33. What is the main difference between an Anti-Depressant Medication and Anti-Anxiety Medication in terms of its Pharmacotherapeutic use?
- Anti-Depressant medications are particularly used for treating clinical depression from neuro-transmitter deficiencies; Anti-Anxiety Drugs are particularly used for the treatment of acute/chronic anxiety states.

- b. Anti-Depressants medications have longer onset vs. Anti-Anxiety Drugs that has an onset effect within minutes/ hours.
 - c. Anti-Depressants modulate the level of neurotransmitters in the brain; Anti-Anxiety Drugs mainly act on GABA system to be able to elicit relief of signs and symptoms.
 - d. All of the above
34. Which of the following classes of Drugs listed below is responsible for blocking histamine release during hypersensitivity reaction to a certain allergen?
- a. Analgesic Drugs
 - b. Anti-Histamine Drugs
 - c. Immuno-suppressant Drugs
 - d. Narcotic Drugs
35. A patient that is diagnosed with Diabetes Mellitus Type II would be able to control their glucose serum levels with the use of endogenous insulin and which of the following medication?
- a. Acetaminophen
 - b. Diphenhydramine HCL
 - c. Insulin
 - d. Metformin HCL
 - e. All of the above
36. Chemotherapeutic Drugs are agents that are useful in eliminating rapidly dividing/ growing cells in the human body by targeting which of the following vital cellular processes?
- a. By destroying the cells in various stages of Cell Division.
 - b. By inactivating the DNA of the cells.
 - c. By blocking specific molecular pathways for tumor growth
 - d. All of the above are correct.
37. Specify which of the following negative contrast media listed below would have the slowly absorption rate in tissue?
- a. Carbon Dioxide
 - b. Oxygen
 - c. Room Air
 - d. All of the above
38. Which of the following is NOT true regarding the properties of Barium Sulfate?
- a. Barium sulfate is in power form which is source from the Barryte Mineral, appears as a white powered substance with fine powder texture.
 - b. Barium sulfate is generally non-toxic, chemically and physically inert.
 - c. Barium sulfate is capable of performing mucosal coating that is particularly useful in G.I. tract studies.
 - d. No Answer
39. An uncooperative pediatric patient is order to undergo a Whole Spine MRI examination; to ensure that the scan would be completed with little to no repeat, which of the following classes of drugs should be administered to help the patient relax?
- a. Anticonvulsant Medication
 - b. Antipsychotic Medication
 - c. Antidepressant Medication
 - d. Antianxiety Medication
 - e. All of the above
40. Identify which of the following forms of Iodinated Contrast Media has the highest persistence which is particularly useful for the radiographic examination of lymph and spinal canal?
- a. Iodinated-Oil Contrast Media
 - b. Powered Iodinated Contrast Media
 - c. Water-Soluble Iodinated Contrast Media
 - d. All of the above
41. It is a parameter of the contrast media that refers to the measurement of a fluid's resistance to flow:
- a. Miscibility
 - b. Persistence
 - c. Toxicity
 - d. Viscosity
42. NSAIDs being the most common OTC drug bears which of the following dangerous side effect/s:
- a. CNS depression
 - b. Increased bleeding
 - c. Optic Neuropathy
 - d. Stomach Ulceration
43. What do you call the classification of Contrast Media that is going to appear as "Black" in a finished radiograph?
- a. High Attenuating Contrast parameter
 - b. Low Attenuating Contrast parameter
 - c. Negative Contrast Media
 - d. Positive Contrast Media
44. Identify which of the following patient conditions listed below would be contraindicated with the use of Iodinated Contrast Media when performing a radiographic examination?
- a. Chronic Kidney Disease
 - b. Diabetes Mellitus - Type II
 - c. Liver Failure

- d. Uncontrolled Hypertension e. All of the above
45. The concentration of solution is known to be:
 a. Osmolarity b. Osmolality c. Osmolar Fraction d. All of the above
46. Identify which of the following types of Contrast Media agents routinely used in diagnostic imaging will have the lowest percentage of causing an Adverse Reaction during/ after a radiographic procedure?
 a. Barium Sulfate c. Iodinated Contrast Media
 b. Gadolinium-DTPA d. All of the above
47. Identify which of the following health allied professionals are allowed by mandated scope of practice to perform and start an IV access?
 I. Physicians III. Medical Technologists
 II. Nurses IV. Radiologic Technologist
 a. I and II only b. I, II, and III only c. II, III, and IV only d. All of the above
48. To ensure proper documentation of the procedure, the Radiologic Technologist should:
 a. Keep the examination request and manually sign it after the procedure.
 b. Sign the patient's chart; particularly the Physician's order in the patient's health record.
 c. Keep a thorough log book sheet that would include all of the necessary patient information pertinent to the examination.
 d. All of the above.
49. A mentally sound, competent individual that is capable of understanding the risk of the medical intervention can accomplish which of the following types of consent?
 a. Expressed Consent b. Implied Consent c. Informed Consent d. All of the above
50. A Malpractice suit would be necessary if the Radiologic Technologist forgot which of the following essential protocols before the administration of Contrast Agent?
 a. The Radiologic Technologist forgot to have the patient sign an informed consent.
 b. The Radiologic Technologist didn't perform an appropriate history taking.
 c. The Radiologic Technologist wasn't able to conduct a Contrast Media sensitivity test.
 d. All of the above
51. Informed Consent is required due to which of the following reasons?
 a. It is useful for protecting the medical institution for any future lawsuits.
 b. It is useful for ensuring that the patient has autonomy and understanding.
 c. It is useful for eliminating the need for lengthy need for documentation in patient's chart.
 d. All of the above
52. Which of the following types of Blood Vessel possesses a flap-like valve which prevents the backflow of deoxygenated blood returning from the Systemic Circulation?
 a. Artery b. Capillary c. Vein d. All of the above
53. What do you call the innermost lining of the blood vessel which has a chief function of reducing friction of blood (allowing smooth flow) and acting as a selective barrier for the materials going in and out of the blood vessel?
 a. Tunica Adventitia b. Tunica Media c. Tunica Intima d. All of the above
54. Name the branch of pharmacology that deals with the study of drug's absorption, distribution, metabolism, and elimination mechanisms that is occurring inside the human body:
 a. Biopharmaceutics c. Pharmacokinetics
 b. Pharmacodynamics d. Pharmatherapeutics
55. It a type of Drug-Receptor Interaction which the drug exhibits partial both partial affinity and biologic response to a target organ:
 a. Agonist c. Competitive Agonist e. All of the above
 b. Antagonist d. Partial Agonist

56. Which of the following organs in the G.I. System is considered as the primary organ for biotransformation?
- Kidneys
 - Liver
 - Pancreas
 - Small/ Large Intestine
 - All of the above
57. Which of the following patient parameters would be greatly influence the flow/ distribution of IV administered medications such as Contrast Media?
- Access Site
 - Being Male/ Female
 - Existing Pathologic Condition
 - Height of the Patient
 - All of the above
58. What do you call the major blood vessel in the Systemic Circulation which all of the deoxygenated blood from the upper region of the body drains (head, neck, upper limbs and upper thorax) supplying the blood directly into the Right Atrium?
- Descending Aorta
 - Inferior Vena Cava
 - Superior Vena Cava
 - Thoracic Aorta
59. Identify which of the following chambers of heart is known to have the thickest wall, which is useful for pumping the majority of the oxygenated blood supply towards the Systemic Circulation?
- Left Atrium
 - Left Ventricle
 - Right Atrium
 - Right Ventricle
60. Which of the following blood vessels listed below is directly involved in the exchange of gases, nutrients, and waste by products in specific organ/ tissue?
- Artery
 - Capillary
 - Vein
 - All of the above
61. Name the Vein access site that is found in the dorsal area of the hand, which is superficial and useful for short-term IV access:
- Brachial Vein
 - Dorsal Vein of the Hand
 - Median Cubital Vein
 - Radial Vein
62. A needle-stick injury puts a healthcare professional exposure to which of the following types of pathogens?
- Airborne Pathogens
 - Blood Borne Pathogens
 - Direct Contact Pathogens
 - Indirect Contact Pathogens
63. According to the Universal Precaution, which of the following situations should a healthcare worker be required to wear gloves?
- When handling patients with a non-intact skin.
 - When handling patients covered with blood or any body fluids containing visible blood.
 - When handling patients for IV or vascular procedures.
 - All of the above
64. A used needle for an IV cannulation is a best example of what mode/ route of transmission?
- Direct Contact
 - Fomite
 - Vector
 - All of the above
65. After a successful IV cannulation for IV contrast media administration, what should you as the Radiologic Technologist do to the needle?
- The Radiologic Technologist should recap the needle and then throw the need in a puncture proof container.
 - The Radiologic Technologist should directly throw the need into a puncture proof container.
 - The Radiologic Technologist should ask a colleague to help recap the needle and dispose it directly to a puncture proof container.
 - All of the above are correct.
66. What do you call the technique that is used as a frontline in medical asepsis where a healthcare worker uses physical or procedural barrier between the persons at risk and the potential sources of infection?
- Aseptic Technique
 - Barrier Technique
 - Frontline Technique
 - All of the above
67. A patient from the MICU has a confirmatory diagnosis of Pulmonary Tuberculosis, a follow up Chest X-ray (CXR) was requested by the Attending Physician, the Radiologic Technologist should wear:
- The Radiologic Technologist should wear mask and gloves only.
 - The Radiologic Technologist should wear mask, gloves, and isolation gown only.

- c. The Radiologic Technologist should wear mask, gloves, isolation gown, and eye goggles only.
 - d. There's no correct answer.
68. Which of the following scenarios listed below would entail the violation of proper practice in Universal Precaution:
- a. The Radiologic Technologist is performing a proper handwashing technique for every patient being handled.
 - b. The Radiologic Technologist wearing gloves promptly disinfects and reuses the gloves used from one patient to another.
 - c. The Radiologic Technologist wears masks, gloves, and isolation gown for patients with MRSA infection.
 - d. The Radiologic Technologist directly puts the used needs into the puncture resistant container after usage.
69. After finishing an IV cannulation and before moving the next patient, which of the following should a Radiologic Technologist to do prevent the transmission of infection?
- a. Change gloves, mask, and eye goggles.
 - b. Perform disinfection of the working area.
 - c. Perform proper handwashing.
 - d. Remove the soiled beddings and clean the area with the use of disinfectant.
70. Identify which of the following listed below are considered as infectious?
- a. Blood
 - b. Mucous Membranes
 - c. Open Wound
 - d. Specimen Samples
 - e. All of the above
71. A Radiologic Technologist is performing an IV cannulation for a patient with a history of Active PTB for a Chest CT with IV contrast procedure. According to the standard universal precaution, the CT technologist should:
- a. The CT technologist should wear mask, gloves, and protective eye shields during the procedure.
 - b. The CT technologist should wear complete personal protective equipment.
 - c. The CT technologist should only wear mask and gloves.
 - d. The CT technologist should wear isolation gown, gloves, and eye goggles when dealing with patients with active pulmonary infection.
72. When receiving scheduled patients for Contrast media administration, the Radiologic technologist should which of the following essential check before starting the procedure?
- a. The Radiologic Technologist should be able to confirm the patient's identity, examination, and if the patient followed the to do list before the examination.
 - b. The Radiologic Technologist should be able to confirm the patient's identity and vital signs before the examination.
 - c. The Radiologic Technologist should be able to confirm the patient's identity and verify the dosage of contrast needed for the examination.
 - d. All of the above
73. What is the importance of a post-procedure observation in patients after undergoing a radiographic examination with Contrast Media administration?
- a. This is to ensure that the patient is stable enough after the examination has already ended.
 - b. This is to ensure that the patient's comfortability after the examination has already ended.
 - c. This is to ensure that the vital signs of the patient are stable, and there's no therapeutic reaction.
 - d. This is to ensure that the vital signs of the patient are stable, and there's no adverse reaction.
74. Identify which of the following tasks listed below ensures that there's a continuity of care for the patient between providers?
- a. The Radiologic technologist completes the documentation process.
 - b. The Radiologic technologist builds rapport with patients.
 - c. The Radiologic technologist is involved in history taking.
 - d. The Radiologic technologist is involved in patient discharge from the Radiology department.
75. Specify which of the following below belong to the Cardinal Signs of Life:
- I. Blood Pressure
 - II. Respiratory Rate
 - III. Body Temperature
 - IV. Heart Rate
 - V. Responsiveness
 - a. I only
 - b. I and II only
 - c. I, II, and III only
 - d. I, II, III, and IV only
 - e. All of the above
76. When performing IV cannulation and contrast administration, which of the following should the Radiologic Technologist monitor before and after the procedure?
- a. The patient's vital signs.
 - b. The patient's demeanor and habit.

- c. The patient's signs and symptoms.
 - d. The patient's Contrast Media dosage and documentation reports.
77. A patient receiving an IV Iodinated contrast media began experiencing wheezing, dyspnea, and urticaria. It is a classic tell-tale sign of?
- a. Anaphylactic Shock
 - b. Cardiogenic Shock
 - c. Distributive Shock
 - d. Hypovolemic Shock
78. A patient scheduled for a CT Cerebral Angiography procedure comes into the Radiology department, before the routine scan; the Radiologic Technologist confirmed if the patient followed all the necessary preparation, but later informed that the patient still took their Anti-Diabetic medication. What should you as the Radiologic Technologist do?
- a. The CT technologist should defer the patient and reschedule the examination.
 - b. The CT technologist should continue the examination as scheduled.
 - c. The CT technologist should have to confirm to the Attending Physician if the scan would proceed.
 - d. All of the above
79. What is the main aim of obtaining the past medical history of a patient before administration of Contrast Media and Venipuncture?
- a. The past medical history would tell if there's any underlying condition that could affect the examination/ procedure.
 - b. The past medical history would tell if there's any underlying condition that could cause a misdiagnosis to the patient when performing the examination.
 - c. The past medical history would tell the changes in vital signs that could happen before, during and after the administration of the Contrast Media and Radiographic examinations.
 - d. All of the above are correct
80. What is the most important instruction that a Radiologic Technologist should give their patient after the removal of an IV cannula?
- a. Apply the pressure on the site/ anatomy affected.
 - b. Apply pressure and raise the site/ anatomy affected.
 - c. Raise the part/ anatomy that was cannulated and remove the bandage afterwards.
 - d. Raise the part/anatomy that was cannulated and apply bandage afterwards.
81. During the Bolus administration of the Iodinated Contrast media via IV route, the patient's hand swells and the patient is screaming for pain. This is a tell-tale sign of which of the following adverse reactions of IV contrast media administration?
- a. Anaphylactic Reaction
 - b. Distributive Shock
 - c. Extravasation
 - d. Phlebitis
82. Identify which of the following units of measurement is directly pertaining to the diameter of the IV bore that is used for obtaining venous access?
- a. Cubic Centimeter (cc)
 - b. French (Fr)
 - c. Gauge (G)
 - d. Millimeter Mercury (mmHg)
 - e. No Answer
83. The leakage of medication in the tissue interspace during IV infusion which causes both inflammatory response and tissue necrosis due to a vesicant medication is known to be?
- a. Distributive Shock
 - b. Extravasation
 - c. Infiltration
 - d. Phlebitis
84. Specify which of the following values of IV Gauge values would be useful for Bolus infusion of IV contrast media that is needed to cover a large amount of anatomy?
- a. 24 G
 - b. 22 G
 - c. 18 G
 - d. All of the above
85. Which of the following methods of Sensitivity testing for Iodinated Contrast Media reaction is deemed as the most painful?
- a. Intradermal Sensitivity test
 - b. Intravenous Sensitivity test
 - c. Scleral Sensitivity test
 - d. Sublingual Sensitivity test

86. A patient who was dehydrated should replace which of the following types of IV fluids in order to fluid balance and treat dehydration?
- a. Isotonic IV Solution
 - b. Hypotonic IV Solution
 - c. Hypertonic IV Solution
 - d. All of the above are useful
87. Name the anterior recess that is found in the elbow which is one of the most common access sites for IV cannulation?
- a. Antecubital Space
 - b. Anterior Cubital recess
 - c. Antero-medial Cubital recess
 - d. Cubital Recess
88. During an Intramuscular administration of a medication, a healthcare professional will be able to ascertain the correct depth of penetration of the needle through which of the following techniques?
- a. This is primarily checked through an Aspiration technique.
 - b. This is primarily checked through a Fishing technique.
 - c. This is primarily checked by physically checking the depth as which the need is inside the area of injection.
 - d. All of the above are correct.
89. When obtaining an IV access or performing a parenteral procedure, the pain that is perceived by the patient aside stemming from the psychological aspect of anxiety. It can be caused by which of the following?
- a. The pain is caused by the unsteady hands of the healthcare professional that is performing the Venipuncture procedure.
 - b. The pain is caused by the irritation that is caused by the medication that becomes in contact with the tissue.
 - c. The pain is caused from the stretching of the tissue (pain receptors found in the skin) as it accommodates a particular volume of the medication.
 - d. The is caused by the antiseptic solution that is still present on the patient's skin during insertion.
 - e. All of the above are correct.
90. To ensure the Drip infusion would still continue, the correct height of the IV bag should be at:
- a. Above the level of the patient heart.
 - b. At the level of the patient.
 - c. Below the level of the patient's bed.
 - d. All of the above
91. What do you call the sharp angulated tip of the needle?
- a. The Hub
 - b. The Shaft
 - c. The Lumen
 - d. The Bevel
92. Identify which of the following containers of medications would merit that the medication be consumed immediately once opened due to the increased risk of contamination?
- a. Drug Ampoule
 - b. Drug Vial
 - c. IV infusion bags
 - d. Pre-filled syringes
 - e. All of the above
93. Jason is a CT technologist that is starting an IV access for CT angiography procedure, to prevent the IV cannula to be dislodged by a simple movement. The Radiologic technologist should start an IV access:
- a. The IV access should not be near/ located over a joint.
 - b. The IV access should not be splinted in not to limit the range of motion.
 - c. The IV access should not be located 3 to 4 inches to any major blood vessel.
 - d. All of the above
94. To stabilize a rolling vein during the cannulation process, the Radiologic technologist should?
- a. The RT should immobilize the vein with the use of both hands and tourniquet during cannulation.
 - b. The RT should anchor the vein the by applying a finger or thumb just below the intended puncture site.
 - c. The RT should immobilize and anchor the vein through the use of a tourniquet just below the intended puncture site.
 - d. All of the above
95. During IV cannulation, identify which of the following scenarios listed below would entail that the IV access has been successfully obtained?
- a. The RT should be able to observe an aspirated blood into the plunger.

- b. The RT should be able to pass through a 5cc of NSS, ensuring not only patency but also successful IV cannulation.
 - c. The RT should be able to observe a blood flashing back as the RT retracts the needle.
 - d. All of the above
96. Identify which of the following group of patients would be the most difficult to obtain an IV access due to the presence of rolling and fragile veins?
- a. Adult Population
 - b. Geriatric Population
 - c. Pediatric Population
 - d. Young Adult Population
97. Specify which of the following medical conditions would an IV cannulation be more difficult due to the visibility/appearance of a vein?
- a. Arrhythmia
 - b. Dehydration
 - c. Dyspnea
 - d. Hypertension
98. A Radiologic Technologist can independently discontinue IV infusion of a patient without asking for permission in an Attending Physician?
- a. Yes, this is because a Radiologic Technologist is specifically trained to gain access for cannulation. Therefore, they are also allowed to independently discontinue an IV infusion without any prior consultation.
 - b. Yes, this is because a Radiologic Technologist has the highest degree of medical authority towards patient care and management when inside the Radiology department.
 - c. No, this is because a Radiologic Technologist should always ask for the Attending Physician's confirmation.
 - d. No, this is because a Radiologic Technologist is bound by the scope and practice.
 - e. All of the above are correct.
99. In the event a patient experiences an Extravasation, which of the following should the Radiologic Technologist do?
- a. The Radiologic Technologist should immediately stop the bolus infusion of IV contrast media.
 - b. The Radiologic Technologist should immediately inform the Attending Physician.
 - c. The Radiologic Technologist should immediately inform the patient's relatives.
 - d. The Radiologic Technologist should immediately perform cold compress.
100. Which of the following areas of the Wrist should not be used for IV access site due to the risk of hitting the Radial Nerve during insertion which can cause an extremely painful experience for the patient?
- a. Dorsal Side of the Wrist
 - b. Medial Side of the Wrist
 - c. Palmar Side of the Wrist
 - d. Superior Side of the Wrist