External API

Last updated by | Barbitta, Gerardo (IST-ENDAVA) | 16 May 2025 at 12:38 pm AWST

important: if the case changes are needed on this document, also update both the YAML file and the wiki page (YAML attached to this doco), in addition upload changes to L2 support : Level 2 Support Use to test YAML: (Swagger editor)

External API - Get Shuts

Overview

The endpoint retrieves detailed information about maintenance shuts, including their versions, metadata, and associations with equipment, sites, and other shuts. This endpoint supports multiple query parameters to filter results by date, category, type, and more.

Endpoint

Method: `GET`
URL: `/api/Shuts/external`

Query Parameters

Parameter	Type	Required	Description	Example
`startDate`	string	**Yes**	The start date of the date range to filter shuts.	`1-Jan-2024`
`endDate`	string	**Yes**	The end date of the date range to filter shuts.	`1-Jan-2024`
`categoryIds`	string	No	Comma-separated list of shut category IDs (e.g., "Fixed Plant", "HME").	`1,2`
`shutTypeIds`	string	No	Comma-separated list of shut type IDs.	`1`
`siteIds`	string	No	Comma-separated list of site IDs.	`5,6,9`
`isSupplyChain`	string	No	Whether to filter shuts that impact the supply chain (`true` or `false`).	`true`
`isLocal`	string	No	Whether to return times in local timezone (`true` or `false`).	`true`
`workGroupIds`	string	No	Comma-separated list of work group IDs to filter shuts.	`3,4`
`assetClassFixedPlantIds`	string	No	Comma-separated list of fixed plant asset class IDs.	`101,102`
`assetClassHMEIds`	string	No	Comma-separated list of HME asset class IDs.	`201,202`
`sortingBy`	string	No	The field to sort by.	`title`
`sortingDirection`	string	No	Sort direction: `asc` or `desc` .	`asc`
`currentPage`	integer	**Yes**	Current page number for pagination.	`1`
`itemsPerPage`	integer	**Yes**	Number of items per page for pagination.	`25`
`itemsLimit`	integer	**Yes**	Limit the number of returned items.	`100`

Parameter	Type	Required	Description	Example
`keyword`	string	No	Keyword to filter shuts by title or description.	`shutdown`
`featureType`	string	No	Filter by feature type (if supported).	`planned`
`includeInactive`	string	No	Whether to include inactive shuts (`true` or `false`).	`true`
`includePreviousVersions`	string	No	Whether to include previous versions of shuts (`true` or `false`).	`true`
`includePendingApprovalVersions`	string	No	Whether to include versions of shuts pending approval (`true` or `false`). Default is `false` .	`true`
`snapshotId`	integer	No	Optional snapshot ID to filter shuts in their historical state at the time of the snapshot.	`57`
`changedAfterDatetime`	string	No	Only includes shuts that changed after this date/time.	`1-Jan-2024`
`includeSiteImpactedInSiteFilter`	string	No	Whether to include impacted sites in site filter results (`true` or `false`).	`true`

Response

Status Code: `200 OK`
Content-Type: `application/json`

Response Properties

Property	Type	Description
`shuts`	array	List of shuts returned by the query.
`shuts[].id`	integer	Unique identifier of the shut.
`shuts[].category.name`	string	Category of the shut (e.g., Fixed Plant, HME).
`shuts[].createDatetimeUTC`	string	UTC creation datetime.
`shuts[].createDatetimeLocal`	string	Local creation datetime.
`shuts[].createdByPrincipal.displayName`	string	Creator's name.
`shuts[].lastUpdateDatetimeUTC`	string	UTC last updated datetime.
`shuts[].lastUpdateDatetimeLocal`	string	Local last updated datetime.
`shuts[].lastUpdatedByPrincipal.displayName`	string	Last updater's name.
`shuts[].versions`	array	Version history of the shut.
`versions[].id`	integer	Unique ID of the version.
`versions[].status`	string	Version status (e.g., Approved, Pending Approval).
`versions[].changeType`	string	Type of change (Create, Update, Delete).
`versions[].description`	string	Description of the shut version.
`versions[].durationHours`	number	Duration in hours.
`versions[].startDatetimeUTC`	string	Start time (UTC).
`versions[].endDatetimeUTC`	string	End time (UTC).
`versions[].site.name`	string	Site name.
`versions[].equipment`	array	List of equipment involved in the shut.
`equipment[].name`	string	Name of the equipment.
`equipment[].code`	string	Equipment code.
`equipment[].assetClass.name`	string	Asset class name.

Property	Type	Description
`equipment[].assetClass.category.name`	string	Asset category (Fixed Plant, HME, etc.).
`versions[].keyContacts`	array	List of key contacts for the shut.
`keyContacts[].contact.displayName`	string	Name of the contact.
`keyContacts[].contact.emailAddress`	string	Email of the contact.
`versions[].linkedShuts`	array	Related shuts.
`linkedShuts[].relationshipType`	string	Type of relationship (e.g., is related to).
`linkedShuts[].shut.title`	string	Title of the related shut.
`linkedShuts[].shut.startDatetimeUTC`	string	Start time of the related shut (UTC).
`linkedShuts[].shut.endDatetimeUTC`	string	End time of the related shut (UTC).

Example Response


```
{ "shuts": [ { "id": 12345, "category": { "name": "Fixed Plant" }, "createDatetimeUTC": "2021-11-15T07:14:16", "createDatetimeLocal": "2021-11-15T15:14:16", "createdByPrincipal": { "principalGUID": "ABEFCDAB-0000-0000-0000-000000000B08", "displayName": "John Smith" }, "versions": [ { "id": 67890, "title": "#43899 - CLB: 12hrs - RC12, ST12, CV650 Yard Sub 2 Outage", "status": "Approved", "changeType": "Update", "isCurrentVersion": true, "isActive": true, "description": "Yard SUB 2 Shut - 12hrs", "durationHours": 12.0, "startDatetimeUTC": "2024-08-28T22:00:00", "endDatetimeUTC": "2024-08-29T10:00:00", "site": { "name": "CLB", "abbreviation": "CLB" }, "equipment": [ { "name": "STACKER 12", "code": "CLBYDST12", "assetClass": { "name": "Stacker", "category": { "name": "Fixed Plant" } } } ] } ] } ] }
```


How to Use with Postman

Steps:

1. Open **Postman**.
2. Create a **new request**.
3. Set the **method** to `GET`.
4. Set the **URL** to:

```
https://<msf-domain>/api/Shuts/external
```

5. Click the **Params** tab and add the desired query parameters:

KEY	VALUE
startDate	1-Jan-2024
endDate	31-Jan-2024
categoryIds	1,2
siteIds	5,6,9
includePendingApprovalVersions	true

6. Go to the **Authorization** tab and add **Bearer Token**.
7. Click **Send.**
8. Review the JSON response under the **Body** tab.

Notes

- Ensure you have access to the API and required authorization headers.
- This endpoint supports comprehensive filtering; use specific query parameters to optimize performance.
- Time fields are returned in UTC and local times (site time - WST - Perth).
- Use pagination parameters (`currentPage` , `itemsPerPage`) for large result sets.
- When using `snapshotId` , the returned shuts reflect the state at the time of the snapshot.
- Query parameters that accept lists (like `siteIds` , `categoryIds`) should use comma-separated values.
- Use ISO 8601 or accepted date formats for date fields like `startDate` and `changedAfterDatetime` .