
Landing page:



As we initiate the process there's no user registered in the system so we generate credentials for an operate through cli

```
MINGW64:/c/xampp/htdocs/blog

Chanoux@DESKTOP-6TU5943 MINGW64 /c/xampp/htdocs/blog

S php artisan tinker

Psy Shell v0.9.12 (PHP 7.4.24 - cli) by Justin Hileman

>>> operators::create(["name" => "Test_Operator", "username"=>"Operator_User", "passwo rd"=>Hash::make('123456')]);

[!] Aliasing 'operators' to 'App\operators' for this Tinker session.


PHP Deprecated: The "Doctrine/Common/Inflector/Inflector::pluralize" method is deprec ated and will be dropped in doctrine/inflector 2.0. Please update to the new Inflector/Inflector.php on line 264

PHP Deprecated: The "Doctrine/Common/Inflector/Inflector::pluralize" method is deprec ated and will be dropped in doctrine/inflector 2.0. Please update to the new Inflector API. in C:/xampp/htdocs/blog/vendor/doctrine/inflector/lib/Doctrine/Common/Inflector/Inflector.php on line 264


>> App\operators {#4242
    name: "Test_Operator",
    username: "Operator_User",
    password: "$2y$10$YYnAFgrXThuzBsBsN14zFeIJ6vKkQN8nb4275YS5fM2bUKzLebQsW",
    id: 1,
    }

>>> |
```


Back to login screen and log in with credentials created




Our landing page /dashboard once logged in :




The Operator to create Credentials for customer/s:




//




Once user Added to system the operator can now create a sales order through which an invoice will/can be generated




Operator can modify or remove the customer/s from the system







//




// Delete Customer



//



//



Please find the rest of the visual presentation on this link I've made a loom for a better understanding:

https://www.loom.com/share/f8f80a64dc964758962b52ec51ae81eb