

Design and Usability

Academic Year 2025–2026

P2: Prototype, Evaluation and Iteration of a Mobile App

Project:

Kitchify - Virtual Fridge Mobile App



Authors:

Karolina Kawulska

Oliwia Wójcicka

Table of Contents

Block 1: Complete App Sketching	5
1.1 Sitemap and Flowchart from P1	5
1.2 Defining Screens	6
Screen 1 — Inventory / Home	6
Screen 2 — Add Ingredient	6
Screen 3 — Manual Add	7
Screen 4 — Scanner Screen	7
Screen 5 — Item Details	7
Screen 6 — Edit Ingredient	7
Screen 7 — Recipes List	7
Screen 8 — Recipe Details	7
Screen 9 — Shopping List	7
Screen 10 — Notifications Settings	7
1.3 Sketch Exploration	8
1.4 Final Screen Selections and Justifications	14
Screen 1 — Inventory / Home	14
Screen 2 — Add Ingredient	15
Screen 3 — Manual Add	16
Screen 4 — Scanner Screen	17
Screen 5 — Item Details	18
Screen 6 — Edit Ingredient	19
Screen 7 — Recipes List	20
Screen 8 — Recipe Details	21
Screen 9 — Shopping List	22
Screen 10 — Notifications Settings	23
1.5 Screen Iteration After Feedback and Testing	24
Screen 1 — Settings	25
Screen 2 — Help / About	26
Screen 3 — Confirmation / Success	27
Screen 4 — Product Not Found / Error	28
Screen 5 — Help / About Confirmation	29
Block 2: Complete Wireflow with FigJam	30
2.1 Construction of the Wireflow	30
2.2 Flow Validation — Nielsen Heuristics	31
Heuristic 1 — User Control and Freedom	31
Heuristic 2 — Visibility of System Status	31

Heuristic 3 — Error Prevention	32
Heuristic 4 — Consistency and Standards.....	32
Block 3: Complete Wireframes with Figma	33
3.1 Creating Wireframes	33
3.2 Functional Validation	34
3.3 Connecting Screens	35
Block 4: Guerrilla Test	36
4.1 Test Design	36
Objective of the Test.....	36
User Profile	36
Task Design	36
4.2 Test Script Summary	37
Introduction	37
Tasks and Post-Task Questions	37
Closing Questions	37
4.3 Participants	37
4.4 Quantitative Data.....	38
4.5 Qualitative Data.....	39
4.6 Analysis of Results	40
Patterns Identified	40
Most Problematic Task	40
Task With Longest Completion Time	40
Repeated Lockout Points	40
4.7 Proposed Improvements	41
Block 5: Style Guide	43
5.1 Visual Identity — Color Palette	43
5.2 Typography	45
5.3 Component System.....	45
5.4 Shape System and Visual Style.....	46
5.5 Consistency and Implementation.....	47
Block 6: Mockups and Final Interaction	49
6.1 Mockups Overview	49
6.2 Guerrilla Test Improvements Applied.....	52
6.3 Final Interactive Prototype	52
References and External Tools	54
Figma Links.....	54
FigJam Link.....	54
Video Recordings	54
Prototype Link	55

Bibliography	55
AI Tools Used	55

Block 1: Complete App Sketching

1.1 Sitemap and Flowchart from P1

Figma Link (SiteMap and Flowchart):

<https://www.figma.com/board/E6pcyxNhssgy0NJeFi6LeR/Untitled?node-id=0-1&t=bXRVhvVVNjCv8GQI-0>




Figure. Kitchify sitemap from P1 showing the main functional areas of the application: inventory management, recipes, shopping support, and user/settings.

The sitemap from P1 was used to define the overall structure and navigation of the Kitchify application. It includes both core task screens, such as Inventory List, Recipe Details, and Shopping List, and supporting screens, such as Settings and About/Help.

The first ten screens in Section 1.4 focus on the main user task flow, so some supporting screens from the sitemap were not shown there as separate views. Settings and About/Help were added later during the iteration phase described in Section 1.5. Therefore, they were not removed from the design process, but introduced as additional supporting screens in the final prototype.




Figure. Flowchart from P1 showing the Add Product flow, including manual entry, barcode scanning, validation, error handling, and return to the inventory list.

The flowchart from P1 was used to define the interaction logic for one of the key flows of the application: adding a product. It shows the alternative paths for manual entry and barcode scanning, including validation, error states, recovery options, and confirmation before returning to the inventory list.

1.2 Defining Screens

The Kitchify application was designed for the iOS platform. Based on the sitemap and flowchart developed in P1, ten screens were identified as necessary to fully support the application. The screens cover all main user goals: managing inventory, adding products, browsing recipes, handling the shopping list, and configuring notifications.

Screen 1 - Inventory / Home

Goal: Allows users to see all ingredients currently stored in their virtual fridge in one place.

Supported tasks / flows: Browsing available products, checking quantities and expiry status, opening item details, and starting the process of adding a new ingredient.

Screen 2 - Add Ingredient

Goal: Allows users to choose how they want to add a new ingredient to the inventory.

Supported tasks / flows: Choosing between manual entry and barcode scanning.

Screen 3 - Manual Add

Goal: Allows users to manually enter a new product into the virtual fridge.

Supported tasks / flows: Adding an ingredient by entering product name, quantity, unit, expiry date, and storage location.

Screen 4 - Scanner Screen

Goal: Allows users to add a new product by scanning a barcode.

Supported tasks / flows: Supports the scanner path in the “Add a new ingredient” flow and provides quick product entry.

Screen 5 - Item Details

Goal: Shows detailed information about a selected ingredient.

Supported tasks / flows: Checking product details such as quantity, unit, expiry date, and location, and providing access to editing actions.

Screen 6 - Edit Ingredient

Goal: Allows users to update the data of an existing product.

Supported tasks / flows: Editing quantity, unit, expiry date, and other product information after opening an item from the inventory.

Screen 7 - Recipes List

Goal: Allows users to browse or search recipes that can be prepared with available ingredients.

Supported tasks / flows: Finding recipes, exploring meal ideas, and opening recipe details.

Screen 8 - Recipe Details

Goal: Shows the selected recipe, its ingredients, and whether each ingredient is available or missing.

Supported tasks / flows: Comparing the recipe with current inventory and adding missing ingredients to the shopping list.

Screen 9 - Shopping List

Goal: Allows users to see and manage the products they need to buy.

Supported tasks / flows: Reviewing missing ingredients, editing shopping items, and preparing for grocery shopping.

Screen 10 - Notifications Settings

Goal: Allows users to manage expiry alerts and notification preferences.

Supported tasks / flows: Enabling or disabling expiry notifications and adjusting notification settings.

1.3 Sketch Exploration

Three different versions were developed for each of the ten screens. These versions proposed alternatives in terms of composition, organisation of content, visual hierarchy, and arrangement of the main actions.




Figure. Three low-fidelity sketch versions of the Inventory / Home screen exploring different ways of organising product lists, expiry information, and the main add-product action.




Figure. Three low-fidelity sketch versions of the Add Ingredient screen exploring manual entry and barcode scanning as alternative input methods.





Figure. Three low-fidelity sketch versions of the Manual Add screen exploring a simple form, grouped sections, and a step-by-step structure.



④ SCANNER SCREEN

Figure. Three low-fidelity sketch versions of the Scanner Screen exploring different barcode-scanning layouts and confirmation patterns.




Figure. Three low-fidelity sketch versions of the Item Details screen exploring different ways of presenting product information and actions.




Figure. Three low-fidelity sketch versions of the Edit Ingredient screen exploring standard editing, quick controls, and mixed update layouts.





Figure. Three low-fidelity sketch versions of the Recipes List screen exploring search, recommendations, and ready-to-cook organisation.



⑧ RECIPE DETAILS

Figure. Three low-fidelity sketch versions of the Recipe Details screen exploring recipe feasibility and adding missing ingredients to the shopping list.

⑨ SHOPPING LIST





Figure. Three low-fidelity sketch versions of the Shopping List screen exploring basic lists, grouped categories, and more advanced actions.



⑩ NOTIFICATIONS SETTINGS

Figure. Three low-fidelity sketch versions of the Notifications Settings screen exploring basic, advanced, and minimalist notification configurations.

1.4 Final Screen Selections and Justifications

Screen 1 - Inventory / Home




Figure. Final version of the Inventory / Home screen, showing the search bar, “Expiring soon” section, category filters, product list, add button, and bottom navigation.

Usability heuristics:

- Visibility of system status — the “Expiring soon” section immediately informs users which products require attention.
- Recognition rather than recall — products, quantities, and expiry information are visible directly on screen.

Accessibility criterion:

Perceivable — content is divided into visible sections with the most important information at the top.

Composition elements:

- Search bar as the first visible interaction point.
- Vertical hierarchy with grouping and spacing reduces cognitive overload.

Screen 2 - Add Ingredient




Figure. Final version of the Add Ingredient screen, presenting two main product-entry options: manual entry and barcode scanning.

Usability heuristics:

- Consistency and standards — familiar decision-screen pattern with two clear choices.
- Flexibility and efficiency of use — user can choose preferred input method in one tap.

Accessibility criterion:

Understandable — both options are clearly labelled and visually separated.

Composition elements:

- Two large blocks with highest visual weight.
- White space around both options makes them easy to distinguish.

Screen 3 - Manual Add

01:26 FINAL

← Manual Add

Product name
[e.g. Milk]

Quantity unit
[e.g. 2] [e.g. pcs]

Expiry date
[dd/mm/yyyy]

storage location
[e.g. Fridge]

[save]

Figure. Final version of the Manual Add screen, showing the product form with fields for name, quantity, unit, expiry date, and storage location.

Usability heuristics:

- Error prevention — clear field order reduces the risk of mistakes.
- Aesthetic and minimalist design — only necessary inputs, avoiding unnecessary complexity.

Accessibility criterion:

Understandable — labels and placeholder examples make each field's meaning clear.

Composition elements:

- Top-to-bottom progression with Product Name first.
- Quantity and Unit placed side by side to improve space usage.

Screen 4 - Scanner Screen

Figure. Final version of the Scanner screen, combining the barcode-scanning area with a scanned product preview and save actions.

Usability heuristics:

- Visibility of system status — preview section shows what the system detected after scanning.
- User control and freedom — user can save, try again, or add manually.

Accessibility criterion:

Operable — interactive areas are large, clear, and separated.

Composition elements:

- Scanner area dominates the upper part; preview below guides from scanning to confirmation.
- Action buttons grouped below the preview.

Screen 5 - Item Details




Figure. Final version of the Item Details screen, presenting the product card, status section, detailed information, and edit action.

Usability heuristics:

- Match between system and the real world — product information reflects how users think about food.
- Visibility of system status — “Expiring soon” status displayed clearly.

Accessibility criterion:

Perceivable — information separated into clear blocks.

Composition elements:

- Top card draws attention first, then status, then detailed information.
- Clear vertical structure with good hierarchy.

Screen 6 - Edit Ingredient



Figure. Final version of the Edit Ingredient screen, combining quick quantity editing with additional product details and a save action.

Usability heuristics:

- Flexibility and efficiency of use — quantity can be updated quickly with +/- controls.
- Recognition rather than recall — all editable information visible on one screen.

Accessibility criterion:

Operable — controls are separated clearly and easy to interact with.

Composition elements:

- More visual weight on the Quick Update section at top.
- More Details section placed below as secondary information.

Screen 7 - Recipes List



Figure. Final version of the Recipes List screen, showing search, a highlighted “Ready to cook” section, and additional popular recipes.

Usability heuristics:

- Recognition rather than recall — “Ready to cook” section helps users identify relevant recipes immediately.
- Aesthetic and minimalist design — stronger focus on most useful content.

Accessibility criterion:

Perceivable — most relevant section visually distinguished from the rest.

Composition elements:

- Search bar as entry point; “Ready to cook” as main point of attraction.
- Popular recipes section follows as secondary content.


Screen 8 - Recipe Details

Figure. Final version of the Recipe Details screen, showing the recipe summary, ingredient availability, and the action to add missing products to the shopping list.

Usability heuristics:

- Visibility of system status — user sees immediately how many ingredients are available and missing.

- Match between system and the real world — “You have / You miss” reflects a real cooking situation.

Accessibility criterion:

Understandable — ingredient status and main action are easy to interpret.

Composition elements:

- Summary at top with strong visual weight.
- CTA at bottom isolated and visually dominant.

Screen 9 - Shopping List




Figure. Final version of the Shopping List screen, showing grouped product categories, searchable items, and the share-list action.

Usability heuristics:

- Recognition rather than recall — grouped categories help users quickly identify products during shopping.
- Consistency and standards — checklist-based shopping behaviour is familiar.

Accessibility criterion:

Perceivable — categories, checkboxes, and quantities visually separated and easy to scan.

Composition elements:

- Search bar first as entry point.
- Category headers with spacing improve grouping and readability.


Screen 10 - Notifications Settings

Figure. Final version of the Notifications screen, showing expiry alerts, reminder frequency options, additional notification settings, and the save action.

Usability heuristics:

- Consistency and standards — familiar settings layout with toggles, radio buttons, and save action.
- Aesthetic and minimalist design — only the most relevant notification controls included.

Accessibility criterion:

Understandable — relationship between main expiry toggle, reminder frequency, and secondary settings is clear.

Composition elements:

- Main expiry toggle at the top with highest priority.
- Save button isolated at the bottom, clearly marking the final action.

1.5 Screen iteration after feedback and testing

As part of the iterative design process, we reviewed the existing prototype and identified screens that needed improvement, as well as additional screens required to complete the user flows. This section presents a design iteration within the document, while the full guerrilla usability test is described later in Block 4.

We did not redesign the whole application from the beginning. Instead, we focused on screens and states connected to the identified issues, such as unclear buttons, weak visual hierarchy, missing feedback, or missing intermediate steps. Some new supporting screens were added at this stage, including settings, help, confirmation, and error-related screens, to make the prototype more complete and consistent with the sitemap.

For each updated or newly added screen, three alternative versions were prepared. After comparison, the most effective version was selected as the basis for the final mockups and interactive prototype.

Screen 1 - Settings




Figure. Settings screen sketch exploration showing three layout alternatives and the final selected version with clearer profile placement, notification control, Help/About access, and bottom navigation.

Usability heuristics:

- Consistency and standards — the screen follows a familiar mobile settings pattern with a profile area, notification control, Help/About option, and bottom navigation.
- Recognition rather than recall — users can immediately recognise the available settings options without needing to remember where they are located.

Accessibility criterion:

Understandable — the settings options are clearly labelled, and the notification status is placed next to the Notifications label, making the function easy to interpret.

Composition elements:

- The profile icon and greeting are placed at the top to personalise the screen without hiding the main options.
- Settings options are arranged vertically with clear spacing, making the screen easy to scan.

Screen 2 - Help/About




Figure. Help/About screen sketch exploration showing three alternatives and the final selected version with a clearer About section and support area.

Usability heuristics:

- Help and documentation — the screen provides a dedicated place for users to find information about the app and access support.
- Consistency and standards — the back arrow at the top follows a familiar navigation pattern, allowing users to return easily to Settings.

Accessibility criterion:

Understandable — the About section and help area are visually separated, so users can distinguish general app information from support-related content.

Composition elements:

- The screen uses a simple top-to-bottom structure: title, About section, then help/support content.
- Separate content blocks reduce confusion and make the information easier to read.

Screen 3 - Confirmation / Success




Figure. Confirmation screen sketch exploration showing three alternatives and the final selected version for product added or edited feedback.

Usability heuristics:

- Visibility of system status — the screen clearly confirms that the product was added or edited successfully.
- Error prevention — confirmation feedback helps users avoid repeating the same action because they know the system has already saved the change.

Accessibility criterion:

Perceivable — the confirmation message is placed in the centre of the screen with a check mark, making the success state easy to notice.

Composition elements:

- The central card creates a strong focus point and immediately communicates the result of the action.
- The check icon supports the text message visually, making the confirmation easier to understand.

Screen 4 - Product Not Found / Error



Figure. Product Not Found error screen sketch exploration showing three alternatives and the final selected version with a clear error message and recovery action.

Usability heuristics:

- Visibility of system status — the screen clearly informs the user that the scanned product was not found.
- User control and freedom — the Try again action gives users a recovery option instead of leaving them blocked.

Accessibility criterion:

Operable — the recovery button is clearly visible and easy to tap, allowing users to continue the task after the error.

Composition elements:

- The error message is placed in a central card, giving it strong visual priority.
- The Try again button is placed directly below the error message, creating a clear relationship between the problem and the next action.

Screen 5 - Help/About Confirmation




Figure. Help/About confirmation screen sketch exploration showing three alternatives and the final selected version with a clear thank-you message after the user submits a support message.

Usability heuristics:

- Visibility of system status — the screen clearly informs the user that their support message has been received.
- Recognition rather than recall — the message “Thank you for your message” directly confirms the result of the previous action, so the user does not need to guess whether the message was sent.

Accessibility criterion:

Understandable — the confirmation message uses simple language and is placed in a clearly visible area, making the result of the action easy to interpret.

Composition elements:

- The confirmation card is placed in the centre of the screen, giving the feedback strong visual priority.
- The minimal layout removes unnecessary elements and keeps the user focused on the message confirmation.

AI Tool Used: ChatGPT

Prompts used:

- Translate this text into correct academic English for a report.
- Rewrite this paragraph in a clearer and more formal way.
- Check grammar and improve this justification.
- Pomóż mi zrozumieć polecenie.

Block 2: Complete Wireflow with FigJam

2.1 Construction of the Wireflow

The wireflow was created in FigJam based on the first set of final sketches selected in Section 1.4, before the additional screen iteration described in Section 1.5. All selected screens were embedded into the board and connected with arrows representing navigation paths, user actions, system decisions, and intermediate states. The wireflow reflects the actual behaviour of the interface, showing how the user moves through the most important tasks.

FigJam Link: <https://www.figma.com/board/z2C1PFOBZs0O8hK7jUGQ8H/Untitled?node-id=0-1&p=f&t=LCVRpSrDt2b099VC-0>

Main flows included in the wireflow:

- Add ingredient manually
- Add ingredient by barcode scanning
- Open item details and edit an ingredient
- Browse recipes and check recipe feasibility
- Add missing ingredients to the shopping list
- Manage expiry notification settings




Figure. Overview of the complete Kitchify wireflow in FigJam, showing all screens connected with navigation arrows, decision points, and alternative paths.

2.2 Flow Validation - Nielsen Heuristics

Heuristic 1 — User Control and Freedom

This heuristic is fulfilled in several parts of the flow. A clear example appears in the Scanner flow: after scanning a barcode, the user is not forced to accept the detected result. Instead, the interface offers two alternative actions: Add manually and Try again. The same principle is visible through the consistent use of the back arrow in screens such as Add Ingredient, Manual Add, Scanner, Item Details, Edit Ingredient, Recipe Details, Shopping List, and Notifications Settings.

This avoids the usability problem of feeling trapped in the flow. Without this freedom, users could become frustrated if the scanner recognises a product incorrectly or if they open the wrong screen.

Heuristic 2 — Visibility of System Status

This heuristic is fulfilled by showing users the current state of the system at important moments. The Inventory screen shows an “Expiring soon” section that immediately informs users which items require attention. The Recipe screen shows a summary such as “3 available • 2 missing”. The Scanner screen preview block shows the scanned product name and quantity before confirmation.

This avoids the usability problem of uncertainty. If users do not know what was scanned or whether a recipe is feasible, they may make wrong decisions or lose trust in the app.

Heuristic 3 — Error Prevention

The Manual Add screen contains only essential fields in a logical order. The Edit Ingredient screen places the most frequent action — changing quantity — at the top as a Quick Update section, while detailed settings are placed below. The Scanner flow supports error prevention because the user can review the scanned product before saving it.

This avoids the usability problem of incorrect input and accidental confirmation, which is especially important in an inventory app where inaccurate data reduces the usefulness of the whole system.

Heuristic 4 — Consistency and Standards

The wireflow uses the same basic conventions on multiple screens: a header at the top, a back arrow on internal screens, a primary action button near the bottom, and bottom navigation on top-level screens. Common interface patterns such as search bars, checkboxes, radio buttons, toggles, and primary CTA buttons make the flow predictable and easy to learn.

This avoids the usability problem of inconsistency and relearning. If every screen used different navigation logic, users would need to re-learn the interface at each step.

AI Tool Used: ChatGPT

Prompts used:

- translate it into polish
- explain why the “Expiring soon” section is useful for the user.
- why are Quantity and Unit placed side by side in this form?
- explain why the scanned product preview improves usability.
- why is the “Ready to cook” section important on the recipes screen?
- explain why products in the shopping list are grouped by category.
- why are radio buttons a good solution for reminder frequency?

Block 3: Complete Wireframes with Figma

3.1 Creating Wireframes

Figma Link (Page 1 - Wireframes):

<https://www.figma.com/design/1rKDpTrGQdKp3cFNDHWhse/Untitled?node-id=0-1&p=f&t=ayZ6CHYimsrhZrXb-0>

Based on the validated wireflow, complete wireframes were developed for all screens of the Kitchify application. The wireframes follow the structure established in the final sketches and maintain consistency with iOS interaction patterns.




Figure. Wireframes of four Kitchify screens showing the main layout, navigation, content hierarchy, and key interactive elements in grayscale.




Figure. Wireframes of four Kitchify screens showing the main layout, navigation, content hierarchy, and key interactive elements in grayscale.




Figure. Wireframes of four Kitchify screens showing the main layout, navigation, content hierarchy, and key interactive elements in grayscale.

3.2 Functional Validation

Clarity of information architecture:

Each screen is organised around one main user goal. The Inventory / Home screen focuses on product overview and expiry awareness. The Add Ingredient, Manual Add, and Scanner screens focus on adding new products. The Item Details and Edit Ingredient screens focus on reviewing and modifying product information. The Recipes List and Recipe Details screens focus on recipe feasibility, while the Shopping List supports grocery planning. The Notifications Settings screen focuses on expiry reminders.

Understanding navigation:

Main screens use bottom navigation, which allows users to move between the most important areas of the application. Internal screens include a back navigation control. Each screen has a clear next action, such as Save, Edit, Scan Barcode, Add missing items to Shopping List, or Share List.

Consistency across screens:

All wireframes use the same mobile frame, the same base grid, and a similar vertical structure. Headers are placed at the top, main content appears in the middle, and primary actions are placed near the bottom. Repeated elements such as search bars, cards, buttons, input fields, checkboxes, toggles, and radio buttons follow the same visual logic.

Correct definition of interactive states:

The Scanner screen includes a product preview after scanning. The Recipe Details screen separates available and missing ingredients. The Shopping List uses checkboxes to represent shopping progress. The Notifications Settings screen uses a toggle for enabling expiry alerts and radio buttons for selecting reminder frequency.

3.3 Connecting Screens

The wireframes were connected in Figma using Prototype mode. The primary entry point was defined as the Inventory / Home screen. All screens were connected with interactive links. No screen was left isolated. Each screen includes either a back arrow, bottom navigation, or a clear action button.

Required states included:

- Confirmation state: “Product added!” screen after successfully saving a product.
- Error state: “Product not found” screen when the barcode scanner cannot recognise a product.
- Back navigation: back arrows and bottom navigation prevent the user from feeling trapped.

User Action	Type	Destination	Expected Status
Tap + on Inventory	Tap	Add Ingredient	User chooses how to add a product
Tap Manual Add	Tap	Manual Add	Manual product form opens
Tap Scan Barcode	Tap	Scanner	Barcode scanner screen opens
Tap Save on Manual Add	Submit	Product added confirmation	Product saved successfully
Tap Save after scanner result	Submit	Product added confirmation	Scanned product added
Scan unknown barcode	System result	Product not found error	Error state displayed
Tap Try again	Tap	Scanner	User can scan again
Tap Add manually from error	Tap	Manual Add	User can enter manually
Tap product card	Tap	Item Details	Product details displayed
Tap Edit	Tap	Edit Ingredient	Product information can be edited
Tap recipe card	Tap	Recipe Details	Recipe information displayed
Tap Add missing to Shopping List	Tap	Shopping List / confirmation	Missing products added to list
Tap bottom navigation icons	Tap	Selected main screen	User moves between app sections
Tap back arrow	Tap	Previous screen	User returns to previous step

Table. Main interaction definition for the Kitchify wireframe prototype, showing user actions, interaction types, destinations, and expected states after interaction.

Block 4: Guerrilla Test

4.1 Test Design

Objective of the Test

The main objective of the guerrilla test is to validate whether users can understand and complete the key flows of the Kitchify mobile application using the current interactive wireframes.

The main hypothesis is that users will be able to manage their virtual fridge more easily if the application provides clear navigation, visible product information, and simple actions for adding, checking, editing, and using ingredients in everyday situations.

Parts of the flow evaluated:

- Adding an ingredient manually
- Checking product details
- Editing the quantity of an existing ingredient
- Recovering from a barcode scanning error
- Checking recipe feasibility
- Adding missing ingredients to the shopping list
- Checking products that are expiring soon

User Profile

Target users are young adults, students, or people who regularly buy and store food at home. They may live alone, with roommates, or with family, and they want to reduce food waste by keeping better control of the ingredients they already have. The expected level of technological familiarity is medium. Participants were not classmates from ICE or DICE.

Task Design

Task	Name	Goal
Task 1	Add a new ingredient manually	Check whether users can add a product to the virtual fridge
Task 2	Check product details and edit quantity	Check whether users understand product cards, details, and editing
Task 3	Check a recipe and add missing ingredients to the shopping list	Check whether users understand recipe feasibility and shopping list flow
Task 4	Barcode not recognised	Check whether users understand the error state and recovery options

Task	Name	Goal
Task 5	Check products that are expiring soon	Check whether users notice and understand the “Expiring soon” section

Table. Overview of the five guerrilla test tasks and their goals.

4.2 Test Script Summary

Introduction

Participants were informed that they were testing a prototype of the Kitchify mobile application. They were told that the purpose of the test is to understand whether the prototype is clear, useful, and easy to use. They were reminded that we are testing the application, not them. The test took approximately 10–15 minutes. Participants were asked to think aloud throughout.

Tasks and Post-Task Questions

Tasks were presented one by one without step-by-step instructions. After each task, the moderator asked open-ended questions such as: Was it clear what you had to do on this screen? Was there anything confusing or difficult? How much did you trust the information shown by the app (1–5)?

Closing Questions

Final questions covered overall impression, easiest and most difficult tasks, clarity of navigation, perceived usefulness of each section, and whether the participant would use the app in daily life. Participants also provided overall ratings from 1 to 5 for ease of use and trust.

4.3 Participants

Participant	Short Profile	Notes
P1	Kamila, student from Poland	Young adult, familiar with mobile applications
P2	Daria, Mathematics and Computer Science student	Young adult, familiar with digital tools
P3	Emma, Erasmus student	International student, young adult, familiar with mobile apps
P4	Mathematics student from Poland	Young adult, familiar with digital tools
P5	Final-year high school student from Poland	Younger participant, familiar with basic mobile apps

Table. Overview of the five guerrilla test participants.

YouTube Recordings:

<https://youtu.be/ogSsTY6KxFA>

<https://youtu.be/HUwMGv1qRWk>

<https://youtu.be/aDhf6SLbGiM>

<https://youtu.be/KkDnq1KDDqc>

<https://youtu.be/VkkDn0OvUPY>

OneDrive Recordings:

https://lasalleuniversitiesmy.sharepoint.com/personal/karolina_kawulski_students_salle_url/edu/_layouts/15/onedrive.aspx?id=%2Fpersonal%2Fkarolina%5Fkawulski%5Fstudents%5Fsalle%5Furl%5Fedu%2FDocuments%2Frecordings%5Fdau&ga=1

4.4 Quantitative Data

P	Task	Time	Errors	Lockout Points	Confidence (1-5)	Trust (1-5)	Result
P1	T1	0:09	0	None	5	5	Completed
P1	T2	0:16	0	None	5	5	Completed
P1	T3	0:34	1	Problem with adding missing ingredients to shopping cart	3	3	Partially completed
P1	T4	0:17	0	None	5	5	Completed
P1	T5	0:08	0	None	5	5	Completed
P2	T1	1:15	0	None	4	4	Completed
P2	T2	0:40	0	None	5	5	Completed
P2	T3	0:30	0	Slight hesitation with shopping cart action	4	4	Completed
P2	T4	0:19	0	None; error message was clear	5	5	Completed
P2	T5	0:08	0	None	5	5	Completed
P3	T1	0:07	0	None	5	5	Completed
P3	T2	0:10	0	None	5	5	Completed
P3	T3	0:50	0	None	5	3	Completed
P3	T4	0:17	0	None	5	5	Completed
P3	T5	0:03	0	None	5	5	Completed
P4	T1	0:13	0	None	5	5	Completed
P4	T2	0:17	1	Confusion about what exactly should be edited	4	4	Partially completed
P4	T3	0:25	1	Confusion whether to tap top recipe area or square cards	4	4	Partially completed

P	Task	Time	Errors	Lockout Points	Confidence (1-5)	Trust (1-5)	Result
P4	T4	0:15	0	None	5	5	Completed
P4	T5	0:12	0	None	5	5	Completed
P5	T1	0:12	0	None	5	5	Completed
P5	T2	0:11	1	Entered “Expiring soon” instead of opening regular product	4	4	Partially completed
P5	T3	0:10	0	None	4	4	Completed
P5	T4	0:22	1	Confusion caused by unclear barcode task instruction	4	4	Partially completed
P5	T5	0:16	0	None	5	5	Completed

Table. Quantitative data collected during the guerrilla test for each participant and each task.

4.5 Qualitative Data

Participant	Spontaneous Comments	Recurring Doubts	Relevant Literal Phrases	Unintended Behaviours
P1	Commented negatively on the visual design	Difficulty with the shopping cart action	“The design of the app is ugly.”	Error while adding missing ingredients to shopping cart
P2	Said the app was intuitive and simple	Mentioned the “add to shopping cart” action was not fully clear	“The app is intuitive and simple.” / “The error message is clear.”	Slight hesitation during shopping cart action
P3	Said everything was clear and worked well	No recurring doubts observed	“Everything is okay.”	No unintended behaviours observed
P4	Said he liked the prototype but some buttons could be larger	Unsure what to edit; unsure whether to tap top recipe area or square cards	“Some buttons could be bigger.”	Hesitated during edit flow and recipe selection
P5	Said the application was mostly clear	Difficulty with the barcode task due to unclear instruction	“Everything is rather okay.”	Entered “Expiring soon” section instead of opening regular product

Table. Qualitative data collected during the guerrilla test.

4.6 Analysis of Results

Patterns Identified

Task	Main Repeated Problem	Participants Affected	Evidence
Task 1	No repeated problem detected.	None	All participants completed without repeated errors.
Task 2	Some users were unsure how to open or edit product details correctly.	P4, P5	P4 was unsure what to edit; P5 entered “Expiring soon” instead of opening a regular product.
Task 3	Shopping cart / recipe flow was not fully clear.	P1, P2, P4	P1 made an error; P2 found action only moderately clear; P4 was unsure which element to tap.
Task 4	Barcode error flow understandable but task instruction caused confusion for one participant.	P5	P5 had difficulty due to unclear instruction; P2 found the error message clear.
Task 5	No repeated problem detected.	None	Task completed without repeated errors.

Table. Summary of patterns by task identified in the guerrilla test analysis.

Most Problematic Task

Task 3 generated the highest number of errors (3 out of 5 participants). The problem was caused by the visual hierarchy of the recipe screen and the shopping cart action. The clickable elements and the main call-to-action were not visually clear enough, so users were unsure where to tap or what the next step should be.

Task With Longest Completion Time

Task 3 also had the longest average completion time (approximately 0:56). Users were slower because the recipe and shopping list flow required more interpretation than the other tasks.

Repeated Lockout Points

Lockout point	Participants affected	Related task	Interpretation
Users were unsure how to add missing ingredients to the shopping cart.	P1, P2	Task 3	The “add to shopping cart” action may not be visually clear enough. Users understood the general recipe flow, but the final action did not stand out strongly enough.

Lockout point	Participants affected	Related task	Interpretation
Users were unsure how to interact with the recipe screen.	P4	Task 3	The recipe screen did not clearly show whether users should tap the top recipe area or the square recipe cards. This suggests that interactive elements need stronger visual affordance.
Users were unsure what exactly should be edited in the edit flow.	P4	Task 2	The edit screen may not communicate the expected editable information clearly enough. The quantity editing action should be more explicit.

Table. Summary of lockout points identified in the guerrilla test analysis.

4.7 Proposed Improvements

No.	Problem	Proposed Improvement	Impact	Severity	Priority
1	Unclear recipe and shopping cart flow	Make recipe cards more clearly clickable; make the “Add missing ingredients to Shopping List” button larger and more prominent.	High	High	Priority
2	Unclear edit flow	Add a clearer “Edit quantity” label; visually emphasise the +/- controls or input field.	Medium	Medium	Improve
3	Confusion between product details and “Expiring soon”	Separate the “Expiring soon” section more clearly from the full product list.	Medium	Low	Review
4	Some buttons were too small	Increase size of important buttons and clickable areas; use clearer spacing.	Medium	Medium	Improve
5	Visual design perceived as unattractive	Refine spacing, typography, button styling, alignment, and overall visual consistency.	Low	Low	Review

Table. Prioritised list of proposed improvements based on the guerrilla test analysis.

AI Tool Used: ChatGPT

Prompts used:

- Translate this text into academic English.
- Correct the grammar and spelling mistakes in this paragraph.
- Organise this information into a table.
- Translate this report section from Polish into English.



Block 5: Style Guide

Figma Link (Page 2 - Style Guide):

<https://www.figma.com/design/1rKDpTrGQdKp3cFNDHWhse/Untitled?node-id=1-2&p=f&t=1xUyopYpUG59Neku-0>

The Kitchify style guide defines the complete visual system of the application. It is a coherent, argued, and applicable guide that serves as the mandatory basis for the construction of the mockups. The visual identity communicates freshness, simplicity, trust, and friendly everyday usefulness. The style is clean, soft, practical and food-related.

5.1 Visual Identity — Color Palette

Color	Swatch	Hex	Interface use	Functional justification
Primary Green		#2E7D32	Main brand color; active navigation, headings, key highlights, success-related elements.	Communicates freshness, natural food management, trust and confirmation. Contrast with white: 5.13:1.
Dark Green		#1B5E20	High-contrast text on light green areas, pressed state for primary buttons.	Creates stronger hierarchy when the regular primary green is not enough. Contrast with white: 7.87:1.
Secondary Orange		#F28C28	Friendly accent for secondary CTAs, recipe highlights and decorative food accents.	Adds energy and motivation without making the interface feel alarming. Use with dark text only.
Dark Orange		#A85600	Accessible orange for text, icons or outlines on white.	Keeps the orange identity while meeting contrast for important information. Contrast with white: 5.26:1.
Mint Background		#E8F5E9	Background for “Expiring soon”, “Ready to cook”, success cards and soft sections.	Supports section separation without heavy visual noise. Use with dark text.




Cream Background		#FFF8E7	Warm background for recipe cards, empty states and optional illustrations.	Makes food-related screens feel warmer and less clinical. Use with dark text.
-------------------------	---	---------	--	---

Table. Primary and secondary color palette for Kitchify with HEX codes and functional justifications.

Semantic role	Swatch	Hex	Use	Justification
Success		#4EB253	Product saved, recipe possible, confirmation messages.	Green is universally understood as successful or “all good”.
Error		#D32F2F	Barcode not recognized, invalid form input, destructive actions.	Red communicates urgency and immediate attention; use only when necessary.
Warning		#F9A825	Expiry warnings, products close to the expiry date.	Yellow/amber attracts attention without the stress of red. Use with dark text.
Information		#1976D2	Scanner tips, helper messages, non-critical guidance.	Blue communicates reliability and helps users trust system guidance.

Table. Semantic color palette for system state communication.

Role	Swatch	Hex	Use / contrast note
Text / Charcoal		#212121	Primary text, headings, icon labels. Contrast with white: 16.1:1.
Secondary text		#757575	Metadata, helper text, captions. Contrast with white: 4.61:1.
Border gray		#E0E0E0	Input borders, dividers, card borders.
Disabled gray		#BDBDBD	Disabled buttons and unavailable states, always paired with explanatory text.

Background white		#FFFFFF	Main background to keep the interface clean and readable.
-------------------------	--	---------	---

Table. Grayscale color palette

Accessibility justification: Body text uses Charcoal (#212121) on white or light backgrounds, giving high readability (16.1:1 contrast). Primary action buttons use white text on Primary Green (#2E7D32) at 5.13:1 contrast ratio. Orange accent uses the darker version (#A85600) when text or icons require stronger contrast. Warning amber is always paired with dark text.

5.2 Typography

Main typeface: Aptos (clean sans serif, readable at small sizes, sufficient weights for hierarchy). Secondary: Aptos Display for large headings only.

Text Style	Size	Weight	Use Rule
H1 / Screen Title	28 pt	Bold	Main screen names such as Inventory or Recipes.
H2 / Section Title	22 pt	Semi Bold	Sections such as Expiring soon, Ready to cook, Popular recipes.
H3 / Card Title	18 pt	Semi Bold	Product names, recipe names, settings groups.
Body	24 pt	Regular	Main descriptions, product data, ingredient lists.
Caption / Helper	20 pt	Regular	Expiry notes, hints, metadata, secondary information.
Button Label	24 pt	Semi Bold	Primary and secondary buttons. Use sentence case.
Tab Label	24 pt	Medium	Bottom navigation labels.

Table. Typographic scale for the Kitchify application.

Line height: approximately 140%. Alignment: left-aligned throughout (justified text creates uneven spaces on narrow mobile screens).

5.3 Component System

Component	Base Version	States	Usage Rules
Primary Button	Filled rounded rectangle, Primary Green background, white semi-bold label. Min height: 48 px.	Default, pressed (dark green), disabled (gray), loading (optional).	Use for the main action on each screen: Save, Edit, Add missing items. Only one primary button per screen.

Component	Base Version	States	Usage Rules
Secondary Button	Outlined or light filled button with green/dark orange label. Min height: 44 px.	Default, pressed (light green), disabled.	Use for alternative actions: Try Again, Add Manually, Share List.
Input / Text Field	White field, 1 px gray border, 12 px radius, label above, placeholder inside.	Default, focused (green border), error (red border + helper text), disabled.	Use in Manual Add and Edit Ingredient.
Product Card	White or mint card, 12–16 px radius, product name, quantity, expiry status.	Default, pressed, warning state (amber tag), selected (green outline).	Use in Inventory, Expiring soon, and Item Details. Cards must look clearly clickable.
Recipe Card	Cream or white card with recipe name, availability status.	Default, pressed, ready-to-cook (highlighted), unavailable/missing.	Recipe cards must be visually clickable to solve the Dynamic 19 confusion.
Status Tag	Small rounded pill with semantic color background and dark readable text.	Success, warning, error, information.	Use for Expiring soon, Available, Missing, Product not found, and Saved states.
Bottom Navigation	Four tabs: Inventory, Recipes, Shopping List, Settings. Active icon and label in Primary Green.	Active, inactive, pressed.	Use on top-level screens only. Keep position and order consistent.
Header / Back Nav	Screen title centered or left-aligned, back arrow on internal screens.	Default, pressed.	Use on Add Ingredient, Manual Add, Scanner, Item Details, Edit Ingredient, Recipe Details, Notifications.
Interactive Controls	Checkboxes, radio buttons, toggles, quantity +/- controls using green active state.	Default, active, focused, disabled, error where applicable.	Checkboxes in Shopping List, radio buttons in reminder frequency, toggles in Notifications, +/- in Edit Ingredient.

Table. Component system for the Kitchify application with base versions, states, and usage rules.

5.4 Shape System and Visual Style

Rule	Specification	Justification
Edges	Rounded corners: 12 px for inputs, 16 px for cards, 24 px for pills and floating actions.	Rounded shapes communicate softness and friendliness, appropriate for food and everyday organisation.
Spacing System	8 px base: 4, 8, 16, 24, 32 px.	A rule based on multiples creates harmony and clear hierarchy.

Rule	Specification	Justification
Grid	Recommended margins: 16 px; single-column vertical flow.	Preserves the current wireframe structure while improving alignment and readability.
Shadows	Very soft shadows only for cards and floating actions: low blur, low opacity.	Subtle depth helps clickable cards stand out without making the app visually heavy.
Icon Style	Outline icons, 2 px stroke, rounded line caps. Active tab can use filled icon if consistent.	Keeps iconography clear at small sizes and maintains a coherent family.
Motion	Simple navigation transitions and micro-interactions for feedback: button press, saved confirmation, error state.	Motion should support usability by confirming actions, not adding decoration.

Table. Shape system and visual style rules for Kitchify.

5.5 Consistency and Implementation

The style guide is applied directly to the existing wireframes in Figma. Structural wireframes are not modified; visual changes focus on color, typography, component styling, spacing regularisation, icon consistency, and clearer interactive states.

How the guide is applied screen by screen:

- Inventory / Home: Green headings, clear product cards, visually separated “Expiring soon” section, consistent bottom navigation.
- Add Ingredient: Two large action cards with icons and clear labels. Scan option may use orange as a friendly accent.
- Manual Add: Consistent input fields, clear labels, focused/error states, and a strong green Save button.
- Scanner: Clear scanning frame, information color for helper text, visible preview card before saving.
- Item Details: Product card at the top, status tag for expiry information, clear Edit button.
- Edit Ingredient: Emphasised “Edit quantity” label, larger +/- controls, visible Save button.
- Recipes List and Recipe Details: Recipe cards clearly clickable; “Add missing items to Shopping List” CTA more prominent.
- Shopping List: Grouped checklist cards with category headers, checkboxes, and right-aligned quantities.
- Notifications Settings: Standard toggles and radio buttons with clear active states and adequate spacing.

Consistency is maintained by reusing the same Figma styles and components across all screens. Top-level screens keep the same bottom navigation, internal screens keep the

same header and back control, and primary actions remain near the bottom. This reduces relearning, supports recognition, and makes the app easier to use.

AI Tool Used: ChatGPT

Prompts used:

- Give me color codes for a mobile food app. I need green, orange, gray, success, error, warning and information colors with HEX codes.
- Give me font suggestions for a mobile app style guide. Include font name, heading styles, body text, button text, sizes and weights.

Block 6: Mockups and Final Interaction

Figma Link (Page 3 - Mockups):

<https://www.figma.com/design/1rKDpTrGQdKp3cFNDHWhse/Untitled?node-id=100-1340&p=f&t=3RYyd33ISfGL20Rb-0>

6.1 Mockups Overview

Based on the validated wireframes, the complete wireframes were transformed into high-fidelity mockups by rigorously applying the style guide defined in Block 5. All screens that are part of the application were designed visually. The style guide was applied coherently and consistently throughout the system.




Figure. Overview of all Kitchify mockup screens in Figma, showing the complete visual design with the green-and-orange color system, final typography, component styling, and consistent navigation elements.




Figure. Overview of all Kitchify mockup screens in Figma, showing the complete visual design with the green-and-orange color system, final typography, component styling, and consistent navigation elements.




Figure. Overview of all Kitchify mockup screens in Figma, showing the complete visual design with the green-and-orange color system, final typography, component styling, and consistent navigation elements.




Figure. Overview of all Kitchify mockup screens in Figma, showing the complete visual design with the green-and-orange color system, final typography, component styling, and consistent navigation elements.




Figure. Overview of all Kitchify mockup screens in Figma, showing the complete visual design with the green-and-orange color system, final typography, component styling, and consistent navigation elements.

6.2 Guerrilla Test Improvements Applied

The following improvements detected during the guerrilla test were incorporated into the final mockups:

Improvement	Problem Detected	Change Made in Mockups
1 — Add ingredient start point	Some users did not immediately notice where to add a new ingredient.	The add button on the Inventory screen was made more visible by using the primary colour and a clearer icon. In the final prototype, this button is connected directly to the Add Ingredient screen, so the starting point of the add-product flow is easier to find.
2 — Product cards clickability	Some users were not sure if product cards could be opened.	Product cards were redesigned with clearer card styling and a small visual cue, such as an arrow or tap indicator. In the prototype, product cards are connected to the Item Details screen, making the interaction clearer and more predictable.
3 — Confirmation after saving or editing	Users wanted clearer feedback after saving a product or editing quantity.	Confirmation states were added after important actions, such as adding a new product or updating quantity. The confirmation message informs the user that the action was completed successfully, reducing uncertainty.
4 — Barcode error recovery	The barcode error state was understandable, but it did not explain the next step clearly enough.	The Product Not Found error screen was improved with a clearer message and visible recovery options. The user can choose Try again or Add manually, so they are not blocked when the scanner fails.
5 — Recipe-to-shopping-list action	The recipe cards and the “Add missing items to Shopping List” action were not visually clear enough.	Recipe cards were made more visually interactive, and the “Add missing items to Shopping List” button was made more prominent. In the final prototype, this action leads to a confirmation or directly to the Shopping List.

Table. Summary of guerrilla test improvements applied in the final mockups.

6.3 Final Interactive Prototype

Once the visual design was completed, the complete interactive prototype was built in Figma ensuring:

- Consistent navigation aligned with the validated wireflow.
- Correct management of error states (Product not found screen).
- Inclusion of confirmation statuses (Product added! screen).

- Clear mechanisms for regaining control: back arrows on all internal screens, bottom navigation on all top-level screens, recovery options in the error state.

The final prototype is completely navigable, allowing all defined flows to be traversed without interruptions, isolated screens, or inconsistent behaviours.

Prototype Link:

<https://www.figma.com/proto/1rKDpTrGQdKp3cFNDHWhse/Kitchify?node-id=100-1341&t=1Duq53i6kel0jhrX-0&scaling=min-zoom&content-scaling=fixed&page-id=100%3A1340&starting-point-node-id=100%3A1341>

References and External Tools

Figma Links

SiteMap and Flowchart:

<https://www.figma.com/board/E6pcyxNhssgy0NJeFi6LeR/Untitled?node-id=0-1&t=bXRVhvVVNjCv8GQI-0>

Page 1 — Wireframes:

<https://www.figma.com/design/1rKDpTrGQdKp3cFNDHWhse/Untitled?node-id=0-1&p=f&t=ayZ6CHYimsrhZrXb-0>

Page 2 — Style Guide:

<https://www.figma.com/design/1rKDpTrGQdKp3cFNDHWhse/Untitled?node-id=1-2&p=f&t=1xUyopYpUG59Neku-0>

Page 3 — Mockups:

<https://www.figma.com/design/1rKDpTrGQdKp3cFNDHWhse/Untitled?node-id=100-1340&p=f&t=3RYyd33ISfGL20Rb-0>

FigJam Link

Wireflow — FigJam:

<https://www.figma.com/board/z2C1PFOBZs0O8hK7jUGQ8H/Untitled?node-id=0-1&p=f&t=LCVRpSrDt2b099VC-0>

Video Recordings

YouTube Link (5 Guerrilla Test Videos):

<https://youtu.be/ogSsTY6KxFA>

<https://youtu.be/HUwMGv1qRWk>

<https://youtu.be/aDhf6SLbGjM>

<https://youtu.be/KkDnq1KDDqc>

<https://youtu.be/VkkDn0OvUPY>

OneDrive Folder (5 Guerrilla Test Videos):

https://lasalleuniversitiesmy.sharepoint.com/personal/karolina_kawulska_students_salle_url_edu/_layouts/15/onedrive.aspx?id=%2Fpersonal%2Fkarolina%5Fkawulska%5Fstudents%5Fsalle%5Furl%5Fedu%2FDocuments%2Frecordings%5Fdau&ga=1

Prototype Link

<https://www.figma.com/proto/1rKDpTrGQdKp3cFNDHWhse/Kitchify?node-id=100-1341&t=1Duq53i6kel0jhrX-0&scaling=min-zoom&content-scaling=fixed&page-id=100%3A1340&starting-point-node-id=100%3A1341>

Bibliography

Figma - Icon resources from:

<https://www.figma.com/community/file/1380235722331273046>

<https://www.figma.com/community/file/1035203688168086460>

<https://www.figma.com/community/file/1527721578857867021>

AI Tools Used

Block	AI Tool	Prompts
Block 1 (Sketching)	ChatGPT	Translate this text into correct academic English for a report. / Rewrite this paragraph in a clearer and more formal way. / Check grammar and improve this justification. / Pomóż mi zrozumieć polecenie.
Block 2 (Wireflow)	ChatGPT	translate it into polish / explain why the “Expiring soon” section is useful for the user. / why are Quantity and Unit placed side by side in this form? / explain why the scanned product preview improves usability. / why is the “Ready to cook” section important? / explain why products in the shopping list are grouped by category. / why are radio buttons a good solution for reminder frequency?
Block 3 (Wireframes)	ChatGPT	translate to polish / jakie uzasadnienie problemu?
Block 4 (Guerrilla Test)	ChatGPT	Translate this text into academic English. / Correct the grammar and spelling mistakes in this paragraph. / Organise this information into a table. / Translate this report section from Polish into English.
Block 5 (Style Guide)	ChatGPT	Give me color codes for a mobile food app. I need green, orange, gray, success, error, warning and information colors with HEX codes. / Give me font suggestions for a mobile app style guide. Include font name, heading styles, body text, button text, sizes and weights.

Table. Complete list of AI tools and prompts used throughout the project, organised by block.