
A. Minimum Detectable Effect by Test−Retest Precision
Power = 0.80, α = 0.05; comparing post−only vs. repeated−measures DiD
Minimum Detectable Effect (Cohen's d)
0.00
0.25
0.50
0.75
Medium effect (d = 0.50)
Small effect (d = 0.20)
0
100
200
300
400
500
Sample Size per Cell (N)
r = 0.00 (Independent Post−Test)
r = 0.50 (Moderate Autocorrelation)
r = 0.70 (Standard Repeated Measures)
r = 0.89 (Empirical Study Precision)
B. Empirical MDE Achieved in This Study (Power = 0.80)
Standardized Cohen's d (and 7−point scale raw units) at α = 0.05
Primary Sample Drift
0.03 (0.04 pts)
Control Condition Drift
0.10 (0.15 pts)
Pooled DiD (High−Status)
0.12 (0.18 pts)
Pooled DiD (Single Status)
0.13 (0.20 pts)
Pooled DiD (Taste−Only)
0.15 (0.22 pts)
DiD: Working/No College
0.22 (0.34 pts)
DiD: Middle/College
0.23 (0.35 pts)
DiD: Middle/No College
0.28 (0.43 pts)
DiD: Working/College
0.35 (0.53 pts)
0.0
0.1
0.2
0.3
0.4
0.5
Minimum Detectable Effect (Cohen's d)
Drift
Pooled DiD
Subgroup DiD