
A. Minimum Detectable Effect by Test−Retest Precision
Power = 0.80, α = 0.05; comparing post−only vs. repeated−measures DiD
Minimum Detectable Effect (Cohen's d)
0.00
0.25
0.50
0.75
Medium effect (d = 0.50)
Small effect (d = 0.20)
0
100
200
300
400
500
Sample Size per Cell (N)
rho_fac
r = 0.00 (Independent Post−Test)
r = 0.50 (Moderate Autocorrelation)
r = 0.70 (Standard Repeated Measures)
r = 0.90 (Empirical Study Precision)
B. Empirical MDE Achieved in This Study (Power = 0.80)
Standardized Cohen's d (and 7−point scale raw units) at α = 0.05
Primary Sample Drift
Control Condition Drift
Pooled DiD (High−Status)
Pooled DiD (Single Status)
Pooled DiD (Taste−Only)
DiD: Working, No College
DiD: Working, College
DiD: Middle, No College
DiD: Middle, College
0.03 (0.04 pts)
0.10 (0.15 pts)
0.15 (0.22 pts)
0.13 (0.20 pts)
0.12 (0.18 pts)
0.22 (0.34 pts)
0.35 (0.53 pts)
0.29 (0.43 pts)
0.23 (0.35 pts)
0.0
0.1
0.2
0.3
0.4
0.5
Minimum Detectable Effect (Cohen's d)
Category
Drift
Pooled DiD
Subgroup DiD