PayAgent on Solana

Pay an AI agent per task, from any chain.

A policy gate before the work. The result unlocks when the payment settles on Solana.

Aurora Intents | Best Use of x402 on Solana

Encode Club Solana Hackathon 2026 · github.com/oll4com/payagent-solana

The problem

- An agent that works per task is paid by subscription or a manual checkout.
- Nobody checks the task before the model spends money on it.
- A customer who holds USDC on another chain has to bridge first.
- Afterwards there is no record you can trust of who decided what.

One flow, checked at every step

Task
description + price

Policy gate
AUTO · APPROVE · REFUSE, with the rule id

Agent works
the customer sees a preview

Pay on Solana
x402, or from Arbitrum / Base

Result unlocks
only on a settled payment

Every step is appended to a hash-chained audit log: an edit or a deletion shows.

x402 on Solana (devnet)

```
GET /api/tasks/:id/result
→ 402 Payment Required
  scheme exact · solana-devnet · devnet USDC
  amount = the task's price · payTo = the owner
```

- The wallet signs a USDC transfer; the facilitator verifies, settles and pays the fee.
- A cent-sized price works: the fee is a fraction of a cent.
- **Failed payments**: wrong amount, asset, receiver or a broken header → a new 402 with the reason, `PAYMENT_REFUSED` in the log, the task stays payable.

Any chain in, Solana USDC out

1. **Quote**: USDC on Arbitrum, Base (or Ethereum, Optimism, Polygon, Avalanche) → USDC on Solana for the owner. Deposit address, minimum in, minimum out, refund address, deadline.
2. **Deposit** from any wallet or exchange.
3. **Status** polled: PENDING → PROCESSING → SUCCESS.
4. **Settlement checks** before unlocking: deposit ≥ minimum in, delivery ≥ minimum out, and Solana itself shows the credit.

No testnet exists for Aurora: the flow runs on mainnet with small deposits.

A failed swap is refunded, and recorded

- Pay less than the quote's minimum: `INCOMPLETE_DEPOSIT`, then `REFUNDED` to the customer's address when the quote closes.
- The task stays payable; the deposit, the refunded amount, the reason and the refund transactions are kept in the task's history and the audit log.
- A quote with a deposit in flight is never replaced.
- Aurora reports success but the amounts do not match the quote: the task stays locked and `AURORA_SETTLEMENT_REJECTED` is logged.

What ran

- x402 on Solana devnet through the real server: devnet transaction
- The public demo, one task end to end (402, demo-wallet payment, PayAI settlement, result unlocked; the model was busy, so the labelled offline agent wrote the answer): devnet transaction, finalized, audit chain verified.

What is new, what is reused

- **Reused, disclosed**: the policy gate, the audit log and the model call from payagent (MIT, built for BCH BLAZE).
- **New for this hackathon**: x402 on Solana, Aurora Intents quotes, status, settlement checks and refunds, the Solana credit check, the page, the demo scripts.
- 28 offline tests; live checks on devnet and mainnet; strict CSP; no owner key on the server.

Next: a browser wallet button for x402, Intents deposits from persistent addresses, mainnet x402.

Try it

payagent.oll4.com:4951/solana/

Source (MIT): github.com/oll4com/payagent-solana

Aurora Intents

Best Use of x402 on Solana