

OFFen EDU — Ejercicios de Wargame Desplegados

Total: 87 desafios | Categorías: Criptografía, Forense, SGSI, Malware, Reversing, Hacking de Sistemas, Hacking Web

No	Titulo	Categoria	Tipo de Reto	Entorno	CVE	TTP	Alcance	Descripcion
1	adminPage	Web Hacking	Text Match	Linux	—	Exploitation for Client Execution, Exploit Public-Facing Application	The admin page has been attacked and the turbine's power has been turned off. Please find the vulnerability and turn on the turbine's power.	Challenge 1 The admin page has been attacked and the turbine's power has been turned off. Please find the vulnerability and turn on the turbine's power. http://192.168.200.100/index.php
2	Anti_REV-Linux	Reversing	Text Match	Linux	—	Data Encoding	Try to find the hidden key by bypassing debugging detection and authentication! The flag format is flag_{address of the function that detects debugging (hexadecimal, excluding NULL, excluding 0x)}_{Secret Key} .	Challenge 1 Try to find the hidden key by bypassing debugging detection and authentication! The flag format is flag_{address of the function that detects debugging (hexadecimal, excluding NULL, excluding 0x)}_{Secret Key} .
3	Anti_REV-Winodws	Reversing	Text Match	Windows	—	Data Encoding	No one can access the administrator account. Try reading and decrypting the encrypted message that can only be seen from the administrator account to obtain the flag!	Challenge 1 No one can access the administrator account. Try reading and decrypting the encrypted message that can only be seen from the administrator account to obtain the flag! The flag format is flag_{hidden message} .
4	ASQLi	Web Hacking	Text Match	Linux	—	Exploit Public-Facing Application	Analyze the web page to obtain the flag.	Challenge 1 Analyze the web page to obtain the flag.
5	Auto REV	Reversing	Text Match	Linux	—	Data Encoding	Write code to automatically analyze the given binary and find the flag!	Challenge 1 Write code to automatically analyze the given binary and find the flag!
6	avoidupois	Cryptography	Text Match	Linux	—	Weaken Encryption	Analyze the custom Base64 encoding to obtain Challen the flag! flag!	ge 1 Analyze the custom Base64 encoding to obtain the
7	Baby RSA	Cryptography	Text Match	Linux	—	Weaken Encryption	Decrypt the ciphertext included in the challenge file to obtain the flag!	Challenge 1 Decrypt the ciphertext included in the challenge file to obtain the flag!
8	Bacons Cipher	Cryptography	Text Match	Linux	—	Weaken Encryption	What is Bacon's Cipher?	Challenge 1 What is Bacon's Cipher?
9	Base_rev	Reversing	Text Match	Linux	—	Data Encoding	base.....? Analyze the program to find the flag!	Challenge 1 base.....? Analyze the program to find the flag!
10	Base_WEB	Web Hacking	Text Match	Linux	—	Exploit Public-Facing Application	Capture the server and obtain the flag.	Challenge 1 Capture the server and obtain the flag.
11	Basic Bof	System Hacking	Text Match	Linux	—	Exploitation for Client Execution	This problem is an example that demonstrates exploiting a buffer overflow vulnerability to obtain a shell.	Challenge 1 This problem is an example that demonstrates exploiting a buffer overflow vulnerability to obtain a shell.
12	Basic ROP	System Hacking	Text Match	Linux	—	Exploitation for Client Execution	This problem is an exercise for practicing Return-Oriented Programming (ROP).	Challenge 1 This problem is an exercise for practicing Return-Oriented Programming (ROP).
13	Basic Uaf	System Hacking	Text Match	Linux	—	Exploitation for Client Execution	This is a problem for practicing a basic use-after-free.	Challenge 1 This is a problem for practicing a basic use-after-free.
14	Birthday Attack	Cryptography	Text Match	Linux	—	Weaken Encryption	Use the birthday paradox to get flag!	Challenge 1 Use the birthday paradox to get flag!
15	blind_SQLi	Web Hacking	Text Match	Linux	—	Exploit Public-Facing Application	Find a vulnerability in the web page that provides login functionality and obtain the flag.	Challenge 1 Find a vulnerability in the web page that provides login functionality and obtain the flag.
16	Canary	System Hacking	Text Match	Linux	—	Exploitation for Client Execution	This problem is a hands-on exercise in bypassing the Stack Canary protection technique.	Challenge 1 This problem is a hands-on exercise in bypassing the Stack Canary protection technique.
17	Common Modulus Attack	Cryptography	Text Match	Linux	—	Weaken Encryption	Use the Common Modulus Attack to obtain the flag!	Challenge 1 Use the Common Modulus Attack to obtain the flag!

No	Titulo	Categoria	Tipo de Reto	Entorno	CVE	TTP	Alcance	Descripcion
18	Company A Confidential Leaked Case	Forensics	Text Match W	indows —	Obfuscated Hide Artif	Files or Information, An emplo acts Company the leak informat indicati informat	ye named Alex, who worked at Challenge 1 A A, has been reported as a suspect in A, has been r age of Company A's confidential confidential ion. Upon identifying circumstances that Alex lea ng that Alex leaked confidential time value sh ion. the confident What was the to 3 decimal mentioned by What is the c Format: flag_	n employee named Alex, who worked at Company eported as a suspect in the leakage of Company A's information. Upon identifying circumstances indicating ked confidential information. (The timezone for the ould be submitted as UTC+0.) Who is the recipient of ial file that Alex delivered? (Submit in lowercase) amount received for leaking the confidential file? (Up places) What is the file upload detection time Team Leader Sera? (YYYY-MM-DD_HH:MM:SS) ontent of the leaked confidential file? (STRING) FLAG answer1_answer2_answer3_answer4
19	compound-interest	Web Hacking	Text Match L	inux —	Exploitati Execution, Applicatio	on for Client Capture th Exploit Public-Facing n	e server to obtain the flag. Challenge 1 C	apture the server to obtain the flag.
20	DAF	Cryptography	Text Match L	inux —	Weaken Enc	ryption Please d correct	ecrypt the ciphertext and enter the Challenge 1 P data! data!	lease decrypt the ciphertext and enter the correct
21	Dark Picture	Forensics	Text Match W	indows —	Obfuscated Hide Artif	Files or Information, Investig acts	ate the suspicious picture. Challenge 1 I	nvestigate the suspicious picture.
22	denylist	Web Hacking	Text Match L	inux —	Exploitati Execution, Applicatio	on for Client Bypass the Exploit Public-Facing to upload n	file extension denylist on the server Challenge 1 Bypa a file and obtain the flag. upload a file an	ss the file extension denylist on the server to d obtain the flag.
23	Diffie-Hellman	Cryptography	Text Match L	inux —	Weaken Enc	ryption Check th cipherte Encrypti and the	e 4 packets and decrypt the Challenge 1 C xt. ex) flag = flag_'decrypted value' flag = flag_' on method: XOR between the plaintext plaintext and shared secret key. mod: p = B^a: and client of	heck the 4 packets and decrypt the ciphertext. ex) decrypted value' Encryption method: XOR between the the shared secret key. Shared secret key = \$A^b: mod: p\$ (where a and b are the respective server the server)
24	DLL Injection	Malware	Text Match W	indows —	Obfuscated Hide Artif	Files or Information, There ex acts Injectio DLL Inje injectin	ists a malicious file that performs DLL Challenge 1 T n. Find out what the target process for Injection. Fi ction is and from which URL the from which UR g DLL is downloaded. example: a.ex authenticatio	here exists a malicious file that performs DLL nd out what the target process for DLL Injection is and L the injecting DLL is downloaded. (Process e / URL example: http://example.com:80) The n format is "flag_targetprocess_URLpath".
25	EASY FORENSIC	Forensics	Text Match W	indows —	Obfuscated Hide Artif	Files or Information, Find the acts flag = f	flag hidden within the corrupted file. Challenge 1 F lag_plaintext flag_plaintex	ind the flag hidden within the corrupted file. flag = t
26	easyping	Web Hacking	Text Match L	inux —	Exploit Pu Applicatio	blic-Facing Take con n	trol of the server to obtain the flag. Challenge 1 T	ake control of the server to obtain the flag.
27	Encrypt Message	Cryptography	Text Match L	inux —	Weaken Enc	ryption Decrypt challeng	the ciphertext included in the Challenge 1 D e file to obtain the flag! obtain the fl	ecrypt the ciphertext included in the challenge file to ag!
28	Escape Route	Forensics	Text Match W	indows —	Obfuscated Hide Artif	Files or Information, Escape R acts messages Analyze route.	oute We have obtained the Challenge 1 E exchanged by the criminals. exchanged by the content to determine the escape escape route.	scape Route We have obtained the messages the criminals. Analyze the content to determine the format : flag_place_date_time
29	FindMe	Forensics	Text Match L	inux —	Obfuscated Hide Artif	Files or Information, Find the acts	flag hidden within the given image. Challenge 1 F	ind the flag hidden within the given image.
30	first splunk	ISMS	Text Match L	inux —	—	Find the /etc/pas flag_YYY admin Sp	time when the user modified Challenge 1 F swd . flag) flag) flag_YY Y-MM-DDTHH:MM:SS Splunk ID: PW: Splunk12# lunk PW: Splunk12#\$	ind the time when the user modified /etc/passwd . YY-MM-DDTHH:MM:SS Splunk ID: admin Splunk \$
31	first suricata	ISMS	Match Linux	—	—	Analyze the sent from HO using Surica	pcap file and find the ICMP packet Challenge 1 A ME_NET to EXTERNAL_NET from HOME_NET ta rule.	nalyze the pcap file and find the ICMP packet sent to EXTERNAL_NET using Suricata rule.
32	first yara	ISMS	Match Linux	—	—	Write a Yara string "xDE	rule that finds a file containing the Challenge 1 W xADxBExBEF". "xDExADxBE	rite a Yara rule that finds a file containing the string xEF".

No	Titulo	Categoría	Tipo de Reto	Entorno	CVE	TTP	Alcance	Descripcion
33	Generator	Reversing	Match Linux	—	Data Encoding	The penetrat the warehous physically g warehouse. U management s controlling identified.	ion testing company B accessed Challenge 1 T e management server to warehouse man ain access to the logistics logistics war pon checking the warehouse server, a pro erver, a program used for was identifie access to the warehouse was entering a us could generat	he penetration testing company B accessed the agement server to physically gain access to the ehouse. Upon checking the warehouse management gram used for controlling access to the warehouse d. This program allows a user to receive a key by er ID, and the analysis confirmed that an outsider e a key. Analyze the program to find the user ID.
34	Got Overwrite	System Hacking	Match Linux	—	Exploitation fo	r Client Execution This is a ch GOT (Global technique.	allenge where you can practice the Challenge 1 T Offset Table) overwrite (Global Offse	his is a challenge where you can practice the GOT t Table) overwrite technique.
35	haha	System Hacking	Match Linux	—	Exploitation fo Evasion	r Defense Find vulnera can freely c	bilities in a service where users Challenge 1 F reate and edit notes! create and ed	ind vulnerabilities in a service where users can freely it notes!
36	hash collision	Cryptography	Match Linux	—	Weaken Encrypti	on Find the wea within the c	kness in the encryption logic Challenge 1 F hallenge files and retrieve the flag! challenge fil	ind the weakness in the encryption logic within the es and retrieve the flag!
37	Hidden flag	Forensics	Match Window	s —	Obfuscated File Hide Artifacts	s or Information, Hidden flag flag! Flag f flag_aaaa(4) letters of a letters of c	Read the letter and find the hidden Challenge 1 H ormat: Flag format: _bbbb(4)_cccc(4) The first 4 the first 4 l , the first 4 letters of b, the first 4 .	idden flag Read the letter and find the hidden flag! flag_aaaa(4)_bbbb(4)_cccc(4) The first 4 letters of a, etters of b, the first 4 letters of c.
38	Image Audio	Forensics	Match Window	s —	Obfuscated File Hide Artifacts	s or Information, It seems an FLAG have be file to find	audio file and a photo containing a Challenge 1 l en merged. Analyze the given have been mer the FLAG. format: flag_	t seems an audio file and a photo containing a FLAG ged. Analyze the given file to find the FLAG. Flag fakeflag
39	IR-1	Forensics	Match Linux	—	Obfuscated File Hide Artifacts	s or Information, The web serv system has b hacking inci Team A has b estimated th around 10 AM incident res files of the	er of the blast furnace control Challenge 1 T een confirmed to have suffered a has been conf dent, and the incident response incident resp egun an investigation. It is estimated tha at the hacking incident occurred June 24, 2024 on June 24, 2024, and the log files of ponse team has secured the log find the IP t web server for investigation. example of a	he web server of the blast furnace control system irmed to have suffered a hacking incident, and the onse Team A has begun an investigation. It is t the hacking incident occurred around 10 AM on , and the incident response team has secured the the web server for investigation. Analyze the log files to hat is presumed to have been used by the hacker. An flag is flag_127.0.0.1.
40	IR-2	Forensics	Match Linux	—	Obfuscated File Hide Artifacts	s or Information, It has been the semicond has been hac team A has b investigatio accessed the vulnerabilit confirmed th performed wi out.	confirmed that the web server of Challenge 1 l uctor manufacturing plant system semiconductor ked, and the incident response the incident egun an investigation. The investigation n results suggest that the attacker server by exp web server by exploiting a been confirme y in the web server, and it has been privileges we at actions that cannot be the system lo th user privileges were carried log files to escalation by flag_[binary_	t has been confirmed that the web server of the manufacturing plant system has been hacked, and response team A has begun an investigation. The results suggest that the attacker accessed the web loiting a vulnerability in the web server, and it has d that actions that cannot be performed with user re carried out. The incident response team secured g files for investigation. Please analyze the system find out the name of the binary used for privilege the hacker. An example of the flag is name].
41	LCG RSA	Cryptography	Match Linux	—	Weaken Encrypti	on Decrypt the LCG!	flag using the characteristics of Challenge 1 D	ecrypt the flag using the characteristics of LCG!
42	mail	Web Hacking	Match Linux	—	Exploit Public-Application	Facing How about fi shopping?	nding vulnerabilities instead of Challenge 1 H	ow about finding vulnerabilities instead of shopping?
43	Marine Applications	Reversing	h Linux	—	Data Encoding	A prototype of th application has b development team whether the proto appropriate.	e ship management Challenge 1 A prot een completed. The been completed. Th has asked you to verify whether the protot ype's security level is if the prototype n This challenge h ship.	otype of the ship management application has e development team has asked you to verify ype's security level is appropriate. Please check as any security issues. [Reference Information] e was prepared for administrators onboard the
44	matroska-main	System Hacking	h Linux	—	Exploitation for De Evasion	fense Do you know about	matroska? Challenge 1 Do you	know about matroska?
45	mini N	Cryptography	h Linux	—	Weaken Encryption	Find vulnerable p	arts of RSA and get flag! Challenge 1 Find v	ulnerable parts of RSA and get flag!

No	Titulo	Categoría	Tipo de Reto	Entorno	CVE	TTP	Alcance	Descripcion
46	ModFlag	Web Hacking	h Linux	—	Exploit Public-Faci Application	ng The operation of has been halted. by security compa that a hacker acc system and launch	the factory power plant's tank Challenge 1 The op According to an investigation been halted. Accor ny D, it has been confirmed it has been confir essed the tank operation system and launche ed an attack. carried out by exp restart the aero t 00.100:5000/read_h http://192.168.200	eration of the factory power plant's tank has ding to an investigation by security company D, med that a hacker accessed the tank operation d an attack. It is presumed that the attack was loiting a vulnerability in the admin page. Please ank using the management page. http://192.168.200.100:5000/get_flag
47	msgboard	Web Hacking	h Linux	—	Exploitation for CI Execution, Exploit Application, Exploi Credential Access	ient Capture the server Public-Facing tation for	to obtain the flag. Challenge 1 Captur	e the server to obtain the flag.
48	My WebView	Web Hacking	h Linux	—	Exploitation for CI Execution, Exploit Application	ient "Take control of th Public-Facing The port range of t 10000."	e server to obtain the flag. Challenge 1 "Take he internal server is 1000 to range of the inter	control of the server to obtain the flag. The port nal server is 1000 to 10000."
49	MyCMS	Web Hacking	h Linux	—	Exploitation for CI Execution, Exploit Application, Exploi Credential Access	ient Capture the server Public-Facing tation for	and obtain the flag. Challenge 1 Captur	e the server and obtain the flag.
50	Network FORENSIC	Forensics	h Windows	—	Obfuscated Files or Hide Artifacts	Information, Check the pcap to encrypted in ECB apply) flag = fla of the plain text flag is flag_good	decrypt the ciphertext (It is Challenge 1 Check mode and padding does not encrypted in ECB m g_plaintext *Erase the last letter flag_plaintext *Er ex) If plain text is good day, is good day, flag da	the pcap to decrypt the ciphertext (It is ode and padding does not apply) flag = ase the last letter of the plain text ex) If plain text is flag_goodda
51	newbornweb	Web Hacking	h Linux	—	Exploit Public-Faci Application	ng Exploit a vulnera functionality to	bility in the file upload Challenge 1 Exploi obtain the server's flag. obtain the server'	t a vulnerability in the file upload functionality to s flag.
52	newbornweb	Web Hacking	h Linux	—	Exploit Public-Faci Application	ng Exploit a vulnera functionality to	bility in the file upload Challenge 1 Exploi obtain the server's flag. obtain the server'	t a vulnerability in the file upload functionality to s flag.
53	Note	System Hacking	h Linux	—	Exploitation for De Evasion	fense Find a vulnerabil service and achie Execution).	ity in the OneNotePage Challenge 1 Find a ve RCE (Remote Code achieve RCE (Remot	vulnerability in the OneNotePage service and e Code Execution).
54	notsecure	Web Hacking	h Linux	—	Exploit Public-Faci Application	ng Exploit a vulnera functionality to	bility in the image upload Challenge 1 Exploi obtain the server's flag. to obtain the serv	t a vulnerability in the image upload functionality er's flag.
55	Octo AI	Reversing	h Windows	—	Data Encoding	Outsmart the AI, a packet away.	crack the code, victory is just Challenge 1 Outsma packet away.	rt the AI, crack the code, victory is just a
56	only 11	Reversing	h Linux	—	Data Encoding	This program perf using the number find the flag!	orms various operations Challenge 1 This p 11. Analyze the program to number 11. Analyze	rogram performs various operations using the the program to find the flag!
57	othernote	Web Hacking	t Match Linu	x —	Exploitation Execution, Ex Application, Credential Ac	for Client Here is Other ploit Public-Facing reset periodi Exploitation for your local en cess	note~ notice: Web application is Challenge 1 cally. Please check the exploit in periodically vironment and try it. try it.	Here is Othernote~ notice: Web application is reset . Please check the exploit in your local environment and
58	OTP Reusable	Cryptography	t Match Linu	x —	Weaken Encryp	tion You have i A and B. A 76, 50, 18 30, 125, 1 The conver form, and same OTP-b	ntercepted a conversation between Challenge 1 = 90, 33, 109, 44, 30, 125, 16, 49, B. A = 90, 3 , 94, 1, 92, 113 B = 75, 37, 109, 63, = 75, 37, 10 6, 49, 105, 42, 81, 83, 92, 83, 113 conversation sation was transmitted in encrypted that both pa it's known that both parties used the plaintext is ased key. plaintext. I convert it t	You have intercepted a conversation between A and 3, 109, 44, 30, 125, 16, 49, 76, 50, 18, 94, 1, 92, 113 B 9, 63, 30, 125, 16, 49, 105, 42, 81, 83, 92, 83, 113 The was transmitted in encrypted form, and it's known rties used the same OTP-based key. Given that A's "what is my flag", use this information to recover B's f B's plaintext is in the format flag is {correct string} , o flag_{correct string} and submit it.
59	Path Traversal	Web Hacking	t Match Linu	x —	Exploit Publi Application	c-Facing Obtain the directory	flag.txt file located in the root Challenge 1 (/) of the server. the server.	Obtain the flag.txt file located in the root directory (/) of

No	Titulo	Categoria	Tipo de Reto	Entorno	CVE	TTP	Alcance	Descripcion
60	Please save me	Forensics	t Match Wind	ows —	Obfuscated Fi Hide Artifact	les or Information, Text My co s disappeare something,	nversation history with my wife has Challenge 1 d. I remember she needed disappeared. but I can't recall what it was. what it was. home. flag f	Text My conversation history with my wife has I remember she needed something, but I can't recall Help me find the groceries she asked for so I can go ormat: flag_string_string_string
61	Power Plant	Forensics	t Match Linu	x —	Obfuscated Fi Hide Artifact	les or Information, A security s plant mana malware st yet been s	incident has occurred on the power Challenge 1 gement server. It appears that management s ill exists on the server, but it has not server, but eured. memory dump of the syste malware_2 th flag_flag1_f	A security incident has occurred on the power plant erver. It appears that malware still exists on the it has not yet been secured. Analyze the provided file and identify the following information: The name m call function hooked by malware_1 The name of at contains a system restart feature The flag format is lag2 .
62	Read QR Code	Forensics	t Match Linu	x —	Obfuscated Fi Hide Artifact	les or Information, A QR code s has been d answer to damaged QR	containing important information Challenge 1 amaged by about half. Find the damaged by a the following question from the from the dam code.	A QR code containing important information has been bout half. Find the answer to the following question aged QR code.
63	Recover File	Forensics	t Match Wind	ows —	Obfuscated Fi Hide Artifact	les or Information, Confidenti s by hackers check the data.	al data has been deleted and stolen Challenge 1 . Restore the deleted files and hackers. Res contents of the stolen confidential stolen confi flag_ABCDE_q	Confidential data has been deleted and stolen by tore the deleted files and check the contents of the dential data. Run the flag.jpg file Example of flag input : wert
64	Recovery SQLite DB	Forensics	t Match Wind	ows —	Obfuscated Fi Hide Artifact	les or Information, After an a s streetligh database o report pho a specific the tamper informatio UTC+0.	ttack on a PC managing smart Challenge 1 ts, a report was received that the report was r f an IoT device collecting incident incident rep tos from multiple smart streetlights in area had bee area had been tampered with. From following in ed DB file, find the following the case of n (time values must be submitted in recovery is the hash val original dat report (YYYY (lowercase) (STRING) tha flag_answer1	After an attack on a PC managing smart streetlights, a eceived that the database of an IoT device collecting ort photos from multiple smart streetlights in a specific n tampered with. From the tampered DB file, find the formation (time values must be submitted in UTC+0. In file recovery, due to the nature of SQLite, 100% not possible. Since the data was overwritten, submit ue of the recovered image from the area where the a was stored): The time when the attacker hid the crime -MM-DD_HH:MM:SS) The MD5 hash value of the recovered file from the deleted data A string t can be found in the deleted data FLAG Format: _answer2_answer3
65	Registry LogonScript Keys	Malware	t Match Wind	ows —	Obfuscated Fi Hide Artifact	les or Information, There exis s persistenc used for p	ts a malicious file that utilizes Challenge 1 e. Write the path of the registry key Write the pa eristence. one \ for ea "flag_regist	There exists a malicious file that utilizes persistence. th of the registry key used for persistence. (Write only ch part of the path.) The format for the flag is ry_path".
66	Return to Shellcode	System Hacking	t Match Linu	x —	Exploitation	for Client Execution This probl Return-to-	em is an exercise for practicing the Challenge 1 Shellcode technique. Return-to-Sh	This problem is an exercise for practicing the ellcode technique.
67	ROBOT	Web Hacking	tch Linux	—	Data from Local S Public-Facing App	ystem, Exploit human...? lication	Challenge 1 human.	..?
68	ROP	System Hacking	tch Linux	—	Exploitation for Evasion	Defense This is a chall basic Return-Or	enge where you can practice Challenge 1 This i ented Programming (ROP). Return-Oriented Pr	s a challenge where you can practice basic ogramming (ROP).
69	ROT 13	Cryptography	tch Linux	—	Weaken Encryption	Do you know ROT	13? Challenge 1 Do you	know ROT 13?
70	Scheduled Task Job	Malware	tch Windows	—	Obfuscated Files Hide Artifacts	or Information, There exists a scheduler. Writ registered in t	malicious file that creates a Challenge 1 There e the path of the program Write the path of he scheduler. only one \ for eac "flag_program_path	exists a malicious file that creates a scheduler. the program registered in the scheduler. (Write h part of the path.) The authentication format is ".
71	sendping	Web Hacking	tch Linux	—	Exploit Public-Fa Application	cing Capture the ser	ver and obtain the flag. Challenge 1 Captur	e the server and obtain the flag.
72	Simple Quiz	System Hacking	tch Linux	—	Exploitation for Evasion	Defense Solve a simple machine and get	quiz that emulates a virtual Challenge 1 Solve the FLAG! and get the FLAG!	a simple quiz that emulates a virtual machine
73	simple xss	Web Hacking	tch Linux	—	Exploit Public-Fa Application	cing Take control of	the server to obtain the flag. Challenge 1 Take c	ontrol of the server to obtain the flag.

No	Titulo	Categoría	Tipo de Reto	Entorno	CVE	TTP	Alcance	Descripcion
74	SQLi	Web Hacking	tch Linux	—	Exploitation for Execution, Exploi Application	Client This is the login t Public-Facing admin account!	site. Please log in with the Challenge 1 This i account! http://19	s the login site. Please log in with the admin 2.168.200.100/login
75	SQLi	Web Hacking	tch Linux	—	Exploitation for Execution, Exploi Application	Client This is the login t Public-Facing admin account!	site. Please log in with the Challenge 1 This i account! http://19	s the login site. Please log in with the admin 2.168.200.100/login
76	sqlinjection lv5	Web Hacking	tch Linux	—	Exploit Public-Fa Application	cing Acquire the fla The name of the is flag.	g that exists in the database. Challenge 1 Acquir column where the flag exists of the column wher	e the flag that exists in the database. The name e the flag exists is flag.
77	Sweet Island	Forensics	tch Windows	—	Obfuscated Files Hide Artifacts	or Information, Find the items items received flag_string_str	that ALEX can create using the Challenge 1 Find t from LIAM! flag format: received from LIAM ing	he items that ALEX can create using the items ! flag format: flag_string_string
78	Target Search	Forensics	tch Windows	—	Obfuscated Files Hide Artifacts	or Information, Using a memory (CMD) history, attempted Secur should be enter target.	dump of the command prompt Challenge 1 Using please find any traces of an history, please fi e Shell connection. The flag connection. The fl ed as [username]@[IP] of the target. Example of	a memory dump of the command prompt (CMD) nd any traces of an attempted Secure Shell ag should be entered as [username]@[IP] of the flag input: flag_ctf@192.168.1.1
79	The Installer	Reversing	tch Windows	—	Data Encoding	This is a progr Analyze the fil	am packaged with Pyinstaller. Challenge 1 This i e to find the flag! the file to find t	s a program packaged with Pyinstaller. Analyze he flag!
80	TimeTravel	Web Hacking	tch Linux	—	Exploit Public-Fa Application	cing This system's f specific future is to bypass th flag.	lag will only be revealed on a Challenge 1 This syst date: January 1, 2100. Your task future date: January ese restrictions and acquire the restrictions and acqu	em's flag will only be revealed on a specific 1, 2100. Your task is to bypass these ire the flag.
81	TLS Ninja	Forensics	tch Windows	—	Obfuscated Files Hide Artifacts	or Information, In the shadows can decrypt tra	of encrypted traffic, a true ninja Challenge 1 In the ffic. decrypt traffic.	shadows of encrypted traffic, a true ninja can
82	Tracker	Forensics	tch Windows	—	Obfuscated Files Hide Artifacts	or Information, An incident occ trading drugs w investigator, y PC of the drug	urred when he was caught Challenge 1 An inc ith cryptocurrency. As an drugs with cryptoc ou have seized and secured the secured the PC of buyer. drug buyer to find the drug seller in address? flag form	ident occurred when he was caught trading urrency. As an investigator, you have seized and the drug buyer. Analyze the PC of a secured the following. 1. What is the SNS account ID of db? (string) 2. What is the buyer's wallet at: flag_1_2
83	union_SQLi	Web Hacking	Text Match L	inux —	Exploit Pu Applicatio	blic-Facing Find a n provide	vulnerability in the web page that Challenge s login functionality and obtain the flag. functional	1 Find a vulnerability in the web page that provides login ity and obtain the flag.
84	Variable Overwrite	System Hacking	Text Match L	inux —	Exploitati Evasion	on for Defense Use the local v Executi	given vulnerability to overwrite a stack Challenge ariable and achieve RCE (Remote Code variable a on).	1 Use the given vulnerability to overwrite a stack local nd achieve RCE (Remote Code Execution).
85	What is packing?	Reversing	Text Match W	indows —	Data Encod	ing Do you	like Packing? Challenge	1 Do you like Packing?
86	Wonka's Hover chocolate recipe theft incident	Forensics	Text Match W	indows —	Obfuscated Hide Artif	Files or Information, The rec acts stolen the aut Wonka's the Oom	ipe for Wonka's floating chocolate was Challenge by someone, and Wonka reported it to by someone horities to catch the culprit. Based on culprit. B report, an investigation designated Oompa Loom pa Loompa as a prime suspect. was search the seized floating c floating c Wonka's fl flag_1st_a question 1 Message",	1 The recipe for Wonka's floating chocolate was stolen , and Wonka reported it to the authorities to catch the ased on Wonka's report, an investigation designated the pa as a prime suspect. The Oompa Loompa's house ed, and the PC they were using was seized. Analyze Oompa Loompa's PC to find out who stole Wonka's hocolate recipe. Who is the culprit that stole Wonka's hocolate recipe? (NAME.lower()) Check the contents of oating chocolate recipe. (STRING) FLAG Format: nswer_2nd_answer (For example, if the answer to is "John Doe" and the answer to question 2 is "Secret then the flag would be john_doe_secret_message.)

No	Titulo	Categoría	Tipo de Reto	Entorno	CVE	TTP	Alcance	Descripcion
87	XSS 3	Web Hacking	Text Match L	inux —	Exploitati	on for Client Execution Exploit vulnera	an XSS (Cross-Site Scripting) Challenge bility to obtain the flag. obtain the	1 Exploit an XSS (Cross-Site Scripting) vulnerability to flag.