

First Steps to Quarto

Some examples

Max Fordham 2023-10-16



MAX FORDHAM

Enter Client Name Here

project leader J4321 Enter Initials HAFES

SO - Initial Status

Enter Project Name Here

01/05/19

classification

Document Issue Sheet 01/05/19 - S0 Page 1

revision 04321 - MXF - XX - XX - IS - J - 00100

Tables

Grid Table

Fruit	Advantages	
Bananas	built-in wrapper	
	bright color	
Oranges	 cures scurvy 	
	• tasty	

A Long Grid Table

Test if column headings go onto next page.

Fruit	Advantages
Bananas	built-in wrapper
	bright color
Oranges	• cures scurvy
	• tasty
Bananas	built-in wrapper
	bright color
Oranges	• cures scurvy
	• tasty
Bananas	built-in wrapper
	bright color
Oranges	• cures scurvy
	• tasty
Bananas	 built-in wrapper
	bright color
Oranges	cures scurvy
	• tasty
Bananas	 built-in wrapper
	bright color
Oranges	• cures scurvy
	• tasty
Bananas	 built-in wrapper
	bright color
Oranges	• cures scurvy
	• tasty

Fruit	Advantages
Bananas	built-in wrapper
	bright color
Oranges	• cures scurvy
	• tasty
Bananas	built-in wrapper
	bright color
Oranges	• cures scurvy
	• tasty
Bananas	built-in wrapper
	bright color
Oranges	• cures scurvy
	• tasty
Bananas	built-in wrapper
	bright color
Oranges	• cures scurvy
	• tasty
Bananas	built-in wrapper
	bright color
Oranges	• cures scurvy
	• tasty
Bananas	built-in wrapper
	bright color
Oranges	• cures scurvy
	• tasty
Bananas	built-in wrapper
	bright color
Oranges	• cures scurvy
	• tasty
Bananas	built-in wrapper beight color
	bright color
Oranges	• cures scurvy
Bananas	tastybuilt-in wrapper
	bright color
Orangos	• cures scurvy
Oranges	• tasty
Bananas	built-in wrapper
Darianas	bright color
Oranges	• cures scurvy
	• tasty
Bananas	built-in wrapper
	bright color
Oranges	• cures scurvy
	• tasty

Grid Tables with Building Data



Identity Data	
Abbreviation	DX-O
Type Reference	2
Uniclass Product Code	Pr_70_65_03_29
Uniclass Product Description	Fan coil units
Dimensional Data	
Overall Length	285.0 mm
Overall Width	765.0 mm
Overall Height	550.0 mm
Gross Weight	32.0 kg
Performance Data	
Cooling Output	3400.0 W
Application Data	
Notes	R32 refrigerant
Application	Single Split DX outdoor unit, serving DX-I-2
Electrical Data	
Voltage	230.0 V
Frequency	50.0 Hz