First Steps to Quarto

Some examples

Max Fordham

2023-10-16

Abstract

This is the Abstract part

Table of contents

Tables Tables	4
Grid Table	 4
A Long Grid Table	 4
Grid Tables with Building Data	 5

Tables

Grid Table

Fruit	Advantages	
Bananas	built-in wrapper	
	bright color	
Oranges	 cures scurvy 	
	• tasty	

A Long Grid Table

Test if column headings go onto next page.

Fruit	Advantages	
Bananas	built-in wrapper	
	bright color	
Oranges	• cures scurvy	
	• tasty	
Bananas	 built-in wrapper 	
	bright color	
Oranges	• cures scurvy	
	• tasty	
Bananas	built-in wrapper	
	bright color	
Oranges	• cures scurvy	
-	• tasty	
Bananas	built-in wrapper	
	bright color	
Oranges	• cures scurvy	
	• tasty	
Bananas	 built-in wrapper 	
	bright color	
Oranges	• cures scurvy	
-	• tasty	
Bananas	built-in wrapper	
	bright color	
Oranges	• cures scurvy	
	• tasty	
Bananas	built-in wrapper	
	bright color	
Oranges	• cures scurvy	
	• tasty	
Bananas	built-in wrapper	
	bright color	

Fruit	Advantages	
Oranges	• cures scurvy	
	• tasty	
Bananas	 built-in wrapper 	
	bright color	
Oranges	 cures scurvy 	
	• tasty	
Bananas	 built-in wrapper 	
	bright color	
Oranges	 cures scurvy 	
	• tasty	
Bananas	 built-in wrapper 	
	bright color	
Oranges	 cures scurvy 	
	• tasty	
Bananas	 built-in wrapper 	
-	bright color	
Oranges	 cures scurvy 	
	• tasty	
Bananas	built-in wrapper	
	bright color	
Oranges	 cures scurvy 	
	• tasty	
Bananas	built-in wrapper	
	bright color	
Oranges	 cures scurvy 	
	• tasty	
Bananas	built-in wrapper	
	bright color	
Oranges	 cures scurvy 	
	• tasty	
Bananas	 built-in wrapper 	
	bright color	
Oranges	cures scurvy	
	• tasty	
Bananas	 built-in wrapper 	
	bright color	
Oranges	 cures scurvy 	
	• tasty	

Grid Tables with Building Data

Identity Data	
Abbreviation	DX-O
Type Reference	2
Uniclass Product Code	Pr_70_65_03_29
Uniclass Product Description	Fan coil units

Dimensional Data		
Overall Length	285.0 mm	
Overall Width	765.0 mm	
Overall Height	550.0 mm	
Gross Weight	32.0 kg	
Performance Data		
Cooling Output	3400.0 W	
Application Data		
Notes	R32 refrigerant	
Application	Single Split DX outdoor unit, serving DX-I-2	
Electrical Data		
Voltage	230.0 V	
Frequency	50.0 Hz	