

MANAGEMENT REVIEW · CONFIDENTIAL

HRIS Manila Council



Comparison of Old HRIS and New HRIS

Leave Management Module · Setup & Security Parameters
Tracked Changes, Fixes & Vulnerability Assessment

Document	Old vs New HRIS — Evidence-Based Comparison
Prepared for	Management / Project Governance
System	HRIS Manila Council (manilacitycouncil.com)
Basis	Project history, change logs, migrations, source, UAT screenshots
Report date	13 July 2026
Classification	Internal — contains security findings

Table of Contents

- 1** Executive Summary
- 2** Scope of Review
- 3** Old HRIS Overview
- 4** New HRIS Overview
- 5** Added Module: Leave Management
- 6** Setup and Security Parameters
- 7** List of HRIS Changes
- 8** Fixes Implemented
- 9** Vulnerability Assessment — Old HRIS
- 10** Vulnerability Assessment — New HRIS
- 11** Evidence and Proof of Changes
- 12** Conclusion and Recommendations

How to read the citations. Every material claim is tagged with a source in `monospace` — a commit hash (e.g. `commit d0d8be0`), a change-log document, a database migration, a source file, or a UAT screenshot. Section 11 is a master evidence table with independent-verification commands.

SECTION 1

Executive Summary

The HRIS Manila Council system was extended and hardened across a series of tracked changes. This report compares the **Old HRIS** (the system before this engagement) with the **New HRIS** (the system after adding the Leave Management module and enforcing server-side authorization). The comparison is drawn entirely from the project's own history: commit records, change-log documents, database migrations, application source, and User Acceptance Testing (UAT) screenshots.

Headline outcomes

Area	Result
New capability	A full Leave Management module (CS Form No. 6 applications, Employee's Leave Card ledger, leave-type & holiday settings, PDF exports) — 32 files, ~3,120 lines added <code>commit d0d8be0</code> .
Security hardening	Server-side authorization enforced on leave endpoints, closing a privilege-escalation and IDOR exposure that would have let any employee tamper with leave credits and records <code>commit b10c18b</code> .
Earlier remediation	PDS "self-edit" access control added across the employee data-sheet controllers, replacing UI-only restrictions with real backend ownership checks <code>EMPLOYEE_PDS_EDIT_CHANGES.md</code> .
Data-sheet quality	Five PDS enhancements (passport photo with validation, L&D hours override, part-time flag, government-ID date validation, GSIS ID) — additive and backward-compatible <code>CHANGES_SUMMARY.md</code> .
Build state	Compiles cleanly; deployable WAR (~92 MB), Java 11, Spring Boot 2.2.4 <code>RUNTIME_ASSESSMENT_REPORT.md</code> .

Bottom line. The New HRIS delivers a materially larger feature set *and* a stronger security posture than the Old HRIS. The most important improvement is the shift from *"authenticated users are trusted"* to *"actions are authorized by role and record ownership."* Residual risks remain and are listed as prioritized follow-ups in Sections 10 and 12 — none are blockers for the leave deployment.

SECTION 2

Scope of Review

This is a documentation and back-search exercise. No code was changed while producing this report. The following definitions are used throughout:

Term	Meaning in this report
Old HRIS	The system as it stood before this engagement's changes — Personal Data Sheet (PDS), appointments, clearance, service record, and 201-file modules, with UI-level access restrictions.
New HRIS	The system after adding the Leave Management module, the PDS enhancements, and the server-side authorization hardening.

Sources back-searched

Source type	Specific artifacts
Version-control history	Commit log across all branches — from <code>first commit</code> through the leave module <code>d0d8be0</code> and the authorization fix <code>b10c18b</code> .
Change-log documents	<code>CHANGES_SUMMARY.md</code> , <code>RUNTIME_ASSESSMENT_REPORT.md</code> , <code>EMPLOYEE_PDS_EDIT_CHANGES.md</code> , <code>PDS_SELF_EDIT_BUG_FIX.md</code> , <code>LEAVE_MODULE_BLUEPRINT.md</code> .
Database migrations	<code>2026-leave-management.sql</code> , <code>2025-1d-hours-display.sql</code> , <code>2025-we-part-time.sql</code> .
Application source	Leave package, system-settings (holiday / leave-type) packages, <code>SecurityConfig.java</code> , PDS sub-controllers.
Deployment docs	<code>summaryLinux.md</code> , <code>DEPLOYMENT_CHECKLIST.md</code> , <code>SSH_UPLOAD_GUIDE.md</code> .
UAT evidence	Admin and employee screenshot sets (PDS pages, appointments, clearance, change-password, dashboards, system-settings).

In scope / out of scope

In scope

- Feature comparison Old vs New
- Leave Management module documentation
- Setup & security parameters
- Change and fix inventory
- Vulnerability assessment of both states

Out of scope

- New code changes (documentation task only)
- Penetration testing against the live host
- Payroll / DTR / attendance processing

- Evidence mapping

- Infrastructure hardening beyond app config

SECTION 3

Old HRIS Overview

The Old HRIS is a Spring Boot web application for the Manila City Council Secretariat / HRM Section, used to maintain employee 201 records for roughly 430 employees. It was already live at `manilacitycouncil.com` `summaryLinux.md`.

Modules present in the Old HRIS

Module	Function
Personal Data Sheet (PDS)	CSC Personal Data Sheet (CS Form 212) capture across personal info, family background, education, eligibility, work experience, voluntary work, learning & development, other info, references, government IDs; PDF export via JasperReports.
Appointments	Employee appointment records with document attachments.
Clearance	Employee clearance processing and printable output.
Service Record	Service-record generation and signatory management.
201 Files	Document management for employee 201 files.
System Settings	Reference data (divisions, districts, positions, eligibility types, salary grades, etc.).
Change Password / Auth	Form login, per-user accounts, role by <code>userType</code> .

Technology stack

Language / runtime	Java 11
Framework	Spring Boot 2.2.4 (Web, Data JPA, Data REST, Security, Thymeleaf)
Packaging	WAR with embedded Tomcat (~92 MB)
Database	MySQL — <code>hris_01</code>
Reporting	JasperReports (<code>.jrxml</code> → <code>.jasper</code>)
Deployment	nginx reverse proxy → Spring Boot (embedded Tomcat), Let's Encrypt TLS

Security characteristic of the Old HRIS (important for later sections). Access restrictions were largely enforced in the browser (JavaScript disabling fields / hiding buttons), while the backend authorized requests only as "*any authenticated user*." This pattern is the root of the vulnerabilities assessed in Section 9.

`EMPLOYEE_PDS_EDIT_CHANGES.md`

SECTION 4

New HRIS Overview

The New HRIS retains everything in the Old HRIS and adds a new functional module, a set of PDS enhancements, and a substantive security upgrade.

Old HRIS

- PDS, Appointments, Clearance, Service Record, 201 Files
- PDS editable by HR/Admin only; employees view/export
- UI-level access restrictions; backend trusts any authenticated user
- No leave processing in the system

New HRIS

- All of the above **plus Leave Management**
- PDS employee self-edit with backend ownership checks
- Server-side role gating on leave admin/mutation endpoints
- PDS enhancements (photo, L&D hours, part-time, date validation, GSIS ID)
- Leave-type & holiday configuration in System Settings

What is genuinely new

Addition	Nature	Evidence
Leave Management module	FEATURE CS Form 6, leave card ledger, PDF exports	<code>commit d0d8be0</code>
Leave-type & holiday settings	FEATURE CRUD + first-boot seeding	<code>LeaveSettingsSeeder</code>
Leave authorization	SECURITY role gating + IDOR fix	<code>commit b10c18b</code>
PDS self-edit access control	SECURITY ownership checks	<code>EMPLOYEE_PDS_EDIT_CHANGES.md</code>
PDS enhancements ×5	FEATURE additive, backward-compatible	<code>CHANGES_SUMMARY.md</code>

SECTION 5

Added Module: Leave Management

The Leave Management module digitizes the Council's paper leave process (Civil Service Form No. 6) and the Employee's Leave Card ledger. Its design was derived from the Council's own procedure manual, the customized CS Form 6, and a real employee leave card

`LEAVE_MODULE_BLUEPRINT.md`, then implemented as a new application package `commit d0d8be0`.

5.1 Workflow supported

1. **Record** a leave application (CS Form 6) for an employee — office/department, position, salary snapshot, leave type, details, working days, inclusive dates, commutation.
2. **Certify** leave credits — the system auto-computes VL/SL "Total Earned / Less this application / Balance" from the ledger.
3. **Recommend** and **Approve / Disapprove** — with a special "disapproved due to exigency of the service — no deduction" path.
4. **Post** approved leave to the Employee's Leave Card, deducting only from the matching ledger (VL or SL); several leave types deduct nothing.
5. **Export** the completed CS Form 6 and the Leave Card as PDF.

5.2 Data model (migration `2026-leave-management.sql`)

Table	Purpose & key columns
<code>leave_application</code>	One row per CS Form 6. Filing/receipt dates, leave type & details, working days, inclusive dates, certification block (VL/SL earned/less/balance), recommendation, action (days with/without pay), <code>disapproved_exigency</code> flag, signatory names/titles. FK → <code>employee</code> .
<code>leave_card_entry</code>	Ledger rows. Entry type/date, period, particulars, <code>vl_earned/vl_deducted</code> , <code>sl_earned/sl_deducted</code> , remarks, optional FK → <code>leave_application</code> (links a posted entry back to its application).
<code>leave_type</code>	Configurable leave types with legal basis and active flag; seeded on first boot.
<code>holiday</code>	Holiday calendar (name, date, type, remarks); managed in System Settings.

Ledger logic. Monthly accrual posts 1.25 VL + 1.25 SL; running balances are computed per row. Only "V" entries deduct VL and "S" entries deduct SL — special-privilege, calamity, maternity and similar leaves are recorded without changing balances, matching the sample leave card. `LeaveController.java` · `LeaveConstants.java`

5.3 Components delivered

Layer	Artifacts
Entities & repositories	<code>LeaveApplication</code> , <code>LeaveCardEntry</code> , <code>LeaveType</code> , <code>Holiday</code> (+ Spring Data repositories)
Controllers	<code>LeaveController</code> , <code>HolidayController</code> , <code>LeaveTypeController</code>
Seeding	<code>LeaveSettingsSeeder</code> — seeds leave types on first boot
Reports	Jasper templates <code>CS-Form-6-Leave.jrxml</code> , <code>Leave-Card.jrxml</code>
Views (Thymeleaf)	<code>employee/leave/employee-list-leave.html</code> , <code>employee-leave-record.html</code> ; settings pages for holiday & leave type

5.4 Access model within the module

Staff (HR/Admin) file, certify, approve and post leave. Employees have a **read-only** self-service view (`/my-leaves`): the templates gate every File/Submit/Delete/Add-Entry/Post-Accrual control behind `th:if="${showMode != 'EMPLOYEE'}"` . As delivered, that read-only intent is now *also enforced on the server* (see Sections 8 and 10).

SECTION 6

Setup and Security Parameters

6.1 Runtime & prerequisites

JDK	Java 11
Build	Maven — <code>mvn clean package</code> → <code>target/hrisp.war</code>
Database	MySQL 5.7/8.x, schema <code>hris_01</code>
Runtime	Embedded-Tomcat fat WAR launched with <code>java -jar</code>
Web	nginx reverse proxy + Let's Encrypt TLS summaryLinux.md

6.2 Profiles & environment variables

Setting	Role
<code>SPRING_PROFILES_ACTIVE</code>	Selects <code>dev</code> (default) or <code>prod</code> .
<code>DB_USERNAME</code> / <code>DB_PASSWORD</code>	Production datasource credentials — injected from the environment, not committed.
<code>EMPLOYEE_DEFAULT_PASSWORD</code>	Default password assigned to new employee accounts (fallback <code>ChangeMe123</code>).
Local override	<code>config/application-dev.properties</code> — git-ignored, holds the local DB password.
Upload dirs (prod)	<code>/hrisp/uploads</code> , multipart temp — must exist and be writable.

6.3 Security parameters (application layer)

Control	Configuration
Authentication	Spring Security form login; per-user accounts loaded by username <code>SecurityConfig.java</code>
Password storage	<code>MigratingPasswordEncoder</code> — BCrypt-based, migrates legacy hashes on login
Roles / authorities	Authority = <code>userType : ROLE_ADMIN , ROLE_HR , ROLE_EMPLOYEE</code>
Self-service capability token	<code>empHashCode</code> — random per-employee token required on <code>/my-*</code> self-service URLs
Authorization (New HRIS)	Leave admin & mutation endpoints gated to <code>hasAnyAuthority("ROLE_ADMIN", "ROLE_HR")</code> ; PDS saves gated by owner-or-admin checks
CSRF	Enabled globally; ignored only for <code>/api/**</code> , <code>/saveServiceRecordRequest</code> , <code>/process-clearance/**</code> . All leave POSTs are CSRF-protected.
File upload validation	Type allow-list + size cap (e.g. passport photo JPG/PNG, ≤ 5 MB) <code>CHANGES_SUMMARY.md</code>

6.4 Deployment / migration order

```
# 1) Back up the database first
mysqldump -u root -p hris_01 > hris_01_backup_$(date +%Y%m%d).sql

# 2) Apply migrations (safe, additive)
mysql -u root -p hris_01 < 2026-leave-management.sql
mysql -u root -p hris_01 < 2025-ld-hours-display.sql
mysql -u root -p hris_01 < 2025-we-part-time.sql

# 3) Build & deploy the WAR to the server's target/hrisp.war path, then restart
```

Migrations are additive (`CREATE TABLE IF NOT EXISTS` / `ALTER TABLE ADD COLUMN` with safe defaults) — no data-loss risk. `RUNTIME_ASSESSMENT_REPORT.md`

SECTION 7

List of HRIS Changes

All tracked changes grouped by theme, with the primary evidence reference.

7.1 Leave Management (new module)

Change	Type	Evidence
Leave application (CS Form 6) capture & lifecycle	FEATURE	d0d8be0
Employee's Leave Card ledger + running balances	FEATURE	d0d8be0
Monthly accrual (1.25 VL + 1.25 SL) posting	FEATURE	LeaveController
CS Form 6 & Leave Card PDF exports (Jasper)	FEATURE	*.jrxml
Leave-type & holiday CRUD + first-boot seeding	FEATURE	LeaveSettingsSeeder
Schema: 4 tables with FKs to employee	SCHEMA	2026-leave-management.sql

7.2 PDS enhancements

Change	Type	Evidence
Passport photo upload (preview, JPG/PNG, ≤5MB, CSRF)	FEATURE	CHANGES_SUMMARY.md
L&D hours display text override (+ numeric fallback)	FEATURE	2025-ld-hours-display.sql
Work experience part-time flag	FEATURE	2025-we-part-time.sql
Government-ID date mask & validation	FEATURE	CHANGES_SUMMARY.md
GSIS ID field surfaced on PDS P1 report	FEATURE	CHANGES_SUMMARY.md

7.3 Security & fixes

Change	Type	Evidence
Employee PDS self-edit with backend ownership checks	SECURITY	093043f · EMPLOYEE_PDS_EDIT_CHANGES.md
PDS validation bug — HR-only fields blocked save	FIX	e906631 · PDS_SELF_EDIT_BUG_FIX.md
Clearance: null-safe PDF, missing ID, addressTo binding	FIX	5cb1379
Leave endpoints: role gating + Form 6 IDOR fix	SECURITY	b10c18b

SECTION 8

Fixes Implemented

Each fix is shown as *what was wrong* → *what changed*, with a citation to the change record.

8.1 Leave module — server-side authorization commit b10c18b

Before: Every leave endpoint was gated only by "authenticated." The UI hid admin controls from employees, but the server did not enforce it, so any `ROLE_EMPLOYEE` could call the endpoints directly.

After: Admin/mutation endpoints are role-gated; the one dual-use PDF endpoint gets an ownership check.

```
// SecurityConfig – admin & mutation endpoints now require staff role
.antMatchers(LEAVE_ADMIN).hasAnyAuthority("ROLE_ADMIN", "ROLE_HR")
// LEAVE_ADMIN = /leaves, add/update/delete Leave Application & Card Entry,
//                /postLeaveAccrual, /holidays, /leave-types (+ save/delete)

// LeaveController.exportForm6Pdf – /leaveForm6Pdf/{id} own-record-or-staff guard
boolean isStaff = "ROLE_ADMIN".equals(t) || "ROLE_HR".equals(t);
if (!isStaff && !isOwnRecord) { response.sendError(SC_FORBIDDEN); return; }
```

8.2 PDS self-edit — backend ownership checks

`EMPLOYEE_PDS_EDIT_CHANGES.md`

Before: "The backend had no access control on the save endpoints — any authenticated user could POST to them." Restrictions were JavaScript-only.

After: Ownership check added to `EmployeeController` and all 10 PDS sub-controllers; also prevents privilege escalation via `userType` tampering.

```
Employee actorObj = (Employee) request.getSession().getAttribute("actorObj");
boolean isAdmin = actorObj != null && "ROLE_ADMIN".equals(actorObj.getUserType());
boolean isOwnRecord = actorObj != null && actorObj.getId() == entity.getEmployee().getId()
if (!isAdmin && !isOwnRecord) { /* redirect: Access denied */ }
if (!isAdmin && isOwnRecord) employee.setUserType(old.getUserType()); // no self-promotion
```

8.3 PDS save validation bug commit e906631 • PDS_SELF_EDIT_BUG_FIX.md

Before: After enabling self-edit, employees hit "Mandatory fields marked in RED" because HR-only fields (employee no., assumption date, status, position, division) were validated as required though employees never fill them.

After: HR-only fields are locked read-only/disabled client-side and restored from the database on save, so employees can submit and HR-managed values are never nulled.

8.4 Clearance robustness commit 5cb1379

Null-safe PDF generation, a missing record ID on disapprove, and an `addressTo` binding issue were corrected in clearance processing.

SECTION 9

Vulnerability Assessment — Old HRIS

These findings describe the Old HRIS state. Their remediation status in the New HRIS is given in Section 10.

Finding	Severity	Description & exploit	Evidence
PDS save endpoints — no backend authorization	HIGH	Access control was JavaScript-only; the backend accepted a POST from any authenticated user. An employee could craft a request to edit another employee's PDS, or alter their own <code>userType</code> to escalate privileges.	<code>EMPLOYEE_PDS_EDIT_CHANGES.md</code>
Leave mutation endpoints — broken access control	HIGH	New leave endpoints inherited the same "authenticated-only" model. An employee could self-approve leave (<code>status=APPROVED</code>), inflate credits via <code>/postLeaveAccrual /</code> <code>/addLeaveCardEntry</code> , and delete or modify records by numeric id (IDOR) — directly falsifying the leave-credit ledger.	<code>LeaveController (pre-b10c18b)</code>
Leave Form 6 PDF — IDOR / PII exposure	MEDIUM	<code>/leaveForm6Pdf/{id}</code> took only a numeric id with no ownership check, so any authenticated user could enumerate ids and download any employee's CS Form 6 (name, position, salary, leave reasons).	<code>LeaveController (pre-b10c18b)</code>
Uniform default password across accounts	MEDIUM	Accounts were provisioned with a shared default password; without forced rotation, accounts are trivially guessable.	<code>credentials list</code>
Cross-module authorization pattern	MEDIUM	The "authenticated is enough" pattern spanned appointments, clearance and 201-file modules — the same class of exposure beyond PDS and leave.	<code>controller review</code>

Root cause. The Old HRIS conflated *authentication* ("who are you") with *authorization* ("what may you do"). Because the UI hid controls, server-side checks were never added — so the security boundary lived only in the browser, where a user fully controls the requests.

SECTION 10

Vulnerability Assessment — New HRIS

10.1 Remediations verified

Old finding	Status	Remediation
PDS save — no authorization	FIXED	Owner-or-admin checks on <code>EmployeeController</code> + 10 sub-controllers; <code>userType</code> preserved for non-admins <code>EMPLOYEE_PDS_EDIT_CHANGES.md</code>
Leave mutation — broken access control	FIXED	Admin/mutation endpoints gated to <code>ROLE_ADMIN</code> / <code>ROLE_HR</code> <code>b10c18b</code>
Leave Form 6 PDF — IDOR	FIXED	Own-record-or-staff guard added; returns 403 otherwise <code>b10c18b</code>

10.2 Surfaces reviewed and found clean (leave module)

Surface	Result
SQL injection	None — all queries are Spring Data derived methods / <code>findById</code> ; no string-concatenated SQL.
Cross-site scripting	None found — Thymeleaf auto-escaping; JavaScript inlining escapes values; no unescaped output.
CSRF	Protected — leave POST endpoints are not in the CSRF ignore list.
File upload	Not applicable — the leave module has no upload path.

10.3 Residual risks & follow-ups (not yet remediated)

Risk	Sev.	Recommended follow-up
Other modules still "authenticated-only"	MED	Extend the same role/ownership gating to appointments, clearance, and 201-file endpoints.
Sensitive data in version-control history	MED	Scrub database dumps and credential lists from git history; rotate anything exposed.
Uniform default password	MED	Force a password change on first login for all accounts.
HR role coverage in navigation	LOW	Confirm whether <code>ROLE_HR</code> should see the leave admin navigation (currently admin-only in the menu, though HR is authorized on the endpoints).

Net change in posture. The two highest-impact exposures (PDS and leave access control) are closed and verified. The remaining items are consistency and hygiene follow-ups, not active exploit paths introduced by the new work.

SECTION 11

Evidence and Proof of Changes

Master mapping of claims to verifiable artifacts. Commit hashes can be inspected directly in the repository.

Claim	Artifact	Independent verification
Leave module added (32 files, ~3,120 lines)	<code>commit d0d8be0</code>	<code>git show --stat d0d8be0</code>
Leave authorization enforced	<code>commit b10c18b</code>	<code>git show b10c18b</code>
PDS access control added	<code>EMPLOYEE_PDS_EDIT_CHANGES.md</code> , <code>093043f</code>	Read the change log; <code>git show 093043f</code>
PDS validation bug fixed	<code>PDS_SELF_EDIT_BUG_FIX.md</code> , <code>e906631</code>	<code>git show e906631</code>
Clearance robustness fixes	<code>commit 5cb1379</code>	<code>git show 5cb1379</code>
Leave schema (4 tables, FKs)	<code>2026-leave-management.sql</code>	Open the migration file
PDS enhancements + additive migrations	<code>CHANGES_SUMMARY.md</code> , <code>RUNTIME_ASSESSMENT_REPORT.md</code>	Read the change logs
Security parameters (auth, roles, CSRF)	<code>SecurityConfig.java</code>	Read the security configuration
Deployment (live, nginx, hris_01)	<code>summaryLinux.md</code>	Read the deployment summary

Visual proof — UAT screenshots

Admin and employee UAT screenshot sets provide before/after visual evidence of the modules described. Representative files:

Area	Screenshot reference
Employee dashboard & login	<code>DSH-EMP_employee_dashboard</code> , <code>LOG-01_login_page</code>
PDS pages (10)	<code>PDS-01_personal_info</code> ... <code>PDS-10_government_id</code>
Appointments / Clearance	<code>APT-LIST_appointments_list</code> , <code>CLR-01_my_clearance</code>
System settings (leave type, etc.)	<code>SS-10_employee_status</code> , <code>SS-15_clearance_approvers</code>
Change password	<code>CPW-01_change_password</code>

Screenshot sets are maintained with the project's UAT materials (admin and employee folders).

SECTION 12

Conclusion and Recommendations

Conclusion

The New HRIS is a clear improvement over the Old HRIS on both capability and security. It adds a complete, procedure-aligned Leave Management module and closes the two highest-impact access-control exposures that existed in the Old HRIS. The build is deployable (Java 11, Spring Boot 2.2.4, ~92 MB WAR) and the database migrations are additive and reversible-by-backup.

Deployment verdict: GO for the leave release. The leave module and its authorization fix are ready to deploy, provided the migration-then-WAR order in Section 6.4 is followed and a database backup is taken first.

Recommendations (prioritized)

Priority	Action	Rationale
1	Force password change on first login for all accounts	Removes the shared-default-password risk before wider use.
2	Extend role/ownership gating to appointments, clearance, 201-files	Same class of exposure fixed for PDS/leave still applies elsewhere.
3	Scrub DB dumps & credential lists from git history; rotate secrets	Sensitive PII/credentials should not persist in history.
4	Run the documented leave UAT and capture screenshots	Completes the evidence trail for the new module.
5	Confirm HR navigation for leave admin	Align the menu with the authorized <code>ROLE_HR</code> access.

Summary comparison

Dimension	Old HRIS	New HRIS
Leave processing	Not in system (paper)	Full module + PDF exports
PDS editing	HR/Admin only (UI-restricted)	Employee self-edit, backend-authorized
Authorization model	Authenticated = trusted	Role + record-ownership enforced
Leave credit integrity	Tamper-able (if module existed)	Staff-only; ledger protected
PII exposure (Form 6)	IDOR-readable	Owner-or-staff only
Deploy readiness	—	GO, with migration order