

INTERNAL DOCUMENTATION · CITY COUNCIL OF MANILA

HRIS Manila Council



System & Process Flow Documentation

Complete Modules · Feature Summary · End-to-End Process Flows
Workflow Diagrams · Module Interactions · Roles & Responsibilities

Document	HRIS Complete System & Process Flow Documentation
Requested under	CR Request ID 016 (resubmitted)
Requested by	Chief of Staff Gino Boongaling
System	HRIS Manila Council (manilacitycouncil.com)
Basis	Application source, maintained process-flow docs, live deployment
Report date	22 July 2026
Classification	Internal — Management & Project Governance

Table of Contents

- 1** Executive Summary
- 2** HRIS Overview
- 3** Complete HRIS Modules
- 4** Feature Summary per Module
- 5** End-to-End Process Flow (Every Module)
- 6** Detailed Workflow Diagrams
- 7** Module Interactions & Dependencies
- 8** User Roles & Responsibilities
- 9** Notes, Assumptions & Documentation References

How to read the citations. Every material claim is tagged with a source in `monospace` — a source file, a maintained process-flow document, or a database migration. Section 9 lists every source document used to compile this report.

SECTION 1

Executive Summary

This report documents the HRIS Manila Council system **as it exists today** — every module, its features, its end-to-end process flow, and how modules depend on one another — for management and project-governance reference. It was produced in response to CR Request ID 016 (resubmitted 22 July 2026 by Chief of Staff Gino Boongaling): *"Requesting HRIS Process flow for all modules and features for documentation."* This is a documentation exercise; no application code was changed to produce it.

What this report covers

Section	Content
HRIS Overview	What the system is, who uses it, technology stack, current deployment scale.
Complete HRIS Modules	Full inventory — 15 functional modules across Core Records, Self-Service, Workflow & Approvals, Configuration, and Reporting.
Feature Summary per Module	What each module does today, in enough detail to onboard a new administrator or reviewer.
End-to-End Process Flow	A User → System → Database → Output diagram for every module.
Detailed Workflow Diagrams	The three genuinely branching decision flows: Leave, Clearance, PDS edit-authorization.
Module Interactions	Which modules feed or depend on which others.
Roles & Responsibilities	Every account role, what it may do, and where it lands after login.

Current state, at a glance. HRIS Manila Council is a live Spring Boot application serving the City Council's HRM Section — 625 active employee 201-file records, 15 functional modules, a 6-role authorization model, and a multi-stage Leave decision workflow spanning Employee, HR, Supervisor, Council Secretary and Vice-Mayor accounts. It has been extended through a continuous series of Change Requests (CR-015 through CR-023) rather than a single big-bang rewrite.

SECTION 2

HRIS Overview

HRIS Manila Council is a web application used by the City Council of Manila's Human Resource Management (HRM) Section to maintain 201-file records, process leave applications, clearances, and other HR transactions for the Council's employees, and to give employees self-service access to their own records.

2.1 Who uses it

User group	What they use HRIS for
HRM Section (HR/Admin)	Maintains every employee's 201 file, processes leave/clearance, configures system-wide lookups, generates reports.
All Council employees	Self-service: view/edit own PDS, file leave, view own clearance/service record/leave card, change password.
Immediate Supervisors	Endorse, deny, or return-to-HR leave applications awaiting endorsement.
Secretary to the City Council	Council Review stage of every documents-required leave application.
Vice-Mayor / Presiding Officer	Final approval, denial, or return-to-HR of leave applications of 15 or more working days.

2.2 Technology stack

Language / runtime	Java 11
Framework	Spring Boot 2.2.4 (Web, Data JPA, Data REST, Security, Thymeleaf)
Packaging	WAR with embedded Tomcat, deployed at <code>target/hrisp.war</code>
Database	MySQL — schema <code>hris_01</code>
Reporting	JasperReports — <code>.jrxml</code> source compiled to <code>.jasper</code> at build time
Frontend	Server-rendered Thymeleaf views, Bootstrap/Limitless admin theme, Select2 searchable combos, DataTables
Deployment	nginx reverse proxy (Let's Encrypt TLS) → Spring Boot on port 8082, managed by <code>systemd</code> (<code>hrisp.service</code> , auto-restart on crash)

2.3 Current scale

Live domain	manilacitycouncil.com
Active employee 201-file records	625 hris_01.employee, verified 22-Jul-2026
Account roles	6 — ADMIN, HR, EMPLOYEE, SUPERVISOR, COUNCIL, VICEMAYOR
Functional modules	15 (Section 3)
Change Requests delivered to date	CR-015 through CR-023, continuously deployed

How the system has grown. HRIS began as a 201-file / PDS system (Employee Records, PDS, Appointments, Clearance, Service Record, 201 Files, System Settings). Leave Management (CR-016) was added as a full module with its own multi-stage decision workflow, later given real login accounts per approving actor (CR-016 revision 2) and further refined for routing and return-to-HR behavior (CR-020). Archive gained admin-manageable sub-folders today (CR-023). Every change is additive — the underlying 201-file core has not been rebuilt.

SECTION 3

Complete HRIS Modules

15 functional modules, grouped by their role in the system.

Module	Category	One-line description
Employee Records	CORE	The 201-file master record every other module hangs off.
Personal Data Sheet (PDS)	CORE	CS Form 212 across 10 sub-sections, admin- and employee-editable.
Appointments	CORE	Appointment papers with document attachments.
Service Record	CORE	Position/office/salary history; CSC Service Record printout.
201 Files	CORE	General per-employee document repository by document type.
Archive	CORE	Admin-managed document folders (SALN, Resigned Employees, Leaves, and any admin-created folder).
Leave Management	WORKFLOW	CS Form 6 filing through a 5-actor decision flow to Leave Card posting.
Clearance	WORKFLOW	Employee clearance application with per-approver sign-off.
Training & Seminar	WORKFLOW	Training/seminar records that feed the PDS Learning & Development section.
Notifications	SELF-SERVICE	In-app bell notifications, session-scoped, unread badge.
Dashboard & Navigation	SELF-SERVICE	Role-based landing pages and quick-navigation badges.
Auth, Roles & Change Password	CONFIG	Login, the 6-role authorization model, self-service password change.
System Settings	CONFIG	~22 lookup/reference-data CRUD screens (departments, salary grades, leave types, holidays, etc.).
Reports & PDF Exports	REPORTING	Jasper-based PDF generation across every module.
Year-End Processing	REPORTING	Scheduled + on-demand mandatory-leave deduction run.

SECTION 4

Feature Summary per Module

What each module does today. Modules are grouped as in Section 3.

4.1 Employee Records EmployeeController

- Create/edit the employee master record: name, birth details, gender, civil status, blood type, citizenship, government ID numbers (GSIS/BIR/PhilHealth/Pag-IBIG), addresses, division/office/position, appointment & employee status.
- Photo upload, login credential provisioning, and role assignment (Employee List → credentials).
- Generates the per-employee `empHashCode` capability token used to gate every self-service (`/my-*`) URL.
- Employee List, Clearance List and Appointments List are the primary admin search/browse screens.

4.2 Personal Data Sheet (PDS, CS Form 212)

- Ten sub-sections: Personal Information, Family Background, Educational Background, Civil Service Eligibility, Work Experience (with a part-time flag), Voluntary Work, Learning & Development (with an hours-display override), Other Information (with configurable Other-Info Questions), References, Government IDs (with GSIS ID and date-mask validation).
- Every section is editable by HR/Admin and, on the employee's own record, by the employee — enforced server-side, not just hidden in the UI.
- Long dropdowns are searchable Select2 combos; Office Name (Work Experience) and City (addresses) accept free-typed values.
- Prints to the CS Form 212 PDF; empty fields print "N/A" rather than blank.

4.3 Appointments AppointmentController

- HR records appointment papers per employee with document attachments.
- Employees view their own via My Appointments.

4.4 Service Record ServiceRecordController

- HR maintains position/office/salary/period history and manages the signatories printed on the form.
- Prints the CSC Service Record form; employees view their own via My Service Record.

4.5 201 Files Docs201Controller

- General per-employee document uploads, categorized by a configurable Document Type lookup.

4.6 Archive ArchiveController, ArchiveSection (CR-023)

- HR/Admin-only file repositories, organized into folders: SALN, Resigned Employees, and Leaves out of the box.
- **As of today (CR-023):** folders are admin-manageable — a "Manage Folders" screen lets an admin add, rename, or delete folders. A folder's code is immutable once created; deletion is blocked while files remain in it.
- Per-folder customizable labels for grouping files, free-text tags, search, and client-side CSV/XLS export.

4.7 Leave Management LeaveController, LeaveWorkflowController

- Employees file a CS Form 6 leave application (My Leave Record); HR screens, and the request proceeds through a multi-stage decision flow with dedicated actor accounts — Supervisor, Secretary to the City Council, and Vice-Mayor (full detail in Sections 5 and 6).
- Employee's Leave Card ledger tracks running VL/SL balances; approved leave posts a deduction only for Vacation and Mandatory/Forced Leave (VL) or Sick Leave (SL) — other leave types are recorded without changing balances.
- Monthly accrual (1.25 VL + 1.25 SL) is a manual HR action per employee; a scheduled/on-demand Year-End run deducts unused mandatory leave (Section 4.15).
- Employees may appeal a disapproved application or cancel a still-pending one from My Leave Record.
- Leave Tracker shows a calendar of approved leaves. Exports: CS Form 6 PDF, Leave Card PDF, and a Leave Verification Receipt PDF for leaves requiring supporting documents.

4.8 Clearance ClearanceController, ApproversController

- Employees file a clearance application from My Clearance; each configured approver records a sign-off.
- HR/Admin process outstanding clearances from the Clearance List and maintain the approver/signatory settings.
- Approved or disapproved (with reason) clearance prints to PDF.

4.9 Training & Seminar TrainingSeminarController

- HR records trainings/seminars per employee: title, provider, hours, dates, and an uploaded certificate.
- Feeds the PDS Learning & Development section.

4.10 Notifications NotificationController

- In-app bell notification on every account, with an unread badge that clears on open.
- Notifications are session-scoped — a user only ever sees their own. Today's producer is the Leave decision flow (employee, per-stage actor, and HR alerts).

4.11 Dashboard & Navigation NavController

- Routes each role to its working landing page on login: Dashboard for ADMIN/HR/EMPLOYEE, Leave Approvals for SUPERVISOR/COUNCIL/VICEMAYOR.

- Quick-navigation badges surface pending work, e.g. the Leave Applications "New" count.

4.12 Auth, Roles & Change Password SecurityConfig,

ChangePasswordController

- Form login; passwords stored BCrypt, with legacy plain-text passwords auto-migrated on next successful login.
- Six roles by `userType` : ADMIN, HR, EMPLOYEE, SUPERVISOR, COUNCIL, VICEMAYOR — assigned from Employee List → credentials.
- Self-service password change at `/change-password` .

4.13 System Settings ~22 lookup controllers

- CRUD reference-data screens: Departments, Divisions, Offices, Districts, Position Titles (+ Position Description Forms), Salary Grades, Levels, Employee Status, Appointment Status, Civil Status, Degree Courses/Levels, Academic Honors, Schools, Scholarships, Professions, Eligibilities, Document Types, Learning Types, Leave Types, Holidays, Other Info Questions, and the Leave Endorsement/Signatory defaults.
- Employee Status drives the year-end coterminous exclusion (any status whose name contains "COTERM").
- Leave signatories hold the default names printed on CS Form 6; every workflow action can still override them for an acting official.

4.14 Reports & PDF Exports ReportsController, jasper/reports/*.jrxml

- Jasper-based PDFs: PDS (CS Form 212), CS Form 6 (leave application), Leave Card, Leave Verification Receipt, Clearance, Service Record, Position Description Form, Report on Separation, and individual Employee Reports.

4.15 Year-End Processing LeaveYearEndProcessor

- Every December 31 at 23:30 (Asia/Manila), and on demand from Leave Applications → Year-End Mandatory/Forced Leave Processing, deducts each eligible employee's unused mandatory leave (5 minus days already used).
- Coterminous employees are excluded and reported in the run summary; the run is idempotent per year.

SECTION 5

End-to-End Process Flow — Every Module

Each module's flow expressed as **User** → **System** → **Database** → **Output**.

5.1 Employee Records

User	HR/Admin creates or edits an employee record
System	EmployeeController validates, assigns <code>empHashCode</code> on create
Database	<code>employee</code> table (+ FK targets: division, office, position, employee_status)
Output	Updated Employee List; record becomes the anchor for every other module

5.2 Personal Data Sheet

User	Employee or HR edits a PDS section
System	Own-record-or-admin authorization check, then save
Database	Per-section PDS tables (family_background, educational_background, work_experience, ...)
Output	Saved to the 201 file; prints as the CS Form 212 PDF

5.3 Appointments

User	HR records an appointment, attaches documents
System	AppointmentController saves record + file upload via StorageService
Database	<code>appointment</code> table + stored file reference
Output	Appointments List (HR); My Appointments (employee, read-only)

5.4 Service Record


User	HR adds/edits a service-record period
System	ServiceRecordController saves entry, signatory settings applied
Database	<code>service_record</code> table
Output	CSC Service Record PDF; My Service Record (employee, read-only)

5.5 201 Files

User	HR uploads a document, tags it with a Document Type
System	Docs201Controller stores the file via StorageService
Database	<code>docs_201</code> table + stored file reference
Output	201 Files list for the employee

5.6 Archive

User	Admin creates/selects a folder, uploads a file, optionally labels/tags it
System	ArchiveController validates the folder against <code>archive_section</code> , stores the file
Database	<code>archive_section</code> , <code>archive_file</code> , <code>archive_label</code>
Output	Folder's file list; CSV/XLS export; sidebar reflects folders live (<code>@ModelAttribute</code> advice)



5.7 Leave Management (happy path — full branching in Section 6)

User	Employee files; HR/Supervisor/Council/Vice-Mayor act at their stage
System	LeaveWorkflowController enforces per-stage, per-role authorization; notifies next actor
Database	<code>leave_application</code> , <code>leave_workflow_action</code> , <code>leave_card_entry</code> , <code>notification</code>
Output	Leave Card balance updated; CS Form 6 PDF, Leave Verification Receipt, Leave Card PDF

5.8 Clearance

User	Employee files; each configured approver signs off
System	ClearanceController records each approver decision
Database	<code>clearance</code> , per-approver sign-off rows
Output	Approved/Disapproved clearance PDF

5.9 Training & Seminar

User	HR records a training with a certificate upload
System	TrainingSeminarController saves the record
Database	<code>training_seminar</code> table
Output	PDS Learning & Development section reflects the training

5.10 Notifications

User	Any module event (e.g. a leave stage transition)
System	<code>Notifier</code> writes a notification for the affected user/role
Database	<code>notification</code> table
Output	Navbar bell badge; marked read on open

5.11 System Settings

User	Admin adds/edits/deletes a lookup value (e.g. a Leave Type)
System	Per-lookup controller CRUD, most with a first-boot seeder
Database	~22 dedicated lookup tables
Output	Value available in every dropdown/select that references it

5.12 Reports & PDF Exports

User	User clicks an export/print action anywhere in the app
System	Controller builds a parameter map, fills the matching <code>.jasper</code> template
Database	Source record(s) for the report being printed
Output	Rendered PDF streamed to the browser

5.13 Year-End Processing

User	Scheduler (Dec 31, 23:30) or HR clicks the on-demand run
System	<code>LeaveYearEndProcessor</code> computes 5-minus-used per eligible employee, skips already-processed/coterminous
Database	ADJUSTMENT row appended to <code>leave_card_entry</code> , period <code>YE-<year></code>
Output	Updated leave balances; run summary (processed / skipped / coterminous)


SECTION 6

Detailed Workflow Diagrams

The three flows with genuine branching logic, shown in full.

6.1 Leave Management — decision flow


[docs/leave/LEAVE_PROCESS_FLOW.md](#)



Employees may **cancel** any still-pending application, or **appeal** a DISAPPROVED one (re-enters HR screening). A dedicated actor account (Supervisor/Council/Vice-Mayor) may only act while the application sits at its own stage; ROLE_HR/ROLE_ADMIN may act at every stage as an acting-official fallback.

6.2 Clearance — approval flow





6.3 PDS — edit-authorization gate




SECTION 7

Module Interactions & Dependencies

No module is fully isolated — the Employee Record is the hub every other module reads from.

Module	Depends on / feeds
Personal Data Sheet	Reads Employee Record; Learning & Development section is fed by Training & Seminar entries.
Leave Management	Reads Employee Record + Employee Status (drives year-end coterminous exclusion); posts to its own Leave Card ledger; feeds Notifications; feeds Archive (Leaves folder).
Archive	Independent storage keyed by folder; receives documents originating from Leave (Verification Receipts) and HR-driven SALN / Resigned-employee filings.
Clearance	Reads Employee Record; Approvers/signatory settings come from System Settings.
Appointments, Service Record, 201 Files	All read the Employee Record; independent of each other.
Training & Seminar	Reads Employee Record; writes into the PDS Learning & Development view.
Notifications	Written by the Leave decision flow today; read by every logged-in user's navbar.
System Settings	Upstream of nearly every module — Employee Status, Departments/Divisions/Offices, Position Titles, Leave Types, Holidays, Document Types, etc. are all referenced elsewhere.
Reports & PDF Exports	Downstream of every module — pulls live data at export time; never a system of record itself.
Year-End Processing	Reads Leave Management + Employee Status; writes back into the Leave Card ledger.



SECTION 8

User Roles & Responsibilities

Role	Responsibilities	Landing page
ROLE_ADMIN	Full system administration — every module, every System Settings screen, account/role provisioning.	Dashboard
ROLE_HR	HR records management, leave screening and every workflow stage as an acting-official fallback, clearance/appointment/service-record maintenance, Archive.	Dashboard
ROLE_EMPLOYEE	Self-service only: own PDS (edit), clearance filing, own service record/leave card (view), leave filing/appeal/cancel, change password.	Dashboard (My Account menu)
ROLE_SUPERVISOR	Endorses, denies, or returns to HR the leave applications awaiting endorsement (global queue across all supervisor accounts).	Leave Approvals
ROLE_COUNCIL	Secretary to the City Council — Council Review of every documents-required leave; finalizes leaves under 15 working days herself, otherwise endorses to the Vice-Mayor.	Leave Approvals
ROLE_VICEMAYOR	Final approval, denial, or return-to-HR of leave applications of 15 or more working days.	Leave Approvals

Per-role authorization on Leave. A dedicated actor account may act only while an application sits at its own stage — Supervisor at `FOR_ENDORSEMENT` , Council at `FOR_COUNCIL_REVIEW` , Vice-Mayor at `FOR_FINAL_APPROVAL` . `ROLE_HR` / `ROLE_ADMIN` may act at every stage. Employees can never call a workflow action directly. Admins assign roles and reset passwords from Employee List → credentials.

SECTION 9

Notes, Assumptions & Documentation References

9.1 Currency of this document

Content is current as of **22 July 2026**, including CR-023 (Archive admin-manageable sub-folders), shipped to production the same day this report was compiled. Change Requests are delivered continuously; treat this report as a snapshot rather than a permanently accurate reference — re-derive details from source for anything safety- or compliance-critical.

9.2 Assumptions

- "Complete HRIS Modules" groups functionality by controller/feature area, not by menu structure — some modules share a single navigation entry (e.g. System Settings covers ~22 screens).
- Diagrams show the *designed* flow; edge cases (e.g. HR acting on behalf of an unavailable actor) are called out in prose where they materially change the picture.
- This report does not include a security/vulnerability assessment — see the separate `HRIS_Old_vs_New_Comparison_Report` (13 July 2026) for that analysis.

9.3 Documentation sources used

Source	Used for
<code>docs/HRIS_PROCESS_FLOWS.md</code>	All-modules overview backbone (Sections 2–5, 7, 8)
<code>docs/leave/LEAVE_PROCESS_FLOW.md</code>	Full Leave decision-flow detail (Sections 5.7 and 6.1)
<code>docs/changes/*.md</code>	PDS self-edit authorization history (Section 6.3)
Application source (controllers, entities)	Module inventory and feature verification (Sections 3, 4)
Live database (<code>hris_01</code>)	Current scale figures (Section 2.3)

No code was changed to produce this report. It is a documentation deliverable only, matching the scope of CR Request ID 016.