

Assignments lab 2

4. Series 4: links


4.1. Create HTML files as follows:

- Create an HTML file 'chapter1.html'. Place at least one header in it to indicate that it is about Chapter 1.
- Create an HTML file 'chapter2.html'. Place at least one header in it to indicate that it is about Chapter 2.
- Create a third file index.html. In this file, create a hyperlink to the file chapter 1. After that link, insert about 20 lines of text (it may be the same text line 20 times) and then a hyperlink to the file chapter 2.
- Adjust the files chapters 1 and 2 so that they point back to the index page, but in such a way that you end up on the index page just after the link to chapters 1 and 2 respectively. In other words, jump back to where you left off.
- Insert, in index.html, another reference to exercise 1.1 from series 1.
- Insert the possibility to send an e-mail to you at the bottom of your index file. Test this link and check if the mail has been received.

4.2. On Canvas there is a starting document (ex4_2.html). It contains an extract of (a fictitious!!) exam regulation. It contains five articles. Between the first and the second header, insert a menu with 5 links to the respective articles.

5. Series 5: lists

- 5.1. Create an ordered list of four classmates (friends) and for each of them an unordered list of their hobbies. I.e. lists within a list. Validate your code!!
- 5.2. Use a definition list to create the following web page (the text is on Canvas):



- 5.3. Change exercise 5.1 such that:
- the ordered lists have Roman numerals;
 - the unordered lists have a figure (e.g. check mark) as bullet point.
- Help: list-style image.

5.4. Pop Quiz

 or or <dl>?

Are you sure? Try to make this yourself.



WIKIPEDIA
The Free Encyclopedia

Help us improve Wikipedia by [supporting it financially.](#)

[article](#) [discussion](#) [edit this page](#) [h](#)

XHTML

From Wikipedia, the free encyclopedia
(Redirected from Xhtml)

The ***Extensible HyperText Markup Language***, Whereas HTML is an application of [SGML](#), a ve allow for automated processing to be performed of HTML and XML in many respects, since it is . recommendation on [May 31, 2001](#).

Contents [hide]

- 1 Overview
 - 1.1 Motivation
 - 1.2 Relationship to HTML
 - 1.3 Adoption
- 2 Versions of XHTML
 - 2.1 XHTML 1.0
 - 2.2 XHTML 1.1
 - 2.3 The XHTML 2.0 draft specification
 - 2.4 HTML5 (Draft)
 - 2.5 Other members of the XHTML family
- 3 Valid XHTML documents
 - 3.1 DOCTYPEs
 - 3.1.1 XML namespaces and schemas
 - 3.1.2 XML Declaration
 - 3.2 Common errors
- 4 Backward compatibility
 - 4.1 Examples
- 5 Notes
- 6 External links
 - 6.1 Validators

navigation

- [Main page](#)
- [Contents](#)
- [Featured content](#)
- [Current events](#)
- [Random article](#)

interaction

- [About Wikipedia](#)
- [Community portal](#)
- [Recent changes](#)
- [Contact Wikipedia](#)
- [Donate to Wikipedia](#)
- [Help](#)

search

toolbox

- [What links here](#)
- [Related changes](#)
- [Upload file](#)
- [Special pages](#)
- [Printable version](#)
- [Permanent link](#)
- [Cite this article](#)

in other languages

1. Overview

1.1 Motivation

1.2 Relationship to HTML

1.3 Adoption

2. Versions of XHTML

2.1 HTML Version 1.0

2.2 HTML Version 1.2

....

6. Series 6: tables

6.1. Create following table:

6.1.1. Create a table that looks (approximately) as shown below:

Phase:	1	2	3	total
Embedded	55	45	32	132
ICT	66	38	33	137
total	121	83	65	269

table 1: number of students

6.1.2. Use CSS to place the caption "tabel 1: number of students" **below** the table

6.1.3. Add a new top row as shown below:

Number of students following EICT in De Nayer				
Phase:	1	2	3	total
Embedded	55	45	32	132
ICT	66	38	33	137
total	121	83	65	269

table 1: number of students

6.1.4. In cell "3 Embedded" replace the number 32 by following table:

HW	SW
8	14

And in cell "3 ICT" replace the number 33 by:

AD	AI	System
18	7	8

6.2. Construct the next painting by Mondriaan as accurately as possible by means of tables.

