

SIMMAN

Doxygen+Graphviz生成代码文档

📅 2014-01-11 | 📁 [archives](#) | 📄 73

Doxygen简介

Doxygen是一种开源跨平台的，以类似JavaDoc风格描述的文档系统，完全支持C、C++、Java、Objective-C和IDL语言，部分支持PHP、C#。注释的语法与Qt-Doc、KDoc和JavaDoc兼容。Doxgen可以从一套归档源文件开始，生成HTML格式的在线类浏览器，或离线的LATEX、RTF参考手册。

开始安装

需要准备的工具如下：

01、Doxygen 下载地址：<http://www.stack.nl/~dimitri/doxygen/download.html>

02、Graphviz 下载地址：<http://www.graphviz.org/Download..php>

代码注释规范

1. 所有注释都可以使用///开始(C++风格)。

```
2
3 2.类体前必须加上///描述，否则会产生警告【Compound 类名 is not documented】
4 描述中最好不要带有此类的类名，否则会产生两个链接(但指向同一个文件)影响美观。
5
6 3.public和protected会自动生成，但是private要在Expert的Build选项里勾中EXTRACT_PRIVATE，static成员也是如此。
7
8 4.函数注释方式
9    /// Constructor 【函数描述】
10   /// @param [in] pos    The position of Camera in world coordinate    【参数描述1】
11   /// @param [in] lookat  The point Camera looks at in world coordinate    【参数描述2】
12   BaseCamera( const D3DXVECTOR3&#038; pos, const D3DXVECTOR3&#038; lookat );
13
14 5.变量注释方式
15   D3DXVECTOR3 m_Position; /*!&lt; Camera position point in world coordinate */ 或
16   D3DXVECTOR3 m_Position; ///&lt; Camera position point in world coordinate
17 两种方式产生的结果不同。前者会单独产生一块Member Data Documentation注释，后者会在Public/Protected/Private Attributes变量描述后紧跟注释。
18
19 6.@参数和\参数相同
20
21 7.产生描述顺序和注释顺序相同，一般风格为
22
23   /// 函数描述
24   /// @param    参数描述
25   /// @return    返回值描述
26   /// @retval    返回值1    返回值1描述
27   /// @retval    返回值2    返回值2描述
28   /// @remarks    注意事项
29   /// @note    注意事项，功能同@remarks,显示字样不同
30   /// @par    自定义图块，后面可跟示例代码之类
31   /// @code(必须使用@endcode结束)
32   /// 示例代码(无需缩进)
33   /// @endcode
34   /// @see    其他参考项【产生指向参考的链接】
35   函数代码声明
36
```

```
37 8.特殊符号
38   /// -    产生一个黑色圆点
39
40 9.定义在类体里面的enum
41   /// Camera types
42   enum CAMERA_TYPE
43   {
44       CAMERA_FIRST_VIEW,/*!&lt; Camera that looks from the first view */
45       CAMERA_MODEL_VIEW,///&lt; Camera that looks from the third view
46   };
47   两种风格相同。
48
49   以下开始的项都是全局非类内定义，在文件最开始(我尝试是在include之前) 必须加上【/// \file 文件名】，否则不会生成注释【没有File Member页】。
50
51 10. 定义在文件里面的宏
52   #define CAMERA_TYPE_NUMBER    ///&lt; The number of camera types.    或
53   #define CAMERA_TYPE_NUMBER    /*!&lt; The number of camera types. */
54   风格说明见5。
55
56 11. 非类内enum定义同10.    两种风格相同。见9。
57 12. 非类内typedef定义同10.    风格说明见5。
```

Doxygen配置





然后文档就生成了，我的配置文件：

```
1  # Doxyfile 1.8.6
2
3  #-----
4  # Project related configuration options
5  #-----
6  DOXYFILE_ENCODING   = UTF-8
7  PROJECT_NAME        = RosiMM
8  PROJECT_NUMBER      = 1.0.3
9  PROJECT_BRIEF       = 代码文档
```

```
10 PROJECT_LOGO      = /Users/simman/Pictures/小头像/http-__touxiang10.duapp.com_katongtx_kt_232.jpg
11 OUTPUT_DIRECTORY  =
12 CREATE_SUBDIRS     = NO
13 OUTPUT_LANGUAGE    = Chinese
14 BRIEF_MEMBER_DESC  = YES
15 REPEAT_BRIEF       = YES
16 ABBREVIATE_BRIEF   = "The $name class" \
17                     "The $name widget" \
18                     "The $name file" \
19                     is \
20                     provides \
21                     specifies \
22                     contains \
23                     represents \
24                     a \
25                     an \
26                     the
27 ALWAYS_DETAILED_SEC = NO
28 INLINE_INHERITED_MEMB = NO
29 FULL_PATH_NAMES     = YES
30 STRIP_FROM_PATH      =
31 STRIP_FROM_INC_PATH  =
32 SHORT_NAMES         = NO
33 JAVADOC_AUTOBRIEF   = NO
34 QT_AUTOBRIEF        = NO
35 MULTILINE_CPP_IS_BRIEF = NO
36 INHERIT_DOCS        = YES
37 SEPARATE_MEMBER_PAGES = NO
38 TAB_SIZE            = 4
39 ALIASES              =
40 TCL_SUBST           =
41 OPTIMIZE_OUTPUT_FOR_C = NO
42 OPTIMIZE_OUTPUT_JAVA = NO
43 OPTIMIZE_FOR_FORTRAN = NO
44 OPTIMIZE_OUTPUT_VHDL = NO
```

```
45  EXTENSION_MAPPING    =
46  MARKDOWN_SUPPORT     = YES
47  AUTOLINK_SUPPORT     = YES
48  BUILTIN_STL_SUPPORT  = NO
49  CPP_CLI_SUPPORT       = NO
50  SIP_SUPPORT           = NO
51  IDL_PROPERTY_SUPPORT = YES
52  DISTRIBUTE_GROUP_DOC = NO
53  SUBGROUPING           = YES
54  INLINE_GROUPED_CLASSES = NO
55  INLINE_SIMPLE_STRUCTS = NO
56  TYPEDEF_HIDES_STRUCT = NO
57  LOOKUP_CACHE_SIZE     = 0
58  #-----
59  # Build related configuration options
60  #-----
61  EXTRACT_ALL           = YES
62  EXTRACT_PRIVATE       = YES
63  EXTRACT_PACKAGE       = YES
64  EXTRACT_STATIC        = YES
65  EXTRACT_LOCAL_CLASSES = YES
66  EXTRACT_LOCAL_METHODS = NO
67  EXTRACT_ANON_NSPACES  = NO
68  HIDE_UNDOC_MEMBERS    = NO
69  HIDE_UNDOC_CLASSES    = NO
70  HIDE_FRIEND_COMPOUNDS = NO
71  HIDE_IN_BODY_DOCS     = NO
72  INTERNAL_DOCS         = NO
73  CASE_SENSE_NAMES      = NO
74  HIDE_SCOPE_NAMES      = NO
75  SHOW_INCLUDE_FILES    = YES
76  SHOW_GROUPED_MEMB_INC = YES
77  FORCE_LOCAL_INCLUDES   = YES
78  INLINE_INFO           = YES
79  SORT_MEMBER_DOCS      = YES
```

```
80  SORT_BRIEF_DOCS      = NO
81  SORT_MEMBERS_CTORS_1ST = NO
82  SORT_GROUP_NAMES     = NO
83  SORT_BY_SCOPE_NAME   = NO
84  STRICT_PROTO_MATCHING = NO
85  GENERATE_TODOLIST     = YES
86  GENERATE_TESTLIST     = YES
87  GENERATE_BUGLIST      = YES
88  GENERATE_DEPRECATEDLIST= YES
89  ENABLED_SECTIONS      =
90  MAX_INITIALIZER_LINES = 30
91  SHOW_USED_FILES       = YES
92  SHOW_FILES            = YES
93  SHOW_NAMESPACES       = YES
94  FILE_VERSION_FILTER   =
95  LAYOUT_FILE            =
96  CITE_BIB_FILES         =
97  #-----
98  # Configuration options related to warning and progress messages
99  #-----
100 QUIET                  = NO
101 WARNINGS                = YES
102 WARN_IF_UNDOCUMENTED    = YES
103 WARN_IF_DOC_ERROR       = YES
104 WARN_NO_PARAMDOC        = NO
105 WARN_FORMAT              = "$file:$line: $text"
106 WARN_LOGFILE             =
107 #-----
108 # Configuration options related to the input files
109 #-----
110 INPUT                    =
111 INPUT_ENCODING           = UTF-8
112 FILE_PATTERNS            = *.c \
113                          *.cc \
114                          *.cxx \
```

```
115      *.cpp \
116      *.c++ \
117      *.java \
118      *.ii \
119      *.ixx \
120      *.ipp \
121      *.i++ \
122      *.inl \
123      *.idl \
124      *.ddl \
125      *.odl \
126      *.h \
127      *.hh \
128      *.hxx \
129      *.hpp \
130      *.h++ \
131      *.cs \
132      *.d \
133      *.php \
134      *.php4 \
135      *.php5 \
136      *.phtml \
137      *.inc \
138      *.m \
139      *.markdown \
140      *.md \
141      *.mm \
142      *.dox \
143      *.py \
144      *.f90 \
145      *.f \
146      *.for \
147      *.tcl \
148      *.vhd \
149      *.vhdl \
```



```
150      *.ucf \
151      *.qsf \
152      *.as \
153      *.js
154  RECURSIVE      = NO
155  EXCLUDE        =
156  EXCLUDE_SYMLINKS  = NO
157  EXCLUDE_PATTERNS =
158  EXCLUDE_SYMBOLS  =
159  EXAMPLE_PATH     =
160  EXAMPLE_PATTERNS = *
161  EXAMPLE_RECURSIVE = NO
162  IMAGE_PATH       =
163  INPUT_FILTER     =
164  FILTER_PATTERNS  =
165  FILTER_SOURCE_FILES = NO
166  FILTER_SOURCE_PATTERNS =
167  USE_MDFILE_AS_MAINPAGE =
168  #-----
169  # Configuration options related to source browsing
170  #-----
171  SOURCE_BROWSER    = YES
172  INLINE_SOURCES    = NO
173  STRIP_CODE_COMMENTS = YES
174  REFERENCED_BY_RELATION = NO
175  REFERENCES_RELATION  = NO
176  REFERENCES_LINK_SOURCE = YES
177  SOURCE_TOOLTIPS     = YES
178  USE_HTAGS         = NO
179  VERBATIM_HEADERS    = YES
180  CLANG_ASSISTED_PARSING = NO
181  CLANG_OPTIONS      =
182  #-----
183  # Configuration options related to the alphabetical class index
184  #-----
```

```
185 ALPHABETICAL_INDEX  = YES
186 COLS_IN_ALPHA_INDEX = 5
187 IGNORE_PREFIX      =
188 #-----
189 # Configuration options related to the HTML output
190 #-----
191 GENERATE_HTML      = YES
192 HTML_OUTPUT        = html
193 HTML_FILE_EXTENSION = .html
194 HTML_HEADER        =
195 HTML_FOOTER        =
196 HTML_STYLESHEET    =
197 HTML_EXTRA_STYLESHEET =
198 HTML_EXTRA_FILES   =
199 HTML_COLORSTYLE_HUE = 220
200 HTML_COLORSTYLE_SAT = 100
201 HTML_COLORSTYLE_GAMMA = 80
202 HTML_TIMESTAMP     = YES
203 HTML_DYNAMIC_SECTIONS = NO
204 HTML_INDEX_NUM_ENTRIES = 100
205 GENERATE_DOCSET     = NO
206 DOCSET_FEEDNAME     = "Doxygen generated docs"
207 DOCSET_BUNDLE_ID    = org.doxygen.Project
208 DOCSET_PUBLISHER_ID = org.doxygen.Publisher
209 DOCSET_PUBLISHER_NAME = Publisher
210 GENERATE_HTMLHELP    = NO
211 CHM_FILE            =
212 HHC_LOCATION        =
213 GENERATE_CHI         = NO
214 CHM_INDEX_ENCODING  =
215 BINARY_TOC          = NO
216 TOC_EXPAND          = NO
217 GENERATE_QHP         = NO
218 QCH_FILE            =
219 QHP_NAMESPACE       = org.doxygen.Project
```

```
220 QHP_VIRTUAL_FOLDER   = doc
221 QHP_CUST_FILTER_NAME =
222 QHP_CUST_FILTER_ATTRS =
223 QHP_SECT_FILTER_ATTRS =
224 QHG_LOCATION         =
225 GENERATE_ECLIPSEHELP = NO
226 ECLIPSE_DOC_ID       = org.doxygen.Project
227 DISABLE_INDEX       = NO
228 GENERATE_TREEVIEW    = YES
229 ENUM_VALUES_PER_LINE = 4
230 TREEVIEW_WIDTH       = 250
231 EXT_LINKS_IN_WINDOW  = NO
232 FORMULA_FONTSIZE     = 10
233 FORMULA_TRANSPARENT  = YES
234 USE_MATHJAX          = NO
235 MATHJAX_FORMAT       = HTML-CSS
236 MATHJAX_RELPATH      = http://cdn.mathjax.org/mathjax/latest
237 MATHJAX_EXTENSIONS   =
238 MATHJAX_CODEFILE     =
239 SEARCHENGINE         = YES
240 SERVER_BASED_SEARCH  = NO
241 EXTERNAL_SEARCH      = NO
242 SEARCHENGINE_URL     =
243 SEARCHDATA_FILE      = searchdata.xml
244 EXTERNAL_SEARCH_ID   =
245 EXTRA_SEARCH_MAPPINGS =
246 #-----
247 # Configuration options related to the LaTeX output
248 #-----
249 GENERATE_LATEX        = YES
250 LATEX_OUTPUT          = latex
251 LATEX_CMD_NAME        = latex
252 MAKEINDEX_CMD_NAME    = makeindex
253 COMPACT_LATEX         = NO
254 PAPER_TYPE            = a4
```

```
255 EXTRA_PACKAGES      =
256 LATEX_HEADER          =
257 LATEX_FOOTER           =
258 LATEX_EXTRA_FILES      =
259 PDF_HYPERLINKS         = YES
260 USE_PDFLATEX           = YES
261 LATEX_BATCHMODE        = NO
262 LATEX_HIDE_INDICES     = NO
263 LATEX_SOURCE_CODE      = NO
264 LATEX_BIB_STYLE        = plain
265 #-----
266 # Configuration options related to the RTF output
267 #-----
268 GENERATE_RTF           = NO
269 RTF_OUTPUT              = rtf
270 COMPACT_RTF            = NO
271 RTF_HYPERLINKS         = NO
272 RTF_STYLESHEET_FILE    =
273 RTF_EXTENSIONS_FILE    =
274 #-----
275 # Configuration options related to the man page output
276 #-----
277 GENERATE_MAN            = NO
278 MAN_OUTPUT              = man
279 MAN_EXTENSION           = .3
280 MAN_LINKS               = NO
281 #-----
282 # Configuration options related to the XML output
283 #-----
284 GENERATE_XML            = NO
285 XML_OUTPUT              = xml
286 XML_SCHEMA              =
287 XML_DTD                 =
288 XML_PROGRAMLISTING      = YES
289 #-----
```

```
290 # Configuration options related to the DOCBOOK output
291 #-----
292 GENERATE_DOCBOOK    = NO
293 DOCBOOK_OUTPUT      = docbook
294 #-----
295 # Configuration options for the AutoGen Definitions output
296 #-----
297 GENERATE_AUTOGEN_DEF = NO
298 #-----
299 # Configuration options related to the Perl module output
300 #-----
301 GENERATE_PERLMOD     = NO
302 PERLMOD_LATEX        = NO
303 PERLMOD_PRETTY       = YES
304 PERLMOD_MAKEVAR_PREFIX =
305 #-----
306 # Configuration options related to the preprocessor
307 #-----
308 ENABLE_PREPROCESSING = YES
309 MACRO_EXPANSION      = NO
310 EXPAND_ONLY_PREDEF   = NO
311 SEARCH_INCLUDES      = YES
312 INCLUDE_PATH         =
313 INCLUDE_FILE_PATTERNS =
314 PREDEFINED           =
315 EXPAND_AS_DEFINED    =
316 SKIP_FUNCTION_MACROS = YES
317 #-----
318 # Configuration options related to external references
319 #-----
320 TAGFILES             =
321 GENERATE_TAGFILE     =
322 ALLEXTERNALS         = NO
323 EXTERNAL_GROUPS      = YES
324 EXTERNAL_PAGES       = YES
```

```
325 PERL_PATH      = /usr/bin/perl
326 #-----
327 # Configuration options related to the dot tool
328 #-----
329 CLASS_DIAGRAMS  = NO
330 MSCGEN_PATH     =
331 DIA_PATH        =
332 HIDE_UNDOC_RELATIONS = YES
333 HAVE_DOT        = YES
334 DOT_NUM_THREADS = 0
335 DOT_FONTNAME    = Helvetica
336 DOT_FONTSIZE    = 10
337 DOT_FONTPATH    =
338 CLASS_GRAPH     = YES
339 COLLABORATION_GRAPH = YES
340 GROUP_GRAPHS    = YES
341 UML_LOOK        = NO
342 UML_LIMIT_NUM_FIELDS = 10
343 TEMPLATE_RELATIONS = NO
344 INCLUDE_GRAPH   = YES
345 INCLUDED_BY_GRAPH = YES
346 CALL_GRAPH      = YES
347 CALLER_GRAPH    = YES
348 GRAPHICAL_HIERARCHY = YES
349 DIRECTORY_GRAPH  = YES
350 DOT_IMAGE_FORMAT = png
351 INTERACTIVE_SVG  = NO
352 DOT_PATH         = /usr/local/bin
353 DOTFILE_DIRS     =
354 MSCFILE_DIRS     =
355 DIAFILE_DIRS     =
356 DOT_GRAPH_MAX_NODES = 50
357 MAX_DOT_GRAPH_DEPTH = 0
358 DOT_TRANSPARENT    = NO
359 DOT_MULTI_TARGETS  = NO
```

```
360 GENERATE_LEGEND    = YES
361 DOT_CLEANUP        = YES
```

#Doxygen

◀ 解决duplicate symbol _OBJC_CLASS 错误

RyPress'Oc教程——01简介 ▶

© 2013 - 2016 ♥ SimMan

Powered by [Hexo](#) | Theme - [NexT.Pisces](#)

👤 3083 | 👁 3969