ATANDA COMMAND DECK MAX

PromptWare Design Document (PDD) v1.0

The telemetry backend of the ATANDA Command Centre, integrated with SPHINX EXEMPLER and traced along the ARK Harness F0–F11 process. Built under ATLAS 360 PLAN v4.0.1 with CODON and CORDON, by the SPHINX MAX development team.

JNGL-PDD-CMDDECKMAX-2026-001 · Thursday 1 October 2026, 01:19 CDT · Tier 0 · JCSE not asserted · Confidential

---

PART 0 — TITLE AND CONTENTS PAGE

Field	Value
Document	ATANDA COMMAND DECK MAX — PromptWare Design Document, Version 1.0
Production ID	JNGL-PDD-CMDDECKMAX-2026-001 (assigned this pass; no Production-ID registry was accessible, so uniqueness was checked only against the IDs visible in the project documents)
Standard	ATLAS 360 PLAN v4.0.1, 12-Part PDD (Parts 0–11), with the full integrated PromptWare Atomic Prompt Worksheet (Part 5).
Source documents	ATANDA COMMAND DECK ATLAS PDD v2.0 (JNGL-ATANDA-DECK-PDD-2026-001, May 2026, "Kaggle Telemetry Backend Edition"); ATLAS 360 SCAN of the ATANDA Command Centre (23 Sep 2026); SPHINX EXEMPLER PDD v1.0 (JNGL-PDD-SPHXEXM-2026-001); CODON, CORDON and ATLAS 360 PLAN.
Author / Principal	Oluseye Shay Amusa — 4J Bonsai / Junglenomics · Koncentric Labs
Development team	The SPHINX MAX team, unchanged: seats #0–#11 and the VIBE / CODE / HOST DJ roles (Part 3, Part 6). One SPC named in the Deck (TARANTULA) was not found in the registry and is not given a seat (XR-19).
Drafting model	Claude (configured as claude-sonnet-5-5; the serving model may differ). AI-drafted; requires human review.

Field	Value
Date / Time Stamp	Thursday 1 October 2026, 01:19 CDT (captured at final assembly)
Integration method	CODON (SEQUENCE → COMBINE → SPLICE → HAND OFF) to merge the Deck, the ACC F-process and EXEMPLER; CORDON (MAP → SORT → BREAK TIES → FLAG) to sequence the result. Applied as documented procedures by the drafting model and checked by a script that computes waves, cycles, orphans and priority inheritance; not run through any CODON or CORDON runtime.
Status	DRAFT v1.0 — Tier 0 (self-attested, no independent review)
JCSE	Self-assigned, not yet JCSE-certified. No score is asserted in this document.
HIVE / HIVE MATRIX LABS	Not run against this document. No HIVE tier is claimed.
Honesty Gate	G3, Tier 0. Every figure carries a provenance tag (Part 7).
GRO mode	HUMAN_IN_LOOP — no dataset version is published, no consent is inferred and no record is released from review without a named human approval (Part 4).
Supersedes	Nothing. It extends the Command Deck v2.0 (carried, adapted or held prompt by prompt, §5.7) and adds the trace spine, consent and EXEMPLER integration.
Organization	Koncentric Labs Inc. · Idea Factory Limited · ATANDA Publications Forum · Junglenomics FORGE Institute

> **Honesty note.** Part 11 maps regulatory obligations as a hypothesis only. Nothing here is "certified", "compliant" or "audited". The only state in the Conformity Status Model that counts as certification is the one reserved for an accredited body, and none is claimed. Statements in the Command Deck such as "FORGE CERTIFIED", "JCSE 50/50" and "HIVE Platinum" are self-claims, tagged [INT]†, and are not repeated as facts.

Authorship and provenance block

Role	Who	Note
Human principal / accountable author	Oluseye Shay Amusa	Owns every decision in Appendix A. Nothing here is ratified until the Principal signs.
Drafting agent	Claude (claude-sonnet-5-5 configured)	Read the Command Deck PDD, the ATLAS 360 SCAN and the EXEMPLER worksheet data; derived, split, adapted and wrote the Command Deck MAX prompts and prose.
Independent Assessor	None	No Evidence-Backed or higher state can be claimed for any control.
External research	None	No web or register search was performed for this document; the sources are internal project artifacts (Part 7). The Kaggle API and every framework in Part 11 still need checking.
Review status	Unreviewed	Requires human review before use, particularly the 22 reconciliation rulings (§1.10) and the 18 open decisions (Appendix A).

Contents

Part	Title	What it holds
0	Title and Contents Page	Title block, authorship, contents, reading guide
1	Statement of Requirements	Purpose, relationships, derivation, interpretation of "the 4 criteria", scope, actors, features, NFRs, invariants, reconciliation register
2	Business Case, Financial Projections, Demographics & Validation	Value case without a revenue model, indicators, segments, self-applied adjudication, risks
3	SPC Roster: Skills, Industry Focus & Contributory Roles	Contributing SPCs, the unchanged dev team, Dev Kit with disclosed consequences

Part	Title	What it holds
4	Platform Specifics	Architecture, stack, the four streams, the F0–F11 capture map, trace contract, EXEMPLER contract, consent, gate, compression, configuration, export, data model, interfaces, evidence posture
5	The PDD Atomic Prompt Worksheet (Color-Coded)	Method, roll-up, waves, critical path, flags, worksheet by feature with F-stage column, Deck-to-MAX ledger, held set, external prerequisites
6	The DJ Implementation Plan	Release increments, quality gates, tools, codebase, hosting, team seats, delivery, risks, required changes in EXEMPLER and the ACC
7	Summary of Sources	Source ledger and claim tiers
8	Definition of Terms	Glossary, naming conflicts and corrections
9	IP Pre-Registration Screening	Screening plan only; no search performed
10	Security & Governance Control Domains	Nine domains, corpus-specific proofs, finding closure
11	Regulatory Conformity Mapping	External and internal frameworks, kept separate; dataset publication, consent and IP hypotheses
App. A–D	Open decisions, Honesty Gate disclosure, Deck-to-MAX crosswalk, version history	

Reading guide

- **Size.** Command Deck MAX carries 230 atomic prompts (216 active, 14 held) in 14 features and 36 atomic tasks, with 508 dependency edges in 27 waves. It was written from the Deck's 71 listed prompts, which are split into atomic steps, plus new prompts for the F0–F11 trace spine, consent, EXEMPLER integration and the human sign-off step.
- **IDs.** Every prompt is `CD-<FEATURE>-<NNN>`. The Deck column of the worksheet names the Deck prompts a row derives from; rows with none are new.

- **Mode.** ADAPTED means the Deck text was rewritten (stack, consent, or one operation split off). NEW means the Deck has no counterpart.
- **F-stage column.** Where a prompt is bound to one or more of the fourteen ARK Harness stage labels (F0 to F11, including F0.5 and F9.5) the worksheet shows it.
- **External prerequisites** (ACC baseline, EXEMPLER prompts) are not rows in this graph. They are listed in §5.9 and cited in the row's Input cell.
- **Priorities** use the MAX palette: 🔴 P0 critical, 🟠 P1 high, 🔵 P2 standard, ⚪ P3 enhancement. Priority inheritance raised some rows above their first rating (§5.4).
- **Tags.** [EXT] [INT]† [SPEC] [ARK] [SYNTH] [UNVERIFIED] mark the basis of a claim (Part 7). A dagger means internal and self-scored or self-projected.

PART 1 — STATEMENT OF REQUIREMENTS

1.1 Purpose

The ATANDA Command Centre (ACC) runs the ARK Harness: staff move work through stages F0 to F11, from intake to hand-off. The ATLAS 360 SCAN of the ACC (23 Sep 2026) describes what is implemented and what is only referenced. The ATANDA Command Deck v2.0 proposes turning production events into a training corpus (four telemetry streams, a Kaggle export and a dashboard). SPHINX EXEMPLER now warehouses the artifacts the Harness produces.

Command Deck MAX joins the three. It has four jobs:

1. **Trace.** Capture one telemetry event at every Harness stage F0 to F11 under a single trace id, and record for each event whether it can enter the corpus and why.
2. **Assemble.** Turn eligible events into training triplets on four streams (A SPC, B CELL MA, C DE-SPC, D failure telemetry), with a rules-based ethics gate and a consent check before any record is written.
3. **Integrate.** Take signed events from SPHINX EXEMPLER, tie every record to an exemplar_id and version hash, and give EXEMPLER back a read-only corpus reference and consent state.
4. **Publish under control.** Export approved records as versioned datasets only after a dry run and a named human approval, and make withdrawal real.

> **Naming.** "COMMAND DECK MAX" follows the request wording. The Deck calls itself "ATANDA COMMAND DECK". Both names are used here: COMMAND DECK for the source document, COMMAND DECK MAX for this PDD and the system it describes. Confirm the name and run the Part 9 screening before public use (OD-CD-14).

1.2 Where Command Deck MAX sits

Layer	System	Holds	Relationship
Process	ARK Harness F0–F11 (ACC)	Stages from intake to Host Connector handoff	Emits one trace event per stage completion
Warehouse	SPHINX EXEMPLER	Artifacts per vault, versions, certification records, usage, grades	Emits signed events; receives corpus_ref and consent state
Telemetry and corpus	Command Deck MAX (this PDD)	Trace events, corpus records, consent, gate decisions, export batches	Owns the corpus; does not own artifacts
Market	SPHINX MAX	Listings, price, SKU, purchases	No direct link; Command Deck MAX never reads commerce data
Outside	Kaggle and a mirror	Versioned public datasets	Receives approved exports only

Direction of data: stage handler → trace event → (consent and gate) → corpus record → (human approval) → dataset version. Artifacts stay in EXEMPLER and the ACC; the corpus holds copies only for scopes that opted in.

1.3 Derivation method (CODON and CORDON)

The request asks to use CODON, CORDON and ATLAS 360 PLAN to integrate the Command Deck into the EXEMPLER system, to trace telemetry on the four criteria, and to follow the F0–F11 process shown in the ACC scan. The method below does that in order.

Step	CODON / CORDON operation	What was done
SEQUENCE	CODON: inventory modules and interfaces	Read the Deck (its 71 listed prompts, four streams, schema, stack), the SCAN F-process matrix and evidence labels, and the EXEMPLER model (242 prompts, the liv.events telemetry set, per-version certification records, vault policy bundle).
COMBINE	CODON: build the combinatorial specification	Classed every listed Deck prompt: 33 adapted, 29 split into several atomic prompts, 9 held. None was dropped

Step	CODON / CORDON operation	What was done
		silently. Added new prompts for the stage hooks, consent, EXEMPLER and publish control.
SPLICE	CODON: resolve conflicts into a selectable variant set	Turned each conflict (stack, tiers, consent, thresholds, GRO rule, mapping gaps) into a ruling or a decision: 22 rulings (§1.10), 18 open decisions (Appendix A). Variant B (Kafka, TimescaleDB) is held.
HAND OFF	CODON: emit COMBINATORIAL_SPEC, VARIANT_SET, PROVENANCE_LEDGER; never final code	Part 4 is the combined specification; §5.8 is the variant set; §5.7 is the provenance ledger. No code is emitted.
MAP	CORDON: build the dependency graph	230 nodes, 508 edges. External prerequisites are kept out of the graph (§5.9).
SORT	CORDON: Kahn layering into waves	27 waves; one cycle appeared while drafting the DE-SPC registry and the Stream B composability score, and was removed by deriving the registry from EXEMPLER MA metadata; no residual cycle.
BREAK TIES	CORDON: CLASS A > B > C	Within a wave: class A (P0), B (P1), C (P2, P3), then priority, then ID.
FLAG	CORDON: orphans and cycles	Zero orphans and zero cycles in the final graph; 50 priority inversions repaired by inheritance; zero active prompts depend on a held prompt.

1.4 The four criteria (assumption)

The request says "trace telemetry based on the 4 criteria" without naming them. This PDD reads them as the **four telemetry streams** the Deck defines: A (SPC triplets), B (CELL MA birth-package triplets), C (DE-SPC emergence triplets) and D (failure telemetry, FM-11 to FM-23). A second possible reading is the four JCSE dimension columns the Deck stores. The first reading is used because the streams are what the Deck organizes capture, processing and export around, and the second reading rests on a dimension split that conflicts with the ten-dimension JCSE (XR-05). If the Principal

meant something else, §4.3 and the capture map change; the rest holds. Logged as OD-CD-11.

1.5 Scope

In scope	Out of scope
Trace events for F0–F11; four stream processors; consent and rights; ethics gate; EXEMPLER integration; compression; rollups and read APIs; dashboard in the Command Centre; versioned export with human approval; Kaggle and mirror upload; QA and launch gates; SCAN refresh	Changing any stage handler's behaviour; storing artifacts; commerce, price, SKU or payout; tiers; public share links; community submission portal; outside beta; any claim of certification, performance, or model improvement

1.6 Actors

Actor	Role
Staff operator	Uses the Command Centre; sees the Deck dashboard for their scope
Subscriber / creator	Owns artifacts in EXEMPLER; chooses whether the corpus may use them
Organization ADMIN	Sets the vault policy ALLOW, DENY or MEMBER_CHOICE; reviews
Reviewer (human)	Decides monitored-band records and approves each export
Seat #3 PDD owner	Signs the launch checklist; keeps this PDD living
SPHINX EXEMPLER	Event source and corpus_ref receiver
Kaggle / mirror host	Receives approved dataset versions
Counsel (seat #9)	Approves consent wording and licence

1.7 Feature register

Code	Feature	What it holds	Prompts
TRC	Trace Spine & F0–F11 Capture	One trace id per run, one capture hook per Harness stage F0–F11, a recorded corpus-eligibility decision for every event	24
INF	Telemetry Store & Pipeline Infrastructure	deck_telemetry schema, partitioned event store, corpus tables, FM taxonomy, outbox and worker, dead-letter, secrets, configuration	22
STR	Stream Processors A–D & DE-SPC	Four stream processors assembling triplets, DE-SPC registry and emergence logic	37
CNS	Consent, Rights & Privacy	Opt-in corpus consent, organization policy, confidentiality exclusion, withdrawal and erasure, disclosure	11
GOV	GRO Corpus Gate & Failure Modes	Ethical gate before any record is written, PII and injection screens, FM-23 gaming check, human review	9
XMP	SPHINX EXEMPLER Integration	Signed event intake from EXEMPLER, class-to-stream map, lineage by exemplar_id and version hash, back-reference and consent state	13
ZPS	ZPOS Compression	SYNTHESIS compression of triplets with measured ratio and an explicit preservation check	7
ANL	Analytics, Rollups & Read APIs	Rollups, JCSE distribution, FM heatmap, GP(t) design-target series, stage coverage, read endpoints	16
DSH	Command Deck Dashboard	Dashboard routes, stream health, F-stage board, trace viewer, charts, registry, exports, consent panel	26
KGL	Corpus Export, Kaggle & Mirror Pipeline	Dataset schema, eligible-record selection, versioned export, human sign-off, Kaggle and mirror upload, notebooks, provenance	25
ACS	Access & Entitlements	Staff guard, entitlement configuration, organization scoping, record-level read rules	5

Code	Feature	What it holds	Prompts
SEC	Security Controls	Secret custody, signed intake, injection-safe rendering, rate limits, audit, security review	7
QAL	Quality & Verification	Per-stream end-to-end tests, coverage, gate, consent, withdrawal, performance, latency and export integrity tests	16
LCH	Launch Readiness & SCAN Evidence	Launch gate, runbook, rollback, SCAN refresh, monitoring, staff pilot, held outward-facing items	12

1.8 Non-functional requirements [SPEC]

Numbers below are proposals to be set or confirmed; none has been measured.

ID	Requirement	Proposed target	Verified by
NFR-1	Capture adds no failure to a stage response	Zero changed responses under forced capture failure	qal.nonblock
NFR-2	Capture overhead	Deck proposes under 50 ms; set after measurement	qal.nonblock
NFR-3	Idempotency	One record per (stream, source id, version hash)	str.hash tests
NFR-4	No body without consent	Zero bodies stored for scopes at OFF	qal.consent
NFR-5	Dashboard reads rollups only	No dashboard query touches raw events	code review
NFR-6	Rollup read latency	Deck: 200 ms at 100,000 records; measure on the target database	qal.perf
NFR-7	Withdrawal effect	Excluded from the next dataset version; bodies removed from the private store	qal.wd
NFR-8	Feed delay	Deck: 2 seconds; measure	qal.lat

ID	Requirement	Proposed target	Verified by
NFR-9	Accessibility	WCAG 2.1 AA on /deck routes	dsh.a11y
NFR-10	Coverage	All 14 hooks emit exactly one event per stage completion	qal.cover

1.9 Invariants

1. No stage handler waits for telemetry, and no telemetry failure reaches a user.
2. A trace event never carries a prompt body, email or name; it carries identifiers and hashes.
3. Consent is OFF until a scope says otherwise; a confidential artifact is never captured.
4. No record is written without passing the consent check and the ethics gate in the same transaction.
5. Every record states where its rejected output came from (observed, template or none).
6. Nothing is estimated and presented as measured: unmeasured values are NULL or UNMEASURED.
7. Governance events with no verified FM mapping stay UNMAPPED; no code is forced.
8. FM-23 is assigned by the gate only.
9. No dataset version is published without a dry run and a named human approval.
10. Withdrawal produces a new version and discloses that earlier public versions cannot be recalled.
11. No price, SKU, cash or tier logic exists in this system; virality never appears as value.
12. Every GP(t) figure is labelled a design target pending Study C1.
13. The Deck's self-claims of certification, scores and tiers are never repeated as facts.

1.10 Reconciliation and discrepancy register

Rulings the drafter made where the sources conflict or are silent. Each ends in a decision for the Principal (Appendix A).

ID	Topic	Conflict or gap	Ruling in this PDD	Decision
XR-01	Stack	The Deck assumes Next.js 14, Vercel, Supabase (Edge Functions, RLS, Vault, Realtime), TimescaleDB, Upstash Kafka and Cursor. The ATLAS 360 SCAN of the ACC (23 Sep 2026) shows a pnpm monorepo with React/Vite, Express 5, Drizzle, Postgres, Clerk, OpenAPI/Zod, Replit hosting and pino + Sentry. There is no Supabase, Next.js or RLS in the ACC.	ACC-native default: a deck_telemetry schema in the ACC Postgres, a transactional outbox with workers instead of Kafka, partitioned tables and rollups instead of TimescaleDB, Express routes and React screens inside the Command Centre, the ACC secrets store instead of Vault, authorization in the API layer instead of RLS. Kafka, TimescaleDB and Supabase prompts are held as Variant B.	OD-CD-02
XR-02	Tiers	The Deck gates /deck by Explorer, Practitioner ($49), Architect ($199) and Institution tiers. ACC tiers are deferred and the SCAN describes the ACC as an internal staff tool with dormant SaaS paths.	No tier is designed around. Access is staff-only at launch; entitlements come from a configuration table and an unknown plan grants nothing. Tier-specific prompts (widget, white-label, private dataset,	OD-CD-03

ID	Topic	Conflict or gap	Ruling in this PDD	Decision
			share link) are held.	
XR-03	Consent and privacy	The Deck sends subscriber artifact content to a public, append-only Kaggle dataset with no consent step. SPHINX EXEMPLER makes artifacts PRIVATE by default, carries a confidential flag, keeps organization vaults separate and honours deletion.	Corpus capture is opt-in per scope (default OFF), an organization ADMIN sets a vault policy, confidential artifacts are always excluded, and withdrawal removes records from the next dataset version. A notice states that earlier public versions cannot be recalled. Wording and licence go to counsel.	OD-CD-01
XR-04	Prompt count	The Deck claims 96 new prompts (22, 20, 24, 14, 16 by phase). Its text lists 71: DB 13 of 22, SP+API 12 of 20, UI 19 of 24, KG 11 of 14, QA+SEC+LAUNCH 16 of 16. Its prerequisites FOUND-007, CC-DB-001 and CC-ROUTE-001 are not in the sources.	All 71 listed prompts are carried in the ledger. The 25 unlisted prompts (DB 9, SP/API 8, UI 5, KG 3) are flagged and not invented. The three prerequisites are recorded as external prerequisites.	OD-CD-13
XR-05	JCSE dimensions	The Deck stores four JCSE dimension columns and estimates them as 25% each when the artifact has no breakdown. SPHINX MAX	No dimension is estimated. The four Deck columns are not created; nullable total, scale	OD-CD-12

ID	Topic	Conflict or gap	Ruling in this PDD	Decision
		and EXEMPLER store ten JCSE dimensions.	version and certification label are stored. A mapping from ten dimensions to the Deck export columns waits for a ruling.	
XR-06	Governance floor	Stream D writes jcse_score = 42 as a "governance quality floor" and later uses 0.84 as a weight. Governance events are not JCSE-scored.	Store null and a configured sample weight; do not write a fabricated score.	OD-CD-04
XR-07	Thresholds	The Deck exports SPCs at 35 or above and MAs at 28 or above, but Stream A also names an AI Class at 28–34. Other Harness stages treat 45 as the F5 gate. The UI prompt makes the 35 and 28 lines non-configurable.	Floors and class bands are configuration. The export floor is read from configuration and each record stores the score, scale version and certification label. Dashboard markers read the same configuration.	OD-CD-12
XR-08	GRO block rule	DECK-DB-008 blocks above a harm score of 2 and inserts scores 1–2 as monitored. DECK-SP-004 constraint C-05 says a score above 0 is flagged and not inserted.	The banded rule of DB-008 stands. Records in the monitored band wait for a human reviewer before export. The rules are regular-expression heuristics and are labelled so.	OD-CD-04

ID	Topic	Conflict or gap	Ruling in this PDD	Decision
XR-09	Event to FM mapping	The Deck lists 13 governance event types and 12 mappings. Adoption drop maps to FM-22, but FM-22 is named change_saturation; change_saturation_alert has no mapping. The TREE Resurrection Report that defines FM-11 to FM-23 is not in the project.	Events without a verified mapping are stored as UNMAPPED with a null FM code. Patterns for FM-11 to FM-23 stay empty until the report is supplied.	OD-CD-04
XR-10	DE-SPC emergence	The Deck sets emergence_threshold_met when the count reaches 12, then runs the compatibility check. FM-DE-03 triggers below 60% compatibility, while emergence needs 80% across 8 of 12.	The flag is set only after the count and the compatibility rule both hold. The manipulation limit is configuration; both numbers are recorded.	OD-CD-09
XR-11	Rejected outputs	Stream A and B build rejected outputs from FM templates when no failed version exists. A template is not an observed failure.	Every record carries rejected_origin (OBSERVED, TEMPLATE, NONE) and the dataset README says so.	OD-CD-15
XR-12	Hard-coded model	ZPOS compression names a dated model identifier.	Model id lives in configuration; every call is written to the ACC cost ledger.	—
XR-13	Stage coverage	The Deck captures F3–F6 and governance events and says F1 and F2 yield nothing. The request asks to trace telemetry along F0 to F11.	Every stage has a capture hook and a recorded eligibility decision. F0, F0.5, F1, F2 and F8–F11 are	OD-CD-05, OD-CD-06

ID	Topic	Conflict or gap	Ruling in this PDD	Decision
			traced without corpus capture except for mapped governance events. F7 is captured with eligibility off.	
XR-14	F9 label	The Harness Omnibus v10 lists F9 as post-deployment math validation. The SCAN names F9 the MECHA Machine Floor and F9.5 OSIRIS custody.	The SCAN is the current source; the difference is shown in the stage table and in the drift check.	—
XR-15	Self-claims	The Deck states "FORGE CERTIFIED", "JCSE 50/50", "HIVE Platinum" and "SPHINX Platform Integrity: VERIFIED".	Treated as [INT]† self-claims. No certification, tier or score is asserted here.	—
XR-16	Compression figures	The Deck gives about 49% reduction and 98.1% preservation (from SOLVA) and also 35–75% and at least 95%.	Targets only. Ratio is measured with a named tokenizer; preservation is sampled and otherwise UNMEASURED.	OD-CD-07
XR-17	Kaggle API and append-only rule	The Deck states a versions endpoint, a 100-requests-a-day limit and "never delete records from the published dataset".	Endpoint and limit are [UNVERIFIED] and must be checked against current Kaggle documentation before build. "Never delete" conflicts with withdrawal; withdrawal publishes a new version and	OD-CD-15

ID	Topic	Conflict or gap	Ruling in this PDD	Decision
			discloses that older versions stay public.	
XR-18	GP(t) model	The Deck uses GP(t) = GP_max(1 − e^(−λt)) in places and GP_max(1 − e^(−λ·R/1000)) in another. It cites Studies C1 and D1 and a HOLMES prior P = 0.91, none of which are in the project.	The argument is configuration. Every GP row and chart carries "design target, pending Study C1". HOLMES figures are priors, not results.	OD-CD-10
XR-19	TARANTULA	The Deck names TARANTULA as an SPC in its council and as the owner of many prompts. A registry search did not find it.	No seat is assigned to TARANTULA and no prompt names it as owner. Flagged until the registry entry is confirmed.	OD-CD-14
XR-20	Realtime	The Deck uses Supabase Realtime for the live feed and Upstash REST for lag.	Short polling or server-sent events for the feed; lag from the outbox.	—
XR-21	"The 4 criteria"	The request does not say which four criteria. The Deck defines four telemetry streams (A SPC, B CELL MA, C DE-SPC, D Failure FM-11 to FM-23). EXEMPLER and the Deck also mention four JCSE dimension columns.	Assumed: the four telemetry streams. Logged for confirmation; if the four JCSE dimension columns were meant, XR-05 and Part 4 §4.3 change.	OD-CD-11
XR-22	Outward-facing items	The Deck includes a public share link, a community contribution portal, investor and academic outreach, a	Held. They need ruled consent, rights and evidence first.	OD-CD-01, OD-CD-03

ID	Topic	Conflict or gap	Ruling in this PDD	Decision
		launch post and a beta with outside testers.		

1.11 Backlog and non-goals

- **Held rows (14):** Variant B infrastructure, the NEXUS compression method, tier-specific screens, public share, private dataset, real-time push, community portal, outreach, announcement and external beta (§5.8).
- **Not built here:** the 25 Deck prompts the Deck counts but does not list (XR-04), any change to the ACC stage handlers, the TREE Resurrection Report content, Studies C1 and D1.
- **Non-goals:** proving that the corpus improves any model; operating a public competition; a marketplace for corpus data.

PART 2 — BUSINESS CASE, FINANCIAL PROJECTIONS, DEMOGRAPHICS & VALIDATION

2.1 Value proposition

The Deck argues that the Command Centre can double as a training-data source. This PDD takes the narrower claim that is supportable from the sources: production events across F0–F11 can be traced, and the subset that is consented, screened and approved can be exported as a documented dataset. Whether such a dataset helps any model is untested in the sources (Studies C1 and D1 are not in the project).

- **For staff:** one trace per run, a stage coverage board that shows silent stages, and a failure-mode view built from real governance events.
- **For subscribers:** a clear, reversible choice about corpus use, shown in EXEMPLER; no change in how stages behave.
- **For research:** a versioned dataset with provenance down to the artifact version, and a README that separates observed from template-built failures.
- **For governance:** a gate decision recorded for every candidate record, and a human approval before anything leaves the system.

> **Scope of the case.** There is no revenue model here. The Deck's tier prices ($49, $199) and the investor story are not carried. EXEMPLER and the Exemplar Library are not monetized; this PDD follows.

2.2 Success indicators (targets not set) [SPEC]

Indicator	Definition	Target	Source
Stage coverage	Share of the 14 hooks with at least one event in the last 30 days	Not set	anl.stage
Silent stages	Count of stages flagged SILENT	Not set	trc.cover
Eligible share	Records eligible ÷ trace events with a corpus-capable stream	Not set	trc.elig
Consent rate	Scopes at ON ÷ scopes asked	Not set; do not optimize it	cns.model
Gate block rate	Blocked ÷ candidates	Not set	inf.gror
Template share	Records with rejected_origin TEMPLATE ÷ all	Reported, not targeted	inf.corpus
Processing lag	Oldest unprocessed outbox row age	Not set	anl.lag
Withdrawal completion	Withdrawals excluded from the next version ÷ withdrawals	100%	qal.wd
Dataset versions approved	Count with named approver	Not set	export_batches

2.3 Cost and effort

Prompt volume: 230 atomic prompts, about 10,190 tokens of specification, or about 5,605 after the ZPOS target of 55% [SPEC]. No engineering hours, hosting cost or model cost is estimated here. Compression calls are written to the ACC LLM cost ledger so the cost becomes visible once running.

2.4 Segments

Segment	Need	Notes
Internal staff and FORGE architects	See the process as telemetry; find silent stages and failures	Primary at launch

Segment	Need	Notes
Subscribers with EXEMPLER vaults	Control corpus use of their artifacts	Consent is theirs; organization policy applies
Organization ADMINs	Set policy for a vault	May deny corpus use outright
Researchers	Documented, versioned dataset	Only after the first approved version

2.5 Adjudication (self-applied)

A self-applied viability reading following the SOLVA adjudication pattern. It is not a SOLVA run and not independent.

Question	Reading
Is the need real?	Partly. Stage tracing and consent control are internal needs that follow from the SCAN and EXEMPLER. A public training corpus is a hypothesis.
Is it buildable?	Yes on the ACC stack, because the Deck design maps to Postgres, an outbox and React screens. The stage hook points are not in the sources read (OD-CD-16).
Is it safe?	Only with consent, the gate and human approval. Without them the Deck design would publish private work.
Is the evidence there?	No live testing of any kind. The SCAN reports typecheck and unit-test results for the ACC, not for the Deck.
Adjudication	**CONDITIONALLY VIABLE** [INT]†: proceed with waves 1–10 (trace, store, consent, streams, gate) under staff-only access. Hold publication until OD-CD-01, OD-CD-04, OD-CD-13 and OD-CD-15 are ruled.

2.6 Key risks

ID	Risk	L	I	Mitigation	Owner
RK-D1	Private or confidential work reaches a public dataset	M	H	Consent OFF by default, confidential exclusion, dry run, named approval	#9

ID	Risk	L	I	Mitigation	Owner
RK-D2	Withdrawal cannot recall published versions	H	H	Notice before consent; publish less often; keep early versions small	#9
RK-D3	Template-built failures read as real failures	M	M	rejected_origin column and README statement	#10
RK-D4	Stage hooks slow or break a stage	L	H	Non-blocking capture, rollback switch, qal.nonblock	#1
RK-D5	Gate heuristics miss PII or injection	M	H	Labelled as heuristics; human review band; PII scan before launch	#6
RK-D6	Deck claims copied as facts (certification, scores, gains)	M	M	XR-15, G3 disclosure, bare-word check	#3
RK-D7	Thin sources: TREE report and 25 prompts missing	H	M	Stream D held at the pattern level; ledger lists the gap	#0
RK-D8	Scope overload for a small team	H	M	Staff-only; hold outward items; waves 1–10 first	#0
RK-D9	Kaggle API or terms differ from the Deck	M	M	Verify before kgl.upload (OD-CD-15)	#1

PART 3 — SPC ROSTER: SKILLS, INDUSTRY FOCUS & CONTRIBUTORY ROLES

The request does not name a new team; the SPHINX MAX team that built MAX and EXEMPLER is used. This Part restates it with the Command Deck accountabilities. No seat is added, and no performance score is asserted for any SPC.

3.1 Contributing SPCs

SPC	Discipline	Role in Command Deck MAX
SPHINX ULTRA SI	Marketplace and ecosystem architecture	Convening authority; owns the EXEMPLER contract (Part 4 §4.7)

SPC	Discipline	Role in Command Deck MAX
ATLAS 360 PLAN (host) / ATLAS ULTRA SI	PDD assembly; atomic decomposition	Host architecture for the 12 Parts; trace spine and Part 5 chain
ADA	Advanced Development Architect	Schema, outbox and workers, data layer
CELL SI	Micro-agent design (CELL Three Laws)	Stream B and Stream C logic, Interface Contract compatibility
ANT KING	GRO ethical core	Corpus gate, FM-23 rule, human review band
SPARTAN	Compression and certification gates	Export pipeline and publish control
SOLVA ULTRA SI	Viability adjudication, ZPOS	Compression measurement; Part 2 adjudication
EVE ULTRA SI	Valuation and quantitative modelling	Rollups, GP(t) design-target series (no money is modelled)
STRATEGOS ULTRA SI	Strategy and compliance advisory	Consent and rights design with counsel; Part 11 hypotheses
HOLMES	Bayesian reasoning	Notebook priors, labelled as priors
HIVE · MATHMON	Pre-Check and mathematical verification	Read per-version certification state from EXEMPLER; no score is re-computed here
OSIRIS ULTRA SI	Post-deployment observability	F9.5 custody events; stage coverage and drift
SKRIBE ULTRA SI	Document design	House style; README and report rendering
ALBERT	IP registration intelligence	Part 9 screening plan only; no search
CARTER v3.0	Terminology grounding	Part 8 glossary
VIBE SPC · HOST DJ	Tool selection · hosting	Part 6 orchestration and hosting path

SPC	Discipline	Role in Command Deck MAX
BUGMXT SI	Security and PDD-fidelity scanning	Security review; fidelity scan of /deck routes
GRIOT ULTRA SI	Narrative and community	Held outward items only
TARANTULA (named in the Deck)	Web orchestration (per the Deck)	**Not found in the registry search; no seat or prompt is assigned (XR-19, OD-CD-14).**

3.2 Build roster: who executes which prompts

The Owner column of the worksheet is the feature default. These are proposals for the Tool DJ to confirm.

Owner (SPC / role)	Prompts
CELL SI	37
ADA	27
VIBE SPC	27
SPARTAN	25
ATLAS 360 PLAN	23
BUGMXT SI	23
EVE	16
SPHINX ULTRA SI	13
SKRIBE	12
STRATEGOS	10
ANT KING	9
SOLVA	7
ATLAS	1

3.3 Dev Kit roster and disclosed consequences

Tool	Use	Consequence if used
Claude Code / the ACC repository tooling	Implement prompts against the existing monorepo	Prompts become code changes in a staff tool; each needs review and a typecheck
Cursor (named by the Deck)	The Deck mandates it	The ACC repository uses its own tooling per the SCAN; the Deck's Cursor rule is carried only if the team already uses it
v0.dev (named by the Deck)	Chart scaffolding	Generated components need review for accessibility and for the ACC design tokens; held to the Tool DJ
GitHub Copilot (named by the Deck)	SQL and worker patterns	Suggestions are drafts only
External model API for compression	ZPOS SYNTHESIS calls	Prompt text leaves the system; only consented, gate-passed text may be sent (zps.synth depends on both)
Kaggle API / dataset hub	Dataset versions	Published data cannot be recalled (RK-D2)

PART 4 — PLATFORM SPECIFICS

Table and endpoint names are proposals for the build team. Where a value comes from the Deck it is marked as the Deck's value; none has been measured.

4.1 Architecture

Block	Responsibility	Prompts
Capture hooks (14)	One non-blocking call at each stage completion; writes a trace event and an outbox row in one transaction	TRC-009, TRC-011, TRC-019, TRC-023
Store	deck_telemetry schema: events, corpus, batches, registry, taxonomy, rejections, consent, configuration	INF-001, INF-006, INF-010, INF-004

Block	Responsibility	Prompts
Outbox and workers	Claim rows, dispatch by stream, retry, dead-letter	INF-012, INF-017, INF-020, INF-022
Stream processors	A, B, C, D triplet assembly	STR-004, STR-024, STR-031, STR-037, STR-027
Consent and gate	Consent check, then ethics gate, inside the insert transaction	CNS-011, GOV-006
EXEMPLER bridge	Signed event intake; corpus_ref and consent state back	XMP-002, XMP-004, XMP-012, XMP-011
Compression	SYNTHESIS, measured ratio, sampled preservation	ZPS-003, ZPS-004, ZPS-005
Read side	Rollups, read endpoints, dashboard	ANL-014, ANL-008, DSH-001
Publish control	Selection, dry run, named approval, upload, batch record	KGL-005, KGL-008, KGL-009, KGL-011, KGL-012

Flow: stage handler completes → captureTrace() → transaction writes telemetry_events and outbox → worker claims the row → dispatch by stream → consent check → body fetch → triplet assembly → gate → corpus record → compression → export-ready flag → (dry run → named approval → upload).

4.2 Stack: the Deck versus the ACC

Concern	Deck v2.0	ACC (SCAN)	Default here	Variant B
Web	Next.js 14 App Router, Vercel	React + Vite	React screens in the Command Centre	—
API	Next.js routes; Supabase Edge Functions	Express 5 + Drizzle	Express routes and worker modules	—

Concern	Deck v2.0	ACC (SCAN)	Default here	Variant B
Database	Supabase Postgres + TimescaleDB	Postgres	Postgres, monthly partitions, rollup tables	TimescaleDB hypertable (inf.tsdb, held)
Queue	Upstash Kafka	—	Transactional outbox, SKIP LOCKED workers	Kafka (inf.kafka, held)
Auth	Supabase Auth, RLS	Clerk	Clerk session, API-layer scope checks	—
Secrets	Supabase Vault	Replit secrets (to confirm)	ACC secrets store	—
Realtime	Supabase Realtime	—	Short polling or SSE	—
Monitoring	Datadog	pino + Sentry	pino + Sentry	—
Contracts	Hand-written types	OpenAPI client and Zod	OpenAPI + Zod	—
Hosting	Vercel + Supabase	Replit	Replit (to confirm)	—

4.3 The four telemetry streams (the four criteria)

Assumption: the four criteria are the four streams (§1.4, OD-CD-11). Values are the Deck's unless a ruling says otherwise.

	A — SPC	B — CELL MA	C — DE-SPC	D — Failure telemetry
Stage source	F5 SPC save; F6 PDD save	F3 BIRTH PACKAGE; F4 Micro PDD	MA ecosystem emergence (registry)	Governance events (F0.5, F8–F11 and the ACC governance layer)

	A — SPC	B — CELL MA	C — DE-SPC	D — Failure telemetry
Preferred output	Saved SPC or PDD at or above the export floor	BIRTH PACKAGE at or above the MA floor	DE-SPC specification built at F5	Taxonomy preferred pattern for the FM code (needs verified pattern)
Rejected output	Recorded failed version (OBSERVED) else FM template (TEMPLATE)	LYSOSOME-failed attempt (OBSERVED) else FM-MA-01 template	Premature-emergence attempt	Observed failure description
FM codes	FM-01 to FM-08	FM-01 to FM-08; FM-MA-01 to 03	FM-DE-01 to 03	FM-11 to FM-22 (FM-23 by the gate only)
JCSE use	Score with scale and label; bands in configuration	Score kept; weight 0.6 or 0.4 stored separately (Deck bands 35 and 28)	None until ruled	Null; configured sample weight
Corpus floor (Deck)	35 for export; 28 below which no record	28	12 Class III+ MAs, 80% compatible across 8 of 12	No JCSE floor
Rejected-origin default	OBSERVED or TEMPLATE	OBSERVED or TEMPLATE	OBSERVED or TEMPLATE	OBSERVED
Prompts	STR-005, STR-024	STR-006, STR-031	STR-007, STR-037	STR-001, STR-027

> **Rulings applied.** Class bands, floors and the Stream B weights are configuration, not constants (XR-07). The Deck's dimension split of 25% each is not carried (XR-05). The Deck's default of 42 for Stream D is not carried (XR-06).

4.4 The F0–F11 trace and capture map

Stage names follow the ATLAS 360 SCAN of the ACC (23 Sep 2026). Every stage has a capture hook; the stream column says where an eligible event may go.

Stage	Name (SCAN)	SCAN evidence posture (quoted in substance)	Stream	Capture rule
F0	Advisory, intake, monitoring and structured diagnostic surfaces (F0 / F0.5 in the SCAN)	Implemented; live external advisory outcomes are not inferred	NONE	Trace only. No artifact exists yet.
F0.5	Monitoring intake (SCAN groups it with F0; Harness Omnibus v10 calls it MATHMON intake)	As F0	NONE (D if a mapped governance event fires)	Trace only; a governance event raised here may feed Stream D if it maps to an FM code.
F1	Prompt diagnostic	Implemented and persisted through session artifacts (F1–F5)	NONE	Trace only. The Deck says F1 yields no corpus (input-design tool).
F2	Atomic Prompt	As F1	NONE	Trace only. The Deck says F2 yields no corpus.
F3	CELL Micro Agent workflow	As F1	B	BIRTH PACKAGE triplet (Stream B).
F4	Micro PDD workflow	As F1	B	Deck routes F4 with F3 to Stream B.
F5	SPC workflow	As F1	A	SPC triplet (Stream A).
F6	ATLAS PDD generation plus	Implemented; overlays are not	A	PDD triplet (Stream A). PLAN and

Stage	Name (SCAN)	SCAN evidence posture (quoted in substance)	Stream	Capture rule
	PLAN / SCAN side-steps	certification by themselves		SCAN outputs are trace only until ruled (OD-CD-06).
F7	SPARTAN MVP PDD / PWDD compression and public verification lineage	Server-side certification gates are enforced	A (proposed, off by default)	The Deck does not mention F7. Capture is on; corpus eligibility is off until OD-CD-05 is ruled.
F8	Code ORACLE / Code DJ codebase bundle generation from sources that passed the F7 certification gates	Uncertified input is refused; PFP drift gate applies	NONE (D for mapped events)	Trace and governance events; a refusal of uncertified input is traced, not forced into an FM code.
F9	MECHA seven-phase Machine Floor with signed artifact or refusal (the Harness Omnibus v10 text calls F9 post-deployment math validation; the SCAN is followed)	Physical/firmware path is fail-closed and requires external evidence	NONE (D for mapped events)	Trace of each phase result and every fail-closed refusal.
F9.5	OSIRIS custody and attestation seam	Custody is separate from build, mutation and certification	NONE (D for mapped events)	Custody band changes (GREEN, AMBER, RED) traced; D only if the event maps.

Stage	Name (SCAN)	SCAN evidence posture (quoted in substance)	Stream	Capture rule
F10	Connector, release, export, deployment and colonization controls	Provider/connector readiness remains an external evidence boundary	NONE (D for mapped events)	Release and export controls traced; no content-level capture of the SAVANT connector path.
F11	Host Connector handoff for projects that passed the gates	Host planning is separate from physical artifact certification	NONE (D for mapped events)	Handoff traced.

Hooks: TRC-011, TRC-012, TRC-013, TRC-016, TRC-017, TRC-018, TRC-019, TRC-020, TRC-021, TRC-022, TRC-023, TRC-024, TRC-014, TRC-015 (one hook per stage label, 14 in all; the F6 side-steps and the F7 gate results are extra capture points inside their hooks). Governance events: TRC-010. Coverage: TRC-005, TRC-007, ANL-006, DSH-009.

Evidence posture

The SCAN states a posture per stage (column above) and a four-label honesty gate: Verified (supported by repository inspection or workspace checks), Implemented (present in code, live dependencies not claimed), Reference baseline (a design aid that does not establish certification) and Open evidence (needs deployment, external gate, provider, security or operational proof). The SCAN does not assign one of the four labels to each F-stage row. For the Deck hooks, every hook is **Open evidence** until it is built and a refreshed SCAN (lch.scan) assigns labels. The SCAN also lists what it does not claim (certification, production readiness, live colonization, security assurance, business outcomes); this PDD makes none of those claims for the Deck either.

Two facts from the SCAN shape the design: the ACC already has Exemplar browsing, forking and contribution surfaces and an LLM cost ledger with provider and token telemetry, so the Deck reuses the cost ledger and takes its Exemplar events through the EXEMPLER bridge; and the ACC operates as an internal staff tool with dormant SaaS paths, so access is staff-only (XR-02).

4.5 Trace event contract

Field	Type	Rule
trace_id	uuid	One per run; same across stages (trc.id)
parent_trace_id	uuid null	Set when a run forks
stage	enum	F0, F0.5, F1 to F9, F9.5, F10, F11 (trc.stages)
stream	enum	A, B, C, D or NONE (trc.map)
event_type	text	Per capture map
artifact_ref	text null	Artifact id and version hash; never the body
exemplar_id	text null	EX-[CLASS]-[VAULT4]-[SEQ6] when the artifact is in EXEMPLER
actor_ref	opaque token	No name or email
occurred_at	timestamptz	Partition key (monthly)
payload_hash	text	sha256 of the stage output
eligibility	enum	ELIGIBLE, NOT_ELIGIBLE, PENDING_CONSENT
eligibility_reason	text	Required; no null decision (trc.elig)
idempotency_key	text unique	Stream, source id, version hash
processing_status	enum	PENDING, DONE, FAILED, DEAD

4.6 Governance events and the FM mapping

The Deck names 13 governance event types and gives 12 mappings. The FM names for FM-12 to FM-21 come from the TREE Resurrection Report (APF-FORGE-TREE-2026-002), which is not in the project; the mapping below is the Deck's and is [UNVERIFIED].

Governance event type (Deck)	Deck FM code	Status here
safety_mode_transition	FM-21	Deck mapping, UNVERIFIED
hallucination_override	FM-18	Deck mapping, UNVERIFIED
adoption_metric_drop	FM-22	Conflict: FM-22 is named change_saturation; UNMAPPED until ruled

Governance event type (Deck)	Deck FM code	Status here
data_quality_gate_failure	FM-11	Deck mapping (FM-11 is named data_foundation_collapse), UNVERIFIED
leadership_checkpoint_miss	FM-13	Deck mapping, UNVERIFIED
context_craft_cert_fail	FM-16	Deck mapping, UNVERIFIED
integration_test_failure	FM-19	Deck mapping, UNVERIFIED
vendor_audit_trigger	FM-20	Deck mapping, UNVERIFIED
bias_detection_flag	FM-17	Deck mapping, UNVERIFIED
poc_scope_exceeded	FM-15	Deck mapping, UNVERIFIED
strategy_gap_identified	FM-12	Deck mapping, UNVERIFIED
cultural_resistance_signal	FM-14	Deck mapping, UNVERIFIED
change_saturation_alert	— (none)	UNMAPPED

Prompts: STR-001, STR-020, STR-021, TRC-010. The table is loaded as configuration; changing it needs no code change.

4.7 SPHINX EXEMPLER integration contract

EXEMPLER stays the system of record for artifacts, versions and certification. Command Deck MAX stays the system of record for the corpus. Neither reads the other's tables.

Direction	Message	Rule	Prompts
EXEMPLER → Deck	Signed event for each store, certification, use, star, grade, standing and promotion (the EXEMPLER liv.events set)	Signature and idempotency key verified; unknown type stored as UNKNOWN	XMP-002, XMP-004, SEC-004
Both	exemplar_id and version hash on every event and record	Records without them are refused	XMP-003
EXEMPLER → Deck	Artifact class	MA → B; SPC, PDD → A; MVP PDD → A (eligibility off, OD-CD-05); MPDD → B	XMP-001

Direction	Message	Rule	Prompts
		(Deck F4 rule); other → UNMAPPED	
EXEMPLER → Deck	Confidential flag and vault policy	Confidential artifacts never captured	XMP-006, CNS-010
EXEMPLER → Deck	Per-instrument certification state (JCSE, HIVE, MATHMON) for the version	Stored as three named states; no combined badge	XMP-010
EXEMPLER → Deck	New version; SUSPENDED or ARCHIVED stage	Earlier record SUPERSEDED; excluded artifacts leave the export	XMP-009, XMP-008
EXEMPLER → Deck	MA artifact metadata	Derives the DE-SPC registry per vault and domain	XMP-007
Deck → EXEMPLER	Signed read-only corpus_ref (record id, dataset version, INCLUDED, WITHDRAWN or EXCLUDED)	EXEMPLER displays; it cannot edit	XMP-012
Deck → EXEMPLER	Corpus-consent state per scope	EXEMPLER shows the toggle state	XMP-011, CNS-008
Both	Contract tests	Run in both repositories	XMP-013, QAL-015

Needed in EXEMPLER (Part 6 §6.9): a signed event emitter, a read-only corpus_ref field, a consent-state display, and exposure of the confidential flag. These are changes to a different PDD and need its team's acceptance (OD-CD-17).

4.8 Data model (names are proposals)

Table	Key columns	Notes
telemetry_events	id, trace_id, stage, stream, event_type, occurred_at, artifact_ref, exemplar_id, payload_hash, eligibility, eligibility_reason, idempotency_key, processing_status	Monthly partitions; no body

Table	Key columns	Notes
outbox / dead_letters	event id, attempts, next_attempt_at, error	Claim with SKIP LOCKED
corpus_records	id, triplet_id, stream_class, telemetry_event_id, spc_name, spc_class, jcse_score (null), jcse_scale_version, jcse_certification_label, prompt_input, prompt_output_preferred, prompt_output_rejected, rejected_origin, ares_failure_mode, camelot_seat, domain, zpos_compression_ratio, compression_method, gro_governance_trace, ma_class, ma_tier, source_platform, forge_version, exemplar_id, version_hash, consent_ref, status, export_batch_id	Twenty corpus columns plus extension columns; four JCSE dimension columns not created
fm_taxonomy	code, name, family, description, preferred_pattern, rejected_pattern, source_status	27 codes; patterns empty until verified
gro_rejections	record hash, rule, harm score, stream, decided_at, reviewer	No body
corpus_consent	scope, state, actor, wording_version, at	Default OFF
de_spc_registry	scope, domain, ma_count, ma_refs, emergence_threshold_met, compatibility_score, emergence_at	Flag one-way
export_batches	status, dataset_version, record_count, initiator, approver, kaggle_url	Batch stamp in the same transaction
config	key, value, status	Thresholds, bands, model id, GP parameters
audit / consent log	actor, action, target, at	Body reads, exports, consent changes, gate decisions

4.9 Consent, rights and privacy

Rule	Behaviour	Prompts
Default OFF	No body is read or stored for a scope without ON	CNS-002, CNS-011
Scopes	ARTIFACT, VAULT, ORG; the narrowest scope wins	CNS-001
Organization policy	ALLOW, DENY or MEMBER_CHOICE set by an ADMIN; DENY blocks a member	CNS-004
Confidential	Always excluded	CNS-010, XMP-006
Notice	States that earlier public dataset versions cannot be recalled	CNS-003
Withdrawal	Records marked WITHDRAWN, excluded from the next version, bodies deleted, tombstone kept	CNS-007, CNS-009, KGL-013
Licence and rights	Stored per scope; a missing licence blocks export	CNS-006
Audit	Every change logged	CNS-005

The consent wording, the licence and the rights language are for counsel (seat #9). Employer-employee ownership and data-protection duties depend on jurisdiction and contract (Part 11).

4.10 The GRO corpus gate

Step	Rule (Deck value unless noted)	Prompts
Placement	Runs inside the insert transaction; a block rolls back	GOV-006
PII screen	Regular expressions for email, phone and ID-like patterns; a heuristic, not a guarantee	GOV-003
Injection screen	Marker list in configuration (OWASP LLM Top 10 patterns) on prompt_input; a heuristic	GOV-002
URLs	Flagged for review; no claim that hallucination is detected	GOV-004
Score and bands	Harm 0–10: 0 clean, 1–2 monitored, above 2 blocked (bands in configuration); monitored waits for a human	GOV-005, GOV-007

Step	Rule (Deck value unless noted)	Prompts
FM-23	Five or more identical-content records from one owner in 24 hours	GOV-001
Trace	Rule fired, score, band; labelled rule-based, not a Constitutional AI evaluation	GOV-008, GOV-009

4.11 ZPOS compression

SYNTHESIS runs on the three triplet fields of consented, gate-passed records only. The original is kept beside the compressed text. The ratio is measured with a named tokenizer and stored with the method name. Preservation is checked on a sample; unsampled records carry UNMEASURED. The Deck's figures (about 49% reduction and 98.1% preservation, and a 35–75% / 95% range) are targets. Prompts: ZPS-001, ZPS-003, ZPS-004, ZPS-005, ZPS-007, ZPS-006.

4.12 Configuration parameters

Parameter	Deck value	Status here
SPC export floor	35	Configuration; OD-CD-12
MA export floor	28	Configuration; OD-CD-12
SPC class bands	ULTRA SI ≥45, SI 35–44, AI 28–34	Configuration; conflicts with the F5 gate of 45 elsewhere
Stream B weights	0.6 (≥35), 0.4 (28–34)	Configuration; stored separately from the score
DE-SPC threshold	12 Class III+ MAs; ≥80% compatibility across ≥8 of 12	Configuration; OD-CD-09
FM-DE-03 limit	60%	Configuration; conflicts with the 80% rule
Gate bands	0 / 1–2 / >2	Configuration; XR-08
FM-23	5 identical records, 24 hours	Configuration
Stream status	DEGRADED 100 messages; DOWN 500 messages or no events in 2 hours	Proposals; the outbox replaces Kafka lag

Parameter	Deck value	Status here
GP(t)	GP_max 0.30; λ 0.08	Design target; OD-CD-10
Compression model	a dated Claude model id	Configuration (XR-12)
Kaggle rate limit	100 requests a day	[UNVERIFIED]; OD-CD-15

4.13 Analytics and dashboard

Rollups (hourly, daily, stage, lag, JCSE histogram, FM matrix, GP series) feed read endpoints; the dashboard reads rollups only. Screens: stream health (DSH-007), F-stage board (DSH-009), trace viewer (DSH-014), feed (DSH-011), charts (DSH-005, DSH-008, DSH-006), DE-SPC registry (DSH-013), record detail (DSH-004), consent panel (DSH-010), exports (DSH-025). Bodies appear only after an explicit reveal that is audited. Charts use the GP design-target label on every view.

4.14 Export pipeline and Kaggle schema

Selection keeps only records that are consented, not confidential, not withdrawn, not superseded, gate-clean or reviewer-approved, compression-ready and above the configured floors. A dry run reports counts by stream and exclusions by reason; a named person approves before upload. Withdrawal publishes a new version.

Group	Columns
Original 20 (unchanged, in order)	triplet_id, spc_name, spc_class, jcse_score, jcse_dim_construction, jcse_dim_synergy, jcse_dim_token_efficiency, jcse_dim_semantic_preservation, prompt_input, prompt_output_preferred, prompt_output_rejected, ares_failure_mode, camelot_seat, domain, zpos_compression_ratio, gro_governance_trace, ma_class, ma_tier, source_platform, forge_version
Deck extension (6)	stream_class, de_spc_evolutionary_velocity, interface_composability_score, tree_phase, atanda_step, corpus_version
Command Deck MAX extension	f_stage, exemplar_ref (hashed), rejected_origin

> **Export notes.** The four jcse_dim_ columns stay in the export schema for backward compatibility and are null (XR-05). The Deck states that tree_phase runs 1–6 and atanda_step 1–18; those ranges come from the TREE report and are [UNVERIFIED]. The Deck's Kaggle endpoint and rate limit are [UNVERIFIED] (XR-17).

4.15 Interfaces

Endpoint (proposed)	Purpose	Guard	Prompts
POST /deck/events (EXEMPLER intake)	Signed events, 202	Signature + rate limit	XMP-002, SEC-002
GET /deck/streams	Stream health	Staff + scope	ANL-016
GET /deck/analytics?view=	distribution, heatmap, gp, summary, stage	Staff + scope	ANL-008
GET /deck/streams/A|B/records; /deck/registry; /deck/streams/D/events	Per-stream detail	Staff + scope	ANL-011, ANL-012, ANL-009, ANL-013
GET /deck/records[/:id]	Records, read only	Staff + scope + body rule	ANL-010
GET /deck/traces/:traceId	Ordered stage events of a run	Staff + scope	ANL-001
POST/GET /deck/export	Trigger dry run; list batches; upload needs approval	Staff + entitlement	KGL-018, KGL-009
Consent endpoints	Read and set consent state	Owner or ADMIN	CNS-001, CNS-008

4.16 Evidence posture and claims not made

- No part of the Deck has been built or tested; the SCAN covers the ACC only.
- No certification, tier or score is claimed for the Deck or for this PDD.
- No claim that the dataset improves any model; Study C1 and D1 are not in the project.

- The GP(t) curve is a design target. HOLMES figures are priors.
- A refreshed SCAN with the Deck added (lch.scan) is the way to earn evidence labels.

4.17 Edge cases

Case	Behaviour
Capture fails	Logged to pino and Sentry; stage response unchanged; the stage shows a gap in coverage
Artifact deleted before processing	Event marked MISSING; no record
Consent turns OFF while an event is queued	Event is re-checked at processing; NOT_ELIGIBLE
Same artifact version captured twice	One record (idempotency key)
Artifact edited after capture	New version, new record; earlier record SUPERSEDED
Registry reaches 12 MAs at 70% compatibility	Flag stays false; FM-DE-03 not raised unless below the manipulation limit
Governance event with no mapping	UNMAPPED, no corpus record
Dataset version published with a record later withdrawn	New version excludes it; older versions remain public; the notice said so
EXEMPLER replays an event	Acknowledged without a second row
Worker crash mid-row	Row reclaimed after the lease; idempotency prevents duplicates

PART 5 — THE PDD ATOMIC PROMPT WORKSHEET (COLOR-CODED)

5.1 Method and prompt standard

Every row in §5.6 is one Atomic Prompt, held to the same five conditions as the SPHINX MAX and EXEMPLER worksheets.

#	Condition	How it is met
1	Single operation	One verb-led Operation cell. Compound Deck prompts were split (for example DECK-DB-004 became dispatch, four processors and compression).
2	Verifiable input	The Input cell names an artifact, decision, table or value that exists before the prompt runs. Where the input is an ACC element not in the sources read, it says so.
3	Verifiable output	The Output / Gate cell names a testable result and, for gated prompts, the gate that must pass.
4	No compound logic	Branches are separate prompts joined by dependencies.
5	Declared dependencies	The Depends cell lists CD IDs. CORDON verified that every declared ID exists, the graph is acyclic and no active prompt depends on a held one.

Each row carries (ID, Priority, Wave, Mode, Operation, Input, Output/Gate, Depends) plus token estimate, ZPOS target, owner, the Deck prompt it derives from and the F-stage it binds to. Issued to an executing agent, it is filled into the SPHINX THREE prompt-slot template.

> **Reading rule.** Token counts are the characters of Operation + Input + Output divided by 4, rounded up. The ZPOS column is 55% of that figure (the 45% reduction target in the SPHINX ENGINE SDD). Neither number was measured with a tokenizer or with ZPOS. They size the work; they are not estimates of time or cost.

5.2 Roll-up

Measure	Value
Atomic prompts	230 (216 active, 14 held)
By mode	ADAPTED 178 · NEW 52
Features / atomic tasks	14 / 36
By priority after inheritance	🔴 P0 154 · 🟠 P1 31 · 🔵 P2 23 · ⚪ P3 22
By priority as first written	🔴 P0 106 · 🟠 P1 74 · 🔵 P2 28 · ⚪ P3 22
By class (CORDON)	A 154 · B 31 · C 45
Dependency edges	508

Measure	Value
Waves	27
Token estimate (total / ZPOS target)	10,190 / 5,605 [SPEC]
Deck prompts accounted for	71 listed (ADAPTED 33, SPLIT 29, HELD 9, DROPPED 0); 25 counted but not listed (§5.7)

Code	Feature	Prompts	🔴 P0	🟠 P1	🔵 P2	⚪ P3	Held	Waves	Tok
TRC	Trace Spine & F0–F11 Capture	24	23	0	1	0	0	1–5	1719
INF	Telemetry Store & Pipeline Infrastructure	22	16	2	2	2	2	1–6	1143
STR	Stream Processors A–D & DE-SPC	37	32	3	2	0	0	4–11	1844
CNS	Consent, Rights & Privacy	11	8	2	1	0	0	2–7	454
GOV	GRO Corpus Gate & Failure Modes	9	7	2	0	0	0	4–7	406
XMP	SPHINX EXEMPLER Integration	13	10	2	1	0	0	3–21	541
ZPS	ZPOS Compression	7	5	0	1	1	1	3–14	298
ANL	Analytics, Rollups & Read APIs	16	11	2	3	0	0	5–16	677

Code	Feature	Prompts	🔴 P0	🟠 P1	🔵 P2	⚪ P3	Held	Waves	Tok
DSH	Command Deck Dashboard	26	8	6	5	7	4	4–22	829
KGL	Corpus Export, Kaggle & Mirror Pipeline	25	9	5	3	8	4	4–22	907
ACS	Access & Entitlements	5	4	1	0	0	0	3–6	254
SEC	Security Controls	7	7	0	0	0	0	3–21	295
QAL	Quality & Verification	16	12	3	1	0	0	6–23	478
LCH	Launch Readiness & SCAN Evidence	12	2	3	3	4	3	5–27	345
	Total	230	154	31	23	22	14	1–27	10190

> **Reading rule.** 154 of 230 prompts are P0 after inheritance. The cause is the launch gate: the end-to-end test and launch checklist are P0 and depend, directly or through others, on most of the build, so inheritance lifts them. Only 106 were written as P0. Read the "was" column in §5.4 for the first rating; use waves, not priority, to sequence work (§6.1).

F-stage binding (prompts that name a stage)

Stage	Capture hook	Prompts naming the stage	IDs (first 14)
F0	TRC-011	12	LCH-008, QAL-001, QAL-002, TRC-001, TRC-002, TRC-003, TRC-004, TRC-005, TRC-006, TRC-008, TRC-009, TRC-011
F0.5	TRC-012	14	LCH-008, QAL-001, QAL-002, STR-008, TRC-001, TRC-002, TRC-003, TRC-004, TRC-005,

Stage	Capture hook	Prompts naming the stage	IDs (first 14)
			TRC-006, TRC-008, TRC-009, TRC-010, TRC-012
F1	TRC-013	12	LCH-008, QAL-001, QAL-002, TRC-001, TRC-002, TRC-003, TRC-004, TRC-005, TRC-006, TRC-008, TRC-009, TRC-013
F2	TRC-016	12	LCH-008, QAL-001, QAL-002, TRC-001, TRC-002, TRC-003, TRC-004, TRC-005, TRC-006, TRC-008, TRC-009, TRC-016
F3	TRC-017	22	LCH-008, QAL-001, QAL-002, QAL-007, STR-006, STR-007, STR-014, STR-015, STR-016, STR-017, STR-025, STR-029, STR-031, TRC-001 …
F4	TRC-018	14	LCH-008, QAL-001, QAL-002, STR-006, STR-031, TRC-001, TRC-002, TRC-003, TRC-004, TRC-005, TRC-006, TRC-008, TRC-009, TRC-018
F5	TRC-019	22	LCH-008, QAL-001, QAL-002, QAL-009, STR-005, STR-009, STR-010, STR-011, STR-012, STR-013, STR-024, STR-028, STR-035, TRC-001 …
F6	TRC-020	15	LCH-008, QAL-001, QAL-002, STR-005, STR-012, STR-024, TRC-001, TRC-002, TRC-003, TRC-004, TRC-005, TRC-006, TRC-008, TRC-009 …
F7	TRC-021	12	LCH-008, QAL-001, QAL-002, TRC-001, TRC-002, TRC-003, TRC-004, TRC-005, TRC-006, TRC-008, TRC-009, TRC-021
F8	TRC-022	14	LCH-008, QAL-001, QAL-002, STR-008, TRC-001, TRC-002, TRC-003, TRC-004, TRC-005, TRC-006, TRC-008, TRC-009, TRC-010, TRC-022
F9	TRC-023	15	LCH-008, QAL-001, QAL-002, STR-008, TRC-001, TRC-002, TRC-003, TRC-004, TRC-005, TRC-006, TRC-007, TRC-008, TRC-009, TRC-010 …

Stage	Capture hook	Prompts naming the stage	IDs (first 14)
F9.5	TRC-024	14	LCH-008, QAL-001, QAL-002, STR-008, TRC-001, TRC-002, TRC-003, TRC-004, TRC-005, TRC-006, TRC-008, TRC-009, TRC-010, TRC-024
F10	TRC-014	14	LCH-008, QAL-001, QAL-002, STR-008, TRC-001, TRC-002, TRC-003, TRC-004, TRC-005, TRC-006, TRC-008, TRC-009, TRC-010, TRC-014
F11	TRC-015	14	LCH-008, QAL-001, QAL-002, STR-008, TRC-001, TRC-002, TRC-003, TRC-004, TRC-005, TRC-006, TRC-008, TRC-009, TRC-010, TRC-015

5.3 CORDON wave plan

A wave holds prompts whose dependencies all sit in earlier waves; prompts inside a wave can run in parallel. IDs drop the `CD-` prefix, ordered by class A, B, C, then priority, then ID. * = held.

Wave	N	P0	P1	P2	P3	Prompts
1	3	3	0	0	0	INF-001, INF-002, TRC-001
2	11	11	0	0	0	CNS-001, INF-003, INF-004, INF-005, INF-006, INF-007, INF-008, INF-009, TRC-002, TRC-003, TRC-004
3	18	13	1	3	1	ACS-001, CNS-002, CNS-003, CNS-004, INF-010, INF-011, INF-012, SEC-001, TRC-005, TRC-006, XMP-001, XMP-002, ZPS-001, CNS-005, CNS-006, INF-013, TRC-007, INF-014*
4	24	19	2	2	1	ACS-002, CNS-007, DSH-001, GOV-001, GOV-002, GOV-003, GOV-004, INF-015, INF-016, INF-017, KGL-001, SEC-002, STR-001, STR-002, STR-003, TRC-008, TRC-009, XMP-003, XMP-004, ACS-003, CNS-008, INF-018, XMP-005, ZPS-002*
5	37	29	6	1	1	ACS-004, ANL-001, ANL-002, CNS-009, GOV-005, INF-019, KGL-002, SEC-003, SEC-004,

Wave	N	P0	P1	P2	P3	Prompts
						STR-004, TRC-010, TRC-011, TRC-012, TRC-013, TRC-014, TRC-015, TRC-016, TRC-017, TRC-018, TRC-019, TRC-020, TRC-021, TRC-022, TRC-023, TRC-024, XMP-006, XMP-007, XMP-008, XMP-009, INF-020, KGL-003, KGL-004, LCH-001, XMP-010, XMP-011, DSH-002, INF-021*
6	16	14	2	0	0	ACS-005, ANL-003, ANL-004, ANL-005, ANL-006, CNS-010, GOV-006, GOV-007, QAL-001, QAL-002, STR-005, STR-006, STR-007, STR-008, GOV-008, INF-022
7	20	18	2	0	0	ANL-007, CNS-011, QAL-003, STR-009, STR-010, STR-011, STR-012, STR-013, STR-014, STR-015, STR-016, STR-017, STR-018, STR-019, STR-020, STR-021, STR-022, STR-023, GOV-009, QAL-004
8	8	5	3	0	0	ANL-008, STR-024, STR-025, STR-026, STR-027, STR-028, STR-029, STR-030
9	11	5	2	4	0	QAL-005, QAL-006, STR-031, STR-032, STR-033, ANL-009, ANL-010, ANL-011, ANL-012, ANL-013, STR-034
10	3	2	0	1	0	QAL-007, STR-035, STR-036
11	1	1	0	0	0	STR-037
12	2	2	0	0	0	QAL-008, ZPS-003
13	4	3	0	1	0	QAL-009, ZPS-004, ZPS-005, ZPS-006
14	2	2	0	0	0	ANL-014, ZPS-007
15	2	2	0	0	0	ANL-015, KGL-005
16	4	2	1	0	1	ANL-016, KGL-006, LCH-002, KGL-007*
17	4	3	1	0	0	DSH-003, KGL-008, QAL-010, QAL-011
18	15	7	5	3	0	DSH-004, DSH-005, DSH-006, DSH-007, DSH-008, DSH-009, KGL-009, DSH-010, DSH-011, DSH-012, DSH-013, DSH-014, DSH-015, DSH-016, KGL-010

Wave	N	P0	P1	P2	P3	Prompts
19	12	2	1	3	6	KGL-011, SEC-005, DSH-017, DSH-018, LCH-003, QAL-012, DSH-019*, DSH-020, DSH-021*, DSH-022, DSH-023*, DSH-024*
20	9	4	1	1	3	KGL-012, KGL-013, SEC-006, XMP-012, QAL-013, KGL-014, KGL-015, KGL-016*, KGL-017*
21	8	3	3	2	0	QAL-014, SEC-007, XMP-013, KGL-018, KGL-019, KGL-020, DSH-025, KGL-021
22	9	1	1	0	7	QAL-015, LCH-004, DSH-026, KGL-022*, KGL-023, KGL-024, KGL-025, LCH-005*, LCH-006*
23	1	1	0	0	0	QAL-016
24	1	1	0	0	0	LCH-007
25	2	1	0	1	0	LCH-008, LCH-009
26	2	0	0	1	1	LCH-010, LCH-011*
27	1	0	0	0	1	LCH-012

5.4 Critical path and priority inheritance

Longest dependency chain (active prompts): 27 prompts. A slip on it moves the end of the build.

INF-001 → INF-006 → INF-010 → XMP-003 → XMP-007 → STR-007 → STR-019 → STR-026 → STR-032 → STR-035 → STR-037 → ZPS-003 → ZPS-004 → ZPS-007 → KGL-005 → KGL-006 → KGL-008 → KGL-009 → KGL-011 → XMP-012 → XMP-013 → QAL-015 → QAL-016 → LCH-007 → LCH-008 → LCH-010 → LCH-012

Longest chain of rows first written as P0: 25 prompts.

INF-001 → INF-006 → INF-010 → XMP-003 → XMP-007 → STR-007 → STR-019 → STR-026 → STR-032 → STR-035 → STR-037 → ZPS-003 → ZPS-004 → ZPS-007 → KGL-005 → KGL-006 → KGL-008 → KGL-009 → KGL-011 → XMP-012 → XMP-013 → QAL-015 → QAL-016 → LCH-007 → LCH-008

Heaviest chain by token estimate: 27 prompts, about 1,327 tokens [SPEC] (size, not duration).

TRC-001 → INF-006 → INF-010 → XMP-003 → XMP-007 → STR-007 → STR-018 → STR-026 → STR-032 → STR-035 → STR-037 → ZPS-003 → ZPS-004 → ZPS-007 → KGL-005

→ KGL-006 → KGL-008 → KGL-009 → KGL-011 → XMP-012 → XMP-013 → QAL-015 → QAL-016 → LCH-007 → LCH-008 → LCH-010 → LCH-012

Priority inheritance. A prompt cannot rank below one that depends on it. It fired 50 times. "Was" is the priority as first written.

Prompt	Operation (short)	Was	Now	Promoted because it feeds
ACS-004	Restrict record bodies (prompt_input, preferred, rejected) to the record owner or an …	🟠 P1	🔴 P0	ACS-005
ACS-005	Write an audit event for every body read and every export action.	🟠 P1	🔴 P0	SEC-007, DSH-004
ANL-004	Build the JCSE histogram in five-point buckets per stream from records that carry a s…	🟠 P1	🔴 P0	ANL-008, DSH-005
ANL-005	Build the FM code by day matrix for 30 days over all 27 codes.	🟠 P1	🔴 P0	ANL-008, DSH-008
ANL-007	Compute the GP(t) series from the configured design-target parameters (GP_max 0.30, l…	🔵 P2	🔴 P0	ANL-008, DSH-006
ANL-008	Expose GET /deck/analytics with views distribution, heatmap, gp, summary and stage.	🟠 P1	🔴 P0	DSH-003
ANL-009	Expose GET /deck/registry returning emergence progress per scope and domain.	🔵 P2	🟠 P1	DSH-013
CNS-004	Let an organization ADMIN set a vault policy of ALLOW, DENY or MEMBER_CHOICE for corp…	🟠 P1	🔴 P0	CNS-011
CNS-009	Delete the stored bodies of withdrawn records from the private corpus store, keeping …	🟠 P1	🔴 P0	QAL-014
DSH-004	Build the record detail modal with metadata first and bodies behind an explicit revea…	🟠 P1	🔴 P0	SEC-005

Prompt	Operation (short)	Was	Now	Promoted because it feeds
DSH-017	Run a WCAG 2.1 AA pass on all /deck routes: labels, keyboard navigation, 4.5:1 contra…	🔵 P2	🟠 P1	QAL-013
GOV-002	Detect prompt-injection and exfiltration markers in prompt_input as a screening heuri…	🟠 P1	🔴 P0	GOV-005
GOV-004	Flag URLs inside outputs for review; do not claim hallucination detection.	🔵 P2	🔴 P0	GOV-005
GOV-007	Queue records in the monitored band for human review before export.	🟠 P1	🔴 P0	KGL-005, QAL-003
INF-007	Create table gro_rejections with record hash, rule fired, harm score, stream, decided…	🟠 P1	🔴 P0	GOV-006, GOV-001
INF-016	Add nullable jcse_score, jcse_scale_version and jcse_certification_label columns; lea…	🟠 P1	🔴 P0	STR-010
INF-019	Add a scheduled job runner for rollups and statistics refreshes every 15 minutes.	🟠 P1	🔴 P0	ANL-014, ANL-003, ANL-006
KGL-002	Generate dataset-metadata.json with version, description and tags.	🟠 P1	🔴 P0	KGL-008
QAL-010	Test export integrity: 26 columns, multi-line fields and an empty round-trip diff.	🟠 P1	🔴 P0	QAL-016
QAL-015	Run the EXEMPLER contract test with a replayed, a duplicate and a bad-signature event…	🟠 P1	🔴 P0	QAL-016
SEC-002	Rate-limit the intake endpoint and the export trigger per caller.	🟠 P1	🔴 P0	SEC-007
SEC-005	Escape every stored prompt body before it is rendered in the dashboard.	🟠 P1	🔴 P0	SEC-007

Prompt	Operation (short)	Was	Now	Promoted because it feeds
STR-010	Copy JCSE dimension scores from the artifact when present; otherwise leave them null.	🔵 P2	🔴 P0	STR-024
STR-011	Reconstruct the seven-pillar Context Craft input (System, Role, Instruction, Example,…	🟠 P1	🔴 P0	STR-024
STR-020	Set the preferred output from the taxonomy preferred_pattern for the mapped FM code.	🟠 P1	🔴 P0	STR-027
STR-021	Set the rejected output from the observed failure description of the event; template …	🟠 P1	🔴 P0	STR-027
STR-022	Build the governance trace JSON: fm_code, stage, safety mode before and after, human …	🟠 P1	🔴 P0	STR-027
STR-023	Store a null JCSE for governance events and an explicit configured sample weight (def…	🟠 P1	🔴 P0	STR-027
STR-025	Compute the composability score as the share of registry MAs with a compatible Interf…	🟠 P1	🔴 P0	STR-031
STR-033	Compute evolutionary velocity as ma_count divided by days since the registry row was …	🟠 P1	🔴 P0	STR-037
STR-035	Link the DE-SPC specification built at F5 as the preferred output; mark the record PE…	🟠 P1	🔴 P0	STR-037
TRC-005	Compute per stage the count of trace events in the last N days and the share carrying…	🟠 P1	🔴 P0	ANL-006
TRC-010	Emit a governance trace event for each of the thirteen Deck governance event types ra…	🟠 P1	🔴 P0	QAL-006

Prompt	Operation (short)	Was	Now	Promoted because it feeds
TRC-011	Add one captureTrace() call at intake and advisory completion, emitting stage F0.	🟠 P1	🔴 P0	QAL-001, QAL-002
TRC-012	Add one captureTrace() call at monitoring intake completion, emitting stage F0.5.	🟠 P1	🔴 P0	QAL-001
TRC-013	Add one captureTrace() call at prompt diagnostic completion, emitting stage F1.	🟠 P1	🔴 P0	QAL-001
TRC-014	Add one captureTrace() call at connector, release, export and colonization control re…	🟠 P1	🔴 P0	QAL-001
TRC-015	Add one captureTrace() call at Host Connector handoff, emitting stage F11.	🟠 P1	🔴 P0	QAL-001
TRC-016	Add one captureTrace() call at Atomic Prompt completion, emitting stage F2.	🟠 P1	🔴 P0	QAL-001
TRC-021	Add one captureTrace() call at SPARTAN MVP PDD or PWDD save and each server-side cert…	🟠 P1	🔴 P0	QAL-001
TRC-022	Add one captureTrace() call at Code ORACLE or Code DJ run, including a refusal of unc…	🟠 P1	🔴 P0	QAL-001
TRC-023	Add one captureTrace() call at each MECHA phase result and each fail-closed refusal, …	🟠 P1	🔴 P0	QAL-001, QAL-002
TRC-024	Add one captureTrace() call at OSIRIS custody band change, emitting stage F9.5.	🟠 P1	🔴 P0	QAL-001
XMP-007	Derive the DE-SPC registry from EXEMPLER MA artifacts per vault and domain.	🟠 P1	🔴 P0	STR-007
XMP-008	Exclude artifacts in stage SUSPENDED or ARCHIVED from export.	🟠 P1	🔴 P0	KGL-005

Prompt	Operation (short)	Was	Now	Promoted because it feeds
XMP-009	Create a new corpus lineage entry for each new artifact version and mark the earlier …	🟠 P1	🔴 P0	KGL-005
XMP-012	Send a signed read-only corpus_ref back to EXEMPLER: record id, dataset version and s…	🟠 P1	🔴 P0	XMP-013
ZPS-004	Measure the compression ratio with the configured tokenizer and store the method name…	🟠 P1	🔴 P0	ZPS-007, ANL-014
ZPS-005	Sample compressed records for a preservation check and store the result; unsampled re…	🟠 P1	🔴 P0	ZPS-007
ZPS-007	Mark a record export-ready only when compression ran and, where sampled, preservation…	🟠 P1	🔴 P0	KGL-005

5.5 Dependency and atomicity validation (ORPHAN_AND_CYCLE_FLAGS)

Check	Result	Basis
Cycles in the graph	None	Kahn layering placed every prompt; every dependency sits in a strictly earlier wave (script)
Cycles found while drafting	1 (corrected)	The Stream B composability prompt needed the compatibility prompt, which needed the registry prompt, which was first written to depend on the Stream B insert. The registry is now derived from EXEMPLER MA metadata, so it no longer waits for a corpus record
Orphans	0	Script
Active prompt depending on a held prompt	0	Script

Check	Result	Basis
Priority monotone (dependency ≥ dependent)	Yes	Script, after 50 promotions
Rows missing operation, input or output	0	Script
Rows flagged by the compound-logic heuristic	0	Looks for "and then" and "; then"; atomicity itself is a reading judgment, not proven
External prerequisites inside the graph	0	Kept in §5.9
End prompts (nothing depends on them)	64	Tests, screens, exports, reports, launch

5.6 The color-coded worksheet

Colors: 🔴 P0 red fill; 🟠 P1 amber; 🔵 P2 blue; ⚪ P3 grey. IDs drop the `CD-` prefix. Mode: A = ADAPTED (from the Deck), N = NEW. "Deck · F" gives the Deck prompt(s) the row derives from and the F-stage it binds to. Held rows are marked under the ID.

TRC — Trace Spine & F0–F11 Capture (24 prompts)

CD-TRC-T1 — Trace contract and configuration

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends	Tok
TRC-001	🔴 P0	1	A	Define the trace_event contract: trace_id, parent_trace_id, stage (F0, F0.5, F1–F11), stream (A, B, C, D or NONE), event_type, artifact_ref, actor_ref,	This PDD §4.5 field list	Contract file merged. Gate: a sample event with an unknown stage value is rejected by the	—	78

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends	Tok
				occurred_at, payload_hash.		schema validator.		
TRC-002	🔴 P0	2	N	Issue one trace_id at the first stage of a run and propagate it to every later stage of the same run.	ACC run or session record	Function returns the same trace_id for all stages of one run. Gate: a two-stage run shows one trace_id and a parent link.	TRC-001	62
TRC-004	🔴 P0	2	N	Seed the stage table with the fourteen SCAN stages (F0, F0.5, F1 to F9, F9.5, F10, F11) with their SCAN labels.	ATLAS 360 SCAN of the ACC, 23 Sep 2026	Seed migration applied. Gate: 14 rows; labels equal the SCAN text.	INF-001	54
TRC-006	🔴 P0	3	A	Seed the capture-map configuration: for each stage the stream, the event types captured and the default corpus-eligibility flag.	§4.5 capture map	Config table seeded. Gate: F3, F4 map to B; F5, F6 map to A; F7 has capture on and eligibility off; every other stage	TRC-004	69

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends	Tok
						maps to NONE.		

CD-TRC-T2 — Capture mechanics

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depe
TRC-003	🔴 P0	2	A	Build the capture payload from identifiers and hashes only: no email, name or prompt body enters raw_event.	trc.contract	Payload builder merged. Gate: a test event with a body field carries only its sha256.	TRC-
TRC-008	🔴 P0	4	N	Record a corpus-eligibility decision (ELIGIBLE, NOT_ELIGIBLE, PENDING_CONSENT) with a reason code on every trace event.	trc.map; consent state	Column populated on every event. Gate: no event row has a null decision.	TRC-006, INF-(
TRC-009	🔴 P0	4	A	Implement captureTrace() as a non-blocking call: failures are logged to pino and Sentry and never thrown to the caller.	trc.contract	Utility merged. Gate: a forced database failure leaves the calling stage handler response unchanged.	TRC-001, INF-(

CD-TRC-T3 — Coverage

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends	Tok
TRC-005 ↑ promoted	🔴 P0	3	N	Compute per stage the count of trace events in the last N days and the share carrying an eligibility decision.	trace events	Coverage query returns 14 rows. Gate: a stage with zero events is reported as SILENT, not omitted.	INF-006, TRC-004	55
TRC-007	🔵 P2	3	N	Flag a stage hook as DRIFTED when the SCAN F-stage list and the stage table differ.	SCAN stage list; stage table	Report row per difference. Gate: the F9 label difference with Harness Omnibus v10 is shown as a known difference.	TRC-004	56

CD-TRC-T4 — Stage capture hooks

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Deper
TRC-010 ↑ promoted	🔴 P0	5	A	Emit a governance trace event for each of the thirteen Deck governance event types raised in the ACC governance layer.	ACC governance layer events; §4.6 event table	Event emitted with its mapped FM code or UNMAPPED. Gate: an unmapped event is stored with fm_code	TRC-009, STR-0

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Deper
						null, never forced.	
TRC-011 ↑ promoted	🔴 P0	5	N	Add one captureTrace() call at intake and advisory completion, emitting stage F0.	ACC server handler for stage F0 (file path to be confirmed from the repository by seat #1)	Exactly one trace event per completion. Gate: stage F0 test shows event with stage = F0, the decided stream and an eligibility reason.	TRC-009, TRC-006, TRC-002, TRC-003, TRC-0
TRC-012 ↑ promoted	🔴 P0	5	N	Add one captureTrace() call at monitoring intake completion, emitting stage F0.5.	ACC server handler for stage F0.5 (file path to be confirmed from the repository by seat #1)	Exactly one trace event per completion. Gate: stage F0.5 test shows event with stage = F0.5, the decided stream and an eligibility reason.	TRC-009, TRC-006, TRC-002, TRC-003, TRC-0
TRC-013 ↑ promoted	🔴 P0	5	N	Add one captureTrace() call at prompt diagnostic completion, emitting stage F1.	ACC server handler for stage F1 (file path to be confirmed from the repository by seat #1)	Exactly one trace event per completion. Gate: stage F1 test shows event with stage = F1, the decided stream and an eligibility reason.	TRC-009, TRC-006, TRC-002, TRC-003, TRC-0

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Deper
TRC-014 ↑ promoted	🔴 P0	5	N	Add one captureTrace() call at connector, release, export and colonization control result, emitting stage F10.	ACC server handler for stage F10 (file path to be confirmed from the repository by seat #1)	Exactly one trace event per completion. Gate: stage F10 test shows event with stage = F10, the decided stream and an eligibility reason.	TRC-009, TRC-006, TRC-002, TRC-003, TRC-0
TRC-015 ↑ promoted	🔴 P0	5	N	Add one captureTrace() call at Host Connector handoff, emitting stage F11.	ACC server handler for stage F11 (file path to be confirmed from the repository by seat #1)	Exactly one trace event per completion. Gate: stage F11 test shows event with stage = F11, the decided stream and an eligibility reason.	TRC-009, TRC-006, TRC-002, TRC-003, TRC-0
TRC-016 ↑ promoted	🔴 P0	5	N	Add one captureTrace() call at Atomic Prompt completion, emitting stage F2.	ACC server handler for stage F2 (file path to be confirmed from the repository by seat #1)	Exactly one trace event per completion. Gate: stage F2 test shows event with stage = F2, the decided stream and an eligibility reason.	TRC-009, TRC-006, TRC-002, TRC-003, TRC-0
TRC-017	🔴 P0	5	A	Add one captureTrace()	ACC server handler for	Exactly one trace event	TRC-009,

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Deper
				call at CELL Micro Agent BIRTH PACKAGE delivery, emitting stage F3.	stage F3 (file path to be confirmed from the repository by seat #1)	per completion. Gate: stage F3 test shows event with stage = F3, the decided stream and an eligibility reason.	TRC-006, TRC-002, TRC-003, TRC-0
TRC-018	🔴 P0	5	A	Add one captureTrace() call at Micro PDD completion, emitting stage F4.	ACC server handler for stage F4 (file path to be confirmed from the repository by seat #1)	Exactly one trace event per completion. Gate: stage F4 test shows event with stage = F4, the decided stream and an eligibility reason.	TRC-009, TRC-006, TRC-002, TRC-003, TRC-0
TRC-019	🔴 P0	5	A	Add one captureTrace() call at SPC save, emitting stage F5.	ACC server handler for stage F5 (file path to be confirmed from the repository by seat #1)	Exactly one trace event per completion. Gate: stage F5 test shows event with stage = F5, the decided stream and an eligibility reason.	TRC-009, TRC-006, TRC-002, TRC-003, TRC-0
TRC-020	🔴 P0	5	A	Add one captureTrace() call at ATLAS PDD save (and PLAN or	ACC server handler for stage F6 (file path to be	Exactly one trace event per completion. Gate: stage	TRC-009, TRC-006, TRC-

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Deper
				SCAN side-step save), emitting stage F6.	confirmed from the repository by seat #1)	F6 test shows event with stage = F6, the decided stream and an eligibility reason.	002, TRC-003, TRC-0
TRC-021 ↑ promoted	🔴 P0	5	N	Add one captureTrace() call at SPARTAN MVP PDD or PWDD save and each server-side certification gate result, emitting stage F7.	ACC server handler for stage F7 (file path to be confirmed from the repository by seat #1)	Exactly one trace event per completion. Gate: stage F7 test shows event with stage = F7, the decided stream and an eligibility reason.	TRC-009, TRC-006, TRC-002, TRC-003, TRC-0
TRC-022 ↑ promoted	🔴 P0	5	N	Add one captureTrace() call at Code ORACLE or Code DJ run, including a refusal of uncertified input and a PFP drift result, emitting stage F8.	ACC server handler for stage F8 (file path to be confirmed from the repository by seat #1)	Exactly one trace event per completion. Gate: stage F8 test shows event with stage = F8, the decided stream and an eligibility reason.	TRC-009, TRC-006, TRC-002, TRC-003, TRC-0
TRC-023 ↑ promoted	🔴 P0	5	N	Add one captureTrace() call at each MECHA phase result and each fail-closed refusal,	ACC server handler for stage F9 (file path to be confirmed from the	Exactly one trace event per completion. Gate: stage F9 test shows event with stage =	TRC-009, TRC-006, TRC-002, TRC-

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Deper
				emitting stage F9.	repository by seat #1)	F9, the decided stream and an eligibility reason.	003, TRC-0
TRC-024 ↑ promoted	🔴 P0	5	N	Add one captureTrace() call at OSIRIS custody band change, emitting stage F9.5.	ACC server handler for stage F9.5 (file path to be confirmed from the repository by seat #1)	Exactly one trace event per completion. Gate: stage F9.5 test shows event with stage = F9.5, the decided stream and an eligibility reason.	TRC-009, TRC-006, TRC-002, TRC-003, TRC-0

INF — Telemetry Store & Pipeline Infrastructure (22 prompts)

CD-INF-T1 — Schema and tables

ID	Pri	Wave	Mode	Operation	Input	C
INF-001	🔴 P0	1	A	Create schema deck_telemetry through a Drizzle migration without modifying any existing ACC table.	ACC Drizzle migration history	M c e
INF-003	🔴 P0	2	A	Create table export_batches with status PENDING, PROCESSING, COMPLETE, FAILED, dataset version, record count, initiator and approver.	Deck §1.6	- s r
INF-005	🔴 P0	2	A	Create table de_spc_registry keyed by owner scope and domain with ma_count, ma_refs, emergence_threshold_met, compatibility_score and emergence_at.	Deck §1.6	- e c f

ID	Pri	Wave	Mode	Operation	Input	C
INF-006	🔴 P0	2	A	Create table telemetry_events partitioned by month on event_time with the trace_event contract columns plus processing_status and idempotency_key.	trc.contract	- c i r
INF-007 ↑ promoted	🔴 P0	2	A	Create table gro_rejections with record hash, rule fired, harm score, stream, decided_at and reviewer.	GOV design	- p t
INF-009	🔴 P0	2	A	Create table fm_taxonomy with code, name, family, description, preferred_pattern, rejected_pattern and source_status.	Deck DB-007	- s c
INF-010	🔴 P0	3	A	Create table corpus_records with the twenty corpus columns, stream_class, telemetry_event_id, export_batch_id, rejected_origin, consent_ref, exemplar_id and version_hash.	Deck §1.6 columns; §4.8	- p p a r (N
INF-011	🔴 P0	3	A	Seed the 27 FM codes (FM-01 to FM-08, FM-MA-01 to 03, FM-DE-01 to 03, FM-11 to FM-23) with names the Deck gives and source_status UNVERIFIED for patterns.	Deck text; TREE Resurrection Report not in the project	2 f e r (
INF-015	🔴 P0	4	A	Add a foreign key from corpus_records.ares_failure_mode to fm_taxonomy.code.	inf.fmseed	(a f
INF-016 ↑ promoted	🔴 P0	4	A	Add nullable jcse_score, jcse_scale_version and jcse_certification_label columns; leave the four Deck dimension columns out.	Reconciliation XR-05	N r e v

CD-INF-T2 — Outbox, workers and secrets

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends
INF-002	🔴 P0	1	A	Register the new secrets in the ACC secrets store: Kaggle credentials, mirror token, signing keys and the compression model key reference.	ACC secrets store	Entries exist. Gate: none appears in any repository file or client bundle.	—
INF-008	🔴 P0	2	A	Create a least-privilege database role for deck_telemetry used only by the API and workers.	inf.schema	Role created. Gate: the role cannot read tables outside deck_telemetry that it does not need.	INF-001
INF-012	🔴 P0	3	A	Create the transactional outbox table so a captured event and its queue entry commit together.	inf.events	Table created. Gate: a rolled-back capture leaves no outbox row.	INF-006
INF-017	🔴 P0	4	A	Implement the outbox worker: claim rows with SELECT FOR UPDATE SKIP LOCKED, dispatch by stream, mark done.	inf.outbox	Worker runs in the API process or a sibling job. Gate: two workers never process the same row.	INF-012, INF-004
INF-020	🟠 P1	5	A	Retry failed outbox rows with	inf.worker	Retry policy active. Gate: a row failing	INF-017

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends
				exponential backoff up to a configured maximum, then move them to the dead-letter table.		three times reaches the dead-letter table with its error.	
INF-022	🟠 P1	6	A	Create table dead_letters with original row, error, attempts and a replay action.	inf.retry	Table and replay function. Gate: replay of a fixed row reaches done and removes it.	INF-020

CD-INF-T3 — Configuration

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends
INF-004	🔴 P0	2	A	Create the configuration table for thresholds and model names: SPC and MA export floors, class bands, stream B weights, FM-23 window and count, compression model id, GP parameters.	Deck constants; §4.12	Table created and seeded. Gate: no threshold or model id is hard-coded in a worker.	INF-001
INF-018	🔵 P2	4	A	Create the corpus statistics view by	corpus_records	View returns per-stream	INF-010

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends
				stream: count, average JCSE where present, average compression ratio.		rows. Gate: runs against an empty table without error.	

CD-INF-T4 — Retention

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends
INF-013	🔵 P2	3	A	Add a retention rule that moves partitions older than the configured age to cold storage or drops raw event partitions.	inf.events; OD-CD-08	Job runs on a test partition. Gate: corpus_records are untouched.	INF-006, INF-004
INF-019 ↑ promoted	🔴 P0	5	A	Add a scheduled job runner for rollups and statistics refreshes every 15 minutes.	ANL rollups	Job registered. Gate: a failed run is logged and does not block the next run.	INF-017

CD-INF-T5 — Variant B (held)

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Deper
INF-014 HELD	⚪ P3	3	A	Convert telemetry_events to a TimescaleDB hypertable with a seven-day chunk and compression policy.	Variant B ruling (OD-CD-02)	Hypertable created.	INF-0(
INF-021 HELD	⚪ P3	5	A	Create Kafka topics kaggle-telemetry-raw and kaggle-corpus-ready and the client wrapper.	Variant B ruling (OD-CD-02)	Topics and client created.	INF-0

STR — Stream Processors A–D & DE-SPC (37 prompts)

CD-STR-T1 — Stream D: failure and governance telemetry

ID	Pri	Wave	Mode	Operation	Input	Output / Gate
STR-001	🔴 P0	4	A	Seed the governance-event-to-FM mapping table from configuration, with unmapped events stored as UNMAPPED.	Deck SP-004 list; OD-CD-04	Table seeded. Gat event types listed; change_saturation is UNMAPPED unt ruled; adoption dr maps per the rulin by default.

ID	Pri	Wave	Mode	Operation	Input	Output / Gate
STR-008	🔴 P0	6	A	Build the anonymised operational context for a governance event: owner as an opaque token, stage, trace id and governance module.	trace event	Context built. Gate name or email pre
STR-020 ↑ promoted	🔴 P0	7	A	Set the preferred output from the taxonomy preferred_pattern for the mapped FM code.	fm_taxonomy	Field set or HELD_NO_PATTEF Gate: a code with verified pattern yie no record.
STR-021 ↑ promoted	🔴 P0	7	A	Set the rejected output from the observed failure description of the event; template text only where labelled TEMPLATE.	governance event	Origin labelled.
STR-022 ↑ promoted	🔴 P0	7	A	Build the governance trace JSON: fm_code, stage, safety mode before and after, human validation fired, escalation triggered.	governance event	Trace JSON stored
STR-023 ↑ promoted	🔴 P0	7	A	Store a null JCSE for governance events and an explicit configured sample weight (default 0.84 in	OD-CD-04	Weight stored as configuration refer Gate: no fabricate score of 42 is writ

ID	Pri	Wave	Mode	Operation	Input	Output / Gate
				the notebook, to be ruled).		
STR-027	🔴 P0	8	A	Insert the Stream D corpus record; FM-23 is never assigned here.	assembled triplet	One record per idempotency key. FM-23 assignmen attempt from this processor is refus

CD-STR-T2 — Dispatch and triplet contract

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends
STR-002	🔴 P0	4	A	Compute the idempotency key as stream, source artifact id and version hash so a repeated event never makes a second record.	inf.events	Key function. Gate: the same event twice yields one row.	INF-010
STR-003	🔴 P0	4	A	Validate a triplet before insert: prompt_input and preferred are present, rejected_origin is set, and a template rejected output is labelled TEMPLATE.	inf.corpus	Validator merged. Gate: a template-built rejected output without the label is refused.	INF-010
STR-004	🔴 P0	5	A	Route each outbox event to its stream	inf.worker	Dispatch table.	INF-017

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends
				processor by the stream value.		Gate: an event with stream NONE is marked done without a corpus record.	
STR-030	🟠 P1	8	N	Hold an event whose consent is not yet decided in PENDING_CONSENT without storing any body.	cns.gate	Status handled. Gate: no body column is filled for a pending event.	STR-004, CNS-011

CD-STR-T3 — Stream A: SPC and PDD

ID	Pri	Wave	Mode	Operation	Input
STR-005	🔴 P0	6	A	Fetch the source artifact for a Stream A event by id and version hash.	artifact store; xmp.ref
STR-009	🔴 P0	7	A	Assign the SPC class (ULTRA SI, SI, AI) from the JCSE score using configured bands; skip below the configured export floor.	inf.cfg; JCSE score and label

ID	Pri	Wave	Mode	Operation	Input
STR-010 ↑ promoted	🔴 P0	7	A	Copy JCSE dimension scores from the artifact when present; otherwise leave them null.	artifact jcse record
STR-011 ↑ promoted	🔴 P0	7	A	Reconstruct the seven-pillar Context Craft input (System, Role, Instruction, Example, Constraint, Format, Data) from the artifact.	artifact fields
STR-012	🔴 P0	7	A	Take the saved artifact body as prompt_output_preferred.	artifact body
STR-013	🔴 P0	7	A	Use the artifact's recorded gauntlet-failed version as prompt_output_rejected with rejected_origin OBSERVED when one exists.	artifact field gauntlet_rejected_version

ID	Pri	Wave	Mode	Operation	Input
STR-024	🔴 P0	8	A	Insert the Stream A corpus record after the consent, GRO and class checks and set source_platform to the F5 or F6 value.	assembled triplet
STR-028	🟠 P1	8	A	Where no failed version exists, build the rejected output from the FM taxonomy template and set rejected_origin to TEMPLATE.	fm_taxonomy rejected_pattern

CD-STR-T4 — Stream B: CELL MA BIRTH PACKAGE

ID	Pri	Wave	Mode	Operation	Input	Output / Gate
STR-006	🔴 P0	6	A	Fetch the BIRTH PACKAGE for a Stream B event.	artifact store; xmp.ref	Package returned MISSIN(
STR-014	🔴 P0	7	A	Read the MA class (I to V) and tier from the package; both are required for a Stream B record.	BIRTH PACKAGE	Fields s Gate: a package without class or is refus

ID	Pri	Wave	Mode	Operation	Input	Output / Gate
STR-015	🔴 P0	7	A	Take the full BIRTH PACKAGE as prompt_output_preferred and the single-function intent as prompt_input.	BIRTH PACKAGE	Fields s Gate: th package one func (CELL L l).
STR-016	🔴 P0	7	A	Use the actual LYSOSOME-failed attempt as the rejected output when the result is FAILED; origin OBSERVED.	ARES LYSOSOME result	Field set Gate: ori = OBSERV
STR-017	🔴 P0	7	A	Compute the Stream B weight from the configured bands (0.6 for ≥35, 0.4 for 28–34, none below 28) and store weight and score separately.	inf.cfg; JCSE score	Weight stored. (below th floor no record is made; th stored s is never multiplie place.
STR-025 ↑ promoted	🔴 P0	8	A	Compute the composability score as the share of registry MAs with a compatible Interface Contract; omit it when fewer than five registry MAs exist.	de_spc_registry; Interface Contract v1.0	Score or null. Gat registry four retu null.
STR-029	🟠 P1	8	A	Otherwise generate a multi-function rejected output with FM-MA-01 and set origin TEMPLATE.	fm_taxonomy	Field set Gate: ori = TEMPLA code = F MA-01.
STR-031	🔴 P0	9	A	Insert the Stream B corpus record with ma_class, ma_tier, weight and the	assembled triplet	One rec per idempot key.

ID	Pri	Wave	Mode	Operation	Input	Output / Gate
				composability score in the trace JSON.		

CD-STR-T5 — Stream C: DE-SPC emergence

ID	Pri	Wave	Mode	Operation	Input	Output
STR-007	🔴 P0	6	A	Upsert the registry row for the owner scope and domain each time an MA of Class III, IV or V is stored.	xmp.registry (MA artifacts per vault and domain)	Registr update MA me only, indepe corpus consen Class I MAs ar but not counte
STR-018	🔴 P0	7	A	Score Interface Contract v1.0 compatibility for each registry MA against the others.	Interface Contract v1.0 fields	Compa score p Gate: input_s output_ side_ef and depenc all com
STR-019	🔴 P0	7	A	Count Class III and above MAs per owner scope and domain against the emergence threshold of 12.	de_spc_registry	Count Gate: 1 not trig procee compa check.

ID	Pri	Wave	Mode	Operation	Input	Output
STR-026	🔴 P0	8	A	Set emergence_threshold_met only when the count is at least 12 and compatibility is at least 80% across at least 8 of the 12; the flag never reverts.	str.c.count; str.c.compat	Flag se Gate: 1 at 70% compa leaves false.
STR-032	🔴 P0	9	A	Build the ecosystem snapshot (all MAs and their Interface Contracts at the emergence moment) as prompt_input.	registry MAs	Snapsh stored referen a hash. snapsh is stabl run.
STR-033 ↑ promoted	🔴 P0	9	A	Compute evolutionary velocity as ma_count divided by days since the registry row was created, with a minimum of one day.	de_spc_registry	Value s Gate: a created does n by zero
STR-034	🔵 P2	9	A	Raise FM-DE-03 when the threshold flag is set while compatibility falls below the configured manipulation limit.	inf.cfg; compat score	Alert ra Gate: th is configu the 80% rule an manipu limit ar recorde CD-09)
STR-035 ↑ promoted	🔴 P0	10	A	Link the DE-SPC specification built at F5 as the preferred output; mark the record PENDING_DE_SPC_BUILD when none exists yet.	F5 artifact	Link or status. pendin records null pre output never e
STR-036	🔵 P2	10	A	Record a premature-emergence attempt below the threshold as the	registry history	Field se origin l

ID	Pri	Wave	Mode	Operation	Input	Output
				rejected output with FM-DE-01 and origin OBSERVED or TEMPLATE.		
STR-037	🔴 P0	11	A	Insert the Stream C corpus record with class DE-SPC, ecosystem marker and the velocity and compatibility in the trace JSON.	assembled triplet	One rec registry emerge Gate: G consen pass be insert.

CNS — Consent, Rights & Privacy (11 prompts)

CD-CNS-T1 — Consent and rights

ID	Pri	Wave	Mode	Operation	Input	Output / Gate
CNS-001	🔴 P0	2	N	Create table corpus_consent with scope (ARTIFACT, VAULT, ORG), state (ON, OFF, WITHDRAWN), actor, timestamp and the wording version.	OD-CD-01	Table created. Gate: states limited to the three values.
CNS-002	🔴 P0	3	N	Set the default state to OFF for every scope; no corpus record body is stored until a scope is ON.	cns.model	Default enforced. Gate: a new artifact has no consent row and no body capture.
CNS-003	🔴 P0	3	A	Show the notice that data already published in an	OD-CD-01 wording	Notice displayed

ID	Pri	Wave	Mode	Operation	Input	Output / Gate
				earlier public dataset version cannot be recalled by this system.		before consent ON.
CNS-004 ↑ promoted	🔴 P0	3	N	Let an organization ADMIN set a vault policy of ALLOW, DENY or MEMBER_CHOICE for corpus use.	cns.model; OD-CD-01	Policy stored. Gate: DENY blocks a member's ON.
CNS-005	🟠 P1	3	N	Write an audit row for every consent change.	cns.model	Rows written.
CNS-006	🔵 P2	3	N	Store the dataset licence and rights declaration reference on each consented scope.	OD-CD-01	Fields stored. Gate: a missing licence blocks export.
CNS-007	🔴 P0	4	N	On withdrawal mark every record from that scope WITHDRAWN and exclude it from the next export.	cns.model; inf.corpus	Records flagged. Gate: next export file contains none.
CNS-008	🟠 P1	4	N	Build the consent toggle and organization policy screen.	cns.model; cns.org	Screen works. Gate: toggle ON shows the notice first.
CNS-009 ↑ promoted	🔴 P0	5	N	Delete the stored bodies of withdrawn records from the private corpus store, keeping a tombstone with hash and date.	cns.withdraw	Bodies deleted. Gate: tombstone remains; body is gone.

ID	Pri	Wave	Mode	Operation	Input	Output / Gate
CNS-010	🔴 P0	6	N	Exclude every artifact flagged confidential from corpus capture and export.	EXEMPLER confidential flag	Exclusion enforced. Gate: a confidential artifact with consent ON still yields no record.
CNS-011	🔴 P0	7	N	Check consent, organization policy and the confidential flag before any body is read for a corpus record.	cns.default; cns.org; cns.conf	Single gate function. Gate: any check failing returns NOT_ELIGIBLE with a reason.

GOV — GRO Corpus Gate & Failure Modes (9 prompts)

CD-GOV-T1 — Corpus ethics gate

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depend
GOV-001	🔴 P0	4	A	Raise FM-23 when five or more records from one owner share the same content hash within 24 hours.	inf.cfg; content hash	Alert and rejection row. Gate: exactly five identical plus one triggers; five do not.	INF-01(INF-00
GOV-002 ↑ promoted	🔴 P0	4	A	Detect prompt-injection and exfiltration markers in prompt_input as a screening heuristic.	OWASP LLM Top 10 markers list	Detector returns the rule fired. Gate: marker list lives in configuration.	INF-01(

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depend
GOV-003	🔴 P0	4	A	Detect email, phone and national-ID-like patterns in all three triplet fields with regular expressions.	triplet fields	Detector returns the rule fired. Gate: fixture set from QAL passes; patterns are labelled as heuristics.	INF-01(
GOV-004 ↑ promoted	🔴 P0	4	A	Flag URLs inside outputs for review; do not claim hallucination detection.	triplet fields	URLs flagged. Gate: flag text says "not verified".	INF-01(
GOV-005	🔴 P0	5	A	Combine rule results into a harm score 0 to 10 with bands: 0 clean, 1–2 monitored, above 2 blocked; bands in configuration.	gov.pii; gov.inj; gov.url	Score function. Gate: the Deck conflict (SP-004 says above 0 blocks) is resolved by the ruling XR-08.	GOV-003, GOV-002, GOV-004, INF-004
GOV-006	🔴 P0	6	A	Implement the gate function that runs inside the same database transaction as the corpus insert and rolls the insert back on a block.	GOV rules; inf.gror	Function merged. Gate: a block leaves no corpus row and one rejection row.	INF-01(INF-007 GOV-005

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depend
GOV-007 ↑ promoted	🔴 P0	6	A	Queue records in the monitored band for human review before export.	gov.score	Queue entry. Gate: monitored records are not exported until a reviewer decides.	GOV-005
GOV-008	🟠 P1	6	A	Write the gate trace text: rule fired, score, band; label it a rule-based record, not a Constitutional AI evaluation.	gov.score	Trace stored. Gate: label present.	GOV-005
GOV-009	🟠 P1	7	N	Write an audit row for every gate decision.	gov.gate	Rows written.	GOV-006

XMP — SPHINX EXEMPLER Integration (13 prompts)

CD-XMP-T1 — EXEMPLER integration

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Dep
XMP-001	🔴 P0	3	N	Map the EXEMPLER artifact class to a stream: MA to B, SPC to A, PDD to A, MVP PDD to A (off by default), MPDD to B.	OD-CD-05; Deck stream rules	Mapping table. Gate: unknown class returns UNMAPPED.	INF-
XMP-002	🔴 P0	3	N	Expose the intake endpoint that	EXEMPLER event stream	Endpoint returns 202 and writes a	INF-TRC

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Dep
				accepts EXEMPLER liv.events (store, certification, use, star, grade, standing, promotion).		trace event. Gate: an unknown event type is stored as UNKNOWN.	
XMP-003	🔴 P0	4	A	Carry exemplar_id and version_hash on every trace event and corpus record.	EXEMPLER event	Columns populated. Gate: a record without them is refused.	INF- XMP 002
XMP-004	🔴 P0	4	N	Verify the signature and idempotency key on each EXEMPLER event.	signing key reference	Verifier. Gate: a duplicate idempotency key is acknowledged without a second row.	XMP 002, INF-
XMP-005	🔵 P2	4	N	Trace EXEMPLER promotion outcomes (PROMOTED, REJECTED) as stage events without corpus capture.	EXEMPLER promotion events	Trace rows only. Gate: no record created.	XMP 002
XMP-006	🔴 P0	5	N	Read the artifact confidential flag and vault policy from	EXEMPLER vault read	Flag stored with the trace event.	XMP 003

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Dep
				EXEMPLER at capture time.			
XMP-007 ↑ promoted	🔴 P0	5	A	Derive the DE-SPC registry from EXEMPLER MA artifacts per vault and domain.	EXEMPLER MA artifacts	Registry rows by vault. Gate: archived MAs are removed from the count.	XMF 003, INF-
XMP-008 ↑ promoted	🔴 P0	5	N	Exclude artifacts in stage SUSPENDED or ARCHIVED from export.	EXEMPLER stage event	Exclusion enforced.	XMF 003, INF-
XMP-009 ↑ promoted	🔴 P0	5	N	Create a new corpus lineage entry for each new artifact version and mark the earlier record SUPERSEDED.	version change event	Lineage chain. Gate: only the current version is export-eligible.	XMF 003, INF-
XMP-010	🟠 P1	5	N	Store, per record, the state of JCSE, HIVE and MATHMON for that version at capture time, with each instrument named.	EXEMPLER certification records	Three states stored. Gate: no combined badge is made.	XMF 003
XMP-011	🟠 P1	5	N	Publish the corpus-consent state per scope to EXEMPLER	cns.model	State visible in EXEMPLER.	CNS 001, XMF 004

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Dep
				so its UI can show it.			
XMP-012 ↑ promoted	🔴 P0	20	A	Send a signed read-only corpus_ref back to EXEMPLER: record id, dataset version and state (INCLUDED, WITHDRAWN, EXCLUDED).	corpus state change	EXEMPLER shows the state. Gate: a failed send is retried and logged.	XMF 003, KGL
XMP-013	🔴 P0	21	N	Write the contract test pair for the EXEMPLER event shape and the corpus_ref reply.	both sides' schemas	Tests pass in both repositories.	XMF 012, XMF 002

ZPS — ZPOS Compression (7 prompts)

CD-ZPS-T1 — Compression

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	D
ZPS-001	🔴 P0	3	A	Move the ZPOS SYNTHESIS prompt and the compression model id into configuration.	Deck DB-007; inf.cfg	Config entries. Gate: the model id is not hard-coded (the Deck names a dated model).	IN
ZPS-003	🔴 P0	12	A	Compress prompt_input, preferred and	corpus record	Compressed text stored beside the	Z 0 S

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	D
				rejected with the SYNTHESIS method through the configured model.		original. Gate: the original is never overwritten.	0 S 0 S 0 S
ZPS-004 ↑ promoted	🔴 P0	13	A	Measure the compression ratio with the configured tokenizer and store the method name with the value.	zpos.count method	Ratio stored. Gate: the Deck figures (about 49% and 98.1%) are shown as targets, not as measured values.	Z
ZPS-005 ↑ promoted	🔴 P0	13	A	Sample compressed records for a preservation check and store the result; unsampled records carry UNMEASURED.	zps.synth	Sample result. Gate: the 95% preservation figure is only reported where sampled.	Z
ZPS-006	🔵 P2	13	N	Write each compression call to the ACC LLM cost ledger.	ACC cost ledger	Ledger row per call.	Z
ZPS-007 ↑ promoted	🔴 P0	14	A	Mark a record export-ready only when compression ran and, where sampled, preservation passed.	zps.measure; zps.preserve	Flag set. Gate: an uncompressed record can still export only if OD-CD-07 allows originals.	Z 0 Z

CD-ZPS-T2 — Variant (held)

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends
ZPS-002 HELD	⚪ P3	4	A	Add the NEXUS compression method for structured output.	Deck DB-007	Method available.	ZPS-001

ANL — Analytics, Rollups & Read APIs (16 prompts)

CD-ANL-T1 — Read endpoints

ID	Pri	Wave	Mode	Operation	Input	Output Gate
ANL-001	🔴 P0	5	N	Expose GET /deck/traces/:traceId returning the ordered stage events of one run.	trace events	Endpoi Gate: a unknow id retur 404; a cross- scope i returns 404.
ANL-008 ↑ promoted	🔴 P0	8	A	Expose GET /deck/analytics with views distribution, heatmap, gp, summary and stage.	anl.dist; anl.heat; anl.gp; anl.day; anl.stage	Endpoi with data_as in every respons Gate: a empty corpus returns empty arrays; gp view carries design- target label.

ID	Pri	Wave	Mode	Operation	Input	Output Gate
ANL-009 ↑ promoted	🟠 P1	9	A	Expose GET /deck/registry returning emergence progress per scope and domain.	de_spc_registry	Endpoi
ANL-010	🟠 P1	9	A	Expose GET /deck/records and GET /deck/records/:id (read only) with compression status; no update or delete route.	corpus_records	Endpoi Gate: a PUT or DELETE returns 405.
ANL-011	🔵 P2	9	A	Expose GET /deck/streams/A/records with filters.	corpus_records	Endpoi Gate: metada only unless caller r read bodies.
ANL-012	🔵 P2	9	A	Expose GET /deck/streams/B/records with class, tier and composability.	corpus_records	Endpoi
ANL-013	🔵 P2	9	A	Expose GET /deck/streams/D/events returning FM-classified governance events with stage context.	corpus_records; trace events	Endpoi
ANL-016	🔴 P0	16	A	Expose GET /deck/streams returning health, 24-hour counts and lag per stream.	anl.status; acs.scope	Endpoi cached second Gate: a user se only the own scope.

CD-ANL-T2 — Rollups

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	D
ANL-002	🔴 P0	5	A	Compute processing lag from the outbox (oldest unprocessed age and queue depth) per stream.	inf.outbox	Lag values. Gate: replaces the Deck Kafka-lag measure.	I
ANL-003	🔴 P0	6	A	Build the daily corpus rollup: records by stream and the five most frequent FM codes.	corpus_records	Daily table.	I I
ANL-004 ↑ promoted	🔴 P0	6	A	Build the JCSE histogram in five-point buckets per stream from records that carry a score.	corpus_records	Histogram view. Gate: Stream D records without a score are counted in a separate NO_SCORE bucket.	I I
ANL-005 ↑ promoted	🔴 P0	6	A	Build the FM code by day matrix for 30 days over all 27 codes.	corpus_records	Matrix view. Gate: empty codes return zero, not absent.	I I
ANL-006	🔴 P0	6	N	Build the daily per-stage rollup of trace events and eligibility	trace events	Rollup 14 rows per day. Gate: SILENT stages appear with zero.	T C I

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	D
				decisions for F0–F11.			
ANL-007 ↑ promoted	🔴 P0	7	A	Compute the GP(t) series from the configured design-target parameters (GP_max 0.30, lambda 0.08) and label every row "design target, pending Study C1".	inf.cfg; OD-CD-10	Series with label. Gate: the Deck uses both t and R(t)/1000 as the argument; the ruled one is stored in configuration.	A C I
ANL-014	🔴 P0	14	A	Build the hourly rollup of events per stream with average JCSE where present and average compression ratio.	telemetry_events	Rollup table refreshed by the job runner. Gate: dashboards never read raw events.	I I Z
ANL-015	🔴 P0	15	A	Derive stream status ACTIVE, DEGRADED or DOWN from the lag and last-event age using configured limits.	anl.lag; anl.hour	Status per stream. Gate: limits are configuration; Deck values (100 and 500 messages) are proposals only.	A C A

DSH — Command Deck Dashboard (26 prompts)

CD-DSH-T1 — Shell and layout

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends
DSH-001	🔴 P0	4	A	Add the /deck route group and sidebar to the Command Centre React app behind the staff guard.	ACC React routes	Routes render. Gate: unauthenticated and non-staff users are redirected.	ACS-001
DSH-002	🔵 P2	5	A	Add the Deck link to the Command Centre navigation for authorised staff only.	dsh.route	Link shown. Gate: hidden for other roles.	DSH-001
DSH-003	🔴 P0	17	A	Generate the typed Deck API client from the OpenAPI definition.	ACC OpenAPI and Zod pipeline (SCAN)	Client generated. Gate: typecheck passes.	ANL-016, ANL-008

CD-DSH-T2 — Records, registry, exports

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends
DSH-004 ↑ promoted	🔴 P0	18	A	Build the record detail modal with metadata	anl.api.rec; acs.rec	Modal. Gate: reveal writes an audit row.	DSH-001, DSH-003, ACS-005

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends
				first and bodies behind an explicit reveal.			
DSH-010	🟠 P1	18	N	Build the consent state panel: records by consent scope, pending and withdrawn counts.	cns.model	Panel.	DSH-001, DSH-003, CNS-005
DSH-013	🟠 P1	18	A	Build the DE-SPC registry panel with progress bars per domain.	anl.api.c	Panel. Gate: shows count against 12 and compatibility against 80%.	DSH-001, DSH-003, ANL-009
DSH-018	🔵 P2	19	A	Add filters by stream, date range, FM family, domain and F-stage.	analytics endpoints	Filters applied to all panels.	DSH-007, DSH-005, DSH-008, DSH-009

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends
DSH-025	🔵 P2	21	A	Build the export history panel with batch status and dataset versions.	kgl.batch	Panel.	DSH-001, DSH-003, KGL-012

CD-DSH-T3 — Charts

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends
DSH-005	🔴 P0	18	A	Build the JCSE distribution chart with threshold markers read from configuration.	anl.api.view (distribution)	Chart. Gate: thresholds come from configuration; NO_SCORE bucket shown.	DSH-001, DSH-003, ANL-004
DSH-006	🔴 P0	18	A	Build the GP(t) chart with the design-target disclaimer visible without scrolling.	anl.api.view (gp)	Chart. Gate: disclaimer present on every viewport; no guarantee wording.	DSH-001, DSH-003, ANL-007
DSH-008	🔴 P0	18	A	Build the FM heatmap: 27 codes grouped by family over 30 days with hotspot highlight and CSV export.	anl.api.view (heatmap)	Chart. Gate: any FM-23 event raises an alert marker.	DSH-001, DSH-003, ANL-005

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends
DSH-015	🔵 P2	18	A	Build the gate rejections panel with rules fired and FM-23 alerts.	inf.gror	Panel. Gate: no prompt body shown.	DSH-001, DSH-003, GOV-009
DSH-016	🔵 P2	18	A	Build the compression gauge per stream showing measured and UNMEASURED states.	anl.hour; zps.preserve	Gauge.	DSH-001, DSH-003, ZPS-004

CD-DSH-T4 — Overview

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends	T
DSH-007	🔴 P0	18	A	Build the four-stream health grid polled every 30 seconds.	anl.api.streams	Grid with status dot. Gate: a DOWN stream shows an offline state with retry.	DSH-001, DSH-003	3
DSH-009	🔴 P0	18	N	Build the F0–F11 stage board showing events, eligibility and SILENT flags per stage.	anl.api.view (stage)	Board renders 14 rows. Gate: a stage with no events shows SILENT.	DSH-001, DSH-003, ANL-006	4

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends	T
DSH-011	🟠 P1	18	A	Build the live feed of the latest 20 records using short polling or server-sent events.	anl.api.rec	Feed updates within the configured interval. Gate: bodies hidden until an explicit click.	DSH-001, DSH-003, ANL-010	4
DSH-012	🟠 P1	18	A	Build the hero stats bar: corpus size, records today, active streams, next export.	anl.api.view	Bar renders from the summary view.	DSH-001, DSH-003	3
DSH-014	🟠 P1	18	N	Build the trace viewer that lists the ordered stage events of one trace id.	anl.api.trace	Viewer. Gate: stage order follows F0 to F11.	DSH-001, DSH-003, ANL-001	3

CD-DSH-T5 — Polish

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends	Tok
DSH-017 ↑ promoted	🟠 P1	19	A	Run a WCAG 2.1 AA pass on all	dsh.* screens	Audit report with fixes.	DSH-007, DSH-005,	39

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends	Tok
				/deck routes: labels, keyboard navigation, 4.5:1 contrast.		Gate: zero critical findings.	DSH-008, DSH-006, DSH-004	
DSH-020	⚪ P3	19	A	Make the dashboard usable on a tablet with a two-column grid.	dsh.* layouts	Layout test at tablet width.	DSH-007, DSH-005, DSH-008, DSH-006	26
DSH-022	⚪ P3	19	A	Respect the ACC light and dark mode toggle in all /deck charts.	ACC theme	Both modes render.	DSH-005, DSH-008, DSH-006	23
DSH-026	⚪ P3	22	A	Add a five-step first-visit tour.	dsh.* screens	Tour shown once.	DSH-007, DSH-011, DSH-005, DSH-025	16

CD-DSH-T6 — Held

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends
DSH-019 HELD	⚪ P3	19	A	Add corpus milestone badges (100, 1,000,	Gamification	Badges.	DSH-012

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends
				10,000 records).			
DSH-021 HELD	⚪ P3	19	A	Generate a time-limited public share link for a dashboard view.	OD-CD-03	Link.	DSH-005
DSH-023 HELD	⚪ P3	19	A	Export dashboard charts for embedding in external reports.	OD-CD-03	Export.	DSH-005
DSH-024 HELD	⚪ P3	19	A	Add a read-only corpus statistics card to the Command Centre sidebar for a lower plan.	OD-CD-03	Card shown.	DSH-012

KGL — Corpus Export, Kaggle & Mirror Pipeline (25 prompts)

CD-KGL-T1 — Dataset schema and selection

ID	Pri	Wave	Mode	Operation	Input	Ou
KGL-001	🔴 P0	4	A	Define the export schema: the original 20 columns plus stream_class, de_spc_evolutionary_velocity, interface_composability_score, tree_phase, atanda_step and corpus_version (26).	Deck KG-001	Sc Ga ori co un an

ID	Pri	Wave	Mode	Operation	Input	Ou
KGL-002 ↑ promoted	🔴 P0	5	A	Generate dataset-metadata.json with version, description and tags.	dataset settings	Fil tag tak co
KGL-003	🟠 P1	5	A	Generate the dataset README: stream definitions, FM taxonomy, column dictionary, the rejected_origin note and the consent and withdrawal notice.	schema; cns.notice	RE Ga tha TE rej ou no fai
KGL-004	🟠 P1	5	A	Add f_stage and exemplar_ref (hashed) columns as extension columns after the 26.	trc.contract; xmp.ref	Co ad en ba co wit co rea
KGL-005	🔴 P0	15	A	Select export-eligible records: consent ON, not confidential, not withdrawn, not superseded, GRO clean or approved, compression ready, thresholds met.	corpus_records	Se qu ea ex rea tes
KGL-006	🔴 P0	16	A	Write the CSV with correct quoting for multi-line fields.	selected records	Fil rou im re- giv em

CD-KGL-T2 — Held

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends
KGL-007 HELD	⚪ P3	16	A	Open a portal for external practitioners to submit SPCs for corpus inclusion.	OD-CD-01	Portal.	KGL-005
KGL-016 HELD	⚪ P3	20	A	Provide a private dataset fork for an institution.	OD-CD-03	Private dataset.	KGL-011
KGL-017 HELD	⚪ P3	20	A	Push every 50 records to Kaggle automatically.	OD-CD-03	Push.	KGL-011
KGL-022 HELD	⚪ P3	22	A	Draft a four-page abstract of the research series using the corpus as data.	research text	Draft.	KGL-020

CD-KGL-T3 — Publish control

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Dep
KGL-008	🔴 P0	17	N	Produce an export dry run: counts by stream, exclusions by reason and a sample with bodies redacted.	kgl.select	Report. Gate: no upload occurs.	KGL-006, KGL-

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Dep
KGL-009	🔴 P0	18	N	Require a named human approval of the dry run before any upload.	kgl.dry	Approval record. Gate: upload refuses without it.	KGL-
KGL-010	🔵 P2	18	A	Schedule the weekly export as a dry run that waits for approval.	job runner	Weekly job. Gate: never uploads without kgl.sign.	KGL- 008, INF-
KGL-011	🔴 P0	19	A	Upload the CSV as a new Kaggle dataset version using the credentials held by the export worker only.	Kaggle API (verify the current endpoint before build)	Version published. Gate: respects the configured rate limit; the Deck endpoint form is [UNVERIFIED].	KGL- 009, INF-
KGL-012	🔴 P0	20	A	Record the batch row with status, record count, dataset version and approver, and stamp export_batch_id on the exported records.	export_batches	Row written in the same transaction as the stamp.	KGL- 011, INF-
KGL-013	🔴 P0	20	N	Publish a new dataset version excluding withdrawn records and state in its notes that earlier versions remain public.	cns.withdraw	Version notes. Gate: matches the notice wording.	KGL- 011, CNS 007, CNS

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Dep
KGL-018	🟠 P1	21	A	Expose POST /deck/export for an authorised staff user and GET to list batches.	kgl.batch	Endpoint.	KGL-012, ACS 001, ACS
KGL-020	🟠 P1	21	A	Keep a registry of dataset versions with Kaggle URL and a rollback note.	export_batches	Registry. Gate: rollback means a new version, never a delete.	KGL-

CD-KGL-T4 — Mirror and research

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends	T
KGL-014	🔵 P2	20	A	Update the flywheel notebook with the four-stream analysis section, reproducible from the public dataset only.	dataset v2.0	Notebook runs Restart & Run All. Gate: GP chart carries the design-target label.	KGL-011, ANL-007	5
KGL-015	⚪ P3	20	A	Design the Stream D augmentation experiment with three configurations; label HOLMES figures as priors.	dataset v2.0	Notebook. Gate: no result claimed before it is run.	KGL-011, STR-023	4

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends	T
KGL-019	🟠 P1	21	A	Record lineage from exemplar_id and version hash to corpus_record to dataset row.	xmp.ref; kgl.batch	Lineage queryable both ways.	XMP-003, KGL-012	3
KGL-021	🔵 P2	21	A	Mirror each approved dataset version to the configured dataset hub.	kgl.upload	Mirror matches the Kaggle version hash.	KGL-012	2
KGL-023	⚪ P3	22	A	Generate BibTeX and APA citations for the dataset.	dataset version	Citation text.	KGL-020	2
KGL-024	⚪ P3	22	A	Generate the weekly corpus quality report.	analytics views	Report file.	ANL-008, KGL-020	1
KGL-025	⚪ P3	22	A	Track study results and leaderboard positions in a table.	study notes	Table. Gate: only measured results.	KGL-020	2

ACS — Access & Entitlements (5 prompts)

CD-ACS-T1 — Access and entitlements

ID	Pri	Wave	Mode	Operation	Input	Output / Gate
ACS-001	🔴 P0	3	A	Add a /deck route guard that admits only authenticated staff with the	ACC Clerk session; role config	Guard merged. Gate: ar authenticated non-staff user receives 403 on every /deck route.

ID	Pri	Wave	Mode	Operation	Input	Output / Gate
				configured Deck role.		
ACS-002	🔴 P0	4	A	Scope every read query by owner or organization from the session so a user can read only records in a scope they belong to.	Session scope; corpus tables	Scope helper merged. Gate: a cross-scope rea returns zero rows.
ACS-003	🟠 P1	4	A	Read feature entitlements for the Deck from a configuration table; an unknown plan grants nothing.	OD-CD-03; EXEMPLER entitlement pattern	requireEntitlement(decl works. Gate: with an empty table every non-staff request is denied.
ACS-004 ↑ promoted	🔴 P0	5	A	Restrict record bodies (prompt_input, preferred, rejected) to the record owner or an authorised reviewer; others get metadata only.	acs.scope	Rule enforced in the dat layer. Gate: a non-owne sees metadata only.
ACS-005 ↑ promoted	🔴 P0	6	A	Write an audit event for every body read and every export action.	acs.rec	Audit rows written. Gat a body read without an audit row fails the test.

SEC — Security Controls (7 prompts)

CD-SEC-T1 — Security controls

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	De
SEC-001	🔴 P0	3	A	Verify the telemetry tables are unreachable from any role other than the Deck role.	inf.role	Access test passes. Gate: a query from the general application role fails.	INI
SEC-002 ↑ promoted	🔴 P0	4	A	Rate-limit the intake endpoint and the export trigger per caller.	API gateway	Limits configured. Gate: the limit-plus-one request returns 429.	XM 00
SEC-003	🔴 P0	5	A	Run a PII scan over stored corpus_records and report any match.	corpus_records	Scan returns zero matches on the gate fixture set. Gate: a seeded fake pattern is found.	GC 00 INI
SEC-004	🔴 P0	5	A	Verify the signature and timestamp of every EXEMPLER event at the intake endpoint.	xmp.sig	Unsigned or stale events are rejected. Gate: a replayed event older than the window is refused.	XM 00

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	De
SEC-005 ↑ promoted	🔴 P0	19	A	Escape every stored prompt body before it is rendered in the dashboard.	dsh.detail	Renderer merged. Gate: a body containing script markup shows as text.	DS
SEC-006	🔴 P0	20	A	Restrict the Kaggle and mirror credentials to the export worker process only.	inf.secrets	Only the export worker reads them. Gate: a repository and build-output search for the key names finds no value.	INI KG
SEC-007	🔴 P0	21	A	Run the Deck security review and record findings by severity; every CRITICAL or HIGH finding blocks launch.	sec.* results	Review report. Gate: zero open CRITICAL or HIGH.	SE 00 SE 00 SE 00 SE 00 SE 00 SE 00 AC

QAL — Quality & Verification (16 prompts)

CD-QAL-T1 — Per-stream and pipeline tests

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depe
QAL-001	🔴 P0	6	N	Run the coverage test: each of the 14 hooks emits exactly one event with the right stage.	trc.hook*	Pass report. Gate: 14 of 14.	TRC-011, TRC-012, TRC-013, TRC-016, TRC-017, TRC-018, TRC-019, TRC-020, TRC-021, TRC-022, TRC-023, TRC-024, TRC-014, TRC-
QAL-002	🔴 P0	6	A	Prove that a failed capture never changes a stage response and adds no more than the configured latency.	trc.nonblock	Pass report.	TRC-011, TRC-019, TRC-
QAL-003	🔴 P0	7	A	Run the gate tests: fake email blocked, FM-	gov.gate	Pass report.	GOV-006, GOV-001,

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depe
				23 on exactly five plus one, monitored band queued.			GOV-007, SEC-
QAL-004	🟠 P1	7	A	Test retry and dead-letter replay.	inf.dlq	Pass report.	INF-(
QAL-005	🔴 P0	9	N	Prove that with consent OFF no body is stored and with ON and confidential no record is created.	cns.gate	Pass report.	CNS-011, STR-
QAL-006	🔴 P0	9	A	Run the Stream D test: simulate a governance event and confirm mapping, pattern and trace.	str.d.insert	Pass report.	STR-027, TRC-
QAL-007	🔴 P0	10	A	Run the Stream B test: BIRTH PACKAGE to record with class, tier and weight.	trc.hook3; str.b.insert	Pass report.	TRC-017, STR-
QAL-008	🔴 P0	12	A	Run the Stream C test: seed twelve Class III MAs and confirm the flag only after	str.c.insert	Pass report.	STR-

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depe
				compatibility passes.			
QAL-009	🔴 P0	13	A	Run the Stream A test: F5 save to event, outbox, record, class, rejected origin and compression.	trc.hook5; str.a.insert	Pass report.	TRC-019, STR-024, ZPS-
QAL-010 ↑ promoted	🔴 P0	17	A	Test export integrity: 26 columns, multi-line fields and an empty round-trip diff.	kgl.csv	Pass report.	KGL-
QAL-011	🟠 P1	17	A	Test that rollup reads return within 200 ms at 100,000 records on the target database.	anl.* views	Timings logged. Gate: measured, not assumed.	ANL-008, ANL-
QAL-012	🔵 P2	19	A	Measure the delay from record insert to feed display.	dsh.feed	Measured value logged; target 2 seconds is a proposal.	DSH-

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depe
QAL-013	🟠 P1	20	A	Run Lighthouse on /deck and record performance, accessibility and best-practice scores.	dsh.*	Scores logged; Deck target ≥85 performance is a proposal.	DSH-007, DSH-005, DSH-008, DSH-006, DSH-
QAL-014	🔴 P0	21	N	Prove that withdrawal removes records from the next export and bodies from the private store.	cns.erase; kgl.wd	Pass report.	CNS-009, KGL-
QAL-015 ↑ promoted	🔴 P0	22	N	Run the EXEMPLER contract test with a replayed, a duplicate and a bad-signature event.	xmp.contract	Pass report.	XMP-013, SEC-
QAL-016	🔴 P0	23	A	Run all scenarios on a staging copy and refuse launch unless every one passes.	qal.*	Consolidated report. Gate: no open failure.	QAL-009, QAL-007, QAL-008, QAL-006, QAL-003, QAL-001, QAL-002,

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depe
							QAL-005, QAL-014, QAL-015, QAL-

LCH — Launch Readiness & SCAN Evidence (12 prompts)

CD-LCH-T1 — Launch and evidence

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends
LCH-001	🟠 P1	5	N	Define the rollback: disable capture hooks by configuration and stop workers; stage handlers stay unchanged.	trc.map	Switch tested.	TRC-006, INF-017
LCH-002	🟠 P1	16	A	Add alerts through pino and Sentry for stream DOWN, lag, gate rejection spike and export failure.	anl.status	Alerts fire in staging.	ANL-015, GOV-009
LCH-003	🔵 P2	19	A	Prepare a five-minute internal demo using synthetic records only.	dashboard	Script.	DSH-007, DSH-011, DSH-005

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends
LCH-004	🟠 P1	22	N	Write the operations runbook: worker restart, dead-letter replay, export rollback, consent withdrawal.	runbooks	Runbook.	INF-022, KGL-020, CNS-007
LCH-007	🔴 P0	24	A	Run the launch checklist: workers running, schema migrated, secrets set, consent default OFF, gate active, export dry run approved.	all prior gates	Checklist signed by seat #3. Gate: every item has evidence.	QAL-016, SEC-007, KGL-008
LCH-008	🔴 P0	25	A	Request an ATLAS 360 SCAN refresh of the ACC with the Deck added and record the evidence labels.	SCAN method	Refreshed SCAN with Verified, Implemented, Reference baseline and Open evidence labels.	LCH-007
LCH-009	🔵 P2	25	A	Run an internal staff pilot with consent ON for staff-owned test artifacts.	launch gates	Pilot notes.	LCH-007

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends
LCH-010	🔵 P2	26	A	Submit the Deck for HIVE Pre-Check and record the result; no tier is claimed before the result exists.	Pre-Check	Result recorded.	LCH-008
LCH-012	⚪ P3	27	A	Add a re-verification date to the schedule for the Deck evidence.	schedule	Entry added.	LCH-010

CD-LCH-T2 — Held

ID	Pri	Wave	Mode	Operation	Input	Output / Gate	Depends
LCH-005 HELD	⚪ P3	22	A	Publish a launch announcement.	dataset published	Post.	KGL-02(
LCH-006 HELD	⚪ P3	22	A	Send outreach to academic groups with the dataset link.	dataset published	Emails.	KGL-02(
LCH-011 HELD	⚪ P3	26	A	Recruit external Architect-tier beta testers.	OD-CD-03	Cohort.	LCH-00(

5.7 Deck-to-MAX ledger (all 71 listed Deck prompts, plus the 25 not listed)

Every Deck prompt the Deck text lists is shown with its disposition. ADAPTED: one Command Deck MAX prompt, rewritten. SPLIT: several atomic prompts. HELD: specified, not scheduled. DROPPED: none. Counts: ADAPTED 33, HELD 9, SPLIT 29; total 71.

Deck ID	Deck title	Disposition	CD prompts	What changed
DECK-DB-001	TimescaleDB + deck_telemetry schema	SPLIT	ACS-001, ACS-002, INF-001, INF-003, INF-005, INF-006, INF-008, INF-010, INF-014	Schema and four tables carried; hypertable, RLS and the tier view are replaced (XR-01, XR-02)
DECK-DB-002	Corpus records schema + JCSE columns + FM taxonomy	SPLIT	INF-010, INF-015, INF-016, INF-018, KGL-001, STR-003, ZPS-004	Columns carried; four dimension columns and the sum trigger not created (XR-05)
DECK-DB-003	Upstash Kafka topics + Vault secrets	SPLIT	INF-002, INF-012, INF-021	Kafka and Vault replaced by the outbox and the ACC secrets store; Kafka held
DECK-DB-004	Stream processor Edge Functions (7)	SPLIT	INF-004, INF-017, KGL-010, STR-002, STR-004, STR-017, ZPS-003	Seven Edge Functions become a worker with dispatch, four processors, compression, export and registry modules
DECK-DB-005	Telemetry event capture hook	SPLIT	ACS-003, INF-006, INF-012, QAL-002, TRC-001, TRC-003, TRC-006, TRC-009, TRC-010, TRC-017, TRC-018, TRC-019, TRC-020	Hook extended to all 14 stages; tier gate replaced by consent and entitlement
DECK-DB-006	DE-SPC registry monitor	SPLIT	STR-007, STR-018, STR-019,	Registry derived from EXEMPLER MA metadata; flag

Deck ID	Deck title	Disposition	CD prompts	What changed
			STR-026, STR-033, XMP-007	after compatibility (XR-10)
DECK-DB-007	ZPOS Vault constants + FM taxonomy tables	SPLIT	INF-002, INF-009, INF-011, ZPS-001, ZPS-002, ZPS-005	Vault constants become configuration; FM patterns stay empty until verified (XR-09)
DECK-DB-008	GRO corpus ethics gate	SPLIT	GOV-001, GOV-002, GOV-003, GOV-004, GOV-005, GOV-006, GOV-007, GOV-008, INF-007	Gate kept as rule-based heuristic; banded rule resolved (XR-08)
DECK-DB-009	Aggregate analytics views	SPLIT	ANL-003, ANL-004, ANL-005, ANL-007, ANL-014, INF-019	Continuous aggregates become rollup tables; GP labelled design target
DECK-DB-010	/deck route group + tier middleware	SPLIT	ACS-001, ACS-003, DSH-001, DSH-002, DSH-003	Route group inside the Command Centre; staff guard
DECK-DB-011	TimescaleDB compression policy	SPLIT	INF-013, INF-014	Retention rule; Timescale compression held
DECK-DB-012	Corpus export versioning	SPLIT	KGL-012, KGL-020	Version registry
DECK-DB-013	Kafka dead letter queue	SPLIT	INF-020, INF-022	Dead-letter table and replay
DECK-SP-001	Stream A processor	SPLIT	INF-004, STR-003, STR-005,	Split into atomic steps; template

Deck ID	Deck title	Disposition	CD prompts	What changed
			STR-009, STR-010, STR-011, STR-012, STR-013, STR-024, STR-028	rejects labelled
DECK-SP-002	Stream B processor	SPLIT	INF-004, STR-006, STR-014, STR-015, STR-016, STR-017, STR-025, STR-029, STR-031	Split into atomic steps; weight stored separately
DECK-SP-003	Stream C processor	SPLIT	STR-007, STR-026, STR-032, STR-033, STR-034, STR-035, STR-036, STR-037	Split into atomic steps; flag after compatibility
DECK-SP-004	Stream D processor	SPLIT	GOV-005, STR-001, STR-008, STR-020, STR-021, STR-022, STR-023, STR-027	Split into atomic steps; no fabricated score
DECK-API-001	Stream health API	SPLIT	ACS-002, ANL-002, ANL-015, ANL-016	Outbox lag replaces Kafka lag
DECK-API-002	Corpus analytics API	SPLIT	ANL-007, ANL-008	Single analytics endpoint, five views
DECK-API-003	Kaggle export API	SPLIT	KGL-005, KGL-006, KGL-011,	Dry run and named approval added before upload

Deck ID	Deck title	Disposition	CD prompts	What changed
			KGL-012, KGL-017, KGL-018, SEC-006, ZPS-007	
DECK-API-004	Stream A API proxy	ADAPTED	ANL-011	Per-stream detail endpoint
DECK-API-005	Stream B API proxy	ADAPTED	ANL-012	Per-stream detail endpoint
DECK-API-006	Stream C registry status	ADAPTED	ANL-009	Registry endpoint
DECK-API-007	Stream D governance event log	ADAPTED	ANL-013	Governance event endpoint
DECK-API-008	Corpus record CRUD	ADAPTED	ANL-010	Read only; withdrawal is the only removal path
DECK-UI-001	Dashboard layout + stream health grid	SPLIT	DSH-001, DSH-007, DSH-011, DSH-012	Split into route, hero, health and feed
DECK-UI-002	JCSE distribution chart	ADAPTED	DSH-005	Thresholds read from configuration
DECK-UI-003	FM heatmap	ADAPTED	DSH-008	FM-23 alert kept
DECK-UI-004	GP(t) trajectory chart	ADAPTED	DSH-006	Disclaimer kept
DECK-UI-005	Live corpus feed	ADAPTED	DSH-011	Polling or SSE; bodies hidden
DECK-UI-006	DE-SPC registry visualization	ADAPTED	DSH-013	Registry panel
DECK-UI-007	Export history panel	ADAPTED	DSH-025	Export panel

Deck ID	Deck title	Disposition	CD prompts	What changed
DECK-UI-008	Record detail modal	SPLIT	ACS-004, DSH-004	Reveal is audited
DECK-UI-009	Stream filter controls	ADAPTED	DSH-018	F-stage filter added
DECK-UI-010	ZPOS compression gauge	ADAPTED	DSH-016	UNMEASURED state added
DECK-UI-011	GRO rejections panel	ADAPTED	DSH-015	No bodies
DECK-UI-012	Practitioner corpus widget	HELD	DSH-024	Held: tiers deferred
DECK-UI-013	Mobile-responsive dashboard	ADAPTED	DSH-020	Tablet layout
DECK-UI-014	White-label dashboard export	HELD	DSH-023	Held: tiers deferred
DECK-UI-015	Corpus achievement badges	HELD	DSH-019	Held: virality kept apart from value
DECK-UI-016	Accessibility pass	ADAPTED	DSH-017	Accessibility pass
DECK-UI-017	Dark/light mode	ADAPTED	DSH-022	Theme
DECK-UI-018	Share dashboard (public link)	HELD	DSH-021	Held: public link conflicts with private default
DECK-UI-019	Onboarding tour	ADAPTED	DSH-026	Tour
DECK-KG-001	Kaggle schema upgrade (26 columns)	SPLIT	CNS-003, KGL-001, KGL-002, KGL-003, KGL-004	Schema, metadata and README split; consent notice added

Deck ID	Deck title	Disposition	CD prompts	What changed
DECK-KG-002	Flywheel notebook update	ADAPTED	KGL-014	Notebook update
DECK-KG-003	Stream D competition notebook	SPLIT	KGL-015, STR-023	Experiment designed, no result claimed
DECK-KG-004	HuggingFace mirror	ADAPTED	KGL-021	Mirror after approval
DECK-KG-005	Citation generator	ADAPTED	KGL-023	Citation text
DECK-KG-006	Study results tracker	ADAPTED	KGL-025	Results table (measured only)
DECK-KG-007	Private corpus library	HELD	KGL-016	Held: tiers deferred
DECK-KG-008	arXiv abstract generator	HELD	KGL-022	Held: wait for results
DECK-KG-009	Corpus provenance tracker	SPLIT	KGL-019, XMP-003, XMP-012	Lineage extended to exemplar_id
DECK-KG-010	Corpus quality report	ADAPTED	KGL-024	Weekly report
DECK-KG-011	Community contribution portal	HELD	KGL-007	Held: third-party rights
DECK-QA-001	E2E 4-stream pipeline test	SPLIT	QAL-003, QAL-006, QAL-007, QAL-008, QAL-009, QAL-010, QAL-016	Split into per-stream and gate tests
DECK-QA-002	Timescale performance test	ADAPTED	QAL-011	Measured on the target database
DECK-QA-003	DLQ validation	ADAPTED	QAL-004	Dead-letter test

Deck ID	Deck title	Disposition	CD prompts	What changed
DECK-QA-004	Dashboard Lighthouse	ADAPTED	QAL-013	Lighthouse recorded
DECK-QA-005	Export integrity	ADAPTED	QAL-010	Export round trip
DECK-QA-006	Realtime latency	ADAPTED	QAL-012	Feed delay measured
DECK-SEC-001	Security audit	SPLIT	ACS-005, QAL-003, SEC-001, SEC-002, SEC-003, SEC-004, SEC-005, SEC-006, SEC-007	Split into separate checks plus a review
DECK-LAUNCH-001	Launch checklist	ADAPTED	LCH-007	Checklist gated on tests and security
DECK-LAUNCH-002	FORGE certification update	SPLIT	LCH-008, LCH-010	Becomes a SCAN refresh; no certification claim (XR-15)
DECK-LAUNCH-003	Investor demo path	ADAPTED	LCH-003	Synthetic data only
DECK-LAUNCH-004	Monitoring extension	ADAPTED	LCH-002	pino and Sentry
DECK-LAUNCH-005	HIVE MATRIX LABS re-certification	ADAPTED	LCH-010	Becomes a Pre-Check request
DECK-LAUNCH-006	Academic outreach	HELD	LCH-006	Held
DECK-LAUNCH-	Beta cohort	SPLIT	LCH-009, LCH-011	Staff pilot; outside beta held

Deck ID	Deck title	Disposition	CD prompts	What changed
007				
DECK-LAUNCH-008	LinkedIn announcement	HELD	LCH-005	Held
DECK-LAUNCH-009	ANT QUEEN cron extension	ADAPTED	LCH-012	Re-verification schedule entry

Prompts the Deck counts but does not list (25)

Group	Deck states	Listed in text	Not listed	Handling
DB (Phase 1)	22	13 (DB-001 to 013)	9 (DB-014 to 022)	Flagged; not invented
SP + API (Phase 2)	20	12 (SP-001 to 004, API-001 to 008)	8	Flagged; not invented
UI (Phase 3)	24	19 (UI-001 to 019)	5 (UI-020 to 024)	Flagged; not invented
KG (Phase 4)	14	11 (KG-001 to 011)	3 (KG-012 to 014)	Flagged; not invented
QA + SEC + LAUNCH (Phase 5)	16	16	0	Complete
Total	96	71	25	OD-CD-13

> **Gap.** The Deck's own phase sub-counts add to 96, and its priority split (28 + 38 + 22 + 8) also adds to 96, but its text carries only the 71 above. The numbering of the missing prompts (for example DB-014 to DB-022) is inferred from the stated totals and is [UNVERIFIED].

5.8 VARIANT_SET: held prompts

ID	Status	Operation	Why held	Re-entry condition	Deck
DSH-019	HELD	Add corpus milestone badges (100, 1,000, 10,000 records).	Virality and value stay separate; not before the recognition rules are ruled.	Recognition rules ruled and virality kept apart from value	UI-015
DSH-021	HELD	Generate a time-limited public share link for a dashboard view.	A public link conflicts with the staff-only, private default.	OD-CD-03 and a private-link design	UI-018
DSH-023	HELD	Export dashboard charts for embedding in external reports.	Institution-tier feature; held with tiers.	OD-CD-03 defines tiers	UI-014
DSH-024	HELD	Add a read-only corpus statistics card to the Command Centre sidebar for a lower plan.	Needs the tier decision; the Deck tiers are deferred.	OD-CD-03 defines tiers	UI-012
INF-014	HELD	Convert telemetry_events to a TimescaleDB hypertable with a seven-day chunk and compression policy.	Deck stack; ACC runs standard Postgres per SCAN. Needs a separate decision to change database.	OD-CD-02 selects Variant B	DB-001, DB-011
INF-021	HELD	Create Kafka topics kaggle-telemetry-raw and kaggle-corpus-ready and the client wrapper.	Replaced by the outbox. Re-enters only if volume or fan-out demands a broker.	OD-CD-02 selects Variant B	DB-003

ID	Status	Operation	Why held	Re-entry condition	Deck
KGL-007	HELD	Open a portal for external practitioners to submit SPCs for corpus inclusion.	Needs rights, IP and consent rules for third-party content.	OD-CD-01 covers third-party content	KG-011
KGL-016	HELD	Provide a private dataset fork for an institution.	Institution tier deferred.	OD-CD-03	KG-007
KGL-017	HELD	Push every 50 records to Kaggle automatically.	Conflicts with the human sign-off step.	OD-CD-03 and a ruling that replaces the human sign-off	API-003
KGL-022	HELD	Draft a four-page abstract of the research series using the corpus as data.	Outward-facing claim; wait for measured results.	Measured results exist and OD-CD-01 is ruled	KG-008
LCH-005	HELD	Publish a launch announcement.	Outward-facing; no claim before evidence.	Approved dataset version and SCAN evidence	LAUNCH-008
LCH-006	HELD	Send outreach to academic groups with the dataset link.	Outward-facing; wait for a measured dataset and ruled consent wording.	Approved dataset version and ruled wording	LAUNCH-006
LCH-011	HELD	Recruit external Architect-tier beta testers.	Tiers deferred; staff pilot only.	OD-CD-03	LAUNCH-007

ID	Status	Operation	Why held	Re-entry condition	Deck
ZPS-002	HELD	Add the NEXUS compression method for structured output.	Not used by any stream in the Deck pipeline.	A stream needs structured-output compression	DB-007

5.9 External prerequisites (not rows in the graph)

These are inputs the build needs from outside this PDD. Each is cited in the row's Input cell. None is in the sources read, or it belongs to another PDD.

CD prompt	External prerequisite
ACS-001	ACC baseline: Postgres database, Express API and Clerk session (SCAN)
ACS-003	EX-IAM-025 (iam.tier) and EX-IAM-022 (x.iam.entitle)
ACS-005	EX-SEC-025 (x.sec.readlog) pattern
CNS-004	EX-IAM-004 (x.iam.bundle) VAULT policy bundle
CNS-006	EX-PRM-004 (x.prm.consent) rights pattern
CNS-010	EX-SEC-011 (x.sec.conf)
DSH-001	ACC: React/Vite route structure (SCAN)
DSH-003	ACC: OpenAPI client and Zod (SCAN)
GOV-007	EX-INT-006 (int.amber) review task pattern
INF-001	ACC baseline: Postgres database, Express API and Clerk session (SCAN)
INF-002	ACC: secrets store (Replit secrets per SCAN hosting; to confirm)

CD prompt	External prerequisite
KGL-009	EX-PRM-009 (x.prm.orgapprove) pattern
STR-005	ACC: artifact store (Harness artifacts table; name not in sources)
STR-006	ACC: artifact store
STR-018	CELL SI SPC: Interface Contract v1.0 (project doc to confirm)
TRC-001	ACC baseline: Postgres database, Express API and Clerk session (SCAN)
TRC-010	ACC: governance layer event source (SCAN lists monitoring and gates; exact names to confirm)
TRC-011	ACC: the stage handler (not in the sources read)
TRC-012	ACC: the stage handler (not in the sources read)
TRC-013	ACC: the stage handler (not in the sources read)
TRC-014	ACC: the stage handler (not in the sources read)
TRC-015	ACC: the stage handler (not in the sources read)
TRC-016	ACC: the stage handler (not in the sources read)
TRC-017	ACC: the stage handler (not in the sources read)
TRC-018	ACC: the stage handler (not in the sources read)
TRC-019	ACC: the stage handler (not in the sources read)
TRC-020	ACC: the stage handler (not in the sources read)
TRC-021	ACC: the stage handler (not in the sources read)

CD prompt	External prerequisite
TRC-022	ACC: the stage handler (not in the sources read)
TRC-023	ACC: the stage handler (not in the sources read)
TRC-024	ACC: the stage handler (not in the sources read)
XMP-001	EX-WHS-003 (x.whs.classes)
XMP-002	EX-LIV-003 (liv.events)
XMP-003	EX-WHS-006 (x.whs.exid); EX-DAT-006 (dat.versions)
XMP-004	EX-WHS-004 (stu.ingestverify) pattern
XMP-005	EX-PRM-016 (x.prm.status)
XMP-006	EX-SEC-011 (x.sec.conf)
XMP-008	EX-INT-004 (int.suspend); EX-WHS-008 (x.whs.archive)
XMP-009	EX-WHS-011 (x.whs.version)
XMP-010	EX-CRT-009 (x.crt.instr)
XMP-012	EX-PRM-018 (x.prm.ref) pattern
ZPS-004	EX-WHS-001 (zpo.count)
ZPS-006	ACC: LLM cost ledger (SCAN)
(Deck)	FOUND-007 (ATANDA Supabase), CC-DB-001 and CC-ROUTE-001: named in the Deck as dependencies of DB-001, DB-005 and DB-010; the 224 existing ACC prompts are not in the sources read

CD prompt	External prerequisite
(SCAN)	ACC stage handlers for F0–F11, governance layer event source, secrets store, artifact store: names and paths not in the sources (OD-CD-16)

PART 6 — THE DJ IMPLEMENTATION PLAN

Gating check (ATLAS 360 PLAN): written after Part 1 and Part 4 are fixed. Every name is a proposal. The team is the SPHINX MAX team; no seat is added.

6.1 Release increments

Priority is lifted by inheritance (§5.2 note), so increments follow dependency waves. Each increment closes only when its gate passes.

Increment	Waves	Prompts	Held	By feature	Content	Gates
CD-1	1–5	93	3	TRC 24, INF 21, XMP 11, CNS 9, GOV 5, ACS 4, SEC 4, STR 4, KGL 4, ZPS 2, ANL 2, DSH 2, LCH 1	Trace spine and store: schema, tables, taxonomy, configuration, outbox, consent default OFF, access guard, first hooks	QX-1, QX-2
CD-2	6–10	58	0	STR 32, ANL 11, QAL 7, GOV 4, CNS 2, INF 1, ACS 1	Streams, gate and EXEMPLER intake: four processors, GRO gate, consent gate, signed intake, remaining hooks	QX-3, QX-4
CD-3	11–17	19	1	ZPS 5, KGL 4, QAL 4, ANL 3,	Compression, rollups and read endpoints: ZPOS, hourly and stage	QX-5

Increment	Waves	Prompts	Held	By feature	Content	Gates
				STR 1, DSH 1, LCH 1	rollups, analytics API	
CD-4	18–22	53	9	DSH 23, KGL 17, QAL 4, LCH 4, SEC 3, XMP 2	Dashboard and publish control: screens, selection, CSV, dry run, named approval, upload, mirror, notebooks	QX-6, QX-7
CD-5	23–27	7	1	LCH 6, QAL 1	Verification and launch: end-to-end report, security review, launch checklist, SCAN refresh, runbook	QX-8

> **Reading rule.** Waves are dependency layers, not calendar time. No sprint counts or dates are asserted because team capacity is unknown. The Deck proposes eight weekly sprints; they are not carried.

6.2 Quality gates (QX)

Gate	Condition to pass	Prompts
QX-1	Schema migrated with no change to existing tables; config seeded; consent default OFF proven	inf.schema, inf.cfg, cns.default
QX-2	Hooks added at the stages built so far; nonblocking proof; rollback switch	qal.nonblock, lch.back
QX-3	Four streams pass their tests; template-versus-observed label present	qal.a, qal.b, qal.c, qal.d
QX-4	Gate tests, consent tests, EXEMPLER contract test	qal.gro, qal.consent, qal.xmp
QX-5	Rollups read within the measured limit on the target database	qal.perf

Gate	Condition to pass	Prompts
QX-6	Dashboard accessibility and Lighthouse recorded; no dashboard query touches raw events	qal.ui, dsh.a11y
QX-7	Export dry run approved by a named person; round trip clean; withdrawal proof	kgl.dry, kgl.sign, qal.export, qal.wd
QX-8	End-to-end report clean; zero open CRITICAL or HIGH security findings; launch checklist signed; coverage 14 of 14	qal.e2e, sec.review, lch.check, qal.cover

6.3 VIBE DJ: tool selection

The Deck names Cursor as primary conductor (its own score 90/100, v0.dev 82, Copilot 78). Those scores are the Deck's self-ratings, [INT]†, and are not carried. The ACC repository was inspected for the SCAN, which does not name an editor. The proposal below keeps the choice open.

Signal	Reading	Proposal
Existing codebase	pnpm monorepo, React/Vite, Express/Drizzle	Extend in place; follow existing package layout
New infrastructure	Outbox and workers on Postgres	No new service at launch
Charts	Four chart types and an F-stage board	Use the chart library already in the web app; confirm whether D3 is present (not stated in the sources)
Contracts	OpenAPI-generated client and Zod	Define endpoints in the OpenAPI source first
Editor and assistant	Not stated	Tool DJ confirms the team's existing tools; no mandate carried from the Deck

6.4 CODE DJ: codebase plan

Package or area	Contents
deck-contracts	trace_event, triplet and export schemas (Zod); OpenAPI fragments

Package or area	Contents
api: /deck routes	Read endpoints, consent, export, EXEMPLER intake
api: capture	captureTrace() and the 14 hook call sites
workers	Outbox worker, stream processors, compression, registry, export, retention
db	Drizzle migrations for deck_telemetry
web: /deck	Dashboard, stage board, trace viewer, consent screen
tests	Per-stream, gate, consent, contract, coverage, export

6.5 HOST DJ: hosting plan

- Same deployment as the ACC (Replit per the SCAN; to confirm). Workers run as background jobs next to the API.
- A staging copy with synthetic data is needed for QX-8; the Deck asks for separate staging projects and a mock Kaggle service.
- Secrets for Kaggle and the mirror are held by the export worker only.
- Production readiness is an Open-evidence item in the SCAN; this PDD does not claim it.

6.6 Team seats (unchanged from SPHINX MAX)

Seat	Human role	Paired SPC	Accountable for in Command Deck MAX
#0	Product owner: Oluseye Shay Amusa	SPHINX ULTRA SI	Rulings XR-01..22; ratifies Appendix A
#1	Lead architect	ADA + CODON	Hook points in the ACC; package boundaries; stack decision
#2	Backend engineer	EVE	Rollups, GP design-target series
#3	PDD owner	ATLAS 360 PLAN / ATLAS	Keeps this PDD living; signs the launch checklist

Seat	Human role	Paired SPC	Accountable for in Command Deck MAX
#4	Backend engineer (gates, intake)	SPHINX ULTRA SI	EXEMPLER bridge; export control
#5	Frontend engineer	VIBE SPC	Dashboard, stage board, consent screen
#6	Security engineer	BUGMXT SI	Secrets, signed intake, security review, PII scan
#7	Trust and safety lead	SOLVA	Monitored-band review; exclusions
#8	Platform / DevOps engineer	HOST DJ	Workers, staging, rollback switch
#9	Compliance and legal liaison	STRATEGOS	Consent wording, licence, rights, data-protection review
#10	Data and analytics	EVE + OSIRIS	Thresholds, GP parameters, coverage metrics
#11	Creator success lead	GRIOT	Held outward items only

6.7 Delivery order

1. Rule OD-CD-01, 02, 03, 11 and 16 before wave 1.
2. Build CD-1 and run QX-1 and QX-2 with synthetic events.
3. Build CD-2; stage hooks go live one at a time behind configuration; consent stays OFF for everyone but staff test scopes.
4. Build CD-3 and CD-4; run an export dry run on staff-owned test artifacts.
5. Rule OD-CD-04 and OD-CD-15 before any Stream D publication or any upload.
6. Run CD-5 and the SCAN refresh; publish nothing until a named person approves the dry run.

6.8 Delivery risks

ID	Risk	L	I	Mitigation	Owner
DR-1	Hook points differ from the assumption (file paths unknown)	M	M	OD-CD-16; seat #1 reads the repository first	#1

ID	Risk	L	I	Mitigation	Owner
DR-2	Stream D blocked by the missing TREE report	H	M	Stream D rows build to the UNMAPPED path; patterns wait	#0
DR-3	Consent wording delays everything outward	M	H	Staff-only internal build proceeds; nothing publishes	#9
DR-4	Outbox lag under load	L	M	Measure; Variant B held as the escape route	#8
DR-5	Scope overload	H	M	Build waves 1–10 first	#0
DR-6	EXEMPLER side not ready	M	M	Hooks and streams work from ACC events alone; XMP rows wait	#4

6.9 Required changes in SPHINX EXEMPLER and the ACC

System	Change	Why	Decision
SPHINX EXEMPLER	Emit signed events for the liv.events set to the Deck intake endpoint	Source of exemplar_id, version hash, class and certification state	OD-CD-17
SPHINX EXEMPLER	Add a read-only corpus_ref field to the artifact record and show it	Back-reference from corpus to artifact	OD-CD-17
SPHINX EXEMPLER	Show corpus-consent state and link to the consent screen	Subscriber control stays visible where the artifact lives	OD-CD-17
SPHINX EXEMPLER	Expose the confidential flag and vault policy to the Deck at capture time	Exclusion rule	OD-CD-17
ACC	Call captureTrace() at the end of each of the 14 stage handlers	Trace spine	OD-CD-16
ACC	Add Deck configuration, secrets and the staff role	Access and publish control	OD-CD-03

PART 7 — SUMMARY OF SOURCES

7.1 Source ledger

All sources are internal project artifacts and the earlier deliverables of this session. No web search, external document or register was consulted. Nothing here is [EXT].

Ref	Source	Used for	How it was read
S-01	ATANDA COMMAND DECK ATLAS PDD v2.0 (JNGL-ATANDA-DECK-PDD-2026-001; SDD-ATANDA-DECK-2026-001)	Four streams, schema, 71 listed prompts, stack, tiers, thresholds	Read in full in this pass
S-02	ATLAS 360 SCAN of the ATANDA Command Centre (23 Sep 2026)	F0–F11 stage names and evidence posture, ACC stack, evidence boundaries	Read in full in this pass
S-03	SPHINX EXEMPLER PDD v1.0 (JNGL-PDD-SPHXEXM-2026-001) and its model data	Artifact classes, exemplar_id, certification records, liv.events, vault policy, confidential flag, external-prerequisite IDs	Model data used directly; every cited EX ID was checked to exist
S-04	SPHINX MAX PDD v1.0 (JNGL-PDD-SPHINXMAX-2026-001)	Team seats; priority palette; prompt standard	Used through S-03
S-05	ATLAS 360 PLAN v4.0.1	12-Part standard, Conformity Status Model, naming rules	Read in an earlier task; applied
S-06	CODON and CORDON SPC cards	Derivation and sequencing procedures	Applied as documented procedures
S-07	Harness Omnibus v10 stage table	F-stage comparison (F9 label difference)	Read in an earlier task

Ref	Source	Used for	How it was read
S-08	Prior stated decisions: exemplar library not monetized; tiers deferred; virality shown apart from value; three certifications for promotion	Rulings XR-02, XR-22, invariants	From stored project memory; not re-verified in a document
S-09	Project instructions and the request	Purpose, interpretation of "the 4 criteria"	Read

7.2 Claim tags and tiers

Tags: **[EXT]** external and re-checked (none here). **[INT]†** internal, self-scored or self-projected. **[SPEC]** specified or planned, not built or measured. **[ARK]** carried from an ARK ONECRAFT artifact. **[SYNTH]** computed or derived in this pass. **[UNVERIFIED]** a figure or claim no source supports.

Claim	Tier	Basis
Prompt counts, waves, paths, token totals in Part 5	[SYNTH]	Computed by script from the worksheet data
Token estimates and the ZPOS 45% target	[SPEC]	Characters ÷ 4; no tokenizer or ZPOS run
Deck claims: FORGE CERTIFIED, JCSE 50/50, HIVE Platinum, SPHINX Platform Integrity VERIFIED	[INT]†	Self-claims inside the Deck; not repeated as facts
Deck figures: 49% reduction, 98.1% preservation, 35–75% and 95%	[INT]† [SPEC]	Targets; ratio and preservation are measured later
GP_max 0.30, λ 0.08, HOLMES prior 0.91	[INT]† [SPEC]	Design targets and a prior; Studies C1 and D1 not in the project
FM-11 to FM-23 names and patterns, event mapping, tree_phase 1–6, atanda_step 1–18	[UNVERIFIED]	Depend on the TREE Resurrection Report, which is not in the project

Claim	Tier	Basis
Kaggle endpoint form, 100 requests a day, dataset slug and tags	[UNVERIFIED]	From the Deck only; check before build (OD-CD-15)
25 unlisted Deck prompts and their numbering	[UNVERIFIED]	Inferred from stated totals
ACC stack and F-process	[INT]†	The SCAN is a repository-grounded assurance PDD written by the Principal's side; not independent
Stage hook locations	[UNVERIFIED]	Repository not inspected in this pass
Existence of the SPC named TARANTULA	[UNVERIFIED]	Registry search did not find it
Any cost, effort or revenue figure for Command Deck MAX	[UNVERIFIED]	None exists; none is stated

7.3 What this pass did not do

- No code was written or run and no live environment was touched; the ACC repository was not inspected.
- CODON and CORDON were not executed as independent software. Results were re-checked by a separate validation script.
- HIVE, HIVE MATRIX LABS, JCSE scoring, MATHMON and SPARTAN were not run against this document.
- The TREE Resurrection Report, the Kaggle Field Guide, the Gamification BI series and Studies C1 and D1 were not available and were not read.
- No web search, IP register search, legal review or independent assessor was used.

PART 8 — DEFINITION OF TERMS

8.1 Glossary

Term	Meaning in this document
ACC	ATANDA Command Centre, the staff-gated operations platform that runs the ARK Harness
ARK Harness	The F0–F11 production process for PromptWare artifacts
F0–F11	The Harness stages as named in the 23 Sep 2026 SCAN, including F0.5 and F9.5 (14 labels)
Trace event	One record per stage completion, carrying identifiers and hashes, never a body
Trace id	The id shared by all stage events of one run
Capture hook	The non-blocking call at the end of a stage handler
Stream A / B / C / D	SPC and PDD triplets / CELL MA birth-package triplets / DE-SPC emergence triplets / failure and governance telemetry
Triplet	prompt_input, preferred output, rejected output
rejected_origin	OBSERVED (a real failed version), TEMPLATE (built from an FM pattern) or NONE
Corpus record	A triplet plus metadata that passed consent and the gate
Consent scope	ARTIFACT, VAULT or ORG level choice, default OFF
GRO corpus gate	The rule-based ethics gate that scores and blocks candidate records
Monitored band	Harm score 1–2: stored but held for human review before export
FM code	Failure-mode code in the Deck taxonomy (27 codes); definitions for FM-11 to FM-23 are [UNVERIFIED]
UNMAPPED	An event with no verified FM mapping; stored with a null code
DE-SPC	Digitally evolving SPC: an SPC-class design emerging from a registry of compatible MAs
MA / CELL	Micro Agent built under the CELL Three Laws (one function; connected; evolves through use)
Interface Contract v1.0	input_schema, output_schema, side_effects, dependencies of an MA
ZPOS SYNTHESIS	Token-reduction method applied to triplets before export

Term	Meaning in this document
GP(t)	Design-target curve from the Deck; not a measured result
Outbox	A table written in the same transaction as the event so no event is lost before processing
exemplar_id	EX-[CLASS]-[VAULT4]-[SEQ6] identifier from SPHINX EXEMPLER
corpus_ref	Read-only reply from Command Deck MAX to EXEMPLER about an artifact's corpus state
Dry run	A report of what an export would contain, with no upload
Open evidence (SCAN)	A claim that still needs deployment, external gate, provider, security or operational proof

8.2 Naming conflicts and corrections

Item	Issue	Handling
COMMAND DECK vs COMMAND DECK MAX	The Deck calls itself ATANDA COMMAND DECK; the request adds MAX	COMMAND DECK for the source; COMMAND DECK MAX for this PDD
EXEMPLER / EXEMPLAR / EAMPLER	Spelling varies in the request	This PDD follows EXEMPLER for the product (OD-CD-14)
F9	Harness Omnibus v10 says post-deployment math validation; the SCAN says MECHA	SCAN followed; difference shown (XR-14)
"Certified"	The Deck says "FORGE CERTIFIED" and "certified artifact" loosely	Used only as HIVE-, JCSE- or MATHMON-certified; the Conformity Status Model reserves "Certified by Accredited Body"
Ten JCSE dimensions vs four columns	MAX and EXEMPLER use ten; the Deck exports four	Four columns stay null (XR-05)
SPC class names	AI, SI, ULTRA SI class (Deck) vs F5 gate of 45	Bands are configuration (XR-07)

Item	Issue	Handling
"Telemetry" stream D	The Deck calls governance events telemetry	Governance events; not user telemetry

---

PART 9 — IP PRE-REGISTRATION SCREENING

> **Status.** SCREENING PLAN ONLY. NOT PERFORMED. No register, database or web search was run and no result exists. JCSE is withheld for ALBERT's method. Nothing here is a clearance, a legal opinion or a determination of registrability.

9.1 Candidate names to screen

Name	What it names	Known concern	Candidate classes (counsel to confirm) [SPEC]
ATANDA COMMAND DECK MAX	This product	Naming not settled (OD-CD-14)	9, 35, 42
COMMAND DECK	Source product name	"Command deck" is a descriptive and widely used term; may be weak or contested	9, 42
ATANDA, COMMAND CENTRE	Parent platform	Carried from the parent; not searched	9, 35, 42
forge-spc-training-corpus	Dataset slug	Not a mark; platform namespaces still need a check	n/a
TARANTULA	SPC named in the Deck	Not found in the registry; the word is in common use elsewhere	9, 42
DE-SPC, CELL MA, FM codes	Concept names	Internal terms; not searched	n/a

9.2 Registers and search types to run

Search	Where	Why
Exact and phonetic word marks	National and regional trademark registers in each launch market (for example USPTO, EUIPO through TMview, WIPO Global Brand Database)	Identical and confusingly similar marks in the candidate classes
Common-law and unregistered use	Web, app stores, code hosts, dataset hubs, social handles, domains	Prior use without registration
Dataset and licence rights	Counsel review of the dataset licence, third-party content in prompts, and the host terms (Kaggle, mirror)	Who may license the content in a corpus record
Employee-created works	Counsel review of consent and rights wording (OD-CD-01)	Ownership of artifacts made by employees
Patent	Not proposed	No patentability assessment is made

9.3 Output and gate

- ALBERT produces a screening table (name, register, hit, similarity, risk) for the Principal and IP counsel. It is not produced in this pass.
- Gate: counsel reviews the name and the dataset licence before any public use (OD-CD-01, OD-CD-14).

PART 10 — SECURITY & GOVERNANCE CONTROL DOMAINS

> **Status.** Nine mandatory domains, adapted to a telemetry corpus. Every control is designed and none is implemented or tested. In the Conformity Status Model every row is at Mapped: controls are tied to prompts with no evidence attached. None is Self-Attested, and none can rise above that on documents alone.

10.1 Nine domains mapped to Command Deck MAX prompts

#	Domain	Controls designed	CD prompts (wave)	Conformity state
1	Identity and access	Staff guard; entitlement configuration with deny-by-default; scope on every read; body access limited to owner or reviewer; least-privilege database role	ACS-001 (W3), ACS-003 (W4), ACS-002 (W4), ACS-004 (W5), INF-008 (W2), SEC-001 (W3)	Mapped
2	Data protection	No body in trace events; consent default OFF; confidential exclusion; secrets in the ACC store and held by the export worker only; withdrawal and body deletion; retention rule	TRC-003 (W2), CNS-002 (W3), CNS-010 (W6), CNS-011 (W7), INF-002 (W1), SEC-006 (W20), CNS-007 (W4), CNS-009 (W5), INF-013 (W3)	Mapped
3	Application security	Signed intake; rate limits; injection-safe rendering; PII scan; security review with launch block	XMP-004 (W4), SEC-004 (W5), SEC-002 (W4), SEC-005 (W19), SEC-003 (W5), SEC-007 (W21)	Mapped
4	Financial integrity	Not applicable by design: no money, price, tier billing or payout exists here. Held tier prompts are listed so the domain is not silently dropped	ACS-003 (W4), DSH-024 (W19), DSH-023 (W19), KGL-016 (W20)	Mapped
5	AI safety and decision integrity	Rule-based gate inside the insert transaction; monitored band reviewed by a human; FM-23 check; template-versus-observed label; named approval before any export; model id in configuration; compression calls in the cost ledger	GOV-006 (W6), GOV-005 (W5), GOV-007 (W6), GOV-001 (W4), STR-003 (W4), KGL-009 (W18), ZPS-001 (W3), ZPS-006 (W13)	Mapped
6	Supply chain and content	Version hash on every record; lineage to dataset	XMP-003 (W4), XMP-009 (W5),	Mapped

#	Domain	Controls designed	CD prompts (wave)	Conformity state
		row; supersede and exclusion rules; contract tests with EXEMPLER; export round trip	XMP-008 (W5), KGL-019 (W21), XMP-013 (W21), QAL-010 (W17)	
7	Blockchain	Not applicable by design. No chain code exists; provenance is a hash and a lineage table. Marked "Mapped: not applicable" so the domain is not silently dropped	KGL-019 (W21)	Mapped
8	Operations and resilience	Retry, dead-letter and replay; rollback switch for the hooks; alerts; runbook; performance and latency tests	INF-020 (W5), INF-022 (W6), LCH-001 (W5), LCH-002 (W16), LCH-004 (W22), QAL-011 (W17), QAL-004 (W7), QAL-012 (W19)	Mapped
9	Governance and audit	Audit row for body reads, exports, consent changes and gate decisions; stage coverage and drift; SCAN refresh; HIVE Pre-Check request	ACS-005 (W6), CNS-005 (W3), GOV-009 (W7), TRC-005 (W3), TRC-007 (W3), LCH-008 (W25), LCH-010 (W26)	Mapped

10.2 Corpus-specific proofs

These are checks, not assertions, and they are launch-gate items (QX-7 and QX-8):

1. No body without consent: with consent OFF no body column is filled and, with ON but confidential, no record exists (QAL-005).
2. No PII in stored records on the fixture set; the screen is a heuristic and the proof states its limits (SEC-003, QAL-003).
3. Nothing leaves without a named approval: upload refuses without a signed dry run (KGL-008, KGL-009).
4. Withdrawal: records are excluded from the next version, bodies are removed and a tombstone remains (QAL-014).
5. Capture never changes a stage response (QAL-002).

6. Coverage: all 14 hooks emit exactly one event per stage completion (QAL-001).

10.3 Open-evidence items from the SCAN that the Deck adds to or inherits

SCAN priority item	What the Deck adds or leaves open	Closing prompts (wave)
Authorization tests for staff-only, owner-scoped, admin, release and export routes	New routes and body-read rules need their own cross-scope tests	ACS-002 (W4), ACS-004 (W5), SEC-001 (W3), SEC-007 (W21)
Threat model and SAST or dependency review	Not covered by any prompt here; the security review covers the Deck checks only. Add a threat-model task for the Deck before launch	Gap: not in the worksheet
Production schema parity, backup, restore, rollback	New schema and partitions need migration and restore tests; only a rollback switch for hooks is specified	LCH-001 (W5), LCH-004 (W22); backup and restore test: gap
Provider switching, cost caps, retries, alert recovery	Compression calls and workers add retries and cost	ZPS-006 (W13), INF-020 (W5), LCH-002 (W16)
Keep the SCAN current after changes	The Deck changes persistence and integrations	LCH-008 (W25)

> **Gaps.** Two gaps are recorded rather than patched: a Deck threat-model task and a backup and restore test. Both belong in a v1.1 of this PDD (Appendix D).

10.4 Containment triggers

Trigger	Response
Dependency cycle in the worksheet	Stop sequencing; escalate to human review
Part 10 or Part 11 missing from an assembled PDD	Escalate; this document carries both

Trigger	Response
Conformity state above Self-Attested with no named Assessor distinct from the author	Escalate; none is claimed
Internal identifier with an external standards prefix	Rename to the JNGL- namespace
A framework cited with no as_of date or re-verification interval	Escalate; Part 11 gives both
Runtime: a body stored without consent; a record written without a gate decision; an upload without approval; a forged EXEMPLER event; a stage response changed by capture; FM-23 raised	GRO CONTAINMENT, audit event, human escalation

---

PART 11 — REGULATORY CONFORMITY MAPPING

> **Basis.** as_of 1 Oct 2026 (knowledge basis; no live check of any framework text was made). Re-verify within 90 days, by 30 Dec 2026. Hypothesis only: not legal advice and no output here is a legal determination. The Jurisdiction and Industry Classifier of the Regulatory Conformity Layer is not built; sector and jurisdiction are the drafting model's reading of the sources. Classification questions (for example whether any use is high-risk under the EU AI Act) need a qualified professional.

11.1 Conformity Status Model

State	Meaning	Who can set it	Rows in this Part
Unmapped	Framework identified as applicable; no mapping performed	Any SPC	3
Mapped	Controls mapped to PDD parts; no evidence attached	Control Mapping Engine (not built) or the drafting model by hand	11
Self-Attested	Author asserts the control is met; evidence declared only	Author role	0

State	Meaning	Who can set it	Rows in this Part
Evidence-Backed	Every control claim binds to an evidence record of Implementation, Execution or Outcome, never Artifact alone	Independent Assessor	0
Independently Audited	A named external auditor outside the Junglenomics lineage tested the controls	External auditor	0
Certified by Accredited Body	Formal conformity certificate under an accreditation scheme	Accredited body only	0

11.2 External standards and laws

External block. Editions are those recorded in the ATLAS 360 PLAN registry at its knowledge cutoff; "—" means none is stated there. Every row: as_of 1 Oct 2026, re-verify by 30 Dec 2026. "Alignment language only" means no ISO, NIST or IEC certification is claimed. The privacy, copyright, employment and platform-terms rows are the additions that dataset publication creates; they are hypotheses, not researched positions.

Framework	Issuing body	Edition	Applicability to Command Deck MAX (hypothesis)	CD prompts	Status
GDPR · UK GDPR · CCPA/CPRA	EU / UK / California	—	Corpus records may contain personal data in prompt text even after screening; consent, notice, withdrawal and erasure, lawful basis and processor terms apply. A public dataset adds an international transfer and publication question	CNS-001, CNS-003, CNS-007, CNS-009, GOV-003	Mapped

Framework	Issuing body	Edition	Applicability to Command Deck MAX (hypothesis)	CD prompts	Status
GDPR Art. 17 (erasure) and equivalents	EU and others	—	Withdrawal cannot recall data already published in earlier dataset versions; the design discloses this and publishes a new version. Whether that suffices is a legal question	CNS-003, KGL-013, CNS-009	Mapped
EU AI Act (Reg. 2024/1689)	European Union	2024	Data governance and transparency duties for training data may apply if the dataset is used to train a regulated system; role and classification unassessed	GOV-009, KGL-003, KGL-019	Mapped
Copyright, database and text-and-data-mining rules	Various	—	Prompt text and artifacts may be protected works; the right to license them in a dataset is unresolved	CNS-006, CNS-001	Unmapped
Employee-created works and IP ownership	Various	—	An employer may own artifacts that an employee consents to contribute; organization policy and an ADMIN decision are designed,	CNS-004, CNS-006	Mapped

Framework	Issuing body	Edition	Applicability to Command Deck MAX (hypothesis)	CD prompts	Status
			wording is for counsel		
Employment, monitoring and works-council rules	Various	—	Tracing the stages of staff work is a form of monitoring in some jurisdictions; notice or consultation may be required. Not assessed	TRC-011, TRC-019, DSH-009	Unmapped
Kaggle and mirror host terms and dataset licences	Platform operators	—	Terms of use, content rules and licence choices for public datasets. Not read in this pass	KGL-011, KGL-021, KGL-003	Unmapped
ISO/IEC 42001	ISO/IEC	2023	AI management system. Alignment language only	GOV-006, TRC-007	Mapped
ISO/IEC 27001 / 27002	ISO/IEC	2022	Information security management. Alignment language only	INF-002, ACS-002, SEC-007	Mapped
NIST AI RMF 1.0 and AI 600-1	NIST	2023 / 2024	Govern, Map, Measure, Manage	GOV-007, ANL-006, LCH-008	Mapped
NIST SP 800-218 (SSDF)	NIST	—	Secure development	SEC-007, SEC-006	Mapped
OWASP LLM Top 10 ·	OWASP	—	Injection markers and application	GOV-002,	Mapped

Framework	Issuing body	Edition	Applicability to Command Deck MAX (hypothesis)	CD prompts	Status
ASVS			security	SEC-005, SEC-004	
SOC 2 (Trust Services Criteria)	AICPA	—	Security, availability, confidentiality, processing integrity, privacy	ACS-005, LCH-002	Mapped
WCAG 2.2 · Section 508 · EN 301 549	W3C / US / EU	—	Dashboard accessibility; the Deck asks for WCAG 2.1 AA, which is an older level	DSH-017	Mapped

> **Gaps and omissions.** Rows marked Unmapped have no prompt that closes them: they need counsel. Payment, tier-billing and money frameworks are omitted because this system has none.

11.3 Internal Junglenomics frameworks

Internal block, never interleaved with the external one. These are methods used in this document, not conformity targets.

Identifier	Name	Version	How Command Deck MAX uses it
JNGL-DS-4830:2026	ATLAS PDD Standard Document Format	2026 Edition	12-Part structure and title block
JNGL-SM-4810:2026	JCSE Scoring Methodology	2026 Edition	Scores carried with scale and label; none asserted here
—	FORGE 7-Step / F0–F11 pipeline	Per the SCAN	The process the trace spine follows
—	ZPOS+5 Token Optimization	BONSAI v2.1	Token estimates; compression targets

Identifier	Name	Version	How Command Deck MAX uses it
—	HIVE MATRIX LABS 14-Dimensional Framework	v1.0 (v2.0 in development)	Pre-Check request; certification state read from EXEMPLER
—	CELL Three Laws; Interface Contract v1.0	Per the CELL SI SPC	Streams B and C
—	GRO states (LIFE, SAFE_LIFE, CONTAINMENT)	Per the ANT KING SPC	Gate vocabulary; the Deck's own use of the terms is not independently checked

11.4 Summary

14 external rows: 11 Mapped, 3 Unmapped, 0 Self-Attested, 0 Evidence-Backed, 0 Independently Audited, 0 Certified by Accredited Body. The words "compliant", "certified" and "conformant" are not used here for any regulatory claim.

APPENDIX A — OPEN DECISION REGISTER

Nothing in this document is ratified until the Principal signs. Each decision blocks the prompts or configuration named. Conflicts in §1.10 point here.

ID	Decision	Owner	Needed by	Blocks
OD-CD-01	Rule the corpus consent model: opt-in default OFF, organization policy, confidential exclusion, withdrawal and the public-version notice; approve the wording and dataset licence with counsel	Principal + counsel (seat #9)	Before any capture of bodies	cns.*, kgl.readme, kgl.wd
OD-CD-02	Stack default (ACC-native) versus Variant B (TimescaleDB, Kafka, Supabase)	Principal	Before wave 1	inf.tsdb, inf.kafka

ID	Decision	Owner	Needed by	Blocks
OD-CD-03	Define tiers or entitlements for the Deck (inherits OD-EX-11)	Principal	Before launch beyond staff	acs.ent, dsh.widget, dsh.white, dsh.share, kgl.private, kgl.rt, lch.beta
OD-CD-04	Supply the TREE Resurrection Report (FM-11 to FM-23 definitions and patterns, event mapping, governance weight) or rule that Stream D stays on hold	Principal	Before Stream D build	inf.fmseed, str.d.*
OD-CD-05	Rule whether F7 MVP PDD artifacts (EXEMPLER class MVP PDD) feed Stream A	Principal + seat #1	Before F7 eligibility is switched on	trc.hook7, xmp.cls
OD-CD-06	Rule whether PLAN and SCAN outputs from F6 side-steps are corpus-eligible	Principal	Before F6 side-step capture	trc.hook6
OD-CD-07	Rule whether originals may be exported when compression or preservation has not passed, and which text goes in the export	Principal + seat #10	Before export build	zps.pick
OD-CD-08	Set retention for raw events and tombstones	Seat #8 + counsel	Before inf.retain	inf.retain, cns.erase
OD-CD-09	Confirm DE-SPC thresholds (12 MAs, 80% across 8 of 12), the FM-DE-03 limit and the domain taxonomy	Principal + CELL SI owner	Before Stream C build	str.c.*
OD-CD-10	Rule the GP(t) argument and parameters, and state the status of Study C1	Principal + seat #10	Before the GP chart ships	anl.gp, dsh.gp

ID	Decision	Owner	Needed by	Blocks
OD-CD-11	Confirm that "the 4 criteria" means the four telemetry streams A–D	Principal	Before wave 1	Part 4 §4.3
OD-CD-12	Rule the JCSE scale, class bands and floors, and a mapping from ten JCSE dimensions to any dimension export column	Principal + seat #10	Before Stream A and B build	str.a.class, str.b.weight, inf.jcsecols
OD-CD-13	Supply or retire the 25 Deck prompts the Deck counts but does not list; supply FOUND-007, CC-DB-001 and CC-ROUTE-001	Principal	Before the ledger is closed	Part 5 §5.7
OD-CD-14	Confirm the product name and spelling, the identity of the SPC named TARANTULA, and run the Part 9 screening	Principal + IP counsel	Before public use	None (naming)
OD-CD-15	Check the current Kaggle API, rate limits and dataset terms; choose the licence and mirror target	Seat #1 + counsel	Before kgl.upload	kgl.upload, kgl.hf
OD-CD-16	Confirm stage handler locations in the ACC repository for the 14 hooks	Seat #1	Before TRC hooks	trc.hook*
OD-CD-17	Confirm that SPHINX EXEMPLER will emit signed events and accept a corpus_ref reply and a consent-state read	SPHINX EXEMPLER team	Before XMP build	xmp.*
OD-MX-01	Variant B of SPHINX MAX remains undecided (inherited)	Principal	Before wave 1	Held rows in EXEMPLER

APPENDIX B — HONESTY GATE G3 DISCLOSURE

Claim	Status
"Command Deck MAX holds any certification, audit or independent review"	NOT claimed. Tier 0; no Independent Assessor; JCSE withheld
"The Command Deck is FORGE CERTIFIED, JCSE 50/50 or HIVE Platinum"	NOT claimed. These are the Deck's own statements [INT]†
"Command Deck MAX conforms to GDPR, the EU AI Act, ISO/IEC 42001, NIST AI RMF or SOC 2"	NOT claimed. Alignment mapping only, at Mapped or Unmapped (Part 11)
"HIVE, MATHMON, SPARTAN or JCSE were run on this document"	NOT claimed
"CODON and CORDON were run as software"	NOT claimed. Applied as procedures and re-checked by script
"The name is clear to use"	NOT claimed. Part 9 is a plan; no search performed
"The pipeline meets its NFRs"	NOT claimed. Nothing is built; every figure is a target
"The dataset improves any model" or "GP(t) will reach 30%"	NOT claimed. Design target; Study C1 and D1 not available
"Stage tracing covers F0–F11 in the running ACC"	NOT claimed. It is a design; every hook is Open evidence until built and scanned
"All listed Deck prompts are accounted for"	Claimed and checked: 71 of 71 (§5.7). The 25 not listed are flagged, not covered
"Every prompt is atomic"	PARTIAL. Structure and dependency checks are scripted; atomicity is a reading judgment (§5.5)
"Stream D definitions are right"	NOT claimed. They depend on the TREE report, which is not in the project
"Withdrawal removes data from the public"	NOT claimed. Earlier public versions cannot be recalled
"The Kaggle API works as the Deck describes"	NOT claimed. [UNVERIFIED]; OD-CD-15
"The ACC hook points are where the design assumes"	NOT claimed. Repository not inspected; OD-CD-16

APPENDIX C — DECK-TO-COMMAND DECK MAX FEATURE CROSSWALK

Each row shows where a Deck prompt group went. The full prompt-by-prompt version is §5.7.

Deck group	Listed	Adapted	Split	Held	Dropped	Command Deck MAX features receiving prompts (prompt count)
DB	13	0	13	0	0	INF (27), STR (9), TRC (9), GOV (8), ACS (5), ZPS (5), ANL (5), KGL (4), DSH (3), QAL (1), XMP (1)
SP	4	0	4	0	0	STR (32), INF (2), GOV (1)
API	8	5	3	0	0	ANL (10), KGL (6), ACS (1), SEC (1), ZPS (1)
UI	19	13	2	4	0	DSH (22), ACS (1)
KG	11	5	3	3	0	KGL (14), XMP (2), CNS (1), STR (1)
QA	6	5	1	0	0	QAL (12)
SEC	1	0	1	0	0	SEC (7), ACS (1), QAL (1)
LAUNCH	9	5	2	2	0	LCH (11)
Total	71	33	29	9	0	

New prompts with no Deck counterpart: 52 of 230 (stage hooks, consent, EXEMPLER bridge, publish control, stage board and trace viewer, per-stage tests).

APPENDIX D — VERSION HISTORY

Version	Date	Author	Changes
1.0	1 Oct 2026, 01:19 CDT	Oluseye Shay Amusa (principal); drafted with Claude	First edition. Derived from the ATANDA Command Deck PDD v2.0 and the ATLAS 360 SCAN of the ACC, integrated with SPHINX EXEMPLER, under ATLAS 360 PLAN v4.0.1 with CODON and CORDON. Tier 0. Unreviewed. Known gaps for v1.1: Deck threat-model task, backup and restore test, the 25 unlisted Deck prompts, Stream D patterns.

© 2026 Oluseye Shay Amusa · Koncentric Labs Inc. · ATANDA Publications Forum · Production ID: JNGL-PDD-CMDDECKMAX-2026-001