

ATANDA

Command Centre

Current State PDD

Repository-grounded assurance scan

A current-state scan of the ACC product surface, F-process implementation, evidence posture, and remaining operational boundaries.

SCAN BASIS

Repository inspection, current generated contracts, focused F8/F9 tests, Command Centre UI tests, typecheck, and workflow startup. This is an assurance PDD, not a certification, security audit, production-readiness attestation, or traction report.

Current reading

ATANDA Command Centre is an implemented, typed, tested internal operations platform whose strongest evidence is its code and workspace verification; its weakest evidence remains external operation and provider readiness.

The current product surface includes the staff-gated Command Centre, persistent sessions and artifacts, the F1–F7 PromptWare rail, ATLAS 360 PLAN/SCAN views, F8 Code ORACLE, F9 MECHA Machine Floor, F9.5 OSIRIS custody, F10 release/colonization controls, F11 Host Connector, acquisition tools, Exemplar and SPC Player workflows, cost/activity views, and administrative operations surfaces.

Evidence at this scan

Signal	Current observation	Reading
Workspace typecheck	PASS across checked workspace packages	No current TypeScript diagnostics in the checked packages.
Command Centre focused suite	17 files / 146 tests passed	The UI and session routing have an active automated baseline.
API F8/F9 focused suite	3 files / 12 tests passed	The current code-generation, Machine Floor, and F9!F10 path has focused regression coverage.
Serving workflows	API and web workflows restarted successfully	Development services built and listened after the current changes.
Contract surface	OpenAPI-generated client and Zod artifacts include hardware profile fields	Contract-first changes are reflected in generated consumers.

Honesty gate

Verified: Directly supported by repository inspection or the current workspace checks.

Implemented: Present in code, without claiming that live dependencies or production settings are healthy.

Reference baseline: A design aid or profile that does not establish certification.

Open evidence: A claim that needs deployment, external gate, provider, security, or operational proof.

What ACC currently contains

The current architecture is a pnpm monorepo with a React/Vite Command Centre, an Express/Drizzle/Postgres API, generated OpenAPI clients and Zod schemas, scripts, a mockup sandbox, background jobs, and integration seams. The product is operated as an internal staff tool while dormant SaaS paths remain behind reversible feature decisions.

F-process implementation matrix

Stage	Current implementation	Evidence posture
F0 / F0.5	Advisory, intake, monitoring, and structured diagnostic surfaces.	Implemented; live external advisory outcomes are not inferred.
F1–F5	Prompt diagnostic, Atomic Prompt, CELL, Micro PDD, and SPC workflows.	Implemented and persisted through session artifacts.
F6	ATLAS PDD generation plus PLAN/SCAN side-steps.	Implemented; overlays are not certification by themselves.
F7	SPARTAN MVP PDD/PWDD compression and public verification lineage.	Server-side certification gates are enforced.
F8	Code ORACLE / Code DJ codebase bundle generation from certified sources.	Uncertified input is refused; PFP drift gate applies.
F9	MECHA seven-phase Machine Floor with signed artifact or refusal.	Physical/firmware path is fail-closed and requires external evidence.
F9.5	OSIRIS custody and attestation seam.	Custody is separate from build, mutation, and certification.
F10	Connector, release, export, deployment, and colonization controls.	Provider/connector readiness remains an external evidence boundary.
F11	Host Connector handoff for certified projects.	Host planning is separate from physical artifact certification.

Current firmware profile addition

F8 and F9 now carry a controlled hardware configuration for Firmware bundles. The reference catalog includes Industrial MCU / actuator controller, Robotics real-time control loop, and Connected appliance fleet controller. The profile customizes Code DJ scaffolding and is persisted into F9 evidence and the signed artifact; it does not replace external functional-safety, security, or deployment gates.

Implemented surface versus open proof

Implemented and exercised

- Staff access, signed session handling, session creation, artifact persistence, and owner-scoped route checks.
- Manual sessions, ingested documents, cartridges, Exemplar browsing/forking/contribution, Prompts, Quests, Ascension, Account, Activity, and Costs surfaces.
- OpenAPI-driven API contract generation and typed web consumers.
- F1–F7 sequential stage behavior with certified source gating before F8.
- F8 Software/Firmware routing, firmware hardware-profile selection, persisted profile lineage, and PFP drift handling.
- F9 seven-phase evaluation, refusal contracts, idempotency, signatures, OSIRIS custody fields, and F10-required attestation data.
- F10 release/export/destination/provider and colonization data structures, plus F11 host handoff surfaces.
- SPC Player plan-only execution and explicitly authorized webhook delivery path.
- Company-wide LLM cost budget, provider/token telemetry, activity history, and operational background workers.

Implemented but not established as live evidence

- Clerk tenant configuration, role setup, and production authentication completion.
- Stripe live-mode products, webhook delivery, payment outcomes, and reconciliation.
- AI provider credentials, quotas, latency, rate limits, and provider-side availability.
- Scheduled jobs, cron reachability, email delivery, deployment health, and production alerting.
- Production database parity, backup/restore behavior, retention, and live data quality.
- External F9 gate evidence, qualified SAVANT/analyzer adapters, and real appliance or robotics connector execution.

What the scan intentionally does not claim

Claim	Why it remains open	Evidence required
Certification	Code and profiles do not establish legal or functional-safety certification.	Named external reviewers, certificates, test records, and traceable scope.
Production readiness	A passing workspace check does not prove deployed behavior.	Deployment smoke run, telemetry, error/latency baseline, and rollback evidence.
Live colonization	F10 physical targets fail closed when qualified adapters are unavailable.	Validated F9 attestation plus connector, analyzer, SAVANT, consent, and provider evidence.
Security assurance	Tests are not a threat model or independent security assessment.	Threat model, SAST/dependency review, authorization tests, and remediation record.
Business outcomes	Repository contents do not prove users, revenue, conversion, or ROI.	Redacted analytics and verified business reporting.

Phase/status interpretation

This SCAN uses ATLAS phases as an evidence organization method. A phase marked implemented is not automatically certified or production-ready.

RED — Foundation and access

Duration: present · Status: Implemented / live configuration pending

Deliverables

- Monorepo packages
- Staff gate and signed sessions
- Owner-scoped persistence

Exit criterion

A deployed smoke run confirms access, attribution, authorization, and failure behavior.

ORANGE — PromptWare production rail

Duration: present · Status: Implemented / artifact evidence available

Deliverables

- F1–F7 sessions
- Persisted artifacts
- Certified MVP PDD/PWDD lineage

Exit criterion

Representative sessions prove source-to-certification continuity under the current access posture.

YELLOW — Code and host handoff

Duration: present · Status: Implemented / external build outcomes pending

Deliverables

- F8 bundles
- PFP drift checks
- F11 host handoff

Exit criterion

A representative certified project is built, reviewed, and handed to a host with recorded results.

GREEN — Machine, custody, and release

Duration: present · Status: Implemented / qualified external adapters pending

Deliverables

- F9 signed/refused artifact
- OSIRIS custody fields
- F10 release/colonization gates

Exit criterion

External gates and connector/analyzer/SAVANT adapters produce a verified end-to-end release receipt.

BLUE — Operations and cost control

Duration: present · Status: Implemented / production observation pending

Deliverables

- LLM cost ledger
- Activity and operations views
- Background sweeps and alerts

Exit criterion

Production telemetry demonstrates cost caps, retries, alerting, recovery, and migration health.

What should be proven next

Priority 1 — run a production-shaped representative journey

Choose one software project and one firmware/appliance project. Capture staff sign-in, F1–F7 artifact lineage, F8 generation, PFP review, F9 refusal or emission, F10 gate state, and F11 handoff. Record deployment revision, timestamps, environment, results, and redacted logs.

Priority 2 — qualify the physical release boundary

- Name the target hardware and preserve the matching F8/F9 profile ID.
- Provide external safety, security, UCG, MM, ARES, PCE, and OSIRIS evidence where applicable.
- Wire and independently test the connector analyzer and SAVANT adapters.
- Start with sense-only or staging validation before enabling release or remote control.

Priority 3 — establish operational evidence

- Verify production schema parity, migration status, backup, restore, and rollback.
- Exercise provider switching, cost caps, rate limits, webhook signatures, retries, and alert recovery.
- Run focused authorization and threat-model checks against staff-only, owner-scoped, admin, release, and export routes.
 - Keep the ATLAS SCAN current after changes to access, persistence, integrations, stage gating, or deployment posture.

Current conclusion

Conclusion: implemented, tested, and intentionally fail-closed

The current repository supports a credible implementation and workspace-verification claim for ACC. The F-process, firmware-profile flow, and physical-target release boundaries are represented in code. The next responsible claim requires production evidence, qualified external gates, and verified connectors rather than additional inference from source presence.

End of current-state SCAN PDD · Source basis: repository snapshot and workspace verification

