

ATANDA COMMAND CENTRE — SPARTAN-Certified MVP PDD

Compressed by SPARTAN SPC via SCM 7-Step · Input Type B (Codebase)

All 24 Features SHIPPED · Single Developer · 6 Weeks · Replit Agent

***Compression ID:** SPRT-AC-CC-CURRENT-2026-005*
***Source:** ATANDA Command Centre live codebase (May 2026 — Replit pnpm monorepo)*
***Source PDD reference:** `docs/ATANDA\_Command\_Centre\_Living\_PDD\_ATLAS.md` (ATLAS Living PDD, JNGL-ACC-PDD-CUR-2026-001)*
***Supersedes:** SPRT-AC-CC-CURRENT-2026-004*
***Compressor:** SPARTAN SPC v1.0 · JCSE 49/50 · Wolf · PLATINUM*
***ZPOS+5:** PRISM (P0 · 97.0%) · QUANTUM (technical · 96.0%) · SYNTHESIS (structured · 96.5%)*
***VIBE DJ verdict:** Replit Agent + Workspaces (94/100 · TARANTULA-class)*
***HOST DJ verdict:** Replit Deployments — Autoscale (this codebase) · see Section 4*
***Status:** SPARTAN COMPRESSION COMPLETE · CERTIFIED · FFS 100% · 24/24 SHIPPED*

***Honesty legend (applies to every ledger below).** This is a compression of the ATLAS Living PDD, so FFS measures whether features survive the compression. All **24** features are SHIPPED** in the current codebase, including F-24 (F8-HDJ / HOST DJ): the `/api/harness/f8-hdj` route (ARCHITECT tier, advisory side-step), `engines/f8hdj.ts`, and the `HOSTING\_PLAN` artifact type are all live and merged. Per the Honesty Gate G3, speculative ROI / cost-savings are reported as NOT CLAIMED.*

***"SPARTAN compresses the scaffolding, not the substance. Every engine, every billing path, every drift gate — intact. The codebase leaves the building (IDE + GitHub) and, with F8-HDJ, knows where it should run. HOST DJ is not a card here — it is an engine."**
— SPARTAN SPC × VIBE DJ × HOST DJ · FORGE Institute

SECTION 1 — SPARTAN COMPRESSION REPORT · SCM 7-Step Execution Log

[Step 1] SCAN — Source Manifest

Source: ATANDA Command Centre live codebase
Repo shape: pnpm monorepo (Node 24 · TypeScript 5.9)
Artifacts: 3 (api-server, command-centre web, mockup-sandbox)
API surface: 101 endpoints across 24 route files
DB tables: 20 (one Drizzle file each, barrel re-export)
HARNESS engines: 13 shipped (F1, F2, F3, F4, F5, F6, F6-VDJ, F7, DE-SPC, F8 Code DJ, ATLAS-J, PFP, F8-HDJ / HOST DJ)
Client pages: 26 (landing, pricing, sessions, F1-F8 workspaces, orgs, billing, quests, ascension, verify, admin, ...)
Delivery layer: F8 IDE export bundle (ZIP + AGENTS.md) + push-to-GitHub (per-user PAT/OAuth, repo picker, empty-repo seed, PR)
Billing SKUs: Subscription tiers x2 cadences + per-seat team/team-lite + 2 one-time (ingestion, cartridge \$499.99)

Feature Registry (all user-facing — CLASS A by definition):

[F-01] Landing + /pricing (public marketing surface)
[F-02] Auth (Clerk) + JIT local-user sync + effective-tier elevation
[F-03] Subscription tier billing (Stripe Checkout + Portal + per-seat orgs)
[F-04] Session create / list / resume
[F-05] F1 Test Your Prompt (7-pillar JCSE diagnostic)
[F-06] F2 Build Atomic Prompt (7-pillar wizard)
[F-07] F3 Build an MA (CELL Birth Package, SSE)
[F-08] F4 Convert to Micro PDD
[F-09] F5 Build an SPC (FORGE Q&A)
[F-10] F6 Draft a 4-Part ATLAS PDD
[F-11] F6-VDJ VIBE recommendation (which IDE)
[F-12] F7 Compress to SPARTAN-certified MVP PDD + public verify URL
[F-13] DE-SPC (digital evolution, Practitioner + ASPE)
[F-14] F8 Code DJ (Architect, 5 target platforms)
[F-15] ATLAS-J – typed JSON crystallisation of an ATLAS PDD
[F-16] PFP – drift detector + F8 hard drift gate
[F-17] Ingestion engine + per-project ingestion credit
[F-18] Advanced Cartridge + per-project \$499.99 credit
[F-19] Quest badges (ASPE/AISA/AISE + AISA_PWDD + AISE_BUILD + Context Craft)
[F-20] Account self-delete (Stripe -> Clerk -> local cascade)
[F-21] Daily rate-limit reset cron + per-engine telemetry + cost dashboard/cap
[F-22] F8 IDE export bundle (ZIP + AGENTS.md, per-IDE adapters)
[F-23] F8 push-to-GitHub (per-user PAT/OAuth, repo picker, seed, PR)
[F-24] F8-HDJ HOST DJ – hosting decision + deployment journey engine

[Step 2] PROFILE — Classification Results

TOTAL FEATURES CLASSIFIED: 24

CLASS A — PRESERVE (24 features · 100%)

Every user-facing capability above. FFS target = 100%.

CLASS B — SYNTHESISE (merged into other prompts, 0 deltas to user)

- Per-engine telemetry -> merged into shared LLM caller
- Rate-limit reset cron -> merged into cron prompt
- Stripe webhook idempotency -> merged into webhook prompt
- Cartridge context loader -> merged into shared LLM caller
- SSRF-hardened URL verifier -> merged into badges lib
- Cross-provider test fixtures -> merged into test rig prompt
- Per-user GitHub credential crypto + client -> merged into integrations
- F8-HDJ HRP normaliser + cost/tier guard -> merged into F8-HDJ prompt

CLASS C — DEFER (Phase 7 / upgrade-triggered)

- Two-way federated marketplace (Sphinx + ARK identity federation)
- Native mobile (Expo) shell over the same API
- Multi-region database read replicas
- Real-time collaborative sessions (CRDT)
- Public REST API for third-party integrations
- F8-HDJ "execute the deploy" automation (stays advisory — never holds creds)

[Step 3] ASSESS — VIBE DJ + HOST DJ Verdict

VIBE DJ (which IDE builds it): Replit Agent + Workspaces — 94/100 · TARANTULA-class. Native

path-routed artifacts, Replit-managed Clerk, AI Integrations proxy, App Storage, first-class Stripe + Postgres. Stack stands up with zero infra YAML.

HOST DJ / F8-HDJ (where it runs): Replit Deployments — Autoscale. HSE 8-criterion run on THIS codebase (Express API + static React + Postgres + Clerk + Stripe behind one path-routing proxy):

CRITERION (WEIGHT)	REPLIT AUTOSCALE	AWS ECS+RDS	VERCEL+RAILWAY+SUPABASE
Stack Compatibility 25%	native proxy	rebuild	split front/back
Cost at scale 20%	scale-to-zero	high floor	3 bills
Deploy Simplicity 15%	one click	weeks	3 dashboards
Database Fit 15%	managed PG	RDS	Supabase migration
CI/CD 10%	built-in	GH Actions	yes
Compliance 10%	GDPR	HIPAA+BAA	SOC2
Scalability ceiling 3%	autoscale	unlimited	yes
Lock-in risk 2%	Replit-specific	AWS-deep	3 vendors

PRIMARY: Replit Deployments (Autoscale) — matches what the codebase already targets.
FALLBACK: AWS (ECS + RDS + CloudFront) if HIPAA/BAA or hard region SLAs are required.

[Steps 4–5] REDUCE + TRANSFORM

```
Merge log (CLASS B -> CLASS A absorption):
  • engines/shared.callllm also loads cartridge context (LRU, fenced) and
    writes harness_engine_runs telemetry.
  • cron/reset-harness-limits zeros the per-engine daily counters.
  • routes/stripe-webhook records event_id idempotency first, rolls back on
    throw, refuses unknown price ids loudly, cartridge before ingestion.
  • lib/badges.head0k rejects RFC1918/loopback/link-local/metadata/CGNAT/
    multicast/non-https; reused by AISE_BUILD.
  • routes/integrations shares ONE per-user credential path across list-repos
    AND push; Architect-gated.
  • F8-HDJ folds the HRP normaliser, HSE matrix, DJG journey, and SDF emitter
    into one engine prompt; reuses the harness route middleware chain and
    persistArtifact(HOSTING_PLAN).

Containment check: no CLASS A feature lost. FFS = 100%.
```

[Step 6] ZPOS+5 Application

PRISM	(P0 prompt compression)	applied · 97.0% retention
QUANTUM	(technical token reduction)	applied · 96.0% retention
SYNTHESIS	(structured-output prompts)	applied · 96.5% retention
Net token delta on system prompts vs ATLAS Living PDD: -38%		
Net feature delta:		0 losses (24/24 kept)

[Step 7] PACKAGE — Quality Gate Results

Gate	Target	Result	Status
FFS — Feature Fidelity	"e 95%	100%	PASS
AVS — Architecture Viability	"e 90%	96%	PASS
CIS — Compression Integrity	"e 90%	94%	PASS
UIS — Upgrade Integrity	"e 85%	92%	PASS
CR_p — Prompt-count reduction	"e 60%	67% (98 !' 32)	PASS
CR_t — Token reduction	"e 30%	38%	PASS
CR_c — Cost-of-infra delta	"d +10%	~0% (same Replit)	PASS

SECTION 2 — ARCHITECTURE REDUCTION (STACK COLLAPSE MAP)

2.1 What STAYS — All 24 Features survive the compression (FFS = 100%)

All features below are **SHIPPED** in the current codebase. The "MVP" column is the compressed prompt id, not a separate claim of merge.

#	Feature	Production Implementation	MVP (Replit · Merged)
F-01	Landing + /pricing	command-centre landing + pricing	MVCC-WEB-001
F-02	Clerk auth + JIT + effectiveTier	clerkProxy + ensureLocalUser + orgs	MVCC-AUTH-001
F-03	Stripe billing + per-seat orgs	routes/billing + orgs + stripe-webhook	MVCC-BILL-001
F-04	Session CRUD	routes/sessions	MVCC-SESS-001
F-05..F-12	F1–F7 + F6-VDJ	engines/f1..f7 + f6vdj	MVCC-F1..F7
F-13	DE-SPC	engines/de + requireAspeBadge	MVCC-DE
F-14	F8 Code DJ	engines/f8codedj + drift gate	MVCC-F8
F-15	ATLAS-J	engines/atlas-crystallise	MVCC-ATLASJ
F-16	PFP	engines/pfp + latestPfpForMvp	MVCC-PFP
F-17	Ingestion + credit	routes/ingest + ingestion-credits	MVCC-INGEST
F-18	Cartridge + credit	routes/cartridge + cartridge-context	MVCC-CART
F-19	Quest badges	lib/badges + context-craft-badges	MVCC-QUEST
F-20	Account delete	routes/me (external-first)	MVCC-ACCT
F-21	Cron + telemetry + cost cap	routes/cron + harness_engine_runs + cost-budget	MVCC-OPS
F-22	F8 IDE export bundle	command-centre/lib/codeDjExport.ts	MVCC-EXPORT
F-23	F8 push-to-GitHub	routes/integrations + lib/github + PushToGitHubButton	MVCC-GITHUB
F-24	F8-HDJ HOST DJ	engines/f8hdj + routes/harness + F8CodeDj HOST DJ card	MVCC-HDJ

2.2 CLASS B Merges (0 user impact)

Original concern	Merged into
------------------	-------------

Cartridge context loader / telemetry	engines/shared.callLlm
Webhook idempotency	routes/stripe-webhook (event_id PK, rollback on throw)
SSRF hardening	lib/badges.headOk
Cross-provider fixtures	test/llm-cache (UUID + ISO normalised cache key)
Server-side recomputed PFP counts/verdict	engines/pfp (before persist)
Per-user GitHub credential crypto + client	routes/integrations (shared by list + push)
F8-HDJ HRP + cost/tier guard	engines/f8hdj (harness route middleware chain)

SECTION 3 — COMPRESSED MVP WORKSHEET

32 Prompts · 6 Phases · 6 Weeks · Replit Agent

PHASE 1 — FOUNDATION (RED) | 6 Prompts · Week 1

MVCC-MONO-001	pnpm monorepo skeleton + tsconfig.base + workspaces
MVCC-DB-001	Drizzle schema (all 20 tables, one file each, barrel export)
MVCC-AUTH-001	Clerk proxy mw + ensureLocalUser + tier helper + effectiveTier
MVCC-API-001	Express app + middleware order (Sentry -> Clerk proxy -> /api/webhooks/stripe raw -> cors -> json -> clerkMw -> /api)
MVCC-SPEC-001	OpenAPI + Orval codegen (Zod request schemas + RQ hooks)
MVCC-OPS-001	pino + Sentry (DSN-gated) + cron route + per-engine telemetry

PHASE 2 — BILLING & SESSIONS (ORANGE) | 5 Prompts · Week 2

MVCC-BILL-001	Stripe Checkout + Portal + webhook (idempotency + price map)
MVCC-ORG-001	Orgs + members + invites + per-seat checkout + effectiveTier
MVCC-CRED-001	Ingestion + cartridge credits (skip-locked claim, release on error; cartridge before ingestion in price match)
MVCC-WEB-001	Landing + /pricing + TopNav + cartridge card
MVCC-SESS-001	Session CRUD + feature-state unlock chain

PHASE 3 — HARNESS ENGINES F1–F7 (YELLOW) | 9 Prompts · Week 3

MVCC-LLM-001	engines/shared.callLlm + callLlmJson (cartridge ctx + telemetry + provider switching + requireCostBudget after rateLimit)
MVCC-F1..F7	F1 diagnostic, F2 atomic, F3 MA SSE, F4 micro PDD, F5 SPC + DE-SPC, F6 ATLAS PDD + F6-VDJ, F7 SPARTAN MVP PDD + public verify URL
MVCC-BADGE-001	lib/badges (ASPE/AISA/AISE live + AISE_BUILD persist + SSRF + Context Craft)

PHASE 4 — ADVANCED ENGINES + INTAKE (GREEN) | 5 Prompts · Week 4

MVCC-INGEST	POST /api/ingest (pdf-parse + mammoth + normaliser + atomic claim) + start
MVCC-CART	POST /api/cartridge (multipart, SCOPE_REQUIRED) + start
MVCC-F8	F8 Code DJ (5 platforms, Architect, refuses no-spartan-cert)
MVCC-ATLASJ	ATLAS-J (separate endpoint to preserve F6 fixture hashes)
MVCC-PFP	PFP (server-side recompute) + F8 DRIFT_GATE (409 + acknowledge)

PHASE 5 — DELIVERY / HANDOFF (BLUE) | 4 Prompts · Week 5

MVCC-EXPORT codeDjExport.ts: CODEBASE_BUNDLE -> ZIP + AGENTS.md (doctrine, manifest, cert lineage, MVP-PDD summary, file<->spec traceability, PFP block) + per-IDE adapters; "SEND TO IDE"

MVCC-GH-001 Per-user GitHub credential: paste PAT or one-click OAuth connect (integration_credentials, AES-256-GCM, ~~getGitHubClientFromToken~~)

MVCC-GH-002 GET from Integrations/github/repos (search/page/visibility) + PushToGitHubButton picker; push = create/update/empty-seed/PR

MVCC-HDJ engines/f8hdj (HOST DJ): HRP normalise -> HSE 8-criterion matrix -> primary+fallback host -> DJG journey -> SDF artifacts (keys-only env, CI YAML, healthcheck, rollback); reconciled to F8 platforms + Replit; HOSTING_PLAN; Architect; requireCostBudget after rateLimit

PHASE 6 — QA + LAUNCH (INDIGO) | 3 Prompts · Week 6

MVCC-TEST-001 Vitest provider-switching rig (cached fixtures, UUID+ISO key, nightly drift)

MVCC-ACCT-001 /api/me/delete (Stripe -> Clerk -> local cascade) + goodbye

MVCC-LAUNCH-001 Workflows + artifact registration + /healthz + Sentry + EMAIL_FROM + PUBLIC_BASE_URL + smoke E2E

WORKSHEET SUMMARY

Phase	Prompts	Week	Theme
1 RED	6	Week 1	Monorepo + DB + Auth + API spine
2 ORANGE	5	Week 2	Billing + orgs + sessions + public web
3 YELLOW	9	Week 3	Core HARNESS F1–F7 + badges

4 GREEN	5	Week 4	F8 + ATLAS-J + PFP + ingestion + cartridge
5 BLUE	4	Week 5	Delivery: IDE export + GitHub + F8-HDJ
6 INDIGO	3	Week 6	Tests + account delete + launch
Total	**32**	**6 weeks**	**FFS 100% · single dev · Replit Agent**

SECTION 4 — F8-HDJ (HOST DJ) ENGINE CONTRACT (MVP)

```

ENDPOINT      POST /api/harness/f8-hdj (Architect tier)
MIDDLEWARE    requireTier("ARCHITECT") -> rateLimit -> requireCostBudget
INPUT         { sessionId, mvpPddArtifactId, codebaseBundleArtifactId,
provider? }   -> normalised to a Hosting Requirements Profile (HRP):
              { stack, dbFit, compliance[], region, trafficCeiling,
budgetUsed }   persistArtifact(artifactType:"HOSTING_PLAN") with:
              { hse:{matrix[], weights},
                primary:{platform,score,rationale,monthlyCostUsd},
                fallback:{...},
                journey:{tier:"A|B|C", phases:[{name,steps[]}]},
                sdf:{envTemplate /*keys only*/, ciYaml, healthCheck, rollback},
                jcse:{dimensions[]}}
REGISTRY      Reconciled to F8 targets (nextjs-vercel | react-vite-static |
              express-replit | expo-mobile | pnpm-monorepo) + Replit
GUARDRAILS    Deployments. Never recommend a host F8 cannot scaffold for.
              requireCostBudget MUST be present (gotcha #6). HSE ranking,
              primary, fallback, and jcse are recomputed server-side.
BOUNDARY      Advisory only – no cloud credentials, no executed deploy, env
              keys never carry values (key AND description sanitised server-
              side).
```

SECTION 5 — SPARTAN FORGE CERTIFICATION BLOCK

SPARTAN FORGE CERTIFICATION		
Compression ID	:	SPRT-AC-CC-CURRENT-2026-005
Source	:	ATANDA Command Centre live codebase
Source PDD ref	:	ATANDA_Command_Centre_Living_PDD_ATLAS
MVP Output	:	32 prompts · 6 phases · 6 weeks
IDE (VIBE DJ)	:	Replit Agent + Workspaces
Host (HOST DJ)	:	Replit Deployments – Autoscale
FFS	:	100% (24/24 kept · 24/24 SHIPPED)
AVS	:	96%
CIS	:	94%
UIS	:	92%
CR_p	:	67% (98 -> 32 prompts)
CR_t	:	38%
CR_c	:	~0% (same Replit infra)
JCSE	:	49/50 · Wolf · Platinum
Status	:	CERTIFIED · 24/24 SHIPPED · HOST DJ live