

ATLAS PDD — Single-App Deployment Edition

VIBE DJ + ADA Architecture · 84 Prompts · 4 Phases · 8 Sprints · 8 Weeks

Document Type: ATLAS PromptWare Design Document (PDD) — MVP / Proof of Concept Edition

Source PDD: ARK ONECRAFT ATLAS PDD v1.0 — PDD-ARK-ONECRAFT-2026-001 (340 prompts, 10 phases)

MVP PDD Version: 1.0.0 — Single-App Deployment Blueprint

Lead Architects: ADA ULTRA SI (50/50) — Architecture Collapse Lead · VIBE DJ — Tool Orchestration

Supporting Quartet: SPHINX ENGINE ULTRA SI (50/50) · ARK MAXIMUS v2 (50/50) · SOCRATES (47/50)

Total Prompts: 84 Prompts across 4 Deployment Phases

Deployment Target: Single VIBE Coding App → Vercel (one-command deploy)

Primary Build Tool: Bolt.new (scaffold) → Claude Code (refinement)

ZPOS Target: 44% Token Reduction | 97.8% Semantic Preservation

JCSE Target: 47/50 — Ultra Premium Gold (POC Standard)

Status:  **READY FOR DAY 1 BUILD**

Document ID: PDD-ARK-ONECRAFT-MVP-2026-001

Author: Junglenomics FORGE Institute · Oluseye Shay Amusa — Idea Factory · ATANDA / Koncentric Labs

Version: 1.0.0 — April 2026

"All three pillars. One app. Deployed today. Production tomorrow."

 TABLE OF CONTENTS

Part	Section	Content
PART 1	Executive Summary	MVP scope, ADA architecture decision, feature delta, deployment target
PART 2	ATLAS PromptWare Worksheet	84 prompts across 4 colour-coded phases

Part	Section	Content
PART 3	VIBE DJ Single-App Implementation Plan	Bolt.new-first tool matrix, 8-sprint plan, launch checklist

◆

PART 1: EXECUTIVE SUMMARY

1.1 ADA's Architecture Collapse Decision

"The full ONECRAFT platform is 12 microservices, 8 databases, and 340 prompts. The MVP is one Next.js application, one Supabase instance, and 84 prompts. Every feature survives. Only the infrastructure changes." — ADA ULTRA SI, Architecture Lead

The MVP PDD is ADA's controlled architecture collapse: every feature of the full ARK ONECRAFT platform is preserved in functional form, but the infrastructure complexity is reduced from enterprise-grade to single-app deployable. This is not a feature reduction — it is an **infrastructure compression** that enables a working, demonstrable prototype to be built in 8 weeks and deployed in a single Vercel push.

ADA's Delta Principle

Every item in the DELTA LIST below is **deferred, not deleted**. The MVP database schema, API routes, and component architecture are designed to be **migration-compatible** with the full production stack — meaning the codebase graduates directly to the full PDD without a rewrite.

1.2 MVP Platform Identity

Attribute	Full Production	MVP / POC
Architecture	12 NestJS microservices	1 Next.js 14 App Router (full-stack)
Database	PostgreSQL + TimescaleDB + Neo4j + Redis + Pinecone + MongoDB	Supabase (PostgreSQL + pgvector + Realtime)
Auth	Auth0 + SAML 2.0 + OIDC + MFA	Supabase Auth (email/password + Google OAuth)

Attribute	Full Production	MVP / POC
AI Layer	Claude Sonnet 4 + Haiku 4.5 (separate services)	Claude API via Next.js Server Actions (both models)
Event Bus	BullMQ + Redis pub/sub	Supabase Realtime + synchronous Server Actions
Blockchain	Polygon L2 + ERC-721 NFTs + IPFS	Simulated badges (PNG + Supabase record)
Search	Elasticsearch + Pinecone semantic	Supabase full-text search + pgvector
Payments	Stripe Connect (70/30 payout)	Stripe Checkout (single payment, payout simulated)
Deployment	AWS EKS + Terraform + Kubernetes	Vercel (one-command: <code>vercel deploy</code>)
ARK Assessment	6-phase 120-prompt pipeline	3-stage 12-API-call assessment
CCGE Scenarios	190 scenarios (Bronze→Platinum)	25 Bronze + 15 Silver scenarios (40 total)
SPHINX Pipeline	FORGE 7-step full pipeline	FORGE 4-step simplified pipeline
GUIN+	Full social network (Neo4j graph)	Profile + cert wall + basic follow
Institutional	Corporate Mode 6 + Academic cohort	Single user tier (upgrade path defined)
Build Time	42 weeks (10 phases, 340 prompts)	8 weeks (4 phases, 84 prompts)
Deploy Cost	AWS EKS ~\$2,000/mo	Vercel Pro + Supabase Pro ~\$50/mo

1.3 ADA's DELTA LIST — Deferred to Production

The following items are **deliberately excluded** from the MVP. Each has a defined re-entry point in the full PDD.

Delta Item	MVP Replacement	Production Re-Entry
Polygon L2 NFT minting	Simulated badge (DB record + SVG tier badge)	Phase 4 cert-svc (CERT-003)
BullMQ async event bus	Supabase Realtime + synchronous Server Actions	Phase 6 ORCH-001
TimescaleDB time-series	PostgreSQL <code>ark_score_history</code> table with <code>created_at</code> index	Phase 1 DB-002 (upgrade)
Neo4j social graph	Supabase <code>follows</code> junction table + SQL queries	Phase 7 GUIN-007
Pinecone vector matching	pgvector cosine similarity on Supabase	Phase 3 LEARN-006
Elasticsearch marketplace	Supabase full-text search (<code>to_tsvector</code>)	Phase 5 SPX-001
120-prompt ARK pipeline	3-stage API chain (12 Claude Sonnet calls)	Phase 2 ARK-001 to ARK-009
HIVE 14-D full audit	5-dimension simplified FORGE check	Phase 4 CERT-002
ULTRA SI synthesis	Deferred to production (Platinum + Studio+)	Phase 5 SPX-007
Corporate Mode 6	Admin toggle (single institution)	Phase 8 CORP-001
Academic IRB export	CSV download (basic)	Phase 8 ACAD-001
OSIRIS integration	Platform analytics page (basic counters)	Phase 9 ANL-003
SAML/OIDC SSO	Email/password + Google OAuth (Supabase)	Phase 8 CORP-004
Stripe Connect 70/30 payouts	Stripe Checkout + simulated payout tracking	Phase 1 INFRA-006
White-label UI	Theming config (CSS variables, no custom domain)	Phase 8 CORP-005
LTI 1.3 integration	Deferred entirely	Phase 8 CORP-003
Electron Desktop app	PWA manifest (installable)	Phase 1 INFRA-011

1.4 What the MVP Delivers — All Three Pillars Intact

Despite the infrastructure compression, **all three flywheel pillars are present and functional** in the MVP:

PILLAR 1 — ARK MAXIMUS v2 (MVP Edition)

- **3-Stage Assessment:** Discovery (career data input) → JST+CCMI Combined Scoring (12 Claude Sonnet 4 calls) → Roadmap Generation
- **ARK Score 0-600:** Full JST+CCMI formula preserved — same math, fewer API hops
- **VMST Vulnerability:** 5-level classification present (L0-L4)
- **A/O/C Typology:** Architect / Orchestrator / Conductor classification
- **ARK Professional ID:** Full 12-parameter ID string generated
- **Live Score Dashboard:** Real-time score display with pillar breakdown + LHCS signal
- *Deferred: 6-phase pipeline stages, LHCS Layer 03 full aggregation, 12-vector transferability detail*

PILLAR 2 — CCGE (MVP Edition)

- **XState-lite FSM:** Game loop (LOBBY → DEAL → TURN → SCORE → WIN/RETRY) using React state machine
- **KCSE Scoring:** Claude Haiku 4.5 real-time scoring <400ms (2× full production target — acceptable for POC)
- **40 Scenarios:** 25 Bronze + 15 Silver seeded and playable
- **Synergy Detection:** 3 of 5 synergy patterns (Alpha Prime, Expert Clarity, Full Context)
- **3-Tier Certification:** Bronze, Silver, Gold evaluation + simulated badge issuance
- **Achievement System:** 20 achievements (subset of 60)
- *Deferred: Platinum tier, 150 additional scenarios, tournament system, card enhancement*

PILLAR 3 — SPHINX (MVP Edition)

- **FORGE 4-Step Pipeline:** Concept → KCSE Score → FORGE Audit (5-dim) → Publish
- **Marketplace:** Browse + search + purchase (Stripe Checkout) + creator profile
- **ZPOS Optimizer:** AEOS method only (35-45% reduction) — free for all MVP users
- **Creator Economy:** 70/30 tracking (payouts simulated via Stripe, manual disbursement)
- **SPC Library:** 10 seeded sample SPCs at launch for marketplace density
- *Deferred: ULTRA SI synthesis, all 5 ZPOS methods, Elasticsearch search, ERC-721 NFT*

🧡 **GUIN+ (MVP Edition)**

- **Profile:** ARK Score display + cert wall + pillar radar chart
- **Connections:** Follow/following (SQL junction table)
- **Portfolio:** SPHINX SPCs linked on profile
- *Deferred: Mentor matching, guild system, knowledge feed algorithm, job board*

1.5 MVP Technology Stack — The Single App

ARK ONECRAFT MVP — SINGLE APP STACK	
FRONTEND + BACKEND	
Next.js 14.2 (App Router · TypeScript · Server Actions)	
Tailwind CSS 3.4 + Shadcn/ui · Recharts · Monaco Editor	
XState v5 (client-side CCGE FSM)	
DATABASE + AUTH + REALTIME	
Supabase (PostgreSQL 15 · Row Level Security · Realtime)	
Supabase Auth (email/password · Google OAuth)	
pgvector (SPC semantic similarity · scenario matching)	
AI	
Claude Sonnet 4 (ARK assessment · FORGE audit · roadmap)	
Claude Haiku 4.5 (KCSE scoring · GRO content check)	
Anthropic SDK (TypeScript) via Next.js Server Actions	
PAYMENTS	
Stripe Checkout (SPC purchases)	
Stripe Webhooks (payment confirmation → SPC unlock)	
INFRASTRUCTURE	
Vercel (hosting · edge functions · automatic SSL)	
Vercel KV (Redis-compatible · session cache · score cache)	
Resend (transactional email: certs, achievements, sales)	
Uploadthing (SPC cover images · profile avatars)	

One-command deploy: `vercel deploy --prod`

Monthly cost (POC): Vercel Pro (\$20) + Supabase Pro (\$25) + Anthropic API (~\$50-200 usage) ≈

~\$95-245/mo

Scale ceiling (before migration to full stack): ~5,000 MAU, ~200 daily assessments, ~1,000 daily CCGE sessions

1.6 MVP ATLAS PDD Prompt Distribution

Phase	Colour	Focus	Prompts	Weeks
Phase 1	RED	Foundation: Next.js + Supabase + Auth + Schema	22	1-2
Phase 2	ORANGE	ARK Engine: 3-Stage Assessment + Dashboard	20	3-4
Phase 3	YELLOW	CCGE Game Engine: FSM + KCSE + Scenarios + Cert	24	5-6
Phase 4	GREEN	SPHINX + GUIN+ + Flywheel + Launch	18	7-8
TOTAL	4 Phases	Full MVP Platform	84	8 Weeks

Build Cost vs. Full Stack: ~75% reduction in build time

Feature Coverage: 100% of pillars present · ~60% of full feature depth

Migration Readiness: Schema and API routes are production-compatible

1.7 Colour-Coding Legend — MVP Edition

Colour	Phase	Focus	Primary Tool
RED	PRE CRAFT	Next.js scaffold, Supabase schema, Auth, shared components	Bolt.new → Claude Code
ORANGE	CRAFT-ARK	ARK assessment flow, scoring engine, dashboard	Claude Code
YELLOW	CRAFT-CCGE	Game engine, KCSE scoring, scenario library, certification	Claude Code
GREEN	POST CRAFT	SPHINX marketplace, GUIN+ profile, flywheel wiring, deploy	Claude Code → Vercel

1.8 MVP Design Architecture Pair

Agent	JCSE	Role in MVP
ADA ULTRA SI	50/50	MVP architecture decisions, schema design, Server Actions patterns, migration compatibility rules
VIBE DJ	—	Tool orchestration — when to use Bolt.new vs Claude Code vs v0.dev at each phase transition

[PART 1 COMPLETE — Proceed to Part 2: ATLAS PromptWare Worksheet]

◆ PART 2: ATLAS PROMPTWARE WORKSHEET — MVP EDITION

ADA Design Note: Every prompt below maps to a self-contained feature deliverable within the single Next.js app.

Server Actions are the integration layer — no REST APIs, no separate services.

Supabase Row Level Security (RLS) is the security layer — no middleware services.

VIBE DJ Rule: Give each prompt to Bolt.new in Phase 1. Graduate to Claude Code from Phase 2 onward.

Priority: ● P0 = Day-blocking · ● P1 = Sprint-critical · ● P2 = Sprint-important

Status: ■ Open · 🔄 In Progress · ✅ Complete

● PHASE 1: FOUNDATION (22 Prompts)

Duration: Weeks 1-2 | **Sprints:** 1-2 | **Primary Tool:** Bolt.new → Claude Code

Objective: Full Next.js 14 app scaffold with Supabase database schema, Row Level Security, Supabase Auth, shared UI components, and base layout. Deploy to Vercel at end of Sprint 1.

🚩 1.1 App Scaffold & Configuration (6 Prompts)

Priority	ID	Component	PromptWare Implementation	Tool	Status
● P0	MVP-001	Next.js App Scaffold	Scaffold a Next.js 14.2 app with App Router, TypeScript strict mode, Tailwind CSS 3.4, and Shadcn/ui. Install dependencies: <code>@supabase/ssr</code> , <code>@supabase/supabase-js</code> , <code>@anthropic-ai/sdk</code> , <code>stripe</code> , <code>xstate</code> , <code>recharts</code> , <code>@monaco-editor/react</code> , <code>uploadthing</code> , <code>resend</code> . Configure <code>next.config.ts</code> with environment variable schema validation. Create <code>.env.local.example</code> with all required keys: <code>NEXT_PUBLIC_SUPABASE_URL</code> , <code>NEXT_PUBLIC_SUPABASE_ANON_KEY</code> , <code>SUPABASE_SERVICE_ROLE_KEY</code> , <code>ANTHROPIC_API_KEY</code> , <code>STRIPE_SECRET_KEY</code> , <code>NEXT_PUBLIC_STRIPE_PUBLISHABLE_KEY</code> , <code>STRIPE_WEBHOOK_SECRET</code> , <code>RESEND_API_KEY</code> , <code>UPLOADTHING_SECRET</code> .	Bolt.new	🟡
● P0	MVP-002	Supabase Client Setup	Create <code>lib/supabase/client.ts</code> (browser client using <code>createBrowserClient</code>), <code>lib/supabase/server.ts</code> (server client using <code>createServerClient</code> from <code>@supabase/ssr</code> with Next.js cookies), and <code>lib/supabase/middleware.ts</code> (session refresh middleware). Configure <code>middleware.ts</code> at root to refresh auth session on every request. Create <code>lib/supabase/types.ts</code> — export the Supabase generated TypeScript <code>Database</code> type (placeholder until schema is generated).	Bolt.new	🟡
● P0	MVP-003	App Layout & Navigation	Create <code>app/layout.tsx</code> with: dark Junglenomics theme (CSS variables: <code>--gold: #C9A227</code> , <code>--dark: #1A1A2E</code> , <code>--teal: #0F3460</code> , <code>--jungle: #2D6A4F</code>), Toaster (Sonner), Analytics provider slot. Create	Bolt.new	🟡

Priority	ID	Component	PromptWare Implementation	Tool	Status
			<code>app/(main)/layout.tsx</code> with persistent sidebar nav: links to Dashboard, ARK Assessment, CCGE Game, SPHINX Marketplace, GUIN+ Profile. Sidebar shows: user's ARK Score badge (live from Supabase Realtime), cert tier badge (Bronze/Silver/Gold colour-coded), LHCS status dot (green/yellow/grey). Mobile: collapsible sheet nav.		
● P0	MVP-004	Supabase Auth Pages	Create auth pages using Supabase Auth: <code>app/auth/login/page.tsx</code> (email/password + Google OAuth button), <code>app/auth/signup/page.tsx</code> (email, password, display_name, guin_username), <code>app/auth/callback/route.ts</code> (OAuth code exchange), <code>app/auth/confirm/route.ts</code> (email confirmation). On signup completion: create <code>onecraft_users</code> record with defaults. Protect all <code>(main)</code> routes via middleware — unauthenticated users redirected to <code>/auth/login</code> .	Bolt.new	■
● P0	MVP-005	Shared UI Components	Build shared component library in <code>components/ui/</code> : <code>ArkScoreBadge</code> (shows score 0-600, colour-coded by tier: Legendary gold, Exceptional teal, Strong green, Capable blue, Developing orange, Foundation grey), <code>CertTierBadge</code> (Bronze/Silver/Gold with icon), <code>KcseScoreBar</code> (animated progress bar for K/C/S/E dimensions), <code>PillarRadarChart</code> (Recharts RadarChart for 7 CC pillars), <code>FlywheelCard</code> (shows current flywheel position + next CTA), <code>JstIdBadge</code> (formatted ARK Professional ID string with copy button). Export all from <code>components/ui/index.ts</code> .	Bolt.new	■
● P1	MVP-006	Vercel Deployment	Configure Vercel deployment: <code>vercel.json</code> with function memory limits (ARK assessment: 3008MB, KCSE scoring: 512MB, standard: 256MB), cron job for daily score recalculation	Claude Code + Vercel CLI	■

Priority	ID	Component	PromptWare Implementation	Tool	Status
			<code>((api/cron/score-refresh.ts)).</code> Install Vercel KV for session cache + score cache. Configure environment variables in Vercel dashboard. Deploy: <code>(vercel deploy --prod)</code> . Confirm: app live at Vercel URL, Supabase connection working, Auth0 Google OAuth redirect URI updated.		

1.2 Supabase Database Schema (16 Prompts)

Priority	ID	Component	PromptWare Implementation
● P0	DB-MVP-001	Core User Table	Create Supabase migration <code>(001_core_users.sql)</code> : <code>(oncraft_users auth.users):id UUID PRIMARY KEY REFERENCES auth.users(id) ON CASCADE, (display_name TEXT), (guin_username TEXT UNIQUE), (a DEFAULT 0), (jst_index INT DEFAULT 0), (ccmi INT DEFAULT 0), (DEFAULT 'unassessed'), (vmst_level SMALLINT DEFAULT 99), (ce DEFAULT 'none') CHECK IN ('none','bronze','silver','gold'), (knight_ra DEFAULT 'squire'), (lhcs_status TEXT DEFAULT 'baseline'), (subscription_tier TEXT DEFAULT 'free'), (typology TEXT), (a TEXT), (stripe_customer_id TEXT), (created_at TIMESTAMPTZ DE (updated_at TIMESTAMPTZ DEFAULT NOW()). Enable RLS. Policy: use users can update own row (except ark_score, cert_tier — server-only fields </code>
● P0	DB-MVP-002	ARK Assessment Tables	Create migration <code>(002_ark_tables.sql)</code> : <code>(ark_assessment_session PRIMARY KEY DEFAULT gen_random_uuid()), (user_id UUID REFE oncraft_users(id)), (mode TEXT DEFAULT 'full'), (stage_comp DEFAULT 0) (1-3 for MVP 3-stage), (stage_data JSONB DEFAULT '{} output), (final_ark_score INT), (final_jst INT), (final_ccmi IN SMALLINT), (typology TEXT), (roadmap_90d TEXT), (ark_id_string TEXT DEFAULT 'in_progress') CHECK IN ('in_progress','completed', (started_at TIMESTAMPTZ DEFAULT NOW()), (completed_at TIME (ark_score_history) table: (id UUID DEFAULT gen_random_uuid(FK), (ark_total INT), (jst_score INT), (ccmi_score INT), (trigge (delta INT), (created_at TIMESTAMPTZ DEFAULT NOW()), (ccmi_p table: (user_id UUID PRIMARY KEY FK), (p1 SMALLINT DEFAULT 0 DEFAULT 0), (p3 SMALLINT DEFAULT 0), (p4 SMALLINT DEFAULT 0, DEFAULT 0), (p6 SMALLINT DEFAULT 0), (p7 SMALLINT DEFAULT 0), </code>

Priority	ID	Component	PromptWare Implementation
			INT DEFAULT 0), (cc_multiplier DECIMAL(3,2) DEFAULT 1.00), (TIMESTAMP TZ DEFAULT NOW()), RLS: all tables owner-read-write.
● P0	DB-MVP-003	CCGE Game Tables	Create migration (003_ccge_tables.sql): (scenarios) table: (id UUID gen_random_uuid(), (title TEXT), (description TEXT), (cert_tier TEXT), (pillar_focus TEXT), (required_card_types TEXT[]), (token_budget_min INT DEFAULT 0), (token_budget_max INT DEFAULT 50), (win_threshold INT DEFAULT 0), (difficulty_score INT), (active BOOL DEFAULT TRUE), (cards) table: (id UUID PRIMARY KEY), (type TEXT), (text TEXT), (kcse_base_score INT), (cert_tier TEXT), (pillar TEXT), (tokens_used INT), (enhancement TEXT), (game_sessions) table: (id UUID DEFAULT gen_random_uuid(), (user_id UUID FK), (cert_tier TEXT), (scenario_id UUID FK), (focus TEXT), (hand JSONB DEFAULT '[]'), (played_cards JSONB DEFAULT '[]'), (kcse_scores JSONB DEFAULT '[]'), (session_kcse_total DECIMAL DEFAULT 0), (synergy_bonus DECIMAL DEFAULT 1.0), (conflict_penalty INT DEFAULT 0), (token_budget_used INT DEFAULT 0), (win_condition_met BOOL DEFAULT 0), (pillar_deltas JSONB DEFAULT '{}'), (started_at TIMESTAMP TZ DEFAULT NOW()), (completed_at TIMESTAMP TZ), RLS: owner access.
● P0	DB-MVP-004	Certification & Achievement Tables	Create migration (004_cert_tables.sql): (certifications) table: (id UUID gen_random_uuid(), (user_id UUID FK), (tier TEXT) CHECK IN ('bronze','silver','gold'), (jcse_qualifying_score DECIMAL(5,2)), (sessions_completed INT), (badge_url TEXT) (SVG URL), (pdf_url TEXT), (issued_at TIMESTAMP TZ DEFAULT NOW()), (simulated_nft_id TEXT) represents deferred NFT). (user_achievements) table: (user_id UUID FK), (achievement_code TEXT), (earned_at TIMESTAMP TZ DEFAULT NOW()). (achievements) table: (code TEXT PRIMARY KEY), (name TEXT), (description TEXT), (category TEXT), (badge_emoji TEXT), MVP achievements on migration run. RLS: owner read, server-only write.
● P0	DB-MVP-005	SPHINX SPC Tables	Create migration (005_sphinx_tables.sql): (spcs) table: (id UUID gen_random_uuid(), (author_id UUID FK REFERENCES onecraft_users), (name TEXT), (slug TEXT UNIQUE), (content TEXT), (jcse_score DECIMAL(3,2)), (pillar_focus TEXT[]), (cert_tier_gate TEXT DEFAULT 'bronze'), (forge_certified INT DEFAULT 0), (forge_certified BOOL DEFAULT FALSE), (hive_id TEXT), (published BOOL DEFAULT FALSE), (price DECIMAL(3,2)), (downloads INT DEFAULT 0), (sales_count INT DEFAULT 0), (average_rating DECIMAL(3,2) DEFAULT 0), (content_vector vector(1536)) (pgvector), (created_at TIMESTAMP TZ DEFAULT NOW()), (published_at

Priority	ID	Component	PromptWare Implementation
			<pre> (spc_purchases) table: (id UUID DEFAULT gen_random_uuid()), (b FK), (spc_id UUID FK), (stripe_session_id TEXT), (amount_paid (creator_payout_tracked DECIMAL), (purchased_at TIMESTAMPT NOW()). (spc_reviews) table: (id UUID DEFAULT gen_random_uuid FK), (reviewer_id UUID FK), (rating SMALLINT CHECK (rating B 5)), (review_text TEXT), (created_at TIMESTAMPTZ DEFAULT NOW public read if published; author full access; purchases owner-read. </pre>
● P0	DB- MVP- 006	GUIN+ Social Tables	Create migration <code>006_guin_tables.sql</code>: <pre> (guin_profiles) table: (us PRIMARY KEY FK), (bio TEXT), (headline TEXT), (location TEXT), (disc_profile TEXT), (linkedin_url TEXT), (public BOOL DEFAU (guin_follows) table: (follower_id UUID FK), (following_id UUI KEY (follower_id, following_id), (guin_posts) table: (id UUID DEFAUL gen_random_uuid()), (author_id UUID FK), (content TEXT CHECK (length(content) <= 1000)), (post_type TEXT DEFAULT 'text' ('text','achievement','cert','spc_launch'), (linked_entity_id UUID), (re DEFAULT '{"forge_worthy":0,"battle_tested":0,"pillar_master":0,' (created_at TIMESTAMPTZ DEFAULT NOW()). Enable full-text search `CREATE INDEX spcs_fts ON spcs USING gin(to_tsvector('english', nam </pre>
● P0	DB- MVP- 007	LHCS & Flywheel State	Create migration <code>007_lhcs_flywheel.sql</code>: <pre> (lhcs_signals) table: (u PRIMARY KEY FK), (cpr_status TEXT DEFAULT 'none') CHECK IN ('none','bronze','silver','gold'), (cpr_score INT DEFAULT 0), (mps_sta DEFAULT 'inactive'), (mps_score INT DEFAULT 0), (lcis_compos 0), (lhcs_status TEXT DEFAULT 'baseline') CHECK IN ('baseline','developing','active'), (resume_replacement_readiness Df DEFAULT 0), (activation_gap INT DEFAULT 100), (updated_at TI DEFAULT NOW()). (flywheel_events) table: (id UUID DEFAULT gen_ (user_id UUID FK), (event_type TEXT), (event_data JSONB), (crea TIMESTAMPTZ DEFAULT NOW()) — lightweight event log replacing BullM function (update_lhcs_signal(user_id)): recomputes LHCS from cp + ark_score. Supabase DB Function (PL/pgSQL). (platform_stats) table PRIMARY KEY), (value INT DEFAULT 0), (updated_at TIMESTAMPTZ Seed: total_assessments=0, total_game_sessions=0, total_certs_issued=0, total_spcs_published=0. </pre>

Priority	ID	Component	PromptWare Implementation
● P0	DB-MVP-008	Row Level Security Policies	Create migration <code>008_rls_policies.sql</code> : enable RLS on all 14 tables. <code>onecraft_users</code> : <code>SELECT</code> if <code>auth.uid()</code> =id; <code>UPDATE</code> if <code>auth.uid()</code> =id / allowed fields. (2) <code>game_sessions</code> : <code>SELECT/INSERT/UPDATE</code> if <code>auth.uid()</code> =author_id. (3) <code>spcs</code> : <code>SELECT</code> if <code>published=true</code> OR <code>auth.uid()</code> =author_id; <code>INSERT/UPDATE</code> via service role only. (4) <code>spc_purchases</code> : <code>SELECT</code> if <code>auth.uid()</code> =buyer_id; <code>INSERT/UPDATE</code> via service role only. (5) <code>certifications</code> : <code>SELECT</code> if <code>auth.uid()</code> =user_id; <code>INSERT/UPDATE</code> via service role only. (6) <code>guin_profiles</code> : <code>SELECT</code> if <code>public=true</code> ; <code>INSERT/UPDATE</code> via service role only. (7) Service role bypass: all server actions use <code>supabase_role</code> for writes to protected tables (<code>certs</code> , <code>ark_score</code> , <code>flywheel_events</code>).
● P1	DB-MVP-009	Supabase Realtime Channels	Configure Supabase Realtime: enable <code>onecraft_users</code> table for realtime (<code>ark_score</code> , <code>cert_tier</code> , <code>lhcs_status</code> columns). Enable <code>game_sessions</code> realtime (track <code>fsm_state</code> , <code>kcse_scores</code> , <code>session_kcse_total</code>). Enable <code>flywheel_events</code> table for realtime (new event inserts → client notifications). Create hook <code>useArkScore(userId)</code> : subscribes to <code>onecraft_users</code> realtime, returns live ARK Score. Create hook <code>useGameSession(sessionId)</code> : subscribes to <code>game_sessions</code> → returns live FSM state + KCSE scores. These replace events from the full PDD.
● P1	DB-MVP-010	Scenario & Card Seed Data	Create <code>supabase/seed.sql</code> with 40 MVP scenarios: 25 Bronze (<code>cert_tier='bronze'</code> , <code>win_threshold=280</code> , <code>token_budget_min=30</code> , <code>token_budget_max=50</code>) and 15 Silver (<code>cert_tier='silver'</code> , <code>win_threshold=320</code> , <code>token_budget_min=35</code> , <code>token_budget_max=60</code>). Seed 57 cards (8 types × 7 pillars). Seed 10 sample SPCs (<code>published=true</code> , <code>jcse_score</code> between 32-46, prices \$10-\$50). Deploy: <code>supabase db seed</code> .
● P1	DB-MVP-011	Supabase Edge Functions	Create two Supabase Edge Functions: (1) <code>functions/stripe-webhook</code> receives Stripe webhook <code>checkout.session.completed</code> → creates <code>spc_purchase</code> record, marks SPC as accessible to buyer, updates <code>platform_stats.total_spcs_sold</code> , emits <code>flywheel_events</code> record (type='spc_sold'), updates seller's <code>lhcs_signals.mps_score</code> . (2) <code>functions/daily-score-refresh</code> triggered by <code>pg_cron</code> (or Vercel cron) — for all users with game sessions calculate <code>ccmi_composite</code> from <code>ccmi_pillar_scores</code> , recompute <code>ark_score</code> , update <code>ark_score_history</code> record, update <code>onecraft_users</code> . Deploy: <code>supabase functions deploy</code> .

Priority	ID	Component	PromptWare Implementation
● P2	DB-MVP-012	Email Templates	Create Resend email templates in <code>emails/</code> : (1) <code>WelcomeEmail.tsx</code> — with ARK assessment CTA (React Email component), (2) <code>Certificatio</code> cert tier earned, badge image, simulated NFT ID, download PDF link, (3) <code>SpcSaleEmail.tsx</code> — sale notification to creator: SPC name, buyer tier LHCS signal update. Configure Resend in <code>lib/email.ts</code> . Call from Ser cert issuance and SPC sale.

● PHASE 2: ARK ENGINE (20 Prompts)

Duration: Weeks 3-4 | **Sprints:** 3-4 | **Primary Tool:** Claude Code

Objective: Full 3-stage ARK MAXIMUS v2 assessment using Claude Sonnet 4 via Server Actions, ARK Score dashboard, VMST analysis, A/O/C typology, JST Professional ID, roadmap generation, and LHCS signal baseline.

🔗 2.1 ARK Assessment Engine (12 Prompts)

Priority	ID	Component	PromptWare Implementation	To
● P0	ARK-MVP-001	Assessment Page & Input Form	Create <code>app/(main)/ark/assess/page.tsx</code> : multi-step form collecting: (1) Career narrative (textarea, min 200 chars, prompt: "Describe your career, current role, and goals"), (2) Skills list (comma-separated, with AI-assisted extraction button), (3) Experience years per field (dynamic list), (4) AI goals (checkbox: Adopt AI tools / Become AI builder / Career pivot / Leadership), (5) Resume paste (optional, 5000 char limit). Form state: React Hook Form + Zod validation. Progress bar: 5 steps. On submit: call Server Action <code>startArkAssessment()</code> . Show loading state: "ARK MAXIMUS v2 is analysing your career DNA..." with animated ARK Score meter counting from 0.	Cl Cc
● P0	ARK-MVP-002	Stage 1 — Discovery Server Action	Create Server Action <code>actions/ark/stage1-discovery.ts</code> : input = raw form data from MVP-001. Claude Sonnet 4 prompt (ZPOS-optimised, <800 tokens): <code>`{system: "You are ARK MAXIMUS v2, an elite career intelligence engine. Extract and normalise career data into structured JSON.", user: "Career data: {careerText}\nSkills: {skillsList}\nExtract: {role_title, industry,</code>	pl

Priority	ID	Component	PromptWare Implementation	To
			years_experience, primary_skills[10], secondary_skills[5], credential_level, career_trajectory: ascending	
● P0	ARK-MVP-003	Stage 2 — JST + CCMI Combined Engine	Create Server Action <code>(actions/ark/stage2-scoring.ts)</code>: 4 Claude Sonnet 4 calls (chained, results fed forward): Call 1 (JST Jobs Layer, ~600 tokens): score Jobs sub-dimensions from stage1 data → {j_market_demand, j_role_scarcity, j_salary_trajectory, j_geographic_flex} → J_total. Call 2 (JST Skills + Talent, ~700 tokens): score Skills (with CC_proficiency_estimate=50% of skills score based on AI fluency signals) and Talent → {s_technical_currency, s_cc_proficiency, s_upskilling_velocity, t_learning_agility, t_progression_rate, t_achievement_density} → S_total, T_total. Call 3 (CCMI 7-Pillar, ~800 tokens): evaluate Context Craft mastery from career narrative and skills signals → {p1,p2,p3,p4,p5,p6,p7} each 0-100. Call 4 (VMST + Typology, ~500 tokens): compute AI vulnerability level (L0-L4) + A/O/C typology. Formula execution (TypeScript): $\text{JST} = \frac{[(J \times 0.30) + (S \times 0.40) + (T \times 0.30)] \times 3}{(p1 \times 0.18) + \dots + (p7 \times 0.18)} \times 3$, $\text{CCMI} = \frac{(p1 \times 0.18) + \dots + (p7 \times 0.18)}{3}$, $\text{ARK_SCORE} = \text{JST} + \text{CCMI}$. Apply CC multiplier: CCMI<100=1.0×, 100-149=1.05×, 150-199=1.10×, 200-249=1.15×, 250-299=1.20×, 300=1.35×. Store in <code>stage_data.stage2</code>. Upsert <code>ccmi_pillar_scores</code>.	Cl Cc Cl So
● P0	ARK-MVP-004	Stage 3 — Roadmap + ID Generator	Create Server Action <code>(actions/ark/stage3-roadmap.ts)</code> : Claude Sonnet 4 call (~1000 tokens): generate personalised roadmap: ` {system: "You are ARK MAXIMUS v2 Roadmap Engine.", user: "ARK Score: {score}/600`	JS
● P0	ARK-MVP-005	ARK Score Dashboard	Create <code>(app/(main)/ark/dashboard/page.tsx)</code> : 3-section layout. Section 1 (ARK Identity): ARK ID string display (monospaced, copyable), score tier badge (Legendary/Exceptional/Strong/Capable/Developing/Foundation), animated score meter 0-600, VMST shield widget (L0-L4 colour-coded), A/O/C typology card, LHCS signal dot (grey=baseline, yellow=developing, green=active). Section 2 (Score Breakdown): side-by-side JST vs CCMI doughnut charts (Recharts), 7-pillar CCMI bar chart (highlight weakest in red), VMST protection factor display. Section 3 (Roadmap): 90-day weekly focus list (expandable), 12-month milestone timeline (Recharts LineChart), "Your Next ARK-Improving Action" CTA card (powered by	Cl Cc

Priority	ID	Component	PromptWare Implementation	To
			Flywheel CTA logic). Live score: <code>useArkScore()</code> hook → Supabase Realtime.	
● P0	ARK-MVP-006	ARK Score History Chart	Create <code>app/(main)/ark/history/page.tsx</code> : query <code>ark_score_history</code> for current user (last 90 days). Recharts AreaChart: x-axis = date, y-axis = ark_total (0-600). Overlay lines: jst_score (teal) + ccmi_score (gold). Annotated events: vertical dashed lines at trigger events (cert_issued shows "🏆 Gold Cert", spc_published shows "🏠 SPC Published"). Stats cards below chart: "Highest Score", "Score This Month (+XX)", "Best Performing Pillar (last 30 days)", "Days Active". Empty state: if no history → "Complete your ARK assessment to see your score history."	Cl Cc
● P1	ARK-MVP-007	ARK Score Live Recalculation	Create Server Action <code>actions/ark/recalculate-score.ts</code> : triggered by <code>flywheel_events</code> inserts (Supabase Realtime listener in <code>useArkScore</code> hook). Recalc logic: (1) Fetch <code>ccmi_pillar_scores</code> for user, (2) Recompute CCMI composite, (3) Apply delta from <code>flywheel_events</code> (game_completed: +CCMI delta; cert_issued: +CC multiplier tier bump; spc_published: JST Talent +2.0; spc_sold: JST Talent +1.5). (4) Cap gains: max +15 ARK points from CCGE per day (prevent grinding), max +20 from SPHINX events per 30 days. (5) Update <code>onecraft_users.ark_score</code> . (6) Insert <code>ark_score_history</code> . (7) Update <code>lhcs_signals</code> . Supabase Realtime pushes update to client <code>useArkScore</code> hook.	Cl Cc
● P1	ARK-MVP-008	Flywheel CTA Engine	Create <code>lib/flywheel.ts</code> : function <code>getFlywheelCta(user: OnecraftUser): FlywheelCta</code> . 10-branch decision tree returning `{position: number, headline: string, subtext: string, ctaLabel: string, ctaHref: string, urgency: 'high'}	'm

Priority	ID	Component	PromptWare Implementation	To
● P1	ARK-MVP-009	Assessment Progress Polling	Create <code>app/(main)/ark/assess/[sessionId]/page.tsx</code> : polling UI for 3-stage assessment progress. Uses <code>useEffect</code> + <code>setInterval</code> (3s poll) to call <code>GET /api/ark/session/[sessionId]</code> Server Route. Shows: Stage 1 "Extracting career intelligence..." → Stage 2 "Computing JST + CCMI scores..." → Stage 3 "Generating your roadmap..." Each stage: animated spinner, stage name, estimated seconds remaining. On <code>status= 'completed'</code> : redirect to <code>/ark/dashboard</code> . On <code>status= 'failed'</code> : show error + retry button. Maximum wait: 120 seconds before timeout (show manual refresh).	Cl Cc
● P2	ARK-MVP-010	ARK PDF Report	Create Server Action <code>actions/ark/generate-pdf.ts</code> : uses <code>@react-pdf/renderer</code> to generate a 3-page PDF: Page 1 (ARK Identity Card): ARK ID, score tier, JST/CCMI doughnut, VMST level, typology. Page 2 (Intelligence Profile): 7-pillar CCMI bar chart, top-3 transferability vectors, A/O/C description. Page 3 (Roadmap): 90-day sprint, 12-month milestones, CCGE + SPHINX recommendations. Store in Uploadthing <code>(/pdfs/{userId}/{sessionId}.pdf)</code> . <code>GET /api/ark/report/[sessionId]/pdf</code> → redirect to Uploadthing URL. Link on dashboard: "Download Full Report (PDF)".	Cl Cc rea
● P2	ARK-MVP-011	LHCS Signal Display	Create <code>components/LhcsSignal.tsx</code> : displays Live Human Capital Signal status on ARK dashboard. Three signal lights (CPR / MPS / LCIS) each showing active/developing/inactive. CPR = CC cert layer (Bronze=20pts, Silver=40, Gold=65). MPS = SPHINX market presence (listed=20, first_sale=40, 10_sales=65). LCIS = ARK Layer 03 output (CCMI÷3 normalised to 0-90pts). LHCS	Cl Cc

Priority	ID	Component	PromptWare Implementation	To
			composite = (CPR×0.35) + (MPS×0.35) + (LCIS×0.30). Status: ACTIVE (≥70), DEVELOPING (40-69), BASELINE (<40). "Resume Replacement Readiness" percentage bar. Tooltip: "Reach LHCS ACTIVE to unlock Job Board priority placement."	
● P2	ARK-MVP-012	Benchmarking Comparisons	Create <code>components/ArkBenchmark.tsx</code> : simple benchmark display on ARK dashboard. Fetches: (1) platform median ark_score from <code>platform_stats</code> (Supabase aggregation view), (2) percentile rank (COUNT of users with score < user's score / total users). Shows: "You're in the top X% of all ONECRAFT users", "Your P3 Instruction Precision is 18pts above platform average", "Your VMST protection is 2 levels above your industry median". Computed server-side in <code>app/(main)/ark/dashboard/page.tsx</code> (no client-side fetch needed — RSC).	Cl Cc

● PHASE 3: CCGE GAME ENGINE (24 Prompts)

Duration: Weeks 5-6 | **Sprints:** 5-6 | **Primary Tool:** Claude Code
Objective: Full XState-lite CCGE game engine in React, Claude Haiku 4.5 KCSE scoring, 40 playable scenarios, 3-tier certification (Bronze/Silver/Gold), 20-achievement system, score-to-ARK feedback loop.

🎮 3.1 Game Engine Core (14 Prompts)

Priority	ID	Component	PromptWare Implementation	Tool
● P0	GAME-MVP-001	XState Game Machine	Create <code>lib/game/machine.ts</code> using XState v5: <code>gameMachine</code> with states: <code>lobby</code> (entry: load scenario + deal hand) → <code>dealing</code> (transition: hand loaded) → <code>playing</code> (substates: <code>idle</code> + <code>scoring</code> + <code>scored</code>) → <code>session_complete</code> (win: win_condition_met; retry: score too low) → <code>finalised</code> . Context: <code>{sessionId, scenario, hand: Card[], playedCards: CardPlay[], fsmState, tokenBudgetUsed, sessionKcseTotal,</code>	Claude Code

Priority	ID	Component	PromptWare Implementation	Tool
			synergyBonus, conflictPenalty, winConditionMet}). Guards: canPlay (session active + hand not empty + token budget not exceeded). Events: DEAL_HAND, PLAY_CARD({cardId}), KCSE_RESULT({cardId, scores}), COMPLETE_SESSION. Machine exported + typed for React useMachine().	
● P0	GAME-MVP-002	Game Session Page	Create app/(main)/game/[sessionId]/page.tsx: full game UI. Layout: (1) Top bar: scenario title + description, token budget progress bar (used/max, colour-coded: green <85%, amber 85- 95%, red >95%), KCSE session total meter. (2) Main area: 3-column layout — card hand (left), play area (centre), score history (right). (3) Card component: shows card type icon, pillar badge, token cost, enhancement stars, base KCSE score. Drag-or-click to play. (4) Play area: shows played cards in sequence with KCSE score overlays after scoring. (5) Real-time updates: useGameSession(sessionId) Supabase Realtime hook updates KCSE scores as they arrive. Win/Retry overlay on session complete.	Claude Code
● P0	GAME-MVP-003	KCSE Scoring Server Action	Create Server Action actions/game/score- card.ts: receives {cardId, cardText, scenarioContext, pillarFocus}. Claude Haiku 4.5 call (target <400ms, ZPOS-optimised ~180 tokens): {system: "Prompt engineering evaluator. Score this card play.", user: "Card: {cardText[:300]}\nContext: {scenarioContext[:200]}\nPillar: {pillarFocus}\nScore K(0-25)C(0- 25)S(0-25)E(0-25). JSON only: {k,c,s,e,total,note}"}. Response: parse JSON, validate fields sum ≤100. Vercel KV cache: key {kcse:{cardId}:{scenarioId}}, TTL 1hr.	Claude Code + Clau

Priority	ID	Component	PromptWare Implementation	Tool
			Cache hit → return instantly (prevents duplicate Claude calls). Update <code>game_sessions.kcse_scores</code> JSONB array via <code>supabaseAdmin</code> . Return: <code>{k,c,s,e,total,note,cached}</code> .	
● P0	GAME-MVP-004	Synergy Detection	Create <code>lib/game/synergy.ts</code> : function <code>detectSynergies(playedCards: CardPlay[]): SynergyResult</code> . 3 MVP synergy patterns: (1) Alpha Prime: System card + Role card both played in session → multiplier 1.50, bonus label " ⚡ Alpha Prime — System+Role synergy!". (2) Expert Clarity: Role card KCSE≥85 AND Instruction card KCSE≥85 → multiplier 1.35, label " 🧠 Expert Clarity — Precision pair!". (3) Full Context: all 7 pillar types present in session hand → multiplier 1.80, label " 🌟 Full Context Master — All pillars engaged!". Apply highest active synergy multiplier to <code>sessionKcseTotal</code> . Store in <code>game_sessions.synergy_bonus</code> . Animate synergy detection with toast notification when detected during play.	Claude Code
● P0	GAME-MVP-005	Anti-Pattern Detection	Create <code>lib/game/conflicts.ts</code> : function <code>detectConflicts(newCard: Card, playedCards: CardPlay[]): ConflictResult</code>	null. 2 MVP con classes (sync, based): (1) Per Clash: two Role with opposing C profiles in sam (DISC pairs: D↔ penalty -8pts, Personality Cla conflict!". (2) Contradiction: card goal keywc "minimise", "ma directly contra Constraint carc penalty -10pts,

Priority	ID	Component	PromptWare Implementation	Tool
				"⚠️ Goal Contradiction!" check runs on e PLAY_CARD event scoring. If cor detected: show toast, apply pe session total, play (don't blc penalise only). game_sessions.con
● P0	GAME-MVP-006	Session Completion & XP	Create Server Action actions/game/complete-session.ts: finalise game session. (1) Compute <code>finalKcse</code> <code>= (sessionKcseTotal × synergyBonus) -</code> <code>conflictPenalty</code>. (2) Win check: <code>finalKcse ≥</code> <code>scenario.win_threshold</code> AND <code>token_budget_used</code> <code>≤ scenario.token_budget_max</code>. (3) XP calculation: <code>base = winConditionMet ? finalKcse × 0.5 + 50 :</code> <code>finalKcse × 0.25</code>. (4) CCMI pillar delta computation: for each pillar in played cards, <code>delta</code> <code>= (played_card_kcse - current_p_score) × 0.05</code> (small delta per session). Upsert <code>ccmi_pillar_scores</code> with new values. (5) Emit <code>flywheel_events</code> (<code>type='game_completed'</code>, <code>data={pillarDeltas,</code> <code>sessionKcse, winConditionMet}</code>). (6) Update <code>onecraft_users.knight_rank</code> if XP threshold crossed. (7) Check + award achievements. Return: <code>{finalKcse,</code> <code>winConditionMet, xpEarned,</code> <code>pillarDeltas, newAchievements[],</code> <code>certProgressPct}</code>.	Claude Code
● P0	GAME-MVP-007	Session Start & Scenario Select	Create <code>app/(main)/game/page.tsx</code> : scenario browser + session start. Layout: (1) Header: "Today's Recommended" (1 scenario targeting weakest CCMI pillar from <code>ccmi_pillar_scores</code>), cert progress ring	Claude Code

Priority	ID	Component	PromptWare Implementation	Tool
			(sessions toward next cert). (2) Scenario grid: filter by cert_tier (Bronze/Silver) + pillar. Each card: title, difficulty stars, pillar focus tags, token budget range, win threshold, play count. (3) "Play Now" button → Server Action <code>actions/game/start-session.ts</code> : create <code>game_sessions</code> record, deal initial hand (SELECT 5-7 random cards matching scenario.required_card_types), redirect to <code>/game/{sessionId}</code> . Session start gate: Silver scenarios require Bronze cert.	
● P0	GAME-MVP-008	Achievement Detection Engine	Create <code>lib/game/achievements.ts</code> : function <code>checkAchievements(userId, sessionResult, currentAchievements): Achievement[]</code> . Checks 20 MVP achievements post-session: FIRST_WIN (first session win), BRONZE_STREAK_3 (3 Bronze wins in a row), FULL_CONTEXT_NOVICE (first Full Context synergy), PRECISION_PLAYER (K+C+S+E all ≥20 in one card), EFFICIENT_ENGINEER (token budget 85-95% exactly 5 sessions), P1_MASTER (avg p1 score ≥80 over 10 sessions), P3_MASTER (avg p3 ≥80), P7_MASTER (avg p7 ≥80), SEVEN_PILLAR_TOUCH (play all 7 pillar types in one session), ANTI_CHEAT (correctly avoid a conflict 3 times). Returns array of newly earned achievements. Call <code>supabaseAdmin</code> to insert <code>user_achievements</code> . Emit <code>flywheel_events</code> (type='achievement_earned').	Claude Code
● P1	GAME-MVP-009	CCGE Home Dashboard	Create <code>app/(main)/game/dashboard/page.tsx</code> : player game stats. (1) Stats row: total sessions, avg KCSE score, win rate %, XP + Knight rank badge + XP to next rank, total achievements / 20. (2) CCMi Pillar Progress bars: 7 bars showing current p1-p7 scores with colour coding (red<40, amber 40-65, green 65-85, gold ≥85). "Weakest pillar"	Claude Code

Priority	ID	Component	PromptWare Implementation	Tool
			highlighted with recommended scenario CTA. (3) Certification Progress: Bronze/Silver/Gold rings showing sessions completed vs. required (5/10/15). "Evaluate Now" button if sessions threshold met. (4) Recent sessions: last 5 sessions (scenario name, KCSE score, win/loss, date). (5) Leaderboard: top 10 players by ARK Score (from <code>onecraft_users</code>), public names + scores).	
● P1	GAME- MVP- 010	Card Collection Viewer	Create <code>app/(main)/game/cards/page.tsx</code> : user's available card library. Query: all base cards + purchased SPC cards (from <code>spc_purchases</code> JOIN <code>spcs</code>). Grid layout: filter by type (8 card types) + pillar + rarity. Card display: type icon, pillar badge, enhancement level (if >0: star indicators), base KCSE score, token cost. Highlight: "Legendary" rarity cards (gold border). SPHINX integration: "Shop for more cards →" CTA that links to <code>/sphinx/marketplace</code> filtered by <code>cert_tier_gate ≤ user's current tier</code> . Count badge: "X cards in your collection".	Claude Code

🏆 3.2 Certification System (10 Prompts)

Priority	ID	Component	PromptWare Implementation	Tool	Status
● P0	CERT- MVP- 001	Certification Evaluation	Create Server Action <code>actions/cert/evaluate.ts</code> : trigger conditions: Bronze (5 sessions), Silver (10 sessions), Gold (15 sessions). (1) Query last N <code>game_sessions</code> for user (<code>cert_tier</code> matching). (2) Compute JCSE qualifying score: $\text{avg}(\text{sessionKcseTotal}) \times 0.5 +$ $(\text{avg_pillar_balance_bonus})$. (3) JCSE gate: Bronze ≥ 30 , Silver ≥ 36 , Gold ≥ 43 . (4) 5-Dimension simplified HIVE check via Claude Sonnet 4 (~500 tokens): <code>{system: "FORGE Quality Auditor.", user: "Evaluate these 3 game sessions for CC cert quality. Score</code>	Claude Code + Claude Sonnet 4	🟡

Priority	ID	Component	PromptWare Implementation	Tool	Status
			<u>D1(Accuracy), D2(Depth), D4(Ethics), D5(Actionability), D7(Clarity) each 0-100. JSON:</u> <u>{d1,d2,d4,d5,d7,avg,passed}"}</u>. Pass if avg ≥ 65 (Bronze), ≥ 72 (Silver), ≥ 80 (Gold). (5) On pass: call <u>actions/cert/issue.ts</u>. Return: <u>{eligible, jcseScore, hiveAvg, tier, passed, gapToPass?}</u>.		
● P0	CERT-MVP-002	Certificate Issuance	Create Server Action <u>actions/cert/issue.ts</u>: (1) Generate simulated NFT ID: <u>ONECRAFT-{TIER}-{UUID_SHORT}-2026</u> (represents future Polygon token). (2) Generate SVG badge using Shadcn + inline SVG: tier-specific design (Bronze: copper gradient, Silver: metallic, Gold: gold gradient) with JCSE score, issue date, FORGE Institute seal. Store SVG as base64. (3) Generate PDF certificate via <u>@react-pdf/renderer</u>: user name, tier, JCSE score, 5-dim HIVE scores, issue date, simulated NFT ID, QR code linking to <u>/cert/verify/{simNftId}</u>. Upload to Uploadthing. (4) Insert <u>certifications</u> record. (5) Update <u>onecraft_users.cert_tier</u>. (6) Emit <u>flywheel_events</u> (type='cert_issued'). (7) Trigger <u>recalculate-score.ts</u>. (8) Send certification email via Resend. (9) If Gold cert: set SPHINX FORGE pipeline access flag on user. Return cert record.	Claude Code	
● P0	CERT-MVP-003	Certification Wall	Create <u>app/(main)/cert/page.tsx</u> and public <u>app/cert/[username]/page.tsx</u>: displays user's cert wall. For each certification: animated tier badge (CSS: shimmer on Gold), JCSE qualifying score, issue date, "Verify" button (links to <u>/cert/verify/{simNftId}</u>), PDF download button. Progress section: next tier requirements (sessions needed + JCSE gap). Cert wall public URL: <u>ark-onecraft.vercel.app/cert/{guineUsername}</u> — shareable link for GUIN+ profile + LinkedIn. <u>app/cert/verify/[simNftId]/page.tsx</u>: public verification page shows cert details from DB	Claude Code	

Priority	ID	Component	PromptWare Implementation	Tool	Status
			(no auth required), displays "Verified by Junglenomics FORGE Institute" badge + CC tier badge. Note: "Polygon L2 NFT minting available at production launch."		
P1	CERT-MVP-004	SPHINX Unlock Gate	Create utility <code>lib/cert/gates.ts</code> : <code>checkSphinxGate(user: OnecraftUser): GateResult</code> . Returns: <code>{canCreate: bool, canPurchase: bool, canUltraSi: bool, requiredTier, currentTier, gapSessions, message}</code> . Bronze → can browse + purchase. Silver → can purchase + V2/V6 ARK boosts active. Gold → can create SPCs (FORGE pipeline unlocked). Applied in: SPHINX create page (server-side gate check), card collection (unlocked SPC cards), CCGE Silver scenarios (available after Bronze cert). Gate status shown in nav sidebar badge: "SPHINX: Locked" → "SPHINX: Creation Unlocked" after Gold cert.	Claude Code	

● PHASE 4: SPHINX + GUIN+ + FLYWHEEL + LAUNCH (18 Prompts)

Duration: Weeks 7-8 | **Sprints:** 7-8 | **Primary Tool:** Claude Code → Vercel
Objective: SPHINX SPC marketplace with simplified FORGE 4-step pipeline, ZPOS AEOS optimiser, Stripe Checkout purchase flow, GUIN+ professional profile, flywheel dashboard, platform analytics, production hardening, and Vercel deployment.

🏛 4.1 SPHINX Marketplace (10 Prompts)

Priority	ID	Component	PromptWare Implementation
P0	SPX-MVP-001	Marketplace Browse Page	Create <code>app/(main)/sphinx/page.tsx</code> : SPC marketplace. (1) Search bar: text search via Supabase <code>to_tsvector</code> query on <code>spcs.name + spcs.content</code> . (2) Filters: <code>cert_tier_gate</code> , <code>pillar_focus</code> (checkbox), price range sort (newest/top-rated/jcse-desc). (3) SPC grid cards: cover image (Upload URL), name, JCSE score badge (colour-coded), pillar tags, creator username, Knight rank, price, avg_rating stars, downloads count. (4) Tier gate badges: lock icon on Silver-gated SPCs; Gold lock on Gold-gated. Clicking locked SPC

Priority	ID	Component	PromptWare Implementation
			shows cert requirement modal. (5) "Create Your SPC" CTA (top right, visible to Gold-certified users). Pagination: 20 per page.
● P0	SPX-MVP-002	FORGE Pipeline Step 1+2: Concept + KCSE	Create <code>app/(main)/sphinx/create/page.tsx</code> (Gold cert gate — server check). FORGE Step 1 (Concept): form fields: SPC name, concept description (chars), target pillar_focus (multi-select: 7 pillars), target JCSE (slider 30-50), case examples (3 textarea fields). "AI Concept Brief" button → Claude Sonnet generates 200-word concept brief + 7-pillar architecture mapping. FORGE (KCSE Scoring): Monaco Editor opens with SPC template. ZPOS overlay (bottom bar): live token counter, "Optimise with ZPOS AEOS" button → Server Action <code>actions/sphinx/zpos-aeos.ts</code> (calls Claude Haiku: compress prompt, return {original_tokens, optimised_tokens, reduction_pct, optimised_text}). "Score My SPC" button → KCSE evaluation Server Action.
● P0	SPX-MVP-003	FORGE Step 3+4: FORGE Audit + Publish	Create FORGE Steps 3-4. Step 3 (5-Dimension FORGE Audit): Server Action <code>actions/sphinx/forge-audit.ts</code> ; Claude Sonnet 4 (~600 tokens): <pre>{system: "FORGE Quality Auditor — rate this SPC.", user: "SPC: {content[:1000]}\nRate: D1 Accuracy(0-100), D2 Depth(0-100), D4 Ethics(0-100), D5 Actionability(0-100), D7 Clarity(0-100). JSON: {d1,d2,d4,d5,d7,avg,certification_grade,feedback_3_bullet_points}"} </pre> Store in <code>spcs.hive_scores</code> . Show audit results: 5 dimension bars + grade (A/B/C/F) + feedback. FORGE grade: A (avg≥85)=FORGE_CERTIFIED, B (75-84)=FORGE_APPROVED, C (55-69)=FORGE_PENDING (publish allowed with notice), F (<55)=must revise. Step 4 (Publish): listing form (price, description, cover image upload via Uploadthing, tags). Server Action <code>actions/sphinx/publish.ts</code> : validates JCSE≥30 AND grade≠F, sets <code>spcs.published=true</code> , generates pgvector embedding via Anthropic Embeddings API, updates <code>platform_stats.total_spcs_published</code> and <code>flywheel_events</code> (type='spc_published').
● P0	SPX-MVP-004	SPC Detail Page + Purchase	Create <code>app/(main)/sphinx/[slug]/page.tsx</code> : SPC detail page. Layout: (1) Header: cover image, name, creator card (avatar + username + ARK Score + rank), JCSE score ring, FORGE grade badge. (2) Body: long description, 7-pillar focus chart (Recharts radar), HIVE 5-dimension scores, sample excerpt (first 100 chars + blur-out for unpurchased). (3) Sidebar: price, "Add to Cart" → Stripe Checkout. Reviews: star rating distribution + review list. Related SPCs: pgvector similarity query (top 3). (4) Creator Spotlight: creator's other SPCs + total downloads + ARK Creator tier badge. Purchase via Stripe Checkout: <code>actions/sphinx/create-checkout.ts</code> creates Stripe Session (product_id=spc_slug, price_id=price_id).

Priority	ID	Component	PromptWare Implementation
			name, price, metadata: {spcId, buyerId, creatorId}). On success: Supabase F Function handles <code>checkout.session.completed</code> webhook → insert <code>spc_purchases</code> , unlock SPC for buyer's card collection.
● P0	SPX- MVP- 005	Creator Dashboard	Create <code>app/(main)/sphinx/creator/page.tsx</code> (requires at least 1 published SPC). Stats cards: Total SPCs, Total Sales, Total Revenue (simula 70% tracked), Avg JCSE across portfolio, Creator Tier badge. Revenue char Recharts BarChart — monthly sales + earnings. SPC performance table: ea with views/sales/rating/JCSE/FORGE grade/status (published/draft). Payout tracking: "Estimated payout due: \$XX.XX" (70% of sales via Stripe, manual disbursement note for MVP: "Production payout automation: Stripe Conne coming at full launch"). LHCS MPS signal: auto-updated from sales count (sales=20pts, 10+=40pts).
● P1	SPX- MVP- 006	ZPOS AEOS Optimizer	Create <code>app/(main)/sphinx/zpos/page.tsx</code> : standalone ZPOS tool (accessible to all users — no tier gate in MVP). Input: textarea (paste any pr "Optimise with AEOS" button → Server Action <code>actions/sphinx/zpos- aeos.ts</code> : Claude Haiku 4.5 AEOS prompt (~400 tokens): <code>{system: "ZI AEOS optimizer. Reduce tokens 35-45% preserving 97%+ meaning.", user: "Optimise: {prompt}\nReturn JSON: {optimised, original_tokens, optimised_tokens, reduction semantic_preservation_est}"}</code> . Display: side-by-side before/after w token counts, reduction percentage, savings calculator (\$0.002/1K tokens × monthly_requests). Copy-to-clipboard button. "Save to my SPC" button (if has draft SPC in progress). Usage tracking: free unlimited in MVP.
● P1	SPX- MVP- 007	SPC Reviews & Ratings	Create Server Action <code>actions/sphinx/submit-review.ts</code> : validates has purchased SPC (<code>spc_purchases</code> check). Inserts <code>spc_reviews</code> (ra 5, review_text max 500 chars). GRO content check on review text: Claude F 4.5 simple check (<code>{system: "Content safety check.", user: "Rat safety of review: {text}. JSON: {safe: bool, reason?}"}</code>) rejects if safe=false. Aggregate: <code>UPDATE spcs SET avg_rating = (SE AVG(rating) FROM spc_reviews WHERE spc_id = \$1)</code> . Display on detail page. <code>components/StarRating.tsx</code> : interactive 1-5 star input + component.
● P2	SPX- MVP- 008	SPC Version History	Create <code>spc_versions</code> table (migration <code>009_spc_versions.sql</code>): <code>spc_id</code> UUID FK), <code>version</code> INT), <code>content</code> TEXT), <code>jcse_score</code> DECIMAL), <code>hive_scores</code> JSONB), <code>created_at</code> . On each SPC update (FORGE re-r publish): auto-save current version before overwrite.

Priority	ID	Component	PromptWare Implementation
			<code>app/(main)/sphinx/[slug]/versions/page.tsx</code> (author only): view history table with JCSE trend sparkline (Recharts). "Restore to v{N}" button Buyers who purchased get auto-updated to latest version (email notification) Resend: "Your SPC '{name}' has been updated to v{N}"

🔥 4.2 GUIN+ Profile & Social (6 Prompts)

Priority	ID	Component	PromptWare Implementation	Tool	S
● P0	GUIN-MVP-001	GUIN+ Profile Page	Create <code>app/(main)/guin/[username]/page.tsx</code> (public) + <code>app/(main)/guin/me/page.tsx</code> (own profile). Layout: (1) Profile header: avatar (Uploadthing), display name, <code>guin_username</code> , headline, location, industry, ARK Professional ID badge, follower/following counts. (2) ARK Signal section: ARK Score tier badge, VMST shield level, LHCS status dot, CC cert wall (simulated NFT badges for Bronze/Silver/Gold with verification links). (3) KCSE Pillar Radar: <code>PillarRadarChart</code> component using <code>ccmi_pillar_scores</code> data. (4) SPHINX Portfolio: grid of published SPCs (name, JCSE, <code>avg_rating</code> , price). (5) Achievements: 20-slot achievement grid (earned = coloured, unearned = greyed). (6) Activity feed: <code>guin_posts</code> from this user.	Claude Code	
● P0	GUIN-MVP-002	Follow System	Create Server Actions <code>actions/guin/follow.ts</code> and <code>actions/guin/unfollow.ts</code> : insert/delete <code>guin_follows</code> record. Client component <code>components/FollowButton.tsx</code> : shows "Follow" / "Following" based on Supabase query. Follower count + following count: realtime via Supabase <code>count()</code> queries on profile page. <code>app/(main)/guin/network/page.tsx</code> : tabs — Followers (who follows you) and Following (who you follow). Each entry: avatar + name + ARK Score badge + cert tier.	Claude Code	

Priority	ID	Component	PromptWare Implementation	Tool	S
● P1	GUIN-MVP-003	GUIN+ Feed & Posts	Create <code>app/(main)/guin/feed/page.tsx</code> : social feed. Query: posts from users you follow + own posts, ordered by <code>created_at DESC</code> . Post types: text, achievement (auto-generated: "🏆 @{user} just earned Gold CC Certification!"), <code>cert_earned</code> , <code>spc_launched</code> . <code>components/GuinPost.tsx</code> : shows post content, 4 reaction buttons (click → increment in <code>guin_posts.reactions</code> JSONB). <code>app/(main)/guin/post/new/page.tsx</code> : post creation (text + optional link to SPC, cert, or achievement entity). GRO content check via Claude Haiku on post submission. Auto-generated post prompt (user can approve): achievements + cert milestones trigger opt-in post draft.	Claude Code	
● P1	GUIN-MVP-004	GUIN+ Discover Page	Create <code>app/(main)/guin/discover/page.tsx</code> : find other users. Supabase query: public profiles ordered by <code>ark_score DESC</code> (leaderboard view). Filters: <code>cert_tier</code> , industry, typology. Each profile card: avatar, name, ARK Score, cert tier, top 2 CCMI pillars. "Follow" button inline. Featured section: "Top Creators This Month" (users with most SPC sales). "Rising Architects" (users who improved ARK Score most in last 30 days via <code>ark_score_history</code> delta).	Claude Code	
● P1	GUIN-MVP-005	ONECRAFT Platform Dashboard	Create <code>app/(main)/dashboard/page.tsx</code> : the unified ONECRAFT home dashboard. 3-section layout: (1) ARK Score ticker (live via Supabase Realtime, large score display, score-tier colour, +delta badge from last event, LHCS signal lights). (2) The Flywheel: <code>FlywheelCard</code> with current position + personalised CTA. Today's stats row: game sessions today, CCMI improvement today, ARK Score change today. (3) Quick-launch row: "Start Assessment" (if not assessed) / "Play Today's Scenario" / "Browse Marketplace" / "View Profile". Recent activity log: last 5 <code>flywheel_events</code> with human-readable descriptions.	Claude Code	
● P2	GUIN-MVP-006	Platform Analytics	Create <code>app/(main)/admin/analytics/page.tsx</code> (forge-admin role only — check	Claude Code	

Priority	ID	Component	PromptWare Implementation	Tool	S
		Page	onecraft_users.subscription_tier='master' for MVP). Simple platform stats from platform_stats table + live counts: Total users, Total ARK assessments, Total CCGE sessions today/week, Total certifications by tier (Bronze/Silver/Gold), Total SPCs published/sold, Total ZPOS tokens saved (estimated), Total ARK Score improvement platform-wide (sum of positive deltas from ark_score_history). Recharts: weekly active users line chart, certification funnel bar chart. "The flywheel is turning at X RPM" — metaphor computed as $(\text{daily_certs_issued} + \text{daily_spc_published}) / \text{total_users} \times 100$.		
● P0	LAUNCH-MVP-001	MVP Launch Hardening	Final production hardening before Vercel deploy: (1) Environment variable audit: confirm all 9 env vars set in Vercel + Supabase. (2) RLS audit: run Supabase RLS test suite — attempt cross-user data access (should fail). (3) Rate limiting: add simple rate limit on KCSE scoring Server Action (Map<userId, timestamp[]> in Vercel KV — max 100 KCSE calls/hr/user). (4) Error boundaries: wrap all pages in error.tsx fallback. (5) Loading states: all pages have loading.tsx skeleton. (6) Empty states: all pages handle zero-data case gracefully. (7) Mobile responsiveness: test on 375px viewport — sidebar collapses, game cards stack vertically. (8) robots.txt + sitemap.xml . (9) Verify Stripe webhook: end-to-end SPC purchase test with \$1 test product.	Claude Code	
● P0	LAUNCH-MVP-002	Vercel Production Deploy	Final Vercel production deployment: (1) vercel deploy --prod from monorepo root. (2) Confirm: custom domain DNS if available (ark-onecraft.io → Vercel). (3) Supabase: switch from local to production Supabase project, run all migrations, run seed. (4) Stripe: switch from test keys to live keys (if accepting real payments) or keep test keys (POC mode). (5) Uploadthing: configure production bucket. (6) Resend: verify sending domain. (7) End-to-end smoke test: register → onboard → lite ARK → CCGE Bronze session	Vercel CLI	

Priority	ID	Component	PromptWare Implementation	Tool	S
			→ evaluate cert → marketplace browse → GUIN+ profile. (8) Share demo URL with stakeholders.		

 ATLAS WORKSHEET SUMMARY — MVP EDITION

Phase	Colour	Prompts	Primary Agent	Weeks
Phase 1 — Foundation	 RED	22	ADA ULTRA SI	1-2
Phase 2 — ARK Engine	 ORANGE	20	ARK MAXIMUS v2	3-4
Phase 3 — CCGE Game	 YELLOW	24	SOCRATES	5-6
Phase 4 — SPHINX + GUIN+ + Launch	 GREEN	18	SPHINX ULTRA SI	7-8
TOTAL	4 Phases	84	Design Quartet	8 Weeks

Coverage vs. Full PDD: 84 of 340 prompts (24.7%) builds 100% of feature pillars at 60% depth
Migration Path: Every table, Server Action, and route is named to match full PDD service equivalents
ZPOS Optimisation: 44% token reduction on all Claude prompts · 97.8% Semantic Preservation

[PART 2 COMPLETE — Proceed to Part 3: VIBE DJ Single-App Implementation Plan]

 PART 3: VIBE DJ SINGLE-APP IMPLEMENTATION PLAN

ADA Design Note: The MVP build is an orchestra of two instruments. Bolt.new plays the opening movement — scaffolding the stage in one session. Claude Code plays the main performance — building every feature to production standard. Every other tool is ambient.
VIBE DJ Governing Rule: Never use a heavier tool where a lighter one works. Never use a lighter tool where fidelity matters.

3.1 THE VIBE DJ — MVP Tool Philosophy

```
||          VIBE DJ MVP RULE — TWO-INSTRUMENT ORCHESTRA          ||
||                                                                    ||
|| INSTRUMENT 1: Bolt.new                                           ||
||   → Phase 1 scaffold ONLY (MVP-001 to MVP-006)                 ||
||   → One Bolt.new session: full app shell + Supabase config      ||
||   → Hand off to Claude Code after Phase 1 Sprint 1              ||
||   → Never use Bolt.new for business logic (scoring, ark, auth gates) ||
||                                                                    ||
|| INSTRUMENT 2: Claude Code (PRIMARY from Sprint 2 onward)        ||
||   → ALL Server Actions (scoring, assessment, certification)     ||
||   → ALL database migrations and Supabase RLS policies           ||
||   → ALL Claude API integration (Haiku + Sonnet)                  ||
||   → ALL business logic (flywheel, synergy, conflict detection)  ||
||   → ALL production hardening and launch                          ||
||                                                                    ||
|| AMBIENT TOOLS (use when explicitly noted):                       ||
||   🎨 v0.dev → UI component design only (not wired to data)      ||
||   🔍 Cursor → Quick refactors and inline edits                  ||
||   ⚡ Bolt.new → Initial scaffold only, then hand off              ||
||   🧪 Postman → API endpoint manual testing                      ||
```

Why Bolt.new for Phase 1 Only

Bolt.new excels at generating the boilerplate that is identical in every Next.js + Supabase project: folder structure, auth pages, nav layout, env config, provider setup. Building this manually in Claude Code wastes 4-6 hours. Bolt.new builds it in 30 minutes.

But Bolt.new loses context on complex multi-file business logic. It does not understand CCMI formulas, XState FSMs, or KCSE scoring chains. Claude Code is the only tool that can hold the full Junglenomics context across a multi-file, multi-service build.

3.2 VIBE DJ TOOL MATRIX — Phase-by-Phase

Sprint	Phase	Bolt.new	Claude Code	v0.dev	Cursor	Notes
1	 Foundation	✓ LEAD (MVP-001 to 006)	✓ DB schema	—	—	Bolt.new opens the ONECRAFT stage
2	 Foundation	—	✓ PRIMARY (all DB + RLS)	—	—	Hand off from Bolt.new complete
3	 ARK Engine	—	✓ PRIMARY (all ARK Server Actions)	 ARK dashboard UI	—	v0.dev for dashboard visual only
4	 ARK Engine	—	✓ PRIMARY (LHCS + flywheel)	—	✓ quick refactors	Flywheel logic needs full context
5	 CCGE Game	—	✓ PRIMARY (FSM + KCSE)	 game card UI	—	v0.dev for card component design
6	 CCGE Cert	—	✓ PRIMARY (cert + achievements)	 cert badge design	—	Cert badges to v0.dev for aesthetics
7	 SPHINX + GUIN+	—	✓ PRIMARY (marketplace + profile)	 SPC card UI	✓ minor edits	SPHINX marketplace visual → v0.dev
8	 Launch	—	✓ PRIMARY (hardening + deploy)	—	✓ cleanup	Cursor for final polish

3.3 THE BOLT.NEW SESSION PLAN — Sprint 1 Script

Sprint 1 begins with a single Bolt.new session. Use this exact sequence:

PROMPT 1 (give to Bolt.new, one shot):

"Create a Next.js 14.2 App Router application called 'ARK ONECRAFT' with TypeScript strict mode, Tailwind CSS 3.4, and Shadcn/ui.

DEPENDENCIES: @supabase/ssr @supabase/supabase-js @anthropic-ai/sdk stripe recharts @monaco-editor/react xstate uploadthing @uploadthing/react resend react-hook-form zod @hookform/resolvers sonner next-themes

THEME: dark mode primary. CSS variables:

```
--gold: #C9A227
--dark: #1A1A2E
--teal: #0F3460
--jungle: #2D6A4F
--background: #0D0D1A
--foreground: #F4E5B0
```

FOLDER STRUCTURE:

app/

```
(auth)/login/page.tsx  -- email/password + Google OAuth
(auth)/signup/page.tsx -- with guin_username field
(auth)/callback/route.ts
(main)/layout.tsx      -- sidebar nav
(main)/dashboard/page.tsx -- placeholder
(main)/ark/page.tsx    -- placeholder
(main)/game/page.tsx   -- placeholder
(main)/sphinx/page.tsx -- placeholder
(main)/guin/[username]/page.tsx -- placeholder
```

lib/supabase/client.ts

lib/supabase/server.ts

lib/supabase/middleware.ts

middleware.ts

SIDEBAR NAV LINKS: Dashboard | ARK Assessment | CCGE Game |
SPHINX Marketplace | GUIN+ Profile

SIDEBAR BOTTOM: user avatar + display_name + ARK Score badge
(hardcoded 0 for now) + cert tier badge (hardcoded 'none')

Each placeholder page: a centered card with page title,

icon, and 'Coming in Sprint X' subtitle. Dark theme throughout.
Include a top banner: 'ARK ONECRAFT MVP – POC Build'."

AFTER BOLT.NEW GENERATES:

1. Download the ZIP / copy to local project folder
 2. Run: `npm install`
 3. Create `.env.local` from `.env.local.example`
 4. Add your Supabase + Anthropic + Stripe keys
 5. Run: `npm run dev` → confirm scaffold runs at `localhost:3000`
 6. Push to GitHub: `git init && git add . && git commit -m "MVP-001: Bolt.new scaffold"`
 7. Deploy to Vercel: `vercel deploy` (confirm live URL)
 8. HAND OFF TO CLAUDE CODE – Bolt.new's role is complete
-
-

3.4 CLAUDE CODE CONTEXT LOADING PROTOCOL

Every Claude Code session starts with this context injection:

At the start of each new Claude Code session, load:

1. ATLAS PDD reference: "We are building ARK ONECRAFT MVP.
This is a Next.js 14.2 + Supabase + Claude API application.
Primary files: app/, lib/, actions/, components/, supabase/migrations/.
Current sprint: [Sprint N – Phase name]."
 2. Formula constants (paste into each ARK-related session):
ARK_SCORE = JST + CCMI (max 600)
 $JST = [(J \times 0.30) + (S \times 0.40) + (T \times 0.30)] \times 3$
 $CCMI = [(P1 \times 0.18) + (P2 \times 0.14) + (P3 \times 0.18) + (P4 \times 0.12) + (P5 \times 0.10) + (P6 \times 0.10) + (P7 \times 0.18)] \times 3$
CC_MULTIPLIER tiers: <100=1.0, 100-149=1.05, 150-199=1.10,
200-249=1.15, 250-299=1.20, 300=1.35
LHCS: $(CPR \times 0.35) + (MPS \times 0.35) + (LCIS \times 0.30) \rightarrow$ BASELINE<40, DEVELOPING 40-69, ACTIVE 70+
KCSE: $K(0-25) + C(0-25) + S(0-25) + E(0-25) =$ max 100 per card play
 3. Database reminder: "All DB writes use supabaseAdmin (service role key).
All DB reads use supabase (anon key + RLS). Never use service role on client-side."
 4. Current prompt ID: "Working on: [MVP-XXX] – [Component name]"
-

3.5 SPRINT PLAN — 8 SPRINTS, 8 WEEKS

● PHASE 1: FOUNDATION — Sprints 1-2 (Weeks 1-2)

SPRINT 1 – "Open the Stage" (Week 1, Days 1-3)

Lead: ADA ULTRA SI (architecture) + VIBE DJ (tool selection)

Prompts: MVP-001 to MVP-006 (scaffold + infra)

Tools: Bolt.new (Day 1) → Claude Code (Days 2-3)

Day 1 (Bolt.new session, ~4 hours):

- ✓ MVP-001: Next.js scaffold (full folder structure)
- ✓ MVP-002: Supabase client/server/middleware setup
- ✓ MVP-003: App layout + dark themed sidebar nav
- ✓ MVP-004: Auth pages (login, signup, callback)
- ✓ MVP-005: Shared UI components (ArkScoreBadge, CertTierBadge, etc.)

→ Hand off to Claude Code

Day 2 (Claude Code, ~6 hours):

- ✓ MVP-006: Vercel config + deployment
- ✓ DB-MVP-001: onecraft_users table + RLS
- ✓ DB-MVP-002: ARK assessment tables
- ✓ DB-MVP-003: CCGE game tables

Day 3 (Claude Code, ~5 hours):

- ✓ DB-MVP-004: Certifications + achievements
- ✓ DB-MVP-005: SPHINX SPC tables + pgvector
- ✓ DB-MVP-006: GUIN+ social tables + FTS index

Sprint 1 Exit Gate: App live on Vercel URL · Auth working · DB schema deployed

Demo: Register → login → see sidebar nav → auth-protected routes work

SPRINT 2 – "Wire the Foundation" (Week 1, Days 4-7)

Lead: ADA ULTRA SI

Prompts: DB-MVP-007 to DB-MVP-012 (remaining schema + infra)

Tools: Claude Code PRIMARY

Day 4 (Claude Code, ~5 hours):

- ✓ DB-MVP-007: LHCS + flywheel tables + PL/pgSQL function
- ✓ DB-MVP-008: RLS policies (all 14 tables hardened)
- ✓ DB-MVP-009: Supabase Realtime channels + React hooks

Day 5 (Claude Code, ~5 hours):

- ✓ DB-MVP-010: Scenario + card seed data (40 scenarios, 57 cards, 10 SPCs)
- ✓ DB-MVP-011: Supabase Edge Functions (Stripe webhook + daily score refresh)

Day 6 (Claude Code, ~4 hours):

- ✓ DB-MVP-012: Email templates (Resend + React Email)
- ✓ Integration smoke test: full DB round-trip test (insert user → read back)

Day 7: Buffer + Sprint 1+2 retrospective

- Review all tables in Supabase Studio
- Verify RLS: attempt cross-user read (expect 403)
- Verify Realtime: open two browser tabs, update DB in Supabase Studio → confirm client updates

Sprint 2 Exit Gate: All 14 tables in Supabase · RLS hardened · Realtime hooks working

Demo: Signup → onecraft_users record created → Supabase Studio shows correct defaults

● PHASE 2: ARK ENGINE — Sprints 3-4 (Weeks 3-4)

SPRINT 3 – "The ARK Intelligence Core" (Week 3)

Lead: ARK MAXIMUS v2 (Seat #2) via Claude Code

Prompts: ARK-MVP-001 to ARK-MVP-006

Tools: Claude Code PRIMARY · v0.dev (dashboard UI only)

Day 1 (Claude Code):

- ✓ ARK-MVP-001: Assessment input form (5-step, validation, loading state)
- ✓ ARK-MVP-002: Stage 1 Discovery Server Action (Claude Sonnet 4 call)

Day 2 (Claude Code):

- ✓ ARK-MVP-003: Stage 2 JST+CCMI Combined Engine (4 chained Sonnet calls)
- ✓ ARK-MVP-004: Stage 3 Roadmap + JST ID Generator

Day 3 (Claude Code + v0.dev):

- v0.dev session: design ARK Score dashboard UI (static, no data)
- ✓ ARK-MVP-005: ARK Score Dashboard page (wired to Supabase + Realtime)

Day 4 (Claude Code):

- ✓ ARK-MVP-006: ARK Score History Chart (AreaChart with annotated events)
- ✓ Assessment progress polling page

Day 5 (Claude Code):

- Integration test: full assessment end-to-end
 - Submit career data → Stage 1 → Stage 2 → Stage 3 → Dashboard loads
 - Verify: ARK Score written to onecraft_users
 - Verify: ark_score_history record inserted
 - Verify: ccmi_pillar_scores upserted
 - Verify: flywheel_events emitted

Sprint 3 Exit Gate: Full 3-stage ARK assessment working E2E

Demo: Submit career data → watch live assessment progress → see ARK Score dashboard with score

SPRINT 4 – "The Living Score" (Week 4)

Lead: ARK MAXIMUS v2 + ADA ULTRA SI

Prompts: ARK-MVP-007 to ARK-MVP-012

Tools: Claude Code PRIMARY · Cursor (refactors)

Day 1 (Claude Code):

- ✓ ARK-MVP-007: ARK Score Live Recalculation (Supabase Realtime → score update <3s)
- ✓ ARK-MVP-008: Flywheel CTA Engine (10-branch decision tree)

Day 2 (Claude Code):

- ✓ ARK-MVP-009: Assessment progress polling page
- ✓ ARK-MVP-010: ARK PDF Report (react-pdf + Uploadthing)

Day 3 (Claude Code):

- ✓ ARK-MVP-011: LHCS Signal Display component
- ✓ ARK-MVP-012: Benchmarking Comparisons (platform median + percentile)

Day 4 (Claude Code + Cursor):

Dashboard integration: connect FlywheelCard + LHCS Signal + Benchmarks to dashboard

Cursor: refactor shared data fetching patterns

Day 5 (Claude Code):

Integration test: ARK Score reacts to simulated events

- Manually insert flywheel_event (type='cert_issued') → confirm ARK Score updates via Realtime
- Download PDF report → verify all 3 pages render correctly
- Verify FlywheelCTA shows correct branch based on user state

Sprint 4 Exit Gate: Live ARK Score updates from flywheel events · PDF report downloads

Demo: ARK dashboard with live score + flywheel CTA + LHCS lights + benchmarks + PDF download

Phase 2 Retrospective – ARK MAXIMUS v2 module complete in single Next.js app

● PHASE 3: CCGE GAME ENGINE — Sprints 5-6 (Weeks 5-6)

SPRINT 5 – "The Game Engine" (Week 5)

Lead: SOCRATES (Seat #7) via Claude Code

Prompts: GAME-MVP-001 to GAME-MVP-008

Tools: Claude Code PRIMARY · v0.dev (card component design)

Day 1 (Claude Code):

- ✓ GAME-MVP-001: XState v5 game machine (gameMachine, full state + context)
- ✓ GAME-MVP-007: Session start + scenario select page

Day 2 (Claude Code + v0.dev):

→ v0.dev session: design card component UI (card type icon, rarity border, KCSE score overlay)

- ✓ GAME-MVP-002: Game session page (full layout: hand + play area + KCSE history)

Day 3 (Claude Code):

- ✓ GAME-MVP-003: KCSE Scoring Server Action (Claude Haiku 4.5 + Vercel KV cache)
- ✓ GAME-MVP-004: Synergy Detection (3 patterns: Alpha Prime, Expert Clarity, Full Context)

Day 4 (Claude Code):

- ✓ GAME-MVP-005: Anti-Pattern Conflict Detection (Personality Clash + Goal Contradiction)
- ✓ GAME-MVP-006: Session Completion + XP (finalize, deltas, flywheel_event emit)

Day 5 (Claude Code):

- ✓ GAME-MVP-008: Achievement Detection Engine (20 achievements)
Integration test: full game session
 - Start Bronze scenario → play 5 cards → complete → check: CCMI updated, XP awarded, achievement checked
 - Trigger synergy → verify ×1.80 multiplier applied
 - Trigger conflict → verify penalty applied

Sprint 5 Exit Gate: Complete playable CCGE session with KCSE scoring + synergy/conflict

Demo: Live game session demo – play 5 cards → see KCSE scores → synergy fires → session complete

SPRINT 6 – "Certifications & The Card Economy" (Week 6)

Lead: SOCRATES + ADA ULTRA SI

Prompts: CERT-MVP-001 to CERT-MVP-004 + GAME-MVP-009 + GAME-MVP-010

Tools: Claude Code PRIMARY · v0.dev (cert badge design)

Day 1 (Claude Code + v0.dev):

→ v0.dev session: design cert badge SVGs (Bronze/Silver/Gold gradients + FORGE seal)

✓ CERT-MVP-001: Certification Evaluation Server Action (5-dim HIVE check, JCSE gate)

✓ CERT-MVP-002: Certificate Issuance (simulated NFT ID, SVG badge, PDF, Resend email)

Day 2 (Claude Code):

✓ CERT-MVP-003: Certification Wall + public verify page

✓ CERT-MVP-004: SPHINX Unlock Gate (Gold cert → FORGE pipeline enabled)

Day 3 (Claude Code):

✓ GAME-MVP-009: CCGE Home Dashboard (stats + pillar bars + cert progress rings + leaderboard)

✓ GAME-MVP-010: Card Collection Viewer

Day 4 (Claude Code):

Integration test: full certification journey

- Complete 5 Bronze sessions → click "Evaluate for Bronze Cert"
- Verify: JCSE score computed, HIVE 5-dim check passes, cert record created
- Verify: cert_tier updated on onecraft_users
- Verify: flywheel_event emitted → ARK Score recalculates → score rises on dashboard
- Verify: SPHINX nav link changes from "Locked" to "Creator Unlocked" (after Gold test)
- Download cert PDF → verify correct data

Day 5: Buffer + Phase 3 Retrospective

- All CCGE prompts reviewed
- Scenario seed data quality check (20 random scenarios tested)
- Achievement trigger test (5 achievements manually verified)

Sprint 6 Exit Gate: Bronze/Silver/Gold certification E2E working · ARK Score updates on cert issuance

Demo: 3-session speedrun → Bronze cert evaluation → cert issued → PDF + badge → ARK Score rise visible

● PHASE 4: SPHINX + GUIN+ + LAUNCH — Sprints 7-8 (Weeks 7-8)

SPRINT 7 – "The Creator Economy" (Week 7)

Lead: SPHINX ENGINE ULTRA SI (Seat #0) via Claude Code

Prompts: SPX-MVP-001 to SPX-MVP-007 + GUIN-MVP-001 to GUIN-MVP-003

Tools: Claude Code PRIMARY · v0.dev (marketplace card UI)

Day 1 (Claude Code + v0.dev):

→ v0.dev session: design SPC marketplace grid card (cover, JCSE ring, creator badge)

- ✓ SPX-MVP-001: Marketplace Browse (Supabase FTS search + filters + pagination)
- ✓ SPX-MVP-002: FORGE Pipeline Step 1+2 (concept form + KCSE score + Monaco + ZPOS)

Day 2 (Claude Code):

- ✓ SPX-MVP-003: FORGE Step 3+4 (FORGE audit via Claude Sonnet + publish flow)
- ✓ SPX-MVP-004: SPC Detail + Stripe Checkout purchase flow

Day 3 (Claude Code):

- ✓ SPX-MVP-005: Creator Dashboard (stats, revenue chart, payout tracking)
- ✓ SPX-MVP-006: ZPOS AEOS Optimizer standalone page

Day 4 (Claude Code):

- ✓ SPX-MVP-007: SPC Reviews + Ratings (buyer-only, GRO check)
- ✓ GUIN-MVP-001: GUIN+ Profile Page (public + own)
- ✓ GUIN-MVP-002: Follow System (Server Actions + FollowButton component)

Day 5 (Claude Code):

- ✓ GUIN-MVP-003: GUIN+ Feed + Posts (with auto-generated achievement posts)

Integration test: full SPHINX flow

- Create SPC (Gold cert required) → FORGE pipeline → publish
- Purchase SPC as different user → Stripe Checkout → webhook → unlock
- Verify: spc_purchased record · creator stats updated · LHCS MPS signal updated
- Verify: ARK Score rises for creator (spc_published + spc_sold events)

Sprint 7 Exit Gate: Full SPC lifecycle working · purchase flow tested · GUIN+ profile visible

Demo: Create SPC → FORGE audit → publish → purchase (Stripe test) → buyer unlocks card → creator stats update

SPRINT 8 – "ARK ONECRAFT MVP LAUNCHES" (Week 8)

Lead: ADA ULTRA SI + SPHINX ULTRA SI + VIBE DJ

Prompts: SPX-MVP-008 + GUIN-MVP-004 to GUIN-MVP-006 + LAUNCH-MVP-001 + LAUNCH-MVP-002

Tools: Claude Code PRIMARY · Cursor (cleanup) · Vercel CLI (deploy)

Day 1 (Claude Code):

- ✓ SPX-MVP-008: SPC Version History
- ✓ GUIN-MVP-004: GUIN+ Discover Page (leaderboard + rising profiles)
- ✓ GUIN-MVP-005: ONECRAFT Platform Dashboard (unified home with live score ticker)

Day 2 (Claude Code):

- ✓ GUIN-MVP-006: Platform Analytics Page (admin-only basic stats)
- Full flywheel integration test:
- User A: assess → game → Bronze cert → Silver game → Gold cert → create SPC → publish
 - User B: find A's SPC → purchase → use in game → leave review
 - Verify User A: ARK Score rose from 0 to 300+ through flywheel
 - Verify User B: ARK Score rose, card collection updated
 - Verify both GUIN+ profiles: cert badges, pillar radars, SPHINX portfolio visible

Day 3 (Claude Code + Cursor):

- ✓ LAUNCH-MVP-001: Production hardening (RLS audit, rate limits, error boundaries, mobile)
- Cursor: final code cleanup, remove console.logs, add JSDoc to Server Actions

Day 4 (Vercel CLI):

- ✓ LAUNCH-MVP-002: Vercel production deploy
- Final env var audit
- Supabase production migration run
- Stripe webhook registered on Vercel URL
- End-to-end smoke test on production URL
- Share live URL with stakeholders

Day 5: MVP Launch + Retrospective

- Stakeholder demo: full flywheel walkthrough (live on production URL)
- Collect feedback → create production migration issue list
- Document: which full PDD prompts to tackle first (prioritised by POC feedback)
- Celebrate: The ONECRAFT flywheel is turning.

3.6 SPRINT VELOCITY SUMMARY

Sprint	Phase	Lead	Prompts	Story Pts	Days
1	RED	ADA + VIBE DJ	9 (Bolt.new)	28	3
2	RED	ADA ULTRA SI	6 (DB + Edge)	24	4
3	ORANGE	ARK MAXIMUS v2	6 (ARK core)	36	5
4	ORANGE	ARK MAXIMUS v2	6 (LHCS + live)	30	5
5	YELLOW	SOCRATES	8 (FSM + KCSE)	40	5
6	YELLOW	SOCRATES + ADA	6 (cert + card)	32	5
7	GREEN	SPHINX ULTRA SI	10 (marketplace)	42	5
8	GREEN	All seats	10 (launch)	36	5
TOTAL	4 Phases	Camelot	84	268	37 Days

3.7 CAMELOT CEREMONIES — MVP EDITION

MVP CAMELOT CEREMONIES (Lightweight Edition)

Given the MVP's 8-week sprint (solo or small team context), ceremonies are streamlined. The governance principles remain – only the format is compressed.

🏰 MONDAY – Sprint Planning (1 hour)
Lead: Seat #0 (SPHINX / Product Owner)

Format:

- Review ATLAS prompts for the week (print/paste the relevant rows)
- Assign: which prompts get Claude Code sessions today vs. later this week
- Load Claude Code context injection for each prompt block

- Set week's demo target (what will be shown Friday)

Output: Week's prompt order + Claude Code context files ready

DAILY — Prompt Completion Log (10 min, solo or team)

Format:

- Mark prompt IDs in ATLAS as  or 
- Note: any prompt that took >2× estimated time → flag for ADA review
- Note: any Claude API response that diverged from expected → save for GRO

audit

VIBE Tool: simple text file `DAILY\_LOG.md` in project root

FRIDAY — The FORGE Review (1 hour)

Lead: Sprint Lead Knight (see sprint plan)

Format:

- Demonstrate working software matching sprint exit gate criteria
- Run through ATLAS prompts completed:  count
- Record: any DELTA items that became urgent (needs to be brought forward)
- Update: `ATLAS\_STATUS.md` with all  completions

Output: Demo recording (Loom or similar), updated ATLAS status

WEEKLY — ADA Architecture Check (30 min)

Lead: ADA ULTRA SI (via Claude Code session)

Prompt: "Review the following Server Actions written this week:

[paste code]. Are there any violations of: (1) server-only operations on client, (2) missing Zod validation, (3) incorrect supabase vs. supabaseAdmin usage, (4) missing error handling? Report issues."

Output: Architecture issues list for next sprint's Day 1 cleanup

3.8 MIGRATION CHECKLIST — MVP to FULL PRODUCTION

When the MVP POC is validated and investment/team is secured, migrate from MVP to full production stack using this ordered sequence:

Priority	Migration Item	Full PDD Reference	Estimated Sprint
● 1	Replace Supabase Auth with Auth0 + SAML SSO	INFRA-005	Production Sprint 1
● 2	Add BullMQ + Redis (replace Supabase Realtime for events)	ORCH-001	Production Sprint 1
● 3	Migrate to TimescaleDB hypertables (upgrade Supabase extension)	DB-002	Production Sprint 1
● 4	Deploy Polygon L2 ERC-721 NFT minting (replace simulated badges)	CERT-003	Production Sprint 2
● 5	Activate Stripe Connect 70/30 automatic payouts	SPX-005	Production Sprint 2
● 6	Add Neo4j for GUIN+ social graph (depth-2 traversal)	GUIN-007	Production Sprint 3
● 7	Add Elasticsearch for marketplace search	SPX-001	Production Sprint 3
● 8	Add Pinecone semantic search + mentor matching	GUIN-006	Production Sprint 4
● 9	Expand ARK pipeline to full 6-phase 120-prompt system	ARK-001 to ARK-009	Production Sprint 4
● 10	Corporate Mode 6 enterprise dashboard	CORP-001	Production Sprint 5
● 11	ULTRA SI synthesis engine (Platinum + Studio+)	SPX-007	Production Sprint 6
● 12	LTI 1.3 Academic integration	CORP-003	Production Sprint 7
● 13	OSIRIS integration	ANL-003	Production Sprint 8
● 14	Expand to 190 scenarios (Gold + Platinum packs)	LEARN-003 to 005	Production Sprint 9

Priority	Migration Item	Full PDD Reference	Estimated Sprint
15	HIVE 14-D full audit platform certification	QA-004	Production Sprint 10

3.9 MVP LAUNCH READINESS CHECKLIST

ARK ONECRAFT MVP LAUNCH GATE – ALL ITEMS REQUIRED BEFORE DEMO

FOUNDATION CHECKS:

- [] App loads at Vercel production URL without error
- [] Supabase connection live (health check passes)
- [] All 14 DB tables created and accessible in Supabase Studio
- [] RLS test: user A cannot read user B's ark_assessment_sessions
- [] Auth: signup → email confirm → login → sidebar shows username
- [] Google OAuth: login with Google works end-to-end
- [] Stripe: webhook endpoint registered and responding (Stripe dashboard)

ARK MODULE CHECKS:

- [] Full 3-stage assessment completes on test profile in < 90 seconds
- [] ARK Score written to onecraft_users correctly
- [] JST Professional ID string generated and correct format
- [] ARK dashboard loads: score, pillar chart, VMST, roadmap all visible
- [] ARK Score history chart shows data after assessment
- [] FlywheelCTA shows correct branch based on user state
- [] LHCS signal display shows baseline status
- [] PDF report downloads successfully (react-pdf renders)

CCGE MODULE CHECKS:

- [] 40 scenarios seeded and queryable (25 Bronze + 15 Silver)
- [] Start game session: scenario loads, hand dealt (5-7 cards)
- [] Play card: KCSE score returned < 400ms (test with cold cache)
- [] Synergy detection: Alpha Prime triggers with System+Role combo
- [] Conflict detection: Personality Clash triggers on opposing Role cards
- [] Session complete: XP awarded, CCMI deltas applied, flywheel_event emitted
- [] ARK Score updates within 5s of game session flywheel event
- [] Certification evaluation: Bronze cert issues after 5 sessions
- [] Cert PDF downloads correctly with FORGE seal and simulated NFT ID
- [] Cert wall public URL accessible without login

SPHINX MODULE CHECKS:

- [] Marketplace loads: 10 seeded SPCs visible with search working
- [] FORGE pipeline: Gold cert gate blocks non-certified users
- [] FORGE pipeline: create SPC → KCSE score → 5-dim audit → publish
- [] ZPOS AEOS: optimises test prompt with measurable reduction
- [] Stripe Checkout: test SPC purchase (\$1 test product) → purchase recorded
- [] spc_purchases record created after Stripe webhook fires
- [] Creator dashboard: shows sale after test purchase
- [] SPC review submission: buyer-only, GRO check runs

GUIN+ MODULE CHECKS:

- [] GUIN+ profile public URL shows: ARK badge, cert wall, CCMI radar, SPHINX portfolio
- [] Follow user: follows count updates on both profiles
- [] GUIN+ feed: shows posts from followed users
- [] Platform dashboard: unified home with live ARK Score ticker
- [] Discover page: lists public profiles sorted by ARK Score

FLYWHEEL INTEGRATION:

- [] Full flywheel run (end-to-end): assess → game → cert → SPC → ARK Score rises
- [] Each flywheel_event type triggers correct ARK Score recalculation
- [] LHCS signal updates correctly on cert issued + SPC sold events

LAUNCH:

- [] Mobile viewport (375px): all pages usable without horizontal scroll
- [] Error boundaries: intentional server error shows friendly error page
- [] Loading skeletons: dashboard loads skeleton before data resolves
- [] Resend email: cert issued email arrives in test inbox
- [] VIBE DJ: document which tool was used for each prompt (for handoff notes)
- [] Camelot sign-off: ADA architecture review passed · SPHINX product approved

CAMELOT ROUNDTABLE SIGN-OFF (MVP EDITION):

- [] Seat #0 (SPHINX) – Marketplace + Creator Economy: APPROVED
 - [] Seat #1 (ADA) – Architecture + RLS + Migration Compatibility: APPROVED
 - [] Seat #2 (ARK MAXIMUS v2) – Assessment Accuracy + LHCS: APPROVED
 - [] Seat #7 (SOCRATES) – CCGE Scenario Quality + Cert Validity: APPROVED
 - [] VIBE DJ – Tool Orchestration Complete: HANDOFF NOTES READY
 - [] Junglenomics FORGE Institute – MVP POC Clearance: ISSUED
-

3.10 APPENDIX — QUICK REFERENCE

MVP Prompt Distribution by Module

Module	Prompts	% of MVP	Full PDD Equivalent
App Scaffold + Infra	6	7.1%	INFRA-001 to 012
Database Schema	12	14.3%	DB-001 to 016
ARK Assessment Engine	12	14.3%	ARK-001 to 020
CCGE Game Engine	10	11.9%	GAME-001 to 010
CCGE Scenario Library	4	4.8%	LEARN-001 to 008
Certification System	4	4.8%	CERT-001 to 008
SPHINX Marketplace	8	9.5%	SPX-001 to 010
GUIN+ Social	6	7.1%	GUIN-001 to 012
Flywheel + Orchestration	10	11.9%	ORCH-001 to 010
Launch Hardening	2	2.4%	QA-001 to 005
Shared UI Components	3	3.6%	(new for MVP)
ARK Analytics + Admin	3	3.6%	ANL-001 to 004
Misc + Edge Functions	4	4.8%	INFRA + API
TOTAL	84	100%	—

Single App vs. Production Architecture Mapping

PRODUCTION SERVICE → MVP EQUIVALENT

auth-svc (port 3001)	→ Supabase Auth + Next.js middleware
ark-svc (port 3010)	→ actions/ark/*.ts Server Actions
lhcs-svc (port 3011)	→ actions/ark/lhcs-signal.ts + PL/pgSQL function
game-svc (port 3002)	→ actions/game/*.ts + XState client FSM
cert-svc (port 3003)	→ actions/cert/*.ts + Supabase Edge Function
sphinx-svc (port 3004)	→ actions/sphinx/*.ts Server Actions
guin-svc (port 3005)	→ actions/guin/*.ts + Next.js RSC

learn-svc (port 3006)	→ Supabase queries + actions/game/start-session.ts
billing-svc (port 3007)	→ actions/billing/*.ts + Stripe + Supabase Edge Function
analytics-svc (port 3008)	→ Supabase analytics views + platform_stats table
zpos-svc (port 3009)	→ actions/sphinx/zpos-aeos.ts Server Action
notify-svc (port 3012)	→ Resend + Supabase Realtime (no BullMQ)
BullMQ Event Bus	→ flywheel_events table + Supabase Realtime
Redis cache	→ Vercel KV (same API: get/set/del)
WebSocket connections	→ Supabase Realtime channels

MVP PDD Status:  **PRODUCTION READY**

Total Prompts: 84 / 84

Phases: 4 / 4 Complete

Sprints: 8 Planned · 37 Build Days

Primary Tool: Claude Code (Sprints 2-8) · Bolt.new (Sprint 1 scaffold only)

Deploy: Vercel one-command · `vercel deploy --prod`

Monthly Cost: ~\$95-245/mo (Vercel Pro + Supabase Pro + Anthropic API)

Scale Ceiling: ~5,000 MAU before migration to full production stack

Feature Coverage: All 3 flywheel pillars present · 60% feature depth vs. full PDD

Migration Ready: Every table + Server Action + route named to match full PDD equivalents

First Action: Open Bolt.new → paste Sprint 1 scaffold prompt → ship the stage → hand to Claude Code.

The difference between the full ARK ONECRAFT platform and its MVP is not what it does — it is what it can handle. The MVP does everything. It simply cannot yet handle 50,000 concurrent users, Polygon Mainnet NFT throughput, and enterprise SAML SSO on day one. But it can handle your first 5,000 users, your first 1,000 certifications, your first 500 SPC creators, and your first investor demo. That is what matters now.

 **ARK ONECRAFT MVP** — Know your score. Improve your meta-skill. Build and sell your intelligence. Deploy today. 

ATLAS PromptWare Design Document MVP v1.0 | Junglenomics FORGE Institute | April 2026

Powered by ADA ULTRA SI + VIBE DJ + SPHINX ENGINE ULTRA SI | 4J.BONSAI Ecosystem

Oluseye Shay Amusa — Idea Factory | Koncentric Labs Inc. | ATANDA

PDD-ARK-ONECRAFT-MVP-2026-001 | JCSE Target 47/50 | FORGE Certified POC

© 2026 Oluseye Shay Amusa / Koncentric Labs Inc. / ATANDA · ideafactoryforge@outlook.com ·

www.ideafactory.io

