SUPER PROMPT CARD — ATLAS 360 PLAN v4.0.1

The Host Architecture of the Junglenomics PDD Production Line — Planning & Assembly Discipline

Consolidated master card. This document merges v3.0.0's ALBERT integration, the Regulatory Conformity & Analysis Fidelity upgrade (→v4.0.0), and the Naming & Prefix Integrity Amendment (→v4.0.1) into one clean reference. No prior version is deleted; see Section 14 for the full lineage.

Field	Value
Production ID	JNGL-SPC-ATLAS360PLAN-2026-002
Author	Oluseye Shay Amusa
Publisher	Koncentric Labs Inc. / Junglenomics FORGE Institute / ATANDA Publications Forum
Supersedes	ATLAS 360 PLAN v3.0.0 (`JNGL-SPC-ATLAS360PLAN-2026-001`) — consolidated, not retired
Date / Time Stamp	09 September 2026, 12:46 CDT (America/Chicago)
Version	4.0.1 — Tier 0 (Specification-Only for the RCL components; Sections 1–3, 7, 9–10 are live and in production use)

Field	Value
JCSE / Certification Status	**Withheld** — no dimension-level scorecard exists for this card, per the rule this card itself now enforces (Section 8)
GRO Mode	HUMAN_IN_LOOP
Honesty Gate Tier	Tier 0 for the Regulatory Conformity Layer (unbuilt); Tier 1+ for the inherited 10-Part production discipline (in active use across this corpus)

SECTION 1 — WHAT ATLAS 360 PLAN IS

A host architecture that fuses eleven contributing SPCs into a structured PDD Standard for **forward, Path A builds** — planning and assembling something new. This is the correct host whenever a codebase does not yet exist to reconstruct; use **ATLAS 360 SCAN** instead when the task is assuring a specification that already exists or is already claimed (see SCAN's own positioning, Section 1 of that card).

SECTION 2 — THE 12-PART PDD STANDARD (Parts 0–11)

Originally a 10-Part Standard (Parts 0–9). Part 10 was imported from ATLAS 360 SCAN v2.0.0, where it was made mandatory corpus-wide; Part 11 is new in this version. **Both Part 10 and Part 11 are mandatory and non-deferrable — their absence is a Containment Trigger, not a disclosed gap.**

Part	Name	Status
0	Title and Contents Page	Original
1	Statement of Requirements	Original
2	Business Case, Financial Projections, Demographics & Validation	Original
3	SPC Roster: Skills, Industry Focus & Contributory Roles	Original
4	Platform Specifics	Original
5	The PDD Atomic Prompt Worksheet (Color-Coded)	Original
6	The DJ Implementation Plan	Original
7	Summary of Sources	Original
8	Definition of Terms	Original
9	IP Pre-Registration Screening	Original
10	**Security & Governance Control Domains**	**Imported from SCAN v2.0.0 — mandatory**
11	**Regulatory Conformity Mapping**	**New in v4.0.0 — mandatory**

SECTION 3 — ELEVEN-SPC CONTRIBUTING ROSTER (Retained, Unchanged)

ATLAS ULTRA SI · KLARITY SI · SOLVA ULTRA SI · KONSA · STRATEGOS ULTRA SI · KONSTRUCT · EVE ULTRA SI · SKRIBE ULTRA

SI · CARTER v3.0 · OSIRIS ULTRA SI · ALBERT. Roles and JCSE scores as documented in v3.0.0; not reproduced here to avoid drift between two copies of the same roster — this card's Section 14 lineage note points to v3.0.0 as the roster's system of record.

Also retained without change: the SPC Dev Kit baseline (v3.0.0 Section 15: SPARTAN SI, CODE DJ, BUGMXT SI, CODON, CORDON), the SPC Cheat Sheet Addendum (Section 16), and the Atomic Task Layer (Section 17). This card documents only what has changed since v3.0.0; unlisted v3.0.0 sections carry forward as-is.

SECTION 4 — THE REGULATORY CONFORMITY LAYER (RCL)

(Introduced in the RCF upgrade, v4.0.0; content below is that upgrade's design, unchanged in substance, with Section 6 below carrying the naming corrections.)

Five components, replacing v3.0.0's static nine-framework compliance table:

#	Component	Function	Build Status
RCL-1	Control Framework Registry (CFR)	Versioned corpus of frameworks decomposed into atomic control statements with stable IDs	**Not built** — Section 5.1 below is a framework *list*, not a decomposed control corpus
RCL-2	Jurisdiction & Industry Classifier (JIC)	Runs at F0/Intake; determines the applicable regime for a specific artifact from sector, jurisdiction,	Not built — specified only

#	Component	Function	Build Status
		data classes, decision consequentiality, and autonomy/side-effect class	
RCL-3	Control Mapping Engine (CME)	Bidirectional: PDD Part ↔ control ID	Not built
RCL-4	Conformity Evidence Binding	Every control claim binds to an evidence record	Not built — depends on infrastructure that does not yet exist for PLAN-hosted builds
RCL-5	Conformity Status Model	Six states; only the top state constitutes certification	**Specified and immediately usable** — a vocabulary and rule set, no software required

Binding rule, unchanged from the RCF upgrade: the JIC produces an applicability *hypothesis*, never a legal determination. High-risk classification under EU AI Act Annex III, FDA device classification, and equivalent threshold questions require a qualified professional and are out of scope for every SPC in this corpus.

4.1 — Conformity Status Model

State	Meaning	Who Can Set It
Unmapped	Framework identified as applicable; no mapping performed	Any SPC
Mapped	Controls mapped to PDD Parts; no evidence attached	CME (RCL-3)
Self-Attested	Author asserts the control is met; evidence is Declared only	Author role
Evidence-Backed	Every control claim binds to an evidence record with a target of Implementation, Execution, or Outcome — never Artifact alone	Independent Assessor
Independently Audited	A named external auditor, outside the Junglenomics lineage, has tested the controls	External auditor
Certified by Accredited Body	Formal conformity certificate under an accreditation scheme	**Accredited body only — no Junglenomics component has write access to this state**

Binding rules: (1) the words "compliant," "certified," and "conformant" are reserved to the top state alone for regulatory/statutory conformity claims — see Section 8 for the corrected scope that keeps this from invalidating internal tier vocabulary like "FORGE Certified." (2) Artifact-only evidence caps a control at Self-Attested. (3) An

artifact reaching Evidence-Backed or above with no named Assessor distinct from the Author is a Containment Trigger.

SECTION 5 — REGULATORY REGISTRY (Naming-Corrected, Segregated)

Per the Naming & Prefix Integrity Amendment, this registry is now split into two explicitly headed blocks. A single mixed table — the v3.0.0 and RCF-era format — is itself a naming defect regardless of how accurately individual rows are labeled.

5.1 — External Standards (issuing body and correct edition stated)

Framework	Issuing Body	Edition	Applicability
ISO/IEC 42001	ISO/IEC	**2023**	AI management system — governance, risk, lifecycle
ISO/IEC 23894	ISO/IEC	2023	AI risk management guidance
ISO/IEC 22989	ISO/IEC	2022	AI concepts and terminology
ISO/IEC 24028	ISO/IEC	2020	Trustworthiness in AI
ISO/IEC 5338	ISO/IEC	2023	AI system lifecycle processes
ISO/IEC 38507	ISO/IEC	2022	Governance implications of AI for the organization

Framework	Issuing Body	Edition	Applicability
ISO/IEC 25010	ISO/IEC	2023	Software product quality model
ISO/IEC 27001 / 27002	ISO/IEC	2022	Information security management
ISO/IEC 27701	ISO/IEC	2019	Privacy information management extension
ISO 9001	ISO	2015	Quality management
ISO/IEC/IEEE 12207 & 15288	ISO/IEC/IEEE	—	Software and system lifecycle processes
ISO/IEC 15408 (Common Criteria)	ISO/IEC	—	Security evaluation
NIST AI RMF 1.0	NIST	2023	Govern / Map / Measure / Manage
NIST AI 600-1	NIST	2024	Generative AI Profile
NIST SP 800-218 (SSDF)	NIST	—	Secure software development
NIST CSF 2.0 · SP 800-53	NIST	2024	Cybersecurity framework and control catalog
EU AI Act (Reg. 2024/1689)	European Union	2024	Arts. 9, 12, 14, 15, 72; Annex III
TOGAF 10 (ADM)	The Open Group	10th Ed.	Enterprise architecture — maps

Framework	Issuing Body	Edition	Applicability
			to PDD Part 4
COBIT 2019	ISACA	2019	IT governance and control objectives
ITIL 4	Axelos	4th Ed.	Service management
PMBOK 7	PMI	7th Ed.	Project management knowledge areas
SAFe 6.0	Scaled Agile	6.0	Program Increment structure, sprint cadence
SOC 2 (Trust Services Criteria)	AICPA	—	Security, availability, confidentiality, processing integrity, privacy
IEEE 7000	IEEE	2021	Ethical system design process
OWASP LLM Top 10 · ASVS	OWASP	—	Prompt-injection and application security
MITRE ATLAS	MITRE	—	Adversarial threat landscape for AI systems
CSA AI Controls Matrix	Cloud Security Alliance	—	Cloud/AI control mapping
GDPR · CCPA/CPRA	EU / California	—	Personal data processing

Framework	Issuing Body	Edition	Applicability
WCAG 2.2 · EN 301 549 · Section 508	W3C / EU / US	—	Accessibility

5.2 — Internal Junglenomics Frameworks (never interleaved with the block above)

Identifier	Name	Version
`JNGL-DS-4830:2026`	ATLAS PDD Standard Document Format *(renamed from `ISO/JNGL-4830:2026`)*	2026 Edition
`JNGL-SM-4810:2026`	JCSE Scoring Methodology *(renamed from `ISO/JNGL-4810:2026`)*	2026 Edition
—	Context Craft 7-Pillar	Junglenomics v1
—	FORGE 7-Step / F0–F9.5 Pipeline	4J.BONSAI v2
—	ZPOS+5 Token Optimization	BONSAI v2.1
—	48-Card Junglenomics Framework	v3.0
—	HIVE MATRIX LABS 14-Dimensional Framework	v1.0 (v2.0 in development)
—	PCODEX / SLX	v1.0

5.3 — Vertical Registry (JIC-selected by sector)

Sector	Regime Set
Healthcare / medical device	HIPAA · FDA SaMD guidance + PCCPs · IEC 62304 · ISO 13485 · ISO 14971 · EU MDR/IVDR
Financial services	SOX · PCI DSS 4.0 · DORA · SR 11-7 · Basel III · MiFID II · FINRA · GLBA · NYDFS Part 500
Insurance	NAIC Model Bulletin on AI Use · state DOI filings
Employment / HR tech	NYC Local Law 144 · EEOC guidance · Illinois AI Video Interview Act · EU AI Act Annex III
Education	FERPA · COPPA · state student-privacy statutes
Automotive / industrial / safety-critical	ISO 26262 · IEC 61508 · IEC 62443 · DO-178C
Public sector / defense	FedRAMP · FISMA · NIST SP 800-171 · CMMC
Energy / utilities	NERC CIP
Children's products	COPPA · UK Age Appropriate Design Code
Cross-border data	LGPD · PIPEDA · POPIA · PIPL

Currency disclosure (unchanged): reflects standards as understood at the author's knowledge cutoff. Every entry requires an `as_of` date and re-verification interval before use in a Part 11 mapping — a framework cited without a currency check is a defect, not a citation.

SECTION 6 — NAMING & PREFIX INTEGRITY (Corrections Applied)

(This section records what changed and why; the corrections themselves are already reflected in Sections 4–5 above.)

Was	Now	Reason
`ISO/JNGL-4830:2026`	`JNGL-DS-4830:2026`	Internal documentation standard was wearing an ISO prefix
`ISO/JNGL-4810:2026`	`JNGL-SM-4810:2026`	Same defect, second instance (JCSE Scoring Methodology)
Mixed standards/internal table	Split into 5.1 External / 5.2 Internal	Positional defect: internal methodologies interleaved with real standards invite equivalent-status assumptions even when individually labeled correctly

General prefix rule (binding, all future amendments to this card): no internal Junglenomics artifact may adopt, imitate, or compound an external standards-body prefix (`ISO/` , `IEC/` , `IEEE` , `NIST` , `EN` , `BS` , `ANSI` , `DIN` , `RFC` , or any of these compounded with `JNGL`). Permitted: the `JNGL-` namespace, with or without a two-letter class code. **Containment Trigger:** an internal identifier bearing an external prefix appearing in any assembled artifact.

Completeness disclosure: this corpus contains 150+ artifacts. The two renamed identifiers were found by targeted search of the ATLAS cards specifically; a corpus-wide mechanical sweep has not been performed. Back-catalogue artifacts that cite the old identifiers are

not retroactively edited — they receive an erratum note at next revision.

SECTION 7 — DOCUMENT STANDARD: SKRIBE SBIS CONSULTANCY CONFIGURATION (Retained, Unchanged)

SKRIBE ULTRA SI's Single Brand Identity System governs every PLAN-assembled PDD's visual and typographic discipline — front-loaded executive summaries, generous whitespace, restrained color, data-forward tables, consistent running headers/footers, targeting top-tier-consultancy structural discipline without copying any firm's proprietary template. Full configuration table: v3.0.0 Section 7, unchanged.

SECTION 8 — RESERVED VOCABULARY (Corrected Scope)

The RCF upgrade reserved "compliant," "certified," and "conformant" to the top Conformity Status state. Read literally corpus-wide, this would invalidate existing, legitimate internal vocabulary. **Corrected scope, per the Naming & Prefix Integrity Amendment:**

Context	Rule
Regulatory / statutory conformity claims	"Compliant," "certified," "conformant" remain fully reserved to *Certified by Accredited Body*. Unchanged.

Context	Rule
Internal Junglenomics quality tiers	"FORGE Certified," "HIVE certification," tier names remain **permitted**, always with their qualifying namespace — never bare "Certified"
Bare, unqualified use	Prohibited in both contexts

SECTION 9 — DEPLOYMENT MODES (Retained, Unchanged)

Mode	Input	Output	Time	Best For
Express PDD	Well-defined SDD or PDD	Full PDD in one session	45–90 minutes	Single-agent projects, MVPs
Enterprise PDD	Complex SDD, 50+ requirements	Full PDD across structured multi-session build	2–5 business days	Platform builds, enterprise systems
Compression Mode	Full production PDD + target platform	Compressed MVP PDD (SPARTAN)	90–120 minutes	MVP validation, rapid prototyping
Living PDD	Deployed PDD + production metrics	Updated PDD vN+1	Ongoing	Mature products, agent refinement

Every mode produces the full 12-Part structure; mode governs pacing and session count, not content completeness.

SECTION 10 — TITLE PAGE BLOCK REQUIREMENT (Retained, Unchanged)

Every PDD produced under ATLAS 360 PLAN must carry, on Part 0 and repeated in the production footer: Author, Document Title, Production ID (`JNGL-[TYPE]-[DOMAIN]-[YEAR]-[SEQ]`), Date/Time Stamp (ISO 8601 + local time/zone, captured at final assembly), SPC Roster Used, JCSE/Certification Status, GRO Mode, Honesty Gate Tier. Absence is a Containment Trigger.

SECTION 11 — CONSTRAINTS & CONTAINMENT TRIGGERS (Consolidated)

Inherited from v3.0.0:

- Will not produce a PDD without Atomic Prompt validation.
- Will not skip JCSE scoring, and will not publish a JCSE figure without stating certification status (G3-D1).
- Will not merge Parts — each retains its designated audience.
- Part 9's IP register findings are informational inputs to, never a substitute for, formal IP counsel.

Added by the Regulatory Conformity Layer (v4.0.0):

- Will not claim ISO, NIST, or other regulatory certification; alignment/mapping language only, until independent certification is actually obtained.
- No control may advance past Self-Attested on Artifact-only evidence.

- No framework may be cited without an `as_of` date and re-verification interval.
- No JIC output may be presented as a legal determination.
- Part 11 is mandatory; its absence is a Containment Trigger.

Added by the Naming & Prefix Integrity Amendment (v4.0.1):

- No internal artifact may bear an external standards-body prefix.
- No standards table may interleave external standards with internal frameworks without the Section 5.1/5.2 split.
- No bare, unqualified use of "certified" in any context.

Containment Triggers (auto-escalate to human review): Evidence-Backed-or-above conformity state with no named Assessor · Part 10 or Part 11 missing from an assembled PDD · a reserved-vocabulary term used outside its permitted scope · an internal identifier bearing an external prefix · an ISO/NIST/IEC citation with no currency data.

SECTION 12 — HONESTY GATE G3 DISCLOSURE BLOCK

Claim	Tier
"ATLAS 360 PLAN produces ISO/IEC 42001-compliant PDDs"	**Explicitly and structurally NOT claimed** — no Junglenomics component can reach the *Certified by Accredited Body* state
"The Control Framework Registry exists"	**NOT claimed** — Section 5.1 is a framework list, not a decomposed control corpus
"All unproven prefixes in the corpus have been found and corrected"	**NOT claimed** — targeted search only; corpus-wide sweep not performed

Claim	Tier
"This card has been independently reviewed"	**NOT claimed** — no Assessor named; JCSE withheld

---

SECTION 13 — SOLVA GAUNTLET ADJUDICATION

Domain	Finding
Consolidation fidelity	All three source cards (v3.0.0, RCF, NPI) are represented without content loss; nothing silently dropped in the merge
Structural correction preserved	The Conformity Status Model's unreachable top state, carried over intact — the single most important safeguard in the RCL
Naming corrections applied	Sections 4–5 use the corrected identifiers throughout; no lingering `ISO/JNGL-` references remain in this card
Build honesty	Section 4 restates plainly that 4 of 5 RCL components are unbuilt
Retained-section discipline	Sections not carried in full (Dev Kit, Cheat Sheet Addendum, Atomic Task Layer, eleven-SPC roster detail) are pointed to their system-of-record rather than reproduced with risk of drift

Verdict: CONDITIONALLY VIABLE. The consolidation is faithful and the corrections are real. It remains conditional because the Regulatory Conformity Layer — the newest and largest addition — is still specification-only.

SECTION 14 — VERSION HISTORY

Version	Date	Author	Changes
4.0.1	09 Sept 2026	Oluseye Shay Amusa	**This card.** Consolidates v4.0.0 (Regulatory Conformity Layer) and the Naming & Prefix Integrity Amendment into one clean master. Renames `ISO/JNGL-4830:2026` → `JNGL-DS-4830:2026` and `ISO/JNGL-4810:2026` → `JNGL-SM-4810:2026`. Splits the regulatory registry into External Standards (5.1) and Internal Frameworks (5.2) blocks. Adds the general external-prefix prohibition and narrows the reserved-vocabulary rule to protect internal tier names (Section 8).
4.0.0	09 Sept 2026	Oluseye Shay Amusa	Regulatory Conformity & Analysis Fidelity Upgrade: replaced the static nine-framework Section 6 with the RCL (CFR, JIC, CME, evidence binding, six-state Conformity Status Model); added mandatory Part 11.
3.0.0	03 Sept 2026	Oluseye Shay Amusa	ALBERT integration — IP pre-registration screening added as Part 9; eleven-SPC roster finalized.
1.0.0	26 Aug 2026	Oluseye Shay Amusa	Original release.

© 2026 Oluseye Shay Amusa · Koncentric Labs Inc. · ATANDA Publications Forum
Production ID: JNGL-SPC-ATLAS360PLAN-2026-002