SUPER PROMPT CARD — ATLAS 360 SCAN v2.1.1

Specification Confidence & Assurance Network — Reconstruction, Assurance & Continuous Monitoring Discipline

Consolidated master card. Merges v1.0.0's founding rework of ATLAS 360 PLAN, v2.0.0's Definitive Upgrades, the Regulatory Conformity & Analysis Fidelity upgrade (→v2.1.0), and the Naming & Prefix Integrity Amendment (→v2.1.1) into one clean reference. No prior version is deleted; see Section 16 for the full lineage.

Field	Value
Production ID	JNGL-SPC-ATLAS360SCAN-2026-003
Author	Oluseye Shay Amusa
Publisher	Koncentric Labs Inc. / Junglenomics FORGE Institute / ATANDA Publications Forum

Field	Value
Supersedes	ATLAS 360 SCAN v2.0.0 (`JNGL-SPC-ATLAS360SCAN-2026-002`) — consolidated, not retired
Date / Time Stamp	09 September 2026, 12:46 CDT (America/Chicago)
Version	2.1.1 — Tier 0 for unbuilt components; Tier 1+ for the confidence vocabulary and Path B model, in active use across this corpus
JCSE / Certification Status	**Withheld** — no dimension-level scorecard exists for this card, per Section 5's own rule
GRO Mode	HUMAN_IN_LOOP
Honesty Gate Tier	Tier 0 for the Regulatory Conformity Layer, the HARNESS components, and SAVANT-in-SPC (all unbuilt); Tier 1+ for evidence tagging, Path B depth declaration, and the certification status model (in active production use)

SECTION 1 — WHAT ATLAS 360 SCAN IS

Six-service, eight-stage assurance discipline for **specifications that already exist or are already claimed** — before deployment and continuously after. Distinct from PLAN, which plans and assembles something new. Where a codebase or product already exists to reconstruct, SCAN is the correct host; where nothing exists yet, use PLAN (see that card's Section 1).

SECTION 2 — THE EIGHT-STAGE ASSURANCE LIFECYCLE

v1.0.0's six-service model, restructured in v2.0.0 to make two previously-implicit stages first-class.

Stage	Function	Primary Artifact	Decision
1. Freeze	Capture immutable source, scope, and evidence boundaries	Evidence Manifest	Admit or reject intake

Stage	Function	Primary Artifact	Decision
2. Reconstruct	Build the Path A/B model with confidence-tagged, evidence-targeted claims	Living PDD	Declare B1/B2/B3 depth
3. Atomize	Create testable specification records	Atomic Registry	Accept or remediate
4. Assess	Score quality, risk, and uncertainty — self and independent, kept separate	Assurance Scorecard	Assessed status
5. Validate	Run behavioral and security experiments in a	Validation Report	Pilot Verified or fail

Stage	Function	Primary Artifact	Decision
	sandboxed build		
6. Certify	Apply independent scope and threshold decisions	Signed Certificate	Certify or reject
7. Monitor	Compare deployed state and outcomes to the signed baseline	OSIRIS Reports	Maintain, suspend, or expire
8. Recertify	Resolve material drift and reassess	New Version Lineage	Restore or revoke

Mandatory separation of duties: no single actor may occupy more than one service role on the same artifact without disclosure — this is elevated to a Containment Trigger in Section 12.

SECTION 3 — EVIDENCE MODEL (Confidence × Target)

3.1 — Five-State Claim Confidence Vocabulary (v1.0.0, unchanged)

Status	Meaning
Observed	Demonstrated directly in pinned code, a signed transcript, or live runtime behavior
Corroborated	Supported by two or more independent primary sources
Declared	Stated by an official/authoritative source but not independently observed
Inferred	A reasonable reconstruction from incomplete evidence
Unknown	Evidence is insufficient to support any claim — SCAN issues no conclusion rather than a soft guess

3.2 — Evidence-Target × Confidence Matrix (v2.0.0 addition)

Every material claim now carries **two** coordinates — the confidence status above, and an evidence target below. This closes the specific failure both the AutoGPT and CrewAI bench tests exhibited: mistaking a README's *description* of behavior for the behavior itself.

Evidence Target	What It Means	Binding Rule
Artifact	A file, config, or document was directly seen to exist	File presence alone is `Observed — Artifact`, never `Observed — Behavior`
Implementation	The actual code/logic implementing a claim was read	Requires content-level access, not just a file listing
Configuration	A setting or control is declared/present	Not automatically effective control
Execution	A test, build, or run was actually	A passing test is

Evidence Target	What It Means	Binding Rule
	performed	`Observed — Test Result`, distinct from production behavior
Outcome	A real production/operational result was measured	Highest-weight target for OSIRIS and MATHMON

Binding rule: a vendor statement is `Declared` regardless of target; it can never be elevated to `Observed` by SCAN's own restatement of it.

3.3 — Path B Depth Levels (unchanged in definition, hardened in enforcement)

Level	Evidence Basis	Permitted Claim
B1 — Surface	Official documentation, repository metadata, public product surfaces	Product-profile reconstruction only
B2 — Structural	Pinned code, routes, schemas, manifests, dependencies	Architecture reconstruction
B3 — Behavioral	Builds, tests, runtime traces, observed outputs	Operational reconstruction

3.4 — Evidence Manifest (Now Mandatory, Not Advisory)

Both the AutoGPT and CrewAI bench tests produced an Evidence Manifest with the fingerprint fields present-but-empty, and both were still allowed to claim B2-partial status. **This is closed, not merely disclosed, as of v2.0.0:**

Requirement	Rule
Full commit SHA, tree hash	**Mandatory.** Missing either field auto-

Requirement	Rule
	downgrades any B2 claim to B1
Source archive + SHA-256 checksum	**Mandatory** for any artifact claiming B2 or higher
Repository URL, tag/branch, UTC time, scanner version, included/excluded paths	Required

A branch name or star count is never a codebase fingerprint — this binding correction, present since v1.0.0, is the one both flagship bench tests violated and is now enforced by automatic downgrade rather than footnote.

3.5 — Claim-to-Evidence Ledger (v2.0.0 addition)

Field	Requirement
Claim ID	Stable, unique identifier
Evidence link	Exact URL, file, symbol, line range, trace, or test reference
Evidence target + confidence	Per Section 3.2's matrix

Field	Requirement
Timestamp, reviewer	Who observed it and when
Contradictory evidence	Recorded if any exists, never silently dropped

Build status: not built. The Ledger is a schema and a rule set today; the HARNESS project (Section 10) is where it becomes software.

SECTION 4 — COMPLETE ATOMIC REQUIREMENT REGISTRY SCHEMA

Both bench tests produced small, sample-only atomic tables. The full schema, specified in v2.0.0:

Field	Requirement
Requirement ID / Atomic Task ID	Stable, unique, cross-referenced to Part 1
Inputs / Outputs	Typed, single-operation, verifiable I/O
Preconditions / Postconditions	What must be true before and after

Field	Requirement
Side effects	Anything the operation changes beyond its stated output
Idempotency	Whether repeating the operation is safe
Permissions	What access the operation requires
Failure states / Timeouts / Retries	How the operation fails, not just how it succeeds
Acceptance test(s)	At least one executable test, or an explicitly disclosed test gap
Risk class	Prioritizes Part 10/security review
Linked evidence	Cross-reference into the Section 3.5 Ledger

Known defect and correction (from the HARNESS technical review): a single representative row per function does not constitute atomicity review. A record combining resolve+capture+create+checksum+validate+fail-closed in one row is compound, not atomic, regardless

of how it is labeled. `Atomicity PASS` **may only be declared after every in-scope function and every critical failure path has its own row** — a spot-checked sample earns `ATOMICITY REVIEW INCOMPLETE`, never `PASS`.

SECTION 5 — TRANSPARENT JCSE SCORECARD

Full 10-dimension rubric (v2.0.0), replacing an aggregate score with no visible breakdown.

#	Dimension	Points	What It Measures
1	System/Context Clarity	0–5	Is the operating context and scope stated unambiguously?
2	Task Specification	0–5	Is the job to be done stated as a checkable requirement?
3	Example Sufficiency	0–5	Are examples representative, not cherry-picked?

#	Dimension	Points	What It Measures
4	Constraint Completeness	0–5	Are limits, exclusions, and edge cases stated?
5	Format/Output Discipline	0–5	Is the expected output shape testable?
6	Data Grounding	0–5	Is every factual claim traceable to the Ledger?
7	Chain-of-Reasoning Transparency	0–5	Can a reader follow *why*, not just *what*?
8	Atomicity Compliance	0–5	Does the registry pass compound-logic checks?
9	Evidence-Target Discipline	0–5	Are target/confidence pairs used correctly?
10	Gap Disclosure Honesty	0–5	Are Unknowns and defects named, not smoothed over?

#	Dimension	Points	What It Measures
	Total	**0–50**	

Structural separation (binding): Author self-score, Assessor score, and (where they disagree) Adjudicated score are three distinct fields — never collapsed into one published number. **No JCSE figure may be published without this rubric's dimension-level breakdown** — an aggregate-only score, even with a stated uncertainty range, is non-conforming as of v2.0.0.

SECTION 6 — MATHMON MEASUREMENT VALIDATION

Four layers, formally separated (v2.0.0), because weighted arithmetic on unvalidated inputs is expert judgment dressed as measurement:

Layer	Definition	Status
Expert rating	Qualitative judgment (Low/Moderate/High)	Available now
Computed specification metric	Mechanically calculated property of the specification itself	Available now, where

Layer	Definition	Status
		Section 4's schema is fully populated
Operational measure	Measured property of a running system (latency, error rate, cost)	Requires a B3 harness — not yet available
Predictive model	Validated statistical relationship between specification scores and outcomes	Requires the Ground-Truth Validation Program (Section 8) — not yet available

Naming correction (from the HARNESS technical review): a component that blocks unsupported predictive values is not, by that fact alone, a calibration or validation engine. Any MATHMON-class component in this corpus that only *gates* false precision, without computing calibrated predictions,

must be named an **Evidence Eligibility Gate**, not a "validator" or "engine" implying more than it does.

Binding rule (unchanged since v1.0.0): no SCAN-assembled artifact may report a MATHMON-style figure as predictive of real-world outcomes until the Operational-measure and Predictive-model layers are populated with validated data.

SECTION 7 — WEIGHTED OSIRIS DRIFT ENGINE

Weighted Dimension	Why Weighted Separately
API / schema surface	A renamed field and a removed authentication scope are not equivalent risk
Security controls	Permission, credential, and trust-boundary changes carry asymmetric downside
Behavior / test outcomes	Captures functional drift independent of code-surface churn
Licensing	A dependency license change can create legal exposure with

Weighted Dimension	Why Weighted Separately
	zero functional drift
Dependencies	Supply-chain and version drift compound silently between monitoring cycles

Critical-trigger override (binding, unconditional): any critical security, permission, license, or public-interface change routes to RED regardless of the aggregate weighted score. A large but low-risk refactor must never outrank a small but critical permission expansion.

Signed baselines only (v2.0.0): a GitHub file listing or a marketing page is not an admissible OSIRIS baseline — only a Section 3.4-compliant, fingerprinted Evidence Manifest is. **No custody without an immutable baseline** — both bench tests correctly refused to claim a false baseline was established; this refusal is now a hard rule, not a judgment call.

SECTION 8 — INDEPENDENT ASSESSMENT WORKFLOW

Six roles (expanded from three in v1.0.0 to six in v2.0.0):

Role	Responsibility	Cannot Also Hold
Accountable Owner	Ultimately answerable for the artifact's claims	—
Scanner	Executes mechanical evidence-gathering (freeze, file/content review)	Author, Assessor
Author	Drafts the specification/Living PDD	Independent Assessor
Independent Assessor	Applies JCSE/MATHMON to the frozen specification	Author, same-PDD Author role
Security Reviewer	Tests Part 10's Effectiveness column specifically	Author, Assessor (same artifact)
Adjudicator	Resolves Author/Assessor disagreement	Author or Assessor on that disagreement (SOLVA

Role	Responsibility	Cannot Also Hold
		ULTRA SI by default)

Binding, unchanged since v1.0.0: a scorecard naming no separate Assessor is a self-score only, labeled `[INT]†`, never certification-track. **Added in v2.0.0:** a Certified status additionally requires a named Security Reviewer's Effectiveness findings on at least the Critical-risk-class items from the Atomic Registry.

SECTION 9 — SECURITY ASSURANCE MODULE (Part 10, Mandatory)

Part 10 (Security & Governance Control Domains) cannot be marked optional or deferred; its absence is a Containment Trigger. As of v2.0.0, every domain scores **two** things, not one:

Control Domain	Presence	Effectiveness
Identity and access	Declared / Observed-	Tested / Not tested

Control Domain	Presence	Effectiveness
	Artifact / Unknown	
Tool permissions	"	"
Human approval	"	"
Data governance	"	"
Prompt injection	"	"
Cost containment	"	"
Marketplace / supply chain	"	"
Auditability	"	"
Incident response	"	"

Containment Trigger: a domain scored `Effective` without a linked Section 3.5 test-evidence entry — documenting a control is not proof it works.

SECTION 10 — REGULATORY CONFORMITY LAYER (v2.1.0, Naming-Corrected)

Identical in design to ATLAS 360 PLAN's Section 4/5 — reproduced here in SCAN-specific framing, since SCAN's conformity evidence binds to *reconstructed* evidence rather than *design intent*.

#	Component	Function	Build Status
RCL-1	Control Framework Registry	Frameworks decomposed into atomic control statements	**Not built**
RCL-2	Jurisdiction & Industry Classifier	Determines the applicable regime from sector, jurisdiction, data classes, consequentiality, autonomy class	Not built — specified only

#	Component	Function	Build Status
RCL-3	Control Mapping Engine	Bidirectional: SCAN service ↔ control ID	Not built
RCL-4	Conformity Evidence Binding	Every control claim binds to a Section 3.5 Ledger entry	Not built — the Ledger itself is not built
RCL-5	Conformity Status Model	Six states; top state unreachable by any Junglenomics component	**Specified and immediately usable**

Conformity Status Model (identical to PLAN's Section 4.1): Unmapped → Mapped → Self-Attested → Evidence-Backed → Independently Audited → **Certified by Accredited Body** (accredited body only — no Junglenomics write access).

External Standards / Internal Frameworks registry: identical content to PLAN Section 5.1–5.3, not reproduced twice in this corpus — PLAN is the system of record for the registry itself; SCAN consumes it identically, including the naming corrections in Section 11 below.

Part 11 (Regulatory Conformity Mapping) is mandatory on the same terms as Part 10. SCAN's Part 11 maps *observed evidence* to controls, with the confidence/target pair (Section 3.2) attached to each — the reconstruction-specific difference from PLAN's forward-build Part 11.

SECTION 11 — NAMING & PREFIX INTEGRITY (v2.1.1, Corrections Applied)

Was	Now	Reason
`ISO/JNGL-4830:2026`	`JNGL-DS-4830:2026`	Internal documentation standard was wearing an ISO prefix
`ISO/JNGL-4810:2026`	`JNGL-SM-4810:2026`	Same defect, second instance
Mixed standards/internal registry	Split per PLAN Section 5.1/5.2	Positional defect — internal frameworks interleaved

Was	Now	Reason
		with real standards

General prefix rule (binding, identical to PLAN): no internal Junglenomics artifact may adopt, imitate, or compound an external standards-body prefix. **Containment Trigger:** an internal identifier bearing an external prefix in any assembled artifact.

Reserved-vocabulary scope (corrected, identical to PLAN Section 8): "compliant"/"certified"/"conformant" fully reserved to *Certified by Accredited Body* for regulatory claims; internal tier names ("FORGE Certified," "HIVE certification") remain permitted when namespace-qualified.

SECTION 12 — CONSTRAINTS & CONTAINMENT TRIGGERS (Consolidated, All Versions)

From v1.0.0:

- Will not publish a JCSE or MATHMON figure as predictive of production outcomes before reliability tests are run and reported.

- Will not present a self-score (no named Assessor) as Certified status; Assessed at most.
- Will not compute Living PDD drift as a raw, undifferentiated percentage.
- Will not allow aggregate weighted drift to suppress a critical-trigger RED.
- Will not accept a branch name, star count, or commit count as a codebase fingerprint.
- Will not assemble Part 10 as optional or deferred.
- Will not claim ISO, NIST, or other regulatory certification beyond alignment/mapping language.

Added in v2.0.0:

- Will not claim B2-Structural status for any artifact missing mandatory fingerprint fields — automatic downgrade to B1.
- Will not publish a comparative JCSE claim without both artifacts carrying a full Section 5 scorecard and independent review.
- Will not describe an unbuilt capability as available in a specific Living PDD.
- Will not score a Part 10 control as Effective without linked evidence.
- Will not begin OSIRIS custody without an immutable baseline.
- Will not issue or imply external certification before legal/governance review exists.

Added in v2.1.0 (Regulatory Conformity Layer):

- No control may advance past Self-Attested on Artifact-only evidence.
- No framework cited without an `as_of` date and re-verification interval.
- No JIC output presented as a legal determination.
- Part 11 mandatory; absence is a Containment Trigger.

Added in v2.1.1 (Naming & Prefix Integrity):

- No internal artifact may bear an external standards-body prefix.
- No standards table may interleave external and internal entries without the required split.
- No bare, unqualified use of "certified."

Containment Triggers (auto-escalate): a Certified status with no named separate Assessor · a drift report showing RED suppressed by an aggregate score · Part 10 or Part 11 missing · a JCSE/MATHMON figure published without the self-scored/independently-reviewed distinction · an Evidence-Backed-or-above conformity state with no named Assessor · an internal identifier bearing an external prefix.

SECTION 13 — CERTIFICATION STATUS MODEL (Artifact Axis — Distinct From Conformity Status)

Important distinction: this is a separate axis from Section 10's Conformity Status Model. Certification Status governs *this artifact's own assurance maturity*; Conformity Status governs *its mapping to external regulatory frameworks*. An artifact can be Certified on one axis and Unmapped on the other.

Status	Meaning
Draft	Incomplete specification; no deployment or accuracy claim
Assessed	Scored with disclosed evidence, gaps, and confidence tiers
Pilot Verified	Passed a bounded validation cycle in a named environment
Certified	Independent criteria met — separation of duties satisfied — for a defined scope and period
Suspended	Material drift (RED) or a disclosed incident invalidated the prior state

Status	Meaning
Expired	The monitoring or recertification period elapsed without renewal

Mapping to corpus-wide "FORGE VERIFIED": `FORGE VERIFIED` (JCSE ≥ 45 AND MATHMON ≥ 70, both legs satisfied) now maps to **Certified** under this model, and only when Section 8's separation of duties was actually observed. A numerically-clearing self-score with no independent Assessor is **Assessed**, not Certified.

SECTION 14 — CURRENT BUILD STATUS (HARNESS Cross-Reference)

The software implementation of this card's unbuilt components is tracked under the separate **ATLAS 360 SCAN v2 HARNESS** project (`JNGL-FORGE-HARNESS-SCANV2-2026-002`), not duplicated here. Current status, for orientation only:

Wave	Scope	Status
Wave 1 — Evidence	Evidence Freeze Service, minimal	**Authorized for a**

Wave	Scope	Status
Foundation	Claim Ledger	**bounded spike only** — not built
Wave 2 — Specification Assurance	Atomic Registry Service, JCSE Scorecard Engine	Not started
Wave 3 — Runtime Proof	B3 Sandbox Harness, Security Assurance Module, OSIRIS v2	Not started — on hold pending Wave 1
Wave 4 — External Validity	Independent Assessment Workflow App, Ground-Truth Tooling, legal governance	Not started
Wave 5 — Scale	Machine-readable exports, publication layer, productization	Not started

First definitive proof (Wave 1 success criterion): freeze AutoGPT and CrewAI at exact reproducible commits and have a second operator reproduce the resulting evidence packages.

SECTION 15 — HONESTY GATE G3 DISCLOSURE BLOCK

Claim	Tier
"SCAN has an automated B2 scanner, B3 harness, or Claim Ledger"	**Explicitly NOT claimed** — all unbuilt; HARNESS Wave 1 is a bounded spike, not a production system
"SCAN produces ISO/IEC 42001-compliant assessments"	**Explicitly and structurally NOT claimed** — no Junglenomics component can reach *Certified by Accredited Body*
"MATHMON validates predictions"	**NOT claimed** — qualitative-only by default; renamed Evidence Eligibility Gate where it only blocks false precision
"The 88% SAVANT-in-SPC threshold is calibrated"	**NOT claimed** — proposed generalization (see the RCF card), inherited by analogy, uncalibrated

Claim	Tier
"This card has been independently reviewed"	**NOT claimed** — no Assessor named; JCSE withheld

---

SECTION 16 — VERSION HISTORY

Version	Date	Author	Changes
2.1.1	09 Sept 2026	Oluseye Shay Amusa	**This card.** Consolidates v2.1.0 (Regulatory Conformity Layer) and the Naming & Prefix Integrity Amendment into one clean master. Applies the `JNGL-DS-` / `JNGL-SM-` renames and the External/Internal registry split by reference to PLAN Section 5. Adds the general external-prefix prohibition and the corrected reserved-vocabulary scope.

Version	Date	Author	Changes
2.1.0	09 Sept 2026	Oluseye Shay Amusa	Regulatory Conformity & Analysis Fidelity Upgrade — Regulatory Conformity Layer (RCL-1–5) and mandatory Part 11, mirroring PLAN's parallel amendment.
2.0.0	09 Sept 2026	Oluseye Shay Amusa	Definitive Upgrades: Evidence-Target × Confidence matrix, mandatory Evidence Manifest with auto-downgrade, Claim-to-Evidence Ledger, complete Atomic Registry schema, 10-dimension JCSE rubric, 4-layer MATHMON separation, signed-baseline OSIRIS, Presence/Effectiveness Part 10 split, Scanner + Security Reviewer roles, expanded Ground-Truth Validation Program. Restructured six services into the eight-

Version	Date	Author	Changes
			stage lifecycle (added Certify, Recertify).
1.0.0	08 Sept 2026	Oluseye Shay Amusa	Original release — renamed and reworked ATLAS 360 PLAN v3.0.0 into ATLAS 360 SCAN; five-state confidence vocabulary, Path B B1/B2/B3 model, Evidence Manifest, separation of duties, six-state certification model, mandatory Part 10.

© 2026 Oluseye Shay Amusa · Koncentric Labs Inc. · ATANDA Publications Forum
Production ID: JNGL-SPC-ATLAS360SCAN-2026-003