ATLAS 360 · LIVING PRODUCT DEFINITION

ARK Platform Product Definition Document

Current repository baseline — evidence-led career intelligence, learning and verified capability exchange

> **Evidence before assertion.** This is a reverse-engineered living PDD: it describes the code now present, distinguishes controls from outcomes, and keeps unverified production, legal, and commercial claims outside the record.

VERSION 1.2.0 · 19 SEP 2026
JNGL-ARK-PDD-LIVE-2026-014

ATANDA
ATLAS 360 PLAN

ARK Platform — ATLAS 360 Living PDD

Current Codebase Baseline · 19 September 2026

> ***Living document status:*** *current repository baseline |* ***Version:*** *1.2.0 |* ***Production ID:*** `JNGL-ARK-PDD-LIVE-2026-014` ***Honesty Gate:*** *Tier 1 — codebase verified; not independently production-certified |* ***GRO mode:*** *HUMAN_IN_LOOP*
> ***Document owner:*** *ATLAS 360 PLAN format · ATANDA Publications Forum / Koncentric Labs Inc. |* ***Human principal:*** *Oluseye Shay Amusa* ***Date/time stamp:*** *2026-09-19 23:59 CDT (America/Chicago) |* ***SPC roster used:*** *ATLAS 360 PLAN v4.0.1; ATLAS 360 SCAN v2.1.1; CODE DJ reverse translation; KLARITY/CARTER editorial rules; ALBERT IP boundary* ***JCSE / certification status:*** *WITHHELD — no separate independent assessor and no dimension-level scorecard; this is an internal living specification, not a certification*

This revision updates, rather than replaces, `exports/ARK_PDD_Current_ATLAS_360.md`. It is a present-tense reconstruction of the synchronized ARK-X repository, hosted by ATLAS 360 SCAN and assembled in the ATLAS 360 PLAN 12-part format. It is not proof of a deployment, customer outcome, financial result, legal compliance, external federation, IP clearance, or infrastructure capability not demonstrated in source.

PART 0 · Title, Contents & Provenance

Contents

1. Statement of Requirements
2. Business Case, Validation and Executive Summary
3. SPC Roster and System Inventory
4. Platform Specifics
5. Atomic Prompt Worksheet
6. DJ Implementation and Maintenance Plan
7. Summary of Sources
8. Definition of Terms
9. IP Pre-Registration Screening
10. Security and Governance Control Domains
11. Regulatory Conformity Mapping
12. Living Delta and Review Rules

Authorship and provenance

FIELD	VALUE
Document title	ARK Platform — ATLAS 360 Living PDD · Current Codebase Baseline
Production ID / snapshot	`JNGL-ARK-PDD-LIVE-2026-014` · 19 September 2026
Primary evidence	Current workspace source: routes, schema, flags, migrations, feature modules, and test source
Reference method	ATLAS 360 PLAN v4.0.1 12-part standard and ATLAS 360 SCAN v2.1.1 reconstruction/assurance discipline
Certification	No JCSE/HIVE/FORGE certification is assigned to this document
Review trigger	Merged feature, route/flag/schema change, material test change, or stage change

Scope boundary. Code establishes intended executable behavior, not production traffic, production migration state, uptime, deliverability, payment settlement, customer outcomes,

regulatory compliance, external system connection, or live register results.

PART 1 · Statement of Requirements

1.1 Product requirements

REQUIREMENT	ACCEPTANCE BOUNDARY
Produce bounded career intelligence	JST and CCMI remain within 0–300 each and ARK within 0–600; score provenance is explicit.
Turn evidence into useful action	Intake, assessment, pathways, practice, proof, reporting, identity and exchange remain linked without treating recommendations as credentials.
Protect identity and consent	Actors derive from authenticated sessions; public and matching DTOs remain narrow; contact details are not disclosed automatically.
Make paid access verifiable	Entitlement requires explicit Stripe or contract provenance; identifier shape, email match, badge URL or browser claim is not proof.
Survive interrupted commerce	Plan changes and cancellations are idempotent, recoverable and protected against competing operations.
Keep the journey understandable	ATOMIC UI exposes one primary action and L0–L9.5 progress while advanced tooling remains available through disclosure.
Keep documentation honest and living	Material route, schema, entitlement, consent, security or regulatory changes trigger PDD reconciliation.

1.2 Single-page cheat sheet

FIELD	CURRENT EVIDENCE-BOUND STATE
Product	ARK — Advanced Resume & Karriere Synthesized Intelligence
Stage / experience	`Stage 1 · MVP` ; ATOMIC UI presents an L0–L9.5 learning cockpit with one primary action, progress, origin/current/next context, document controls and progressive disclosure.
Identity	**ARK 0–600 = JST 0–300 + CCMI 0–300**; centralized recalc preserves the invariant.
Individual loop	Intake → scored identity → pathways/practice/verification → bounded recorded evidence → report, résumé and guidance surfaces.
Network surfaces	GUIN+ public profile is distinct from GUIN MAX consented mentor discovery and ARK Talent Exchange employer opportunity matching.

Client surface	40 page files and 45 route definitions in the centralized client route registry, plus fallback behavior.
Server surface	180 `app.get/post/put/patch/delete` declarations in `server/routes.ts`; declaration count is not an external reachability count.
Persistence	PostgreSQL through Drizzle; startup migration runner and `schema_migrations`; 39 SQL migration files through `0034_stripe_billing_recovery_health.sql`.
Quality inventory	44 client/server/browser test files; TypeScript and focused ATOMIC UI validation passed on 19 September 2026. The full suite has extensive billing, privacy, matching and scoring coverage; this revision does not claim a fresh all-suite pass.
Delivery claim	Stripe-backed checkout, entitlement verification and billing recovery are implemented in source. No production settlement, external federation, or customer result is claimed without dated external evidence.

Atomic solution summary. ARK computes a bounded career-intelligence identity from assessment/resume-derived signals and wraps it with practice, evidence, marketplace, learning, workforce, reporting, and matching surfaces. The newer consented network paths disclose no contact details automatically and re-check current eligibility before acceptance.

PART 2 · Business Case, Validation and Executive Summary

2.1 Business case and validation boundary

ARK addresses fragmented career evidence: résumés, assessments, verified skills, contextual practice, learning pathways and marketplace activity commonly sit in separate systems. The product value hypothesis is that a single evidence-led loop can help an individual understand current capability, select a next action, package proof and participate in controlled exchange.

No revenue projection, market-size figure, demographic outcome, conversion result, employment result or ROI is asserted in this revision. Validation evidence is limited to repository behavior, tests actually run, source controls, and the explicit product journeys represented in code. Commercial validation requires dated production analytics and financial records outside this document.

2.2 Product intent and capability matrix

CAPABILITY	CURRENT IMPLEMENTATION EVIDENCE	BOUNDARY
Identity, assessment and pathways	`scoringEngine.ts`, `arkRecalc.ts`, `resumeAnalyzer.ts`, `/dashboard`, `/upload`, `/assessment`, `/pathways`	Scores are product metrics, not employment guarantees.
Practice and verification	`ccge.ts`, `cardVerification.ts`, `/play`, `/api/verification/*`	Recorded evidence and tiers are not a professional licence.
ARK Report, Guide and résumé	`/report`, `/r/:token`, `/ark-resume`, `arkResume.ts`	Report sharing is tokenized; résumé eligibility is plan/evidence gated.
Confirmation requests	`confirmation_invites`, `/confirm/:token`, confirmation routes	Claim matching, expiry, owner revoke/resend, narrow public DTO, atomic response.
Learning and marketplace	training routes, `trainingMatch.ts`, `sphinx.ts`	Provider recommendations/affiliate clicks and credits do not prove external credentials or live payment processing.

Workforce	`/enterprise`, `/workforce`, HR connector modules	Institution/role scoped; adapters/configuration are not proof of live external HR federation.
GUIN+ public profile	`/u/:username`, `guin.ts`	Public identity/profile surface; not mentor consent or employer review authority.
GUIN MAX	`/guin-match`, `guinMax.ts`, `/api/guin-max/*`	Consented, adult-attested, available, tier-and-evidence-gated mentor discovery only.
Talent Exchange	`/matchmaking*`, `matchmaking.ts`, introduction routes	Opportunity owner review of narrow consented cards; no automatic contact disclosure.
Billing and entitlement	Stripe checkout, monthly/annual plans, verified entitlement provenance, switching, cancellation and operation recovery	Source controls do not prove live settlement or production webhook health.
ACC-FACTORY bridge	RS256 HIVE eligibility assertion and JWKS routes	ACC-FACTORY remains the ARCHITECT subscription authority; ARK-X asserts eligibility only.
ATOMIC UI learning cockpit	`JourneyShell`, centralized route registry and responsive browser coverage	"L" means Learning; L0–L9.5 is a presentation/navigation model, not a new scoring system.

2.3 Primary requirements and controls

REQUIREMENT	CURRENT CONTROL
Canonical score integrity	`server/arkRecalc.ts` is the single identity writer; caps and non-positive manual/backfill behavior are server-side.
Actor and object authorization	Session-derived `currentUserId`, `requireAuth`, `requireSelf`, role/institution checks, and owner checks in route flows.
Gated surface behavior	`requireFeature` returns 404 for disabled flagged server surfaces; client routes use static defaults.
Data minimization	Public user DTOs, GUIN/MAX narrow result DTOs, candidate inbox exclusions, and no contact disclosure on accepted requests.
Atomic terminal transitions	Storage transition methods and pending-only route checks protect accept/decline/cancel races.
Discoverability without indexing private application paths	`SeoMetadata.tsx` sets canonical/meta/OG/Twitter data and makes only mapped public pages `index, follow`; others are `noindex, nofollow`.

2.4 Material risks

RISK	PRESENT MITIGATION	EVIDENCE GAP
Score farming	source/window caps, transactional recalc and tests	production adversarial monitoring
Cross-user or employer overreach	session/owner checks and narrow DTOs	independent security review
Consent/evidence becoming stale	acceptance re-evaluates open/owner/consent/evidence eligibility and cancels if invalid	policy/legal review
Confirmation misuse	cited-claim validation, expiry, one-use resolution, revoke/resend replacement tokens	deliverability and abuse monitoring
SEO overexposure	public-page map and noindex default	deployed crawler validation
Billing state drift or replay	verified Stripe provenance, operation records, idempotency, supersession, recovery health and concurrency coverage	production settlement/reconciliation evidence
Cross-platform entitlement overreach	signed short-lived ARK eligibility; ACC remains subscription authority; no email or badge-URL proof	activation in the actual ACC workspace and SPHINX reverse-publish contract

PART 3 · SPC Roster and System Inventory

3.1 PDD method roster

CONTRIBUTOR / METHOD	ROLE	STATUS
ATLAS 360 PLAN	Ten-part assembly, Honesty Gate, atomic decomposition	Method applied
CODE DJ / reverse translation	Source-to-PDD inventory and traceability	Human/agent document method, not an ARK runtime dependency
KLARITY / CARTER editorial rules	Plain language and stable terminology	Editorial rule
ALBERT layer	Candidate IP-screening boundary	Included as unrun, non-advisory section

3.2 Measured repository inventory

ITEM	OBSERVED COUNT
Client page files	40
Explicit client route declarations	45
Server TypeScript files	113
Shared TypeScript files	8
SQL migrations	39
Static feature keys	22
Client/server/browser test files	44
Server route declarations	180
Registered client routes	45
Tracked repository files	474

The last row is supplied GitHub recursive-tree context and uses a different inclusion rule from local extension/file scans; it should not be combined arithmetically with the other rows.

3.3 Ownership map

DOMAIN	PRIMARY LOCATIONS
Runtime, sessions, headers	`server/index.ts`, `server/auth.ts`, `server/static.ts`
Database and lifecycle	`server/db.ts`, `server/storage.ts`, `server/migrate.ts`, `shared/schema.ts`, `migrations/`
Identity and events	`server/scoringEngine.ts`, `server/arkRecalc.ts`, `server/lhcs.ts`, `server/orchestrator.ts`
AI	`server/ai/*`, `server/resumeAnalyzer.ts`, `server/profileExtract.ts`
Workforce	`server/workforceConnectionTest.ts`, `server/hrConnectors/*`, `server/hrScheduler.ts`
Matching	`server/matchmaking.ts`, `server/guinMax.ts`, `server/guin.ts`
Web routes/UI	`server/routes.ts`, `client/src/App.tsx`, `client/src/pages/*`, `client/src/components/SeoMetadata.tsx`
Learning cockpit	`client/src/components/layout/JourneyShell.tsx`, `client/src/routes.ts`, `client/src/components/layout/AppLayout.tsx`
Billing	`server/stripe.ts`, billing routes/storage, Stripe migrations and billing test suites
ACC eligibility	`server/accFactoryBridge.ts` and bridge routes/tests

PART 4 · Platform Specifics

4.1 Identity, evidence and score semantics

```
JST  = (Jobs × .30 + Skills × .40 + Talent × .30) × 3
CCMI = weighted P1–P7 × 3
ARK  = JST + CCMI
0 ≤ JST, CCMI ≤ 300; 0 ≤ ARK ≤ 600
```

`server/scoringEngine.ts` calculates the score model and `server/arkRecalc.ts` persists identity fields atomically. CCGE, verification, book, and marketplace records are different evidence types. A training recommendation is not a credential; a verification record is not automatically a public badge; ARK résumé eligibility is not a licence.

4.2 Three deliberately separate people/network products

SURFACE	WHO CAN SEE/USE IT	ADMISSION AND DISCLOSURE
GUIN+ public profiles	Public route `/u/:username` when `guinPublic` is on	Profile/endorsement identity surface. It is not proof of GUIN MAX opt-in and does not itself permit mentor or employer contact.
GUIN MAX mentor discovery	Authenticated `/guin-match` and `/api/guin-max/*` when `guinMax` is on	Both discovery participants must currently opt in, attest adulthood, be available, select a recognized tier, and have qualifying `verified` evidence. Region/language constraints require explicit matches.
Employer opportunity matching	Authenticated `/matchmaking*` when `matchmaking` is on; candidate review/introduction additionally requires `guinMax`	An owner of an **open** opportunity alone may review eligible narrow candidate cards and request an introduction. It uses consented candidates, not unrestricted profiles.

GUIN MAX mechanics

`isGuinMaxEligible` rejects missing opt-in, adult attestation, availability, a recognized selected tier, insufficient selected-tier evidence, unmet tier floor, and mismatched

constrained region/language. `discoverGuinMax` is deterministic: CXS is 60% verified-need coverage, 20% CCMI cosine affinity, 10% JST readiness, and 10% A/O/C complement; ties sort by user ID. Discovery records return evidence/rationale/radar rather than contact fields. Requests have pending/accepted/declined/cancelled transitions; only requester may cancel and only candidate may accept or decline. Acceptance rechecks both parties' consent and current verified evidence, cancelling stale requests instead of accepting them.

Talent Exchange hiring-company integration

An authenticated user can post validated JOB or PROJECT opportunities with known CODEC primitives, tier requirements, weights, JST floor, and optional archetype/location conditions. `scoreUserForOpportunity` is deterministic and evidence-led: weighted verified-card coverage 70%, JST factor 20%, archetype fit 10%. It returns **current fit** and a separately labelled **projected fit** that assumes missing/under-tier requirements reach their stated minimum; projected fit is not current evidence.

Employer candidate review runs only for the owner of an open opportunity. The response carries CXS, algorithm version `ark-cxs-verified-evidence-v1`, evidence, requirements, gaps, rationale, and fit/radar fields—not résumé data, contact data, raw submissions, usernames, or passwords. A pending unique pair prevents duplicate active introductions. Candidate inboxes include limited opportunity context and employer label but no employer contact/private account fields. Candidate acceptance refreshes owner/open/consent/evidence eligibility and score snapshot; stale requests cancel. Terminal actions are pending-only/authorized and storage transitions make concurrent terminal actions single-winner. Acceptance explicitly leaves contact details private.

4.3 Confirmation request lifecycle

ARK résumé confirmation invitations validate that the cited SKILL, EMPLOYMENT, or CERTIFICATION claim exists under the same matching semantics used by résumé rendering. Candidate-owned pending invitations can be revoked (token becomes unusable) or resent; resend mints a new token and expiry, invalidating the prior link. Public token reads expose only recipient decision data. Public response validates bounded fields, expires stale invitations, atomically records the outcome/confirmation, rejects a second answer, and makes candidate notification best-effort. Email delivery has an explicit manual-link fallback rather than silent success. Source includes branded confirmation-email coverage, but mail configuration/delivery is not asserted.

4.4 Privacy, deletion and security boundaries

Authenticated users can export their data and request deletion with literal `DELETE` confirmation. `deleteUserCascade` is transactional and explicitly deletes Talent

Exchange introductions where the user is employer or candidate before deleting the user. **Deletion caveat:** the observed cascade does not explicitly delete `guin_max_profiles` or `guin_max_match_requests`; `0024_guin_max.sql` does not show foreign-key cascade clauses. That is a material cleanup gap to resolve before claiming full GUIN MAX deletion cleanup. Session cookies, bcrypt at storage boundary, `helmet`, body limits, rate limits, server-derived actor IDs, and scoped DTOs are implementation controls. They are not a claim of an independent penetration test.

4.5 Workforce, search, PDF and SEO

The workforce/enterprise surfaces provide institution-scoped aggregation, AND-stacked filter slices, bounded department drill-down and organization-wide name search, connector test/configuration and scheduled-sync code, and respectful staff nudges with a shared seven-day cooldown. Source also contains workforce PDF/export-oriented work; no claim is made that a particular generated PDF was reviewed or that an HR adapter is connected to a live provider.

Public-page SEO is explicitly mapped in `shared/publicSeo.ts` and applied client-side by `SeoMetadata.tsx`: canonical URLs, title/description, Open Graph and Twitter metadata; public mapped pages index/follow and unrecognized/private paths default noindex/nofollow. `server/__tests__/seo.test.ts` exists. This is source behavior, not proof of search-engine crawling or ranking.

4.6 Verified commerce and cross-platform authority

ARK-X uses Stripe-backed checkout and explicit provider/contract provenance for paid access. Monthly and annual plans, safe prorated switching, cancellation, idempotent recovery, supersession of stale operations and recovery-health visibility are implemented as source controls. Stripe Search is treated as eventually consistent in fixture validation. These controls reduce duplicate or stale side effects; they do not by themselves prove production settlement.

ARCHITECT subscriptions remain owned by ACC-FACTORY. ARK-X may issue a short-lived RS256 eligibility assertion when durable HIVE evidence is verified, score is at least 80, and tier is Gold or Platinum. ACC must authenticate and link its own customer, verify the assertion against pinned keys and claims, and own discount redemption and checkout. Public badges, share links, browser claims, shared sessions and email matching are never authority.

4.7 ATOMIC UI learning journey

The product shell presents eleven learning checkpoints: L0 Start, L1 Intake, L2 Assessment, L3 Intelligence, L4 Pathways, L5 Context, L6 Proof, L7 Report, L8 Identity, L9 Exchange and

L9.5 MERLIN. Each route resolves through a centralized registry into a current stage. The cockpit shows progress, where the user came from, the current action, the next destination, upload/download controls and one connected feature. Advanced tools remain available through disclosure rather than competing with the primary action. The black ATANDA palette improves contrast while preserving the supplied yellow, blue, red, teal, coral and purple identity.

PART 5 · Atomic Prompt Worksheet

ID	ATOMIC OPERATION	INPUT → OUTPUT	VALIDATION/EVIDENCE	OWNER
FND-001	Apply migrations	SQL files → ledgered schema update	`server/migrate.ts`; migration-status test source	`server/migra`
IDN-001	Recalculate identity	event/state → atomic ARK/JST/CCMI state	scoring/cap test sources	`server/arkRe`
IDN-002	Stream identity event	recalculation → SSE snapshot/update	`server/orchestrator.ts`, `/api/ark-score/stream`	`server/route`
EVD-001	Finalize CCGE	owned session/cards → scored outcome	transactional finalize contract	`server/stora`
EVD-002	Verify primitive	evidence prompts → tiered verification record	verification engine/routes	`server/cardV`
CNF-001	Create confirmation invite	owned existing claim + recipient → expiring token	claim matcher and invite storage	`server/route`
CNF-002	Resolve confirmation once	valid pending token + response → confirmation/status	expiry/duplicate response branches	`server/stora`
CNF-003	Revoke/resend confirmation	owner + pending/expired invitation → invalidated or fresh token	owner-scoped routes	`server/route`
MNT-001	Qualify mentor	profile/evidence/search → eligible or excluded	`isGuinMaxEligible`; `guinMax.test.ts`	`server/guinM`
MNT-002	Rank mentors	qualified rows → deterministic CXS cards	stable tie sort and no-sensitive-field test	`server/guinM`
MNT-003	Resolve mentor request	pending request + authorized action → one terminal state	current consent/evidence recheck, race tests	`server/route`
HIR-001	Score candidate fit	verified cards + opportunity → current/projected fit	pure `matchmaking.ts` contract	`server/match`

HIR-002	Review candidate cards	open opportunity owner → narrow eligible cards	owner/open/consent/tier test	`server/route`
HIR-003	Request/resolve introduction	owner request or candidate action → protected state transition	consent/evidence recheck and race test	`server/route`
GOV-001	Delete account-owned data	authenticated `DELETE` confirmation → transactional listed-table cascade + session removal	privacy route/storage contract; GUIN MAX orphan-risk caveat in Part 4	`server/stora`
WFR-001	Search workforce	scoped query/paging → bounded staff result page	department/workforce test sources	`server/stora`
SEO-001	Set page metadata	browser location → canonical/meta/robots values	`SeoMetadata.tsx`, `seo.test.ts`	`client/src/c`
BIL-001	Establish paid entitlement	verified Stripe/contract evidence → explicit access provenance	checkout/webhook/entitlement tests	billing routes a
BIL-002	Recover interrupted billing change	durable operation + Stripe state → one applied outcome	replay, supersession and concurrency tests	billing routes a
ACC-001	Assert HIVE eligibility	verified HIVE evidence → bounded RS256 assertion	bridge route tests and JWKS	`server/accFa`
UI-001	Resolve learning stage	registered route + feature state → L0–L9.5 cockpit state	unit and responsive browser tests	`JourneyShell`

Traceability rule: every future atomic row must name a parent capability, actual code owner, observable input/output, and validation evidence. A proposal without a parent is diagnosis/backlog, not current implementation.

PART 6 · DJ Implementation and Maintenance Plan

6.1 Current tool/runtime map

CONCERN	CURRENT SOURCE-BACKED SELECTION
Application	TypeScript, React/Vite client, Express server, wouter routing
Data	PostgreSQL and Drizzle ORM; PG-backed sessions
AI	Anthropic/OpenAI/Gemini provider-layer support, plan/model policy, usage/budget/cache controls
Test/tooling	Node tests via `tsx`, client component tests and responsive browser tests; TypeScript and focused journey checks passed on 19 September 2026
PDD rendering	`scripts/renderPdd.ts`, Puppeteer/Chromium and `scripts/pddStyles.ts`

6.2 Maintenance cadence

TRIGGER	PDD ACTION
Route/page/flag change	Recount inventory; revise Parts 1, 3, 4 and worksheet.
Migration	Update SQL count, highest filename and schema/data-flow notes.
Consent/matching change	Re-evaluate eligibility, DTO disclosure, stale-request and deletion boundaries; add/record tests.
Workforce/SEO/PDF change	Separate source capability from a deployed/crawler/rendered outcome.
Production evidence	Add it as dated evidence; never infer it from source.

6.3 Known non-claims / follow-on evidence

No external HR federation, Neo4j, Pinecone, GRO AI runtime, IP-register search, production deployment certification, customer KPI, or legal clearance is established by this PDD. Stripe integration exists in source, but live settlement and production reconciliation are not certified

here. ACC production activation and SPHINX reverse-publish remain outside this repository baseline.

PART 7 · Summary of Sources

SOURCE	USE
`replit.md`	Active architecture, formulas, security and feature cont
`shared/schema.ts` , `shared/featureFlags.ts`	Schema contracts, 25 flags, consta matching en
`server/routes.ts` , `server/storage.ts`	Endpoint behavior, lifecycle, authorizatio transaction boundaries
`server/guinMax.ts` , `server/matchmaking.ts`	Eligibility, deterministi score and fit semantics
`server/__tests__/guinMax.test.ts` , `matchmakingIntroductionsRoute.test.ts` and other test files	Regression intent/protec
`client/src/App.tsx` , `SeoMetadata.tsx` , `shared/publicSeo.ts`	Route and metadata behavior
`migrations/*.sql`	Migration inventory/his
`attached_assets/ATLAS_360_PLAN_v3_0_0_ALBERT_Integration_1788458849105.pdf`	PDD method/stru

Historical PDDs, task titles, future plans, and comments are not proof where they conflict with executable current source. Current source wins.

PART 8 · Definition of Terms

TERM	DEFINITION IN THIS PDD
ARK / JST / CCMI	Bounded composite identity / Jobs-Skills-Talent index / seven-pillar Context Craft Mastery Index.
CCGE / JCSE / KCSE / HIVE	Practice engine / session quality vocabulary / in-game rubric / marketplace quality gate; do not collapse them into one credential.
GUIN+	Public identity/profile layer, distinct from discovery consent.
GUIN MAX	Consent-controlled, adult-attested, availability/evidence-gated mentor discovery and request lifecycle.
CXS	Match score label. In GUIN MAX it is the specified radar sum; in employer review it is the verified-evidence opportunity match score and algorithm version.
Current fit	Score from evidence held now.
Projected fit	Counterfactual score if listed gaps reach required tiers; never current verified evidence.
Introduction	Owner-requested, candidate-controlled Talent Exchange lifecycle; acceptance does not disclose contact details.
Confirmation invite	Expiring tokenized request to substantiate an existing résumé claim.
Living PDD	Repository-derived document requiring reconciliation after material change.
L0–L9.5	ATOMIC UI learning-stage sequence; “L” means Learning.

PART 9 · IP Pre-Registration Screening

9.1 Status

No live register search was run. This is a candidate inventory, not a trademark clearance, patentability view, filing recommendation, freedom-to-operate conclusion, legal advice, or legal opinion.

CANDIDATE	CURRENT CONTEXT	STATUS
ARK, ARK Report, ARK Guide, ARK Resume	identity/report/résumé surfaces	UNSEARCHED
MERLIN, Context Craft, CCMI, JST, CCGE	guidance/scoring/practice vocabulary	UNSEARCHED
SPHINX, GUIN+, GUIN MAX, Talent Exchange, CXS	marketplace/profile/discovery/matching vocabulary	UNSEARCHED
HIVE	publishing quality-gate vocabulary	UNSEARCHED

Any future authorized screening record must state jurisdiction/class, date, exact variants, registers queried, results/source links, search scope, and the same non-advisory caveat.

PART 10 · Security and Governance Control Domains

The ATLAS 360 SCAN v2.1.1 assurance rule separates **Presence** from **Effectiveness**. “Observed” means source or configuration was inspected. “Tested” means a relevant automated check was run or is present; it does not mean an independent security assessment occurred.

CONTROL DOMAIN	PRESENCE	EFFECTIVENESS EVIDENCE	CONFIDENCE / TARGET	OWNER / GAP
Identity and access	Observed	Session-derived actors, authentication/ownership checks and narrow DTO tests	High / independent access-control review	Application routes and storage
Tool permissions	Observed	Server-side feature and role gates; external connector permissions not independently audited	Moderate / least-privilege connector review	Platform operations
Human approval	Observed	Customer confirmations, consent gates and fail-closed ACC customer-auth boundary	Moderate / production workflow evidence	Product and operations
Data governance	Observed-Tested	Privacy export/deletion paths and regression coverage	Moderate / large-account and schema-drift assurance	Privacy owner
Prompt injection	Artifact	AI provider and budget controls exist; no independent adversarial prompt assessment recorded here	Low / threat-led red-team evidence	AI security owner
Cost containment	Observed-Tested	Token and absolute cost gates, plan limits and cache controls	High for source behavior / production spend reconciliation	AI and billing owners
Marketplace / supply chain	Observed-Tested	Verified evidence gates, consent rechecks, signed ACC eligibility and strict ownership boundaries	Moderate / external ACC and SPHINX contract tests	Marketplace owners

Auditability	Observed-Tested	Migration ledger, billing operations, provenance and ARK history surfaces	Moderate / production retention review	Platform owner
Incident response	Artifact	Recovery-health and retry behavior exist for billing; no organization-wide incident exercise is evidenced	Low / runbook exercise and named responders	Operations

Containment triggers: Part 10 or Part 11 absent; a control called Effective without linked test evidence; an Evidence-Backed-or-higher conformity claim without a named assessor; a bare “certified” claim; or external-standard language without currency data.

PART 11 · Regulatory Conformity Mapping

11.1 Conformity status and honesty boundary

ATLAS 360 v4.0.1 defines: **Unmapped → Mapped → Self-Attested → Evidence-Backed → Independently Audited → Certified by Accredited Body**. This PDD does not grant the last two states. No accredited-body certification, legal determination or regulatory compliance outcome is claimed.

The Regulatory Conformity Layer components—Control Framework Registry, Jurisdiction & Industry Classifier, Control Mapping Engine, Conformity Evidence Binding and Conformity Status Model—are reference-method requirements. ARK-X does not currently implement a complete atomic regulatory control registry or automated jurisdiction classifier. Therefore mappings below remain **Mapped** or, where source evidence is named, **Self-Attested**.

11.2 External framework mapping

EXTERNAL FRAMEWORK / REGIME	AS-OF / REVERIFY	RELEVANT ARK-X CONTROL AREAS	EVIDENCE CONFIDENCE	STATUS
NIST AI RMF 1.0	As published Jan 2023 / reverify annually	provenance, human oversight, bounded scoring, monitoring gaps	Moderate	Mapped; not certified
NIST Cybersecurity Framework 2.0	As published Feb 2024 / reverify annually	identity, protection, auditability, recovery and incident-response gaps	Moderate	Mapped; not certified
ISO/IEC 42001:2023	Reverify annually	AI management, risk, provider controls and human-in-loop boundaries	Low–Moderate	Mapped only
ISO/IEC 27001:2022	Reverify annually	access control, data governance, logging, supplier and incident domains	Low–Moderate	Mapped only

EU AI Act	Phased obligations through 2027 / reverify quarterly	transparency, data governance, human oversight and consequential-use classification	Low	Applicability not legally determined
Applicable privacy law	Jurisdiction-dependent / reverify before launch in each market	export, deletion, consent, minimization and retention	Moderate for source controls	No legal compliance claim

11.3 Internal framework naming integrity

ARK, JST, CCMI, CCGE, JCSE, KCSE, HIVE, SPHINX, GUIN and ATLAS are internal product/framework terms. They must not carry ISO, IEC, NIST or another standards-body prefix. External standards and internal frameworks remain in separate tables and no unqualified use of “certified” is permitted.

11.4 Regulatory evidence gaps

1. No named independent assessor or security reviewer has evaluated this PDD.
2. No complete atomic Control Framework Registry or evidence ledger exists.
3. No jurisdiction/industry classifier has established which legal regimes apply to a specific deployment.
4. No accredited certification body has assessed ARK-X.
5. Production processing locations, subprocessors, retention periods and incident exercises require external evidence.

APPENDIX A · Living Delta and Review Rules

A.1 Delta from the 06 September baseline

- Inventory updated to **39 migrations**, **40 page files**, **45 registered client routes**, **180 server route declarations**, **44 test files**, and **474 tracked files**.
- Adds real Stripe checkout, monthly/annual billing, verified entitlement provenance, switching, cancellation, concurrency controls, idempotent operation recovery, stale-operation supersession and recovery-health evidence.
- Adds expanded privacy export/deletion coverage and keeps explicit caveats where future tables must remain synchronized.
- Adds labour-market provenance and clarifies that JST is deterministic and standards-aligned through curated O*NET, SFIA and WEF mappings—not a live feed from those sources.
- Adds the ARK-X side of the ACC-FACTORY ARCHITECT bridge with signed HIVE eligibility and strict ownership boundaries.
- Adds the black ATANDA ATOMIC UI cockpit, centralized route registry and L0–L9.5 learning-stage model with unit and responsive browser coverage.
- Retains score, consent, matching, confirmation, SEO, workforce, provenance, glossary and IP non-advisory constraints.

A.2 Drift bands and update protocol

BAND	MEANING	RESPONSE
GREEN	Route/schema/behavior and this PDD agree; no unsupported claim	routine next-increment review
AMBER	Source changed without reconciliation	do not call this document current until reviewed
RED	Unsupported capability, security omission, misleading credential, or production/legal assertion	invalidate affected section and re-baseline

1. Recount files/routes/migrations/flags/tests using repeatable commands.
2. Inspect source contracts, not only UI text or issue titles.

3. Update affected ATLAS parts and atomic rows, preserving provenance and non-claims.
4. Run the repository’s check/test/migration health commands and record actual dated results only when run.
5. Render and visually inspect separately; do not overwrite historical PDFs.

> ***Closing statement:*** *This is an ATLAS 360 living PDD of the ARK-X repository observed on 19 September 2026. It must move with the code, not be trusted after the code moves.*

© 2026 Oluseye Shay Amusa · Koncentric Labs Inc. · ATANDA Publications Forum. No certification or legal conclusion is implied.