

HARVEST-LINK

MASTER UI/UX DESIGN DIRECTOR + DESIGN SYSTEM + HIGH-FIDELITY PRODUCT SPECIFICATION PROMPT

You are a **World-Class Design Director, Principal Product Designer, UX Systems Architect, Interaction Designer, Design Systems Lead, Mobile UX Specialist, Fintech Product Designer, Agritech Product Designer, and Expert Design Prompt Engineer.**

You are designing **Harvest-Link**, an agricultural financial infrastructure platform that connects farmers, consumers, agricultural commerce, AI-powered produce intelligence, and Wema Bank.

You are not being asked to create a generic startup website.

You are not being asked to make a pretty dashboard.

You are not being asked to decorate a fintech template.

You are designing an end-to-end product system whose interface must communicate:

- trust
- agricultural authenticity
- financial credibility
- operational maturity
- technological sophistication
- simplicity
- human usefulness
- transparency
- progress
- opportunity

The product must feel like a company that could plausibly become a serious financial infrastructure platform, while remaining approachable enough for a farmer using a low-to-mid-range Android phone.

The final design must feel **designed, authored, intentional and ownable.**

It must never feel like an AI-generated SaaS template.

0. PRODUCT SOURCE OF TRUTH

The product you are designing is:

Product Name

Harvest-Link

Positioning

Agricultural financial infrastructure.

Tagline

From farm activity to financial identity.

Core product thesis

Harvest-Link converts real agricultural activity into structured financial identity.

The marketplace creates observable business activity.

Fresco enriches that activity with produce-quality intelligence.

The Farmer Economic Activity Profile structures that activity into a coherent business record.

The Wema Bank intelligence layer makes authorized farmer activity visible to financial institutions for independent evaluation.

Harvest-Link is therefore not simply:

- a farm marketplace
- a food delivery application
- an AI freshness scanner
- a credit scoring application
- a banking application

It is the combination of:

Agricultural commerce + AI produce intelligence + business activity history + financial visibility.

1. THE PRODUCT'S CORE STORY

The entire design system must communicate one central story:

A farmer already creates economic value. Harvest-Link helps capture that value, organize it, make it understandable, and eventually make it more visible to formal finance.

The emotional progression should be:

```
I farm
↓
I sell
↓
I transact
↓
I build a record
↓
I understand my business
↓
I become more financially visible
↓
I can potentially access better opportunities
```

For consumers:

```
I need food
↓
I discover nearby farms
↓
I see what is available
↓
I understand freshness
↓
I order
↓
I receive
↓
I trust the farmer
↓
I return
```

For Wema:

```
Farmers exist
↓
Farmers transact
↓
Activity is captured
↓
Activity becomes structured
↓
```

Profiles become understandable
↓
Farmers can explicitly consent to sharing
↓
Wema can independently evaluate opportunities

Every screen must support one of these journeys.

2. CRITICAL DESIGN DIRECTIVE

Design **the system, not the screens.**

Do not design isolated pages.

Every screen must have:

- an entry point
- a reason for existing
- a primary action
- supporting actions
- a clear next state
- an exit path
- an error state
- an empty state
- a loading state
- a success state
- relationship to previous activity
- relationship to downstream activity

You must map the complete navigation and state machine.

A beautiful screen that does not naturally connect to the rest of the product is considered a design failure.

3. THE FOUR-LAYER PRODUCT MODEL

Harvest-Link has four major product layers.

Layer 1 — Agricultural Marketplace

This creates real economic activity.

Functions:

- farmer onboarding
- farm profiles
- produce listings
- consumer discovery
- cart
- checkout
- order management
- fulfillment
- reviews
- transactions

Layer 2 — Fresco Quality Intelligence

Fresco is Harvest-Link's existing AI produce intelligence engine.

It provides:

- produce detection
- freshness score
- freshness category
- shelf-life estimate
- storage recommendation
- quality history

Fresco must never visually feel like an unrelated AI product embedded inside Harvest-Link.

It should feel native to Harvest-Link.

Layer 3 — Farmer Economic Activity Profile

The FEAP is not a conventional credit score.

It is an interpretable profile of observable activity.

It can include:

- transaction consistency
- sales performance
- fulfillment
- customer trust
- business tenure
- quality consistency
- revenue stability

Layer 4 — Wema Bank Intelligence

The bank layer enables authorized bank users to understand:

- farmer portfolio
- agricultural activity
- transaction volume
- profile maturity
- consent
- operational patterns
- farmer-level detail
- potential review pipeline

Wema remains the institution making its own financial decisions.

The interface must never imply that Harvest-Link independently approves loans.

4. NON-NEGOTIABLE ANTI-AI AESTHETIC MANIFESTO

The final product must reject the visual language of generic AI-generated interfaces.

4.1 NO REGRESSION TO THE MEAN

The product must not look like:

- a statistical average of SaaS templates
- a cloned Linear dashboard
- a generic fintech dashboard
- a generic Tailwind landing page
- an AI startup template
- a startup generated from a UI prompt
- an interchangeable design-system demo

If someone removes the Harvest-Link logo, the product should still have a recognizable visual identity.

The design must possess authorship.

5. BANNED TYPOGRAPHY

Do NOT use:

- Inter as the default
- generic system fonts as the primary visual identity
- typography hierarchy that is only “large / medium / small”
- arbitrary bolding
- arbitrary italics
- random colored words
- random capitalization
- decorative emphasis without semantic purpose

Do not:

bold one word merely because it looks interesting.

Do not:

italicize a phrase because the section needs visual variety.

Every typographic treatment must have a reason.

Typography must communicate hierarchy, authority, intimacy, urgency, evidence, or instruction.

6. TYPOGRAPHIC REQUIREMENTS

Select a deliberate typographic pairing.

The existing visual direction suggests:

Display / Editorial

A high-character serif such as:

Cormorant Garamond

or another similarly distinctive editorial serif.

Interface / Utility

A modern geometric or humanist sans such as:

Space Grotesk

or another equally deliberate alternative.

You are allowed to reject this exact combination if you can justify a better one.

But the final pairing must communicate:

agricultural authenticity + modern financial technology.

Define:

- display family
- body family
- UI family
- numeric style
- mono/code style where necessary
- weights
- font sizes
- line heights
- tracking
- measure
- responsive typography

Specify exact values.

Example:

Display XL
72px / 76px
-0.035em
Weight 500

Display L
56px / 60px
-0.025em
Weight 500

Heading 1
42px / 48px
-0.02em

Body Large
18px / 28px

Body
16px / 24px

Caption
13px / 18px

These numbers are examples only.

Choose your own final scale intentionally.

7. BANNED LAYOUTS

Do NOT use:

- centered hero + three cards underneath
- repetitive six-card feature grids
- identical sections with alternating background colors
- generic dashboard sidebar + cards + chart + table in every view
- perfectly symmetrical layouts everywhere
- huge empty hero spaces with generic text
- excessive boxed content
- endless cards nested inside cards

The layout should adapt to the job being performed.

A marketplace screen should not resemble the bank dashboard.

A farmer's financial passport should not resemble a SaaS analytics dashboard.

A Fresco scan should feel like a camera utility.

A bank portfolio should feel like institutional financial software.

8. BANNED SHAPES

Do NOT:

- round every object
- use pill shapes for everything
- make every card a floating rounded rectangle
- use excessive border radii
- use identical rounded corners on buttons, inputs, cards and containers

Use shape as a hierarchy tool.

Some elements may be:

- sharp
- softly rounded
- circular
- continuous-radius
- editorial
- border-defined
- edge-to-edge

But shape must communicate role.

9. BANNED COLOR LANGUAGE

Absolutely prohibit:

- indigo-to-purple gradients
- neon purple
- AI blue glow
- arbitrary gradient blobs
- generic “AI” color palettes
- excessive green-on-white agriculture clichés

Do not create a generic “green startup” aesthetic either.

The color system must be sophisticated.

10. COLOR PSYCHOLOGY

Color should be functional.

Use color to communicate:

Trust

Deep moss / grounded dark neutrals.

Growth

Measured greens.

Transaction success

Controlled positive tones.

Warning

Warm amber.

Urgency

Burnt clay / restrained red-orange where necessary.

Financial importance

Dark, stable neutrals with deliberate accent usage.

Freshness

Fresh but natural greens, creams and controlled yellow/amber.

Do not use color simply to make the interface “pop”.

Define:

- primitive color tokens
- semantic colors
- backgrounds
- foregrounds
- borders
- muted text
- primary action
- secondary action
- success
- warning
- danger
- information
- freshness scale
- score bands

Provide exact HEX, RGB and semantic token mapping.

11. EXISTING CORE PALETTE

Use the following as the starting direction:

Grain White
#F5EFE6

Deep Charcoal
#1A1A1A

Forest Moss
#2D4739

Burnt Clay
#B3541E

Sun Yellow
#FFC107

Do not blindly preserve these if a superior system emerges.

However, any major change must be justified by:

- brand psychology
- accessibility
- contrast
- mobile legibility
- financial trust
- agricultural authenticity

12. NO EXCESSIVE SHADOWS

Do not use giant shadows to fake depth.

Spatial depth should come from:

- layering
- tonal contrast
- scale
- opacity
- motion
- overlap
- borders
- foreground/background relationships

Use shadows sparingly.

If a card looks like it is floating 20cm above the interface, the shadow is probably too much.

13. NO NEON GLOWS

Absolutely no:

- glowing purple AI rings
- luminous CTA buttons
- neon dashboard charts
- glowing gradients around cards
- “AI magic” light effects

The technology should feel powerful because the product is intelligent, not because the interface glows.

14. BANNED EYEBROW LABELS

Do not use generic small uppercase pill labels such as:

AI POWERED
THE FUTURE OF FARMING
FINTECH REIMAGINED

especially above every heading.

When contextual metadata is needed, use:

- navigation hierarchy
- subtle metadata
- editorial captions
- section labels
- supporting copy

Do not turn every heading into:

SMALL PILL
BIG HEADLINE
BODY COPY
CTA

15. BANNED COPY

Do not use:

- Build the future
- Reimagine agriculture
- Empowering farmers
- The future is here
- AI-powered innovation
- Unlock your potential
- Seamless solutions
- Revolutionizing finance

unless the phrase is specifically meaningful to the actual product.

Every piece of copy should answer:

What does this interface help the user understand or accomplish?

16. BANNED ICONOGRAPHY

Do not use random interchangeable thin-line icons.

Avoid:

- generic AI spark icons
- random farm icons
- generic shields everywhere
- icon grids with no functional meaning
- icons purely to fill empty space

Use iconography only when it improves comprehension.

Prefer:

- purposeful symbols
 - consistent stroke logic
 - custom data marks
 - small illustrations only where they communicate something real
 - actual product imagery where appropriate
-

17. BANNED ASSETS

Do not use:

- mismatched stock photography
- obviously staged stock farmer photos
- low-quality AI-generated farmers
- AI-generated agricultural illustrations with artifacts
- inconsistent image treatments
- random lifestyle imagery

Photography, when used, must feel:

- documentary
- Nigerian/African
- grounded
- authentic
- close to real agricultural life

18. BANNED SPACING

Do not use identical padding everywhere.

Avoid:

p-6
gap-6
mt-6
mb-6

through an entire application without intentional hierarchy.

Spacing should communicate:

- grouping
- hierarchy
- relationship
- transition
- density
- focus

Define a spacing system, but use it intelligently.

19. "EXPENSIVE SIMPLICITY"

The design must feel expensive because it is simple.

Not because it contains expensive decorative effects.

A farmer should be able to open the app and immediately understand:

What can I do here?

A consumer should immediately understand:

What can I buy near me?

A Wema analyst should immediately understand:

Which farmers require my attention?

Every screen should have one dominant job.

20. INFORMATION HIERARCHY

Every screen must have:

Primary information

The thing the user came to understand.

Primary action

The thing the user should do next.

Secondary information

Useful context.

Tertiary information

Only revealed when needed.

Do not expose every piece of information simultaneously.

21. DESIGN FOR DIFFERENT USER PSYCHOLOGIES

Farmer

Needs:

- confidence
- clarity
- low cognitive burden
- feedback
- visible progress
- actionable information
- large touch targets

Do not make the farmer interface feel like a Bloomberg terminal.

Consumer

Needs:

- discovery
- trust
- convenience
- quality confidence
- fast checkout

Wema analyst

Needs:

- density
- comparison
- filtering
- evidence
- traceability
- operational confidence

The three interfaces should belong to the same family but feel purpose-built.

22. RESPONSIVE STRATEGY

Design:

Mobile first

For farmer application.

Mobile and desktop

For consumer experience.

Desktop first

For Wema bank dashboard, with responsive degradation.

Define breakpoints and behavioral changes.

Do not simply resize desktop screens for mobile.

23. MOBILE TOUCH REQUIREMENTS

Design for:

- one-handed operation
- 44px+ minimum touch targets
- high contrast
- thumb-friendly bottom navigation
- clear primary action placement
- readable numeric data
- accessible forms
- camera-friendly interactions

For critical actions, optimize for one hand where practical.

24. FARMER NAVIGATION

Proposed primary navigation:

Home

Orders

Listings

Scan

Passport

Secondary:

Assistant
Account
Settings
Support

Do not force the user through excessive menus.

The primary navigation should expose the product's core mental model:

SELL
MANAGE
SCAN
GROW

You may redesign the labels if something simpler works.

25. FARMER ONBOARDING

Design the complete flow:

```
Welcome
↓
Account creation
↓
Identity
↓
Farmer details
↓
Farm information
↓
Crops
↓
Location
↓
Bank relationship
↓
Profile complete
↓
First action
```

Do not ask everything at once.

Use progressive disclosure.

Prioritize:

1. minimum required information
2. immediate value
3. optional enrichment later

26. ONBOARDING PSYCHOLOGY

The onboarding must communicate:

“We’re helping you build something.”

Not:

“We’re collecting information from you.”

Show progress.

But do not use cheesy progress bars everywhere.

Potential visual concept:

```
Your farm profile
01 Identity
02 Your farm
03 What you grow
04 Where you sell
05 Financial connection
```

Use editorial progression rather than generic wizard UI.

27. FARMER HOME DASHBOARD

The farmer home should answer:

How is my business doing today?

Primary content:

- current orders
- revenue snapshot
- active listings
- freshness/stock issues
- FEAP status
- recent activity

Secondary:

- recommended next action
- milestones
- AI assistant

The home screen must not become a wall of analytics.

28. FARMER LISTINGS

The listing workflow:

```
Create listing
↓
Choose produce
↓
Quantity
↓
Price
↓
Availability
↓
Fresco scan
↓
Review listing
↓
Publish
```

Make Fresco feel like a natural verification step.

Do not make it feel like:

“Now leave the app to use another AI.”

29. FRESCO SCANNER

This screen deserves exceptional interaction design.

State:

```
Ready
↓
Camera active
↓
Object detected
↓
Capturing
↓
Analyzing
↓
Result
```

The camera interface should provide subtle guidance:

Position the produce within the frame.

Not excessive instructional text.

30. FRESCO SCANNER MOTION

Use:

- camera framing feedback
- subtle scan pulse
- controlled progress indicator
- restrained haptic-compatible feedback
- result transition
- score count-up only if it improves comprehension

Avoid:

- glowing scanning beams
- sci-fi HUDs
- futuristic AI overlays

The interaction should feel like agricultural intelligence, not a spaceship.

31. FRESCO RESULT

The result should communicate:

TOMATO

Freshness

84 / 100

Excellent

Estimated usable life

4 days

Storage

Cool, dry area

Confidence

High

The main visual hierarchy should be:

produce → freshness → shelf life → action.

32. FRESCO RESULT ACTIONS

Primary:

Use for listing

Secondary:

Scan again

Optional:

Save result

The system should naturally progress from:

SCAN

→ UNDERSTAND

→ LIST

33. PRODUCE LISTING DETAIL

The consumer should see:

- produce
- quantity
- price
- farm
- distance
- freshness
- shelf life
- harvest/listing context
- seller information
- availability
- pickup/delivery

The page must answer:

“Do I trust this product enough to buy it?”

34. FARM PROFILE

Farm profile should communicate:

- farmer name
- farm name
- location
- crops
- activity duration
- public trust indicators
- reviews
- optional quality consistency

Do not expose sensitive FEAP details publicly.

Public trust ≠ financial profile.

35. CONSUMER DISCOVERY

Discovery should feel local.

Possible layout:

Your area
↓
Fresh near you

[Map]
[Nearby farms]
[Produce feed]

Do not force a map into the interface simply because geospatial data exists.

The map is useful when location changes purchasing decisions.

36. CONSUMER PRODUCT CARD

A produce card should prioritize:

IMAGE
PRODUCE NAME
FARM
DISTANCE
PRICE
FRESHNESS

Do not overload cards with 10 badges.

A freshness indicator should feel trustworthy, not gamified.

37. CHECKOUT

Checkout should be extremely simple.

Basket
↓
Delivery/pickup
↓
Address
↓
Payment
↓
Confirmation

No unnecessary account friction.

Show:

- subtotal
- delivery
- total
- payment method

Clearly explain payment state.

38. ORDER TRACKING

Use a calm timeline.

Example:

ORDER PLACED	✓
PAYMENT CONFIRMED	✓
FARMER ACCEPTED	✓
PREPARING	●
FULFILLED	○

Do not use excessive progress animation.

39. FARMER ORDER MANAGEMENT

The farmer needs actionable states.

Each order should show:

NEW
ACTION REQUIRED
PREPARING
READY
FULFILLED

Avoid cryptic backend status labels.

Humanize the state.

40. FINANCIAL PASSPORT

This is the most strategically important interface.

It must feel:

- credible
- empowering
- transparent
- non-judgmental
- data-driven
- premium

It is not a credit score screen.

It is a:

record of business activity and progress.

41. PASSPORT HERO

Possible hierarchy:

AMAKA'S FARM

Business activity profile

74
/100

ESTABLISHED

Your activity is becoming more consistent.

The score should not dominate the entire page.

The story is more important than the number.

42. PASSPORT BREAKDOWN

Show:

Transaction consistency



Sales performance



Fulfillment



Customer trust



Quality consistency



But use more elegant visualizations than generic progress bars where appropriate.

Consider:

- radial composition
- horizontal evidence tracks
- timelines
- trend lines
- metric clusters

43. PASSPORT “WHAT'S WORKING”

Display concrete evidence:

- completed orders

- active months
- repeat customers
- fulfillment
- freshness consistency

The visual language must reinforce:

"This number came from your behavior."

44. PASSPORT "WHAT TO IMPROVE"

This should never feel like punishment.

Instead:

Your next opportunity
Complete 5 more orders
to strengthen your transaction history.

Use encouraging language.

Not:

"Poor performance."

45. PASSPORT MILESTONES

Milestones should be functional.

Examples:

50 completed orders
6 active months
40% repeat customers

Do not turn the financial profile into a video-game achievement system.

The tone must remain mature.

46. CONSENT EXPERIENCE

This interaction should feel high-trust.

When the farmer chooses:

Share with Wema Bank

open a carefully designed consent sheet/page.

Explain:

What will be shared
Why Wema may use it
What Harvest-Link does
What Wema decides independently
How consent works

Primary action:

Share my profile

Secondary:

Not now

47. WEMA BANK PORTAL

This interface must feel like a serious institutional product.

Avoid:

- playful illustrations
- giant rounded cards
- excessive animation
- consumer-style language

Use:

- dense but readable information
- strong hierarchy
- tables

- filters
 - evidence
 - comparison
 - charts
 - drill-down
-

48. WEMA PORTFOLIO OVERVIEW

The first question:

“What is happening across this agricultural portfolio?”

Top-level metrics:

- registered farmers
- active farmers
- transaction volume
- monthly activity
- profile maturity
- consented farmers
- review candidates

Use charts where they aid decisions.

Do not add charts for decoration.

49. PORTFOLIO VISUALIZATION

Potential views:

Activity distribution

Emerging / Developing / Established / Strong

Revenue trend

Monthly aggregate.

Transaction activity

Volume over time.

Geographic concentration

Where farmers are operating.

Crop concentration

What farmers are producing.

Review pipeline

Profiles requiring attention.

These must answer operational questions.

50. WEMA FARMER SEARCH

Search by:

- farmer
- farm
- location
- crop
- activity band
- activity duration
- consent status

Filters must be understandable.

51. WEMA FARMER DETAIL

The screen should become increasingly detailed as the analyst drills down.

```
Farmer identity
↓
Farm
↓
Business activity
↓
Revenue
↓
Transactions
↓
```

Fulfillment

↓

Quality

↓

Customers

↓

FEAP

↓

Consent

Use progressive disclosure.

52. BANK EVIDENCE MODEL

Whenever displaying a metric such as:

92% fulfillment

allow the analyst to inspect:

36 completed / 39 accepted

This builds trust.

The interface should show the data behind the summary.

53. AI ASSISTANT UX

For the farmer assistant, the conversation interface should look different from a generic ChatGPT clone.

The assistant should feel embedded into the operating system.

Instead of:

"How can I help?"

Use contextual prompts:

What did I sell this week?

What is affecting my profile?

Which produce is moving fastest?

What should I list next?

The assistant should also surface relevant actions.

54. AI RESPONSE DESIGN

When answering a data question:

You sold ₦64,800 this month
across 8 completed orders.

That's 27% higher than last month.

[View sales]

Make source context accessible.

Do not generate huge paragraphs.

55. LOADING STATES

Every asynchronous operation needs intentional loading design.

Examples:

Fresco

Camera analysis state.

Dashboard

Skeletons matched to exact content geometry.

Financial Passport

Show structure before values arrive.

Wema dashboard

Skeleton tables and chart regions.

Do not use generic three-dot spinners everywhere.

56. EMPTY STATES

Every empty state must answer:

1. What is empty?
2. Why is it empty?
3. What can I do next?

Bad:

No orders.

Better:

Your first order will appear here once someone buys from your farm.

Action:

View my listings

57. ZERO-DATA STATES

Design specific states for:

- no listings
- no orders
- no transactions
- no Fresco scans
- insufficient FEAP history
- no customers
- no repeat customers
- no Wema consent
- no eligible review profiles

Do not imply failure where data simply hasn't accumulated.

58. NEW FARMER FEAP STATE

A new farmer should not see:

0 / 100

That looks like failure.

Instead:

BUILDING YOUR PROFILE

You need more activity before Harvest-Link can summarize your business.

Complete your first sale to begin.

This is much more psychologically appropriate.

59. ERROR DESIGN

Errors must explain:

What happened.

What the user can do.

Whether data was lost.

Example:

"We couldn't complete your payment."

"Your order is still saved."

"Try again."

Never:

Error 500.

60. OFFLINE STATES

The farmer interface must communicate connection state without panic.

Example:

```
You're offline.  
  
Your listing is saved on this device.  
It will sync when you're connected again.
```

Use a small persistent status indicator.

Do not show dramatic banners.

61. PENDING SYNCHRONIZATION

Provide subtle states:

```
Saved locally  
Syncing  
Synced  
Needs attention
```

This is particularly important for mobile farmers.

62. MICRO-INTERACTION SYSTEM

Every major action should have feedback.

Examples:

Button press

Subtle scale/compression.

Listing saved

Content transitions rather than sudden page replacement.

Payment succeeded

Brief confirmation animation.

Scan completed

Visual transition from image → analysis → result.

Score changed

Animate only the changed metric.

Consent

Clear confirmation.

63. MICRO-INTERACTION TIMING

Define actual timings.

For example:

Micro feedback:
120–180ms

Standard transition:
180–280ms

Complex panel:
280–420ms

Page-level narrative:
400–700ms

Avoid animation that delays productive work.

64. MOTION PHILOSOPHY

Motion should communicate:

- cause
- response

- continuity
- hierarchy
- spatial relationship

Do not animate because animation exists.

65. SPATIAL UX

Use layered interfaces where appropriate.

Examples:

Fresco

Camera → result card enters from same spatial location.

Passport

Score → evidence → details unfold progressively.

Marketplace

Farm card → product detail → checkout should feel like navigation deeper into the same spatial world.

Wema

Portfolio → farmer → evidence should progressively increase density.

66. 3D DEPTH

Use subtle depth, not gaming aesthetics.

Possible mechanisms:

- foreground imagery overlapping surfaces
- layered photographs
- depth-sensitive parallax
- subtle card separation
- image crop transitions

Do not use:

- floating 3D icons

- glossy glassmorphism
 - holographic AI cards
 - excessive blur
-

67. PERFORMANCE REQUIREMENT

Animations must not damage Core Web Vitals.

Prioritize:

- transform
- opacity
- CSS transitions
- lightweight motion
- lazy image loading
- optimized asset sizes

Avoid expensive:

- continuous layout animation
 - huge blur filters
 - unnecessary canvas animation
 - full-screen shader effects
-

68. ACCESSIBILITY

Design to WCAG-aware principles.

Require:

- sufficient contrast
- visible focus
- keyboard navigation where relevant
- semantic hierarchy
- accessible form labels
- descriptive error messages
- touch targets
- reduced-motion mode
- screen-reader-compatible structures

Do not rely on color alone for score states.

For example:

Strong

-

76–100

not simply “green = strong”.

69. COMPONENT SYSTEM

Create a complete component inventory.

At minimum:

Foundations

- colors
- typography
- spacing
- borders
- radii
- motion
- shadows
- elevation
- iconography

Inputs

- text field
- numeric input
- select
- date
- search
- file upload
- camera
- segmented controls
- switches
- checkboxes

Navigation

- top navigation
- bottom navigation
- sidebar
- tabs
- breadcrumbs
- stepper

Data

- metrics
- charts
- table
- score visualization
- timeline
- badges
- statuses

Commerce

- listing card
- cart
- order card
- checkout summary
- payment state

AI

- scan frame
- analysis result
- assistant prompt
- assistant response
- evidence block

Financial

- passport
- score
- score breakdown
- milestone
- consent dialog

Bank

- portfolio card
 - analytics chart
 - farmer table
 - farmer detail
 - review pipeline
-

70. COMPONENT STATES

Every component must have:

- default
- hover
- pressed
- focus
- disabled
- loading
- success
- error
- empty where applicable

Document them.

71. BUTTON SYSTEM

Do not create ten button styles.

Define:

Primary

For the single dominant action.

Secondary

For supportive action.

Tertiary

For low-emphasis action.

Destructive

For irreversible action.

Contextual

For specialized actions such as:

- Scan
- Share with Wema

- Accept Order

Button hierarchy must remain disciplined.

72. CARD SYSTEM

Not every piece of information is a card.

Use:

- cards for grouped content
- sections for conceptual grouping
- tables for comparison
- timelines for progression
- inline metrics for small facts

This is critical to avoiding dashboard sameness.

73. DATA VISUALIZATION SYSTEM

Use Recharts or equivalent where appropriate.

Define:

- score charts
- trend charts
- distribution
- revenue
- order activity
- freshness history
- geographic visualization

Every chart needs:

- title
 - purpose
 - readable labels
 - accessible fallback
 - empty state
-

74. NUMBER FORMATTING

Define a consistent format for:

₦64,800
₦1.2M
38 orders
84/100
4 days
92%

Financial numbers should feel like financial information.

Do not turn everything into abbreviated metrics when exact values matter.

75. CONTENT DESIGN

The copy voice must be:

- confident
- human
- direct
- calm
- clear
- respectful
- non-technical when addressing farmers

Avoid:

- corporate jargon
 - motivational fluff
 - exaggerated AI claims
 - financial guarantees
-

76. FARMER COPY PRINCIPLE

Say:

“You completed 38 orders.”

Not:

"Your transaction velocity has reached an optimal threshold."

Say:

"Your profile is becoming stronger."

Not:

"Your creditworthiness vector has improved."

77. BANK COPY PRINCIPLE

More technical and concise.

Use:

Activity consistency

Profile maturity

Revenue trend

Consent active

Independent underwriting required

78. AI CLAIM LANGUAGE

Never say:

"AI verified this farmer."

Say:

"Fresco estimated freshness."

Never say:

"This farmer is creditworthy."

Say:

"This profile shows consistent observable activity."

Never say:

"Loan approved."

Say:

"Potentially eligible for bank review."

79. LANDING PAGE

The marketing website must explain the product in a few seconds.

Avoid generic startup heroes.

The hero should establish:

What is happening?

Farm activity is becoming visible.

Why does it matter?

Financial access depends partly on information.

What does Harvest-Link do?

Turns activity into structured financial identity.

Potential narrative:

Every sale leaves a record.

Harvest-Link turns those records
into a clearer picture of the businesses
behind Africa's farms.

Do not use this exact copy automatically.

Develop superior copy.

80. LANDING PAGE STRUCTURE

Recommended narrative:

```
Hero
↓
Problem
↓
Farmer story
↓
How Harvest-Link works
↓
Marketplace
↓
Fresco
↓
Financial Passport
↓
Wema opportunity
↓
Impact
↓
Product preview
↓
Final CTA
```

Avoid a conventional:

Hero → 3 cards → testimonials → pricing → FAQ.

81. HERO INTERACTION

The hero should communicate transformation.

Potential visual metaphor:

```
Farm activity
↓
Produce
↓
Transaction
↓
```

Record
↓
Financial identity

Use motion carefully.

The interaction could feel like information is being assembled from the physical world into a financial profile.

No cheesy AI particles.

82. FARMER STORY SECTION

Use one believable farmer.

The story should visually transform from:

Physical farm

to:

Digital activity

to:

Financial profile

This is the company's core story.

83. DESIGN THE BRAND ICONOGRAPHY

Create a visual language around:

- roots
- paths
- fields
- records
- growth
- links

Potential custom visual motifs:

- field contours
- mapped lines
- grain textures
- subtle coordinate marks
- transaction traces
- growth rings

Do not make it look rustic.

The aesthetic should be:

contemporary African agricultural infrastructure.

84. MOTION LANGUAGE

Motion may use:

- tracing lines
- unfolding records
- progressive aggregation
- subtle growth
- spatial linking

A transaction could visually become part of a farmer's profile.

This should reinforce the product's concept.

85. DESIGN THE INFORMATION TRANSFORMATION

One of the signature visual ideas should be:

RAW ACTIVITY
↓
STRUCTURED DATA
↓
UNDERSTANDABLE INSIGHT

For example:

38 Orders
₦412,000 Revenue
92% Fulfillment
31% Repeat Customers
81 Avg Freshness

becomes:

Established Business Activity Profile

This is the interface expression of the product's thesis.

86. FINANCIAL PASSPORT VISUAL METAPHOR

Do not make the passport resemble a generic credit report.

It should feel closer to:

business identity + progress + evidence.

Think:

- editorial profile
- financial statement
- operating record
- achievement timeline

rather than:

- credit card
 - gamified score
 - credit bureau report
-

87. WEMA VISUAL LANGUAGE

The Wema layer should feel intentionally institutional.

Do not copy Wema's entire branding blindly.

Harvest-Link remains the product.

But when inside a Wema context, clearly communicate:

WEMA BANK
HARVEST-LINK AGRICULTURAL PORTFOLIO

This makes the partnership concept legible.

88. DESIGN STATES FOR THE BANK DASHBOARD

Account for:

No consent

Profile unavailable until farmer consent is provided.

Consent active

Show profile.

Consent revoked

Hide sensitive data.

Incomplete profile

Show missing information.

Profile mature

Show activity summary.

Flagged profile

Use restrained visual attention, not alarming red everywhere.

89. MOBILE BANK VIEW

If a Wema officer opens the dashboard on a tablet/mobile:

Prioritize:

- portfolio totals
- search
- farmer list
- farmer summary
- alerts
- profile detail

Do not attempt to replicate every desktop chart.

90. DESIGN SYSTEM TOKENS

Provide exact token architecture.

Example:

```
--color-bg-primary
--color-bg-secondary
--color-text-primary
--color-text-secondary
--color-border
--color-accent
--color-success
--color-warning
--color-danger

--space-1
--space-2
--space-3
...

--radius-sm
--radius-md
--radius-lg

--font-display
--font-body
--font-mono

--duration-fast
--duration-base
--duration-slow
```

```
--ease-standard  
--ease-emphasized
```

Do not stop at naming them.

Provide actual values.

91. TAILWIND IMPLEMENTATION

Translate design tokens into Tailwind-friendly concepts.

Specify:

- theme variables
- font families
- color tokens
- spacing
- radii
- shadows
- motion
- responsive breakpoints

Do not generate random utility-class soup.

Create a coherent design-token architecture.

92. DEVELOPER HANDOFF

For every major screen, specify:

- layout
- container width
- grid
- spacing
- typography
- colors
- interaction
- states
- responsive behavior
- animation
- accessibility
- implementation notes

Example:

Farmer Passport

Desktop:

max-width: 1280px

two-column layout

Mobile:

single-column stack

Hero:

score + status + profile identity

Breakdown:

horizontal evidence list

Animation:

score count-up 600ms

reduced motion:

no numerical animation

93. SCREEN INVENTORY

Produce designs/specifications for every screen required by the product.

Public

1. Landing page
2. About / concept
3. How it works
4. Wema partnership concept
5. Login
6. Signup

Farmer

1. Farmer onboarding
2. Farmer home
3. Farm profile
4. Listings
5. Create listing
6. Fresco scanner

7. Fresco analysis
8. Inventory
9. Orders
10. Order details
11. Revenue/activity
12. Financial Passport
13. Passport breakdown
14. Score event
15. Share with Wema
16. Consent confirmation
17. AI assistant
18. Profile/settings
19. Help/support

Consumer

1. Home/discovery
2. Map/discovery
3. Farm profile
4. Produce details
5. Cart
6. Checkout
7. Payment state
8. Order confirmation
9. Order tracking
10. Order history
11. Review

Wema

1. Bank login
2. Portfolio overview
3. Farmers
4. Farmer profile
5. Activity analytics
6. Financial-readiness pipeline
7. Consent view
8. Farmer comparison
9. Reports
10. Settings

Global states

1. Loading
2. Empty
3. Error
4. Offline

- 5. Success
- 6. Unauthorized
- 7. Not found
- 8. Permission denied

94. SCREEN CONNECTION MAP

Do not design these as isolated screens.

Document the exact transitions:

```
graph TD; LANDING --> SIGNUP; SIGNUP --> ONBOARDING; ONBOARDING --> FARMER_HOME[FARMER HOME]; FARMER_HOME --> CREATE_LISTING[CREATE LISTING]; CREATE_LISTING --> FRESCO_SCAN[FRESCO SCAN]; FRESCO_SCAN --> LISTING_PUBLISH[LISTING PUBLISH]; LISTING_PUBLISH --> CONSUMER_DISCOVERY[CONSUMER DISCOVERY]; CONSUMER_DISCOVERY --> PRODUCE_DETAIL[PRODUCE DETAIL]; PRODUCE_DETAIL --> CHECKOUT; CHECKOUT --> PAYMENT; PAYMENT --> ORDER; ORDER --> FULFILLMENT; FULFILLMENT --> FEAP_UPDATE[FEAP UPDATE]; FEAP_UPDATE --> FINANCIAL_PASSPORT[FINANCIAL PASSPORT]; FINANCIAL_PASSPORT --> CONSENT; CONSENT --> WEMA_PORTAL[WEMA PORTAL];
```

LANDING
↓
SIGNUP
↓
ONBOARDING
↓
FARMER HOME
↓
CREATE LISTING
↓
FRESCO SCAN
↓
LISTING PUBLISH
↓
CONSUMER DISCOVERY
↓
PRODUCE DETAIL
↓
CHECKOUT
↓
PAYMENT
↓
ORDER
↓
FULFILLMENT
↓
FEAP UPDATE
↓
FINANCIAL PASSPORT
↓
CONSENT
↓
WEMA PORTAL

↓
FARMER PROFILE

Show where the journey crosses user roles.

95. USER FLOW DIAGRAMS REQUIRED

Create:

Farmer flow

Consumer flow

Purchase flow

Fresco flow

FEAP flow

Consent flow

Wema analyst flow

Error recovery flow

Offline flow

New farmer / no-data flow

96. STATE MACHINE DESIGN

Document major state machines.

Order

Pending
→ Paid
→ Accepted
→ Preparing
→ Fulfilled

Alternate:

Cancelled
Disputed
Failed

Fresco

Idle
→ Capturing
→ Uploading
→ Analyzing
→ Result
→ Retry

FEAP

Insufficient data
→ Building
→ Developing
→ Established
→ Strong

These are product states, not merely UI labels.

97. EMPTY STATE PHILOSOPHY

Empty states must be optimistic but honest.

Do not create fake activity simply to make the interface look full.

For a new farmer:

Your business record starts with your first sale.

CTA:

Create your first listing

This is better than artificial dashboards full of fake charts.

98. DEMO MODE

Because this is a hackathon, design a controlled demo mode.

The demo mode should allow the team to reliably demonstrate:

- farmer profile
- Fresco scan
- listing
- consumer purchase
- payment
- order fulfillment
- FEAP update
- Wema view

But make demo/seeded data visually or technically distinguishable.

Do not fake live state without understanding what is simulated.

99. HACKATHON DEMO VISUAL PRIORITY

The three signature moments are:

Moment 1

Live Fresco scan.

Moment 2

FEAP updates after real transaction.

Moment 3

Wema dashboard reveals the farmer's structured business activity.

Design these transitions exceptionally well.

100. DESIGN FOR STORYTELLING

The interface itself should explain the product.

When the farmer completes a transaction:

Do not merely say:

Order completed.

Instead show:

Order completed.

Then subtly:

Your business record has been updated.

Then on passport:

38 completed orders.

This establishes cause and effect.

101. MEASURABLE UX

The design agent must explicitly identify UX metrics.

Onboarding

- completion rate
- time to first listing

Marketplace

- listing-to-order conversion
- checkout completion
- repeat purchase

Farmer

- active days
- listing frequency
- scan usage
- profile engagement

FEAP

- passport views

- milestone completion
- consent rate

Wema

- profile review rate
- search-to-profile transition
- review pipeline engagement

Tie design decisions to these metrics.

102. REDUCED CAC

The system should reduce acquisition friction by:

- explaining the value proposition immediately
- shortening onboarding
- proving value quickly
- enabling first listing quickly

The first meaningful value moment should happen early.

103. RETENTION

Retention should come from:

- sales
- operational utility
- business history
- freshness intelligence
- financial profile progression

The interface should make this visible without gamifying it excessively.

104. INVESTOR CONFIDENCE

The design must signal:

- system thinking
- scalability
- clarity
- infrastructure maturity

- business seriousness
- differentiated technology

A polished but shallow interface is not enough.

The UI should imply:

“There is a strong product architecture underneath this.”

105. DO NOT OVER-DESIGN

The final product should not be visually complicated simply because this is a design exercise.

Remember:

Expensive simplicity.

The hardest design decision is often removing something.

For every component ask:

Does this help the user understand, decide, or act?

If not:

remove it.

106. DELIVERABLE 1 — DESIGN STRATEGY

Produce a complete strategic foundation covering:

- brand personality
 - design principles
 - visual positioning
 - user psychology
 - product hierarchy
 - differentiation
 - accessibility
 - performance
 - emotional tone
-

107. DELIVERABLE 2 — DESIGN SYSTEM

Produce:

- typography
- colors
- spacing
- grid
- breakpoints
- radii
- borders
- elevation
- icons
- imagery
- motion
- components
- states
- tokens

Use exact values.

108. DELIVERABLE 3 — INFORMATION ARCHITECTURE

Map:

Public
Farmer
Consumer
Wema
Shared

Show:

- navigation
 - nesting
 - hierarchy
 - user permissions
-

109. DELIVERABLE 4 — USER FLOWS

Create detailed flow diagrams for every major task.

Use actual screens and state transitions.

Do not just provide textual bullet points.

110. DELIVERABLE 5 — WIREFRAME STRATEGY

For every screen provide:

- objective
 - user question
 - hierarchy
 - main action
 - secondary action
 - information architecture
 - responsive behavior
 - empty state
 - error
 - loading
 - success
-

111. DELIVERABLE 6 — HIGH-FIDELITY SPECIFICATION

For every screen provide:

Layout

Exact structural composition.

Typography

Exact style/token.

Spacing

Exact spacing values/tokens.

Components

Exact component names.

Content

Actual recommended copy.

Interaction

What happens on every major interaction.

State

All major states.

Motion

Timing and easing.

Responsive behavior

What changes at mobile/tablet/desktop.

Accessibility

Keyboard, contrast, labels, focus.

Developer notes

Tailwind/CSS implementation direction.

112. DELIVERABLE 7 — COMPONENT LIBRARY

Create a component inventory with variants.

Example:

```
Button
Button/Primary
Button/Secondary
Button/Ghost
Button/Danger
```

```
FreshnessIndicator
FreshnessIndicator/Excellent
FreshnessIndicator/Good
FreshnessIndicator/Fair
FreshnessIndicator/Poor
```

```
ScoreDisplay
ScoreDisplay/Building
ScoreDisplay/Developing
ScoreDisplay/Established
ScoreDisplay/Strong
```

113. DELIVERABLE 8 — MOTION SPECIFICATION

For each animation define:

- trigger
- duration
- easing
- property
- purpose
- reduced-motion behavior

Example:

```
Score update
Trigger: completed transaction
Duration: 550ms
Properties: transform + opacity
Purpose: reinforce causality
Reduced motion: instant state change
```

114. DELIVERABLE 9 — DEVELOPER HANDOFF

Provide:

- CSS variables
- Tailwind mapping
- component naming
- responsive rules
- animation rules

- image requirements
 - asset requirements
 - accessibility notes
 - implementation warnings
 - interaction logic
-

115. DELIVERABLE 10 — DESIGN QA CHECKLIST

Create a launch checklist covering:

Brand

Does it feel distinctly Harvest-Link?

UX

Can users understand what to do?

Farmer

Can a nontechnical farmer use the core workflow?

Consumer

Can the consumer purchase without friction?

Wema

Can an analyst understand the farmer profile?

AI

Does AI feel functional rather than decorative?

Financial

Does the passport feel trustworthy?

Accessibility

Is everything readable and usable?

Performance

Do animations remain lightweight?

States

Are all major edge cases covered?

116. FINAL QUALITY BAR

Before finalizing, critique your own work against the following question:

“Could this interface have been generated by asking an AI to create a modern fintech dashboard?”

If YES:

REJECT IT.

Redesign.

Ask:

“Does this feel like a real product created by a design team that understands farming, commerce, mobile behavior, Nigerian users, AI, and banking?”

If NO:

REVISE.

117. FINAL ART DIRECTION

Harvest-Link should ultimately feel like:

the meeting point of

African agriculture
+
modern commerce
+
financial infrastructure
+
AI intelligence

The visual language should be:

- restrained
- sophisticated
- human
- editorial
- operational
- confident
- tactile
- modern
- premium
- distinctly African without being stereotypically “African”
- agricultural without looking rustic
- fintech without looking corporate
- AI-enabled without looking like an AI template

118. FINAL DESIGN MANIFESTO

The interface should communicate:

There is real economic activity here.

There are real people behind it.

There is real data behind the intelligence.

There is real value behind the financial profile.

The technology is sophisticated, but the experience is simple.

The farmer remains at the center.

119. OUTPUT FORMAT FOR YOUR FINAL DESIGN RESPONSE

Your final response must be organized into the following sections:

1. Executive Design Direction

2. Brand Psychology
3. Anti-AI Aesthetic Interpretation
4. Visual Language
5. Typography System
6. Color System
7. Spacing System
8. Grid System
9. Shape and Surface System
10. Iconography
11. Photography / Imagery
12. Motion System
13. Accessibility System
14. Information Architecture
15. Navigation Architecture
16. Farmer User Journey
17. Consumer User Journey
18. Wema User Journey
19. Full Screen Inventory
20. Screen-by-Screen Wireframe Strategy
21. High-Fidelity Screen Specifications
22. Component Library
23. Component States
24. Empty States
25. Error States
26. Loading States
27. Offline States
28. Fresco UX Specification
29. Marketplace UX Specification
30. Financial Passport UX Specification
31. FEAP Visualization Specification
32. Wema Dashboard UX Specification
33. AI Assistant UX Specification
34. Consent UX
35. Payment UX
36. Order State UX
37. Responsive Rules
38. Micro-Interaction Specification
39. Spatial / Depth Strategy
40. Performance Strategy
41. Tailwind / CSS Implementation Notes
42. Developer Handoff
43. Design QA
44. Usability Testing Plan
45. Analytics / UX Measurement Plan
46. Hackathon Demo Optimization
47. Final Visual Direction
48. Recommended Build Order

120. FINAL INSTRUCTION

Do not produce generic design advice.

Do not simply describe “a beautiful UI.”

Act as though another team must build the entire Harvest-Link product from your documentation without asking you basic questions.

Be precise.

Be opinionated.

Make decisions.

Do not list five alternatives for every choice.

Choose the strongest design direction and explain why.

Do not skip screens because they seem secondary.

Do not skip states because they are edge cases.

Do not skip mobile behavior.

Do not skip copy.

Do not skip spacing.

Do not skip component states.

Do not skip motion.

Do not skip developer handoff.

Do not skip accessibility.

Do not skip the relationship between screens.

Do not redesign the business logic arbitrarily.

Respect Harvest-Link's actual architecture:

Farmer
↓
Farm
↓
Produce
↓
Fresco
↓
Listing
↓
Consumer
↓
Order
↓
Payment
↓
Fulfillment
↓
Activity
↓
FEAP
↓
Financial Passport
↓
Consent
↓
Wema

Design this as one coherent product ecosystem.

The finished work should be detailed enough that:

- a Figma designer can build it
- a UX researcher can test it
- a frontend engineer can implement it
- a backend engineer can understand the UI contracts
- a product manager can prioritize it
- a hackathon team can demo it
- an investor can understand it
- a farmer can actually use it
- a Wema Bank stakeholder can understand why it matters

And above all:

Do not let Harvest-Link become another generic AI SaaS interface.

Design something that could only plausibly be Harvest-Link.