RFXtrx / RFX
User Guide

1. Table of Contents

2. RFX general information

The RFXtrx/RFX transceivers and RFXrec receivers are communicating over an USB port with the Home Automation application. The RFX is powered by the USB port.
At startup the RFX enters for 2 seconds the boot loader (red LED is on) and after this it starts the receive/transmit firmware. If valid (decode-able) packets are received the yellow LED will blink.
The RFX310, RFXtrx315 and the RFXrec433 are mainly for use in the US. The RFXtrx315 can receive US X10 lighting and security sensors **or** US Visonic PowerCode sensors at 315MHz.
The RFXrec433 can receive weather sensors of different brands at 433.92MHz.
The RFX transceiver (transmitter+receiver) and can receive and control a large number of sensors and other devices.
The RFXtrx433E is an extended RFXtrx433 transceiver with additional memory and non-volatile memory for Somfy RTS codes and configuration settings.
The RFXtrx433XL is the next generation version with double size memory and a serial connection for the Dutch and French smart meters.
The RFX433 is an RFXtrx433XL with a new transceiver module and USB chip.

2.1.   RFX310 supported protocols

Protocol	Protocol	Receive/Transmit
US X10 lighting	X10	R
US X10 security	X10	R

2.2.   RFXtrx315 supported protocols

2.2.1. RFXtrx315 configured for 310MHz

Protocol	Protocol	Receive/Transmit
US X10 lighting	X10	RT
US X10 security	X10	RT

2.2.2. RFXtrx315 configured for 315MHz

Protocol	Protocol	Receive/Transmit
Aoke relay	Lighting5	T
PT2262, EV1527 and compatibles	Lighting4	RT
Keeloq (unencrypted part only)	Keeloq	R
Visonic CodeSecure (unencrypted part only)	Visonic	R
Visonic PowerCode	Visonic	RT

2.3. RFXtrx868X, RFXtrx868XL, RFX868 supported protocols

Protocol	Protocol	Receive/Transmit
Alecto ACH2010	Alecto ACH2010	R
Alecto WS5500, FineOffset WH2900, Ventus W830	FineOffset	R
Davis Vantage Vue EU *	Davis EU	R
Ecowitt WH31,WN32,WH40,WH57,WS90,WH5360	FineOffset	R
Edisio	Edisio	RT
FS20	FS20	RT
Gaposa rollermotor	Gaposa	RT
Honeywell ActiveLink	Honeywell	RT
Itho CVE RFT	Itho CVE RFT	T
Itho CVE ECO RFT	Itho CVE ECO RFT	RT
Keeloq (unencrypted part only)	Keeloq	RT
Mi-Sol WH2900C	FineOffset	R
Orcon	Orcon	RT
Visonic CodeSecure (unencrypted part only)	Visonic	R
Visonic PowerCode	Visonic	R

* based on information available at: wxforum.net – "Implementing a Si1000 based wireless receiver for Davis ISS data" and madscientistlabs.blogspot.com
Important: it is only possible to enable one protocol for receive in the RFX868, RFXtrx868X and RFXtrx868XL because of the used transmission techniques at 868MHz.

2.4. RFXrec433, RFXtrx433, RFXtrx433E, RFXtrx433XL, RFX433 supported protocols

2.4.1. By function

Curtains, shades, projection screen, awning, gate openers
A-OK blind motors (RF01,AC114,AC123,AC127,AC129 controlled) - http://www.motorisationplus.com/
Aldomo - http://www.aldomo.de/
ASA ETR blind motors - http://www.asa-mingardi.org/en/home.php
ASP blind motors - http://www.asp-distribution.com/site%20volet/voletrenovation.aspx
BOFU EYB25 EY1612 blind motors - http://www.bofumotor.com/
BTX blind motors, remote, part# 490.2076 – http://www.btxinc.com
Brel blind motors - http://www.brel-motors.nl/webshop/motoren/   Bi-Directional only supported by RFX433.
Chamberlain CS4330CN   http://www.chamberlain24.de/epages/es122868.sf/en_GB/?ObjectPath=/Shops/es122868/Products/RA4336
Cherubini
Confexx CNF24-2435
Dolat DLM-1 controlled motors - http://www.dolat.com.cn/product1.asp?id=538
Dooya blind motors, remotes tested: DC305,DC306,DC307,DC313,DC1602,DC1650,DC1651,DC2700   Bi-Directional only supported by RFX433.
Ematronic - http://www.ematronic.com/moteurs-volet-roulant/
ESMO blind motors
Faher
Forest blind/curtain motors - http://www.forestgroup.nl/index_nl.html
Gaposa ER motors 434.15MHz - http://www.gaposa.it/eng/products/residential-motors
Harrison curtain – http://www.harrison.nl/home2.htm
Hasta blind motors - http://www.hasta.se/
inblindz - https://www.inblindz.nl/
JVS screens - http://www.screen-discount.nl/
Jysk Huglo
Kimex projection screen   - https://www.kimexinternational.com/A-9162-ecran-de-projection-electrique-encastrable-3-00-x-1-69m-format-16-9.aspx
Kingpin KP100 projection screen
Louvolite one touch motorised blinds
Luxaflex (RFXtrx433E and RFXtrx433XL and RFX433 only) - http://www.luxaflex.se/produkter/luxaflex/rullgardiner/
Media Mount Projector screen
Motiva blinds, remote BY-305
Motolux - http://www.motolux.com.au/
Motostar blinds
Nobily rolladenmotor http://www.nobily.de/rolladenmotor/funk-elektronisch/40mm-achtkantwelle/170/nobily-rolladenmotor-pre4?c=5
Omnia Go blinds https://omniablinds.com/
Outlook Motion Blinds - https://www.spotlightstores.com/curtains-blinds/indoor-blinds/roller-blinds/project-outlook-motion-motorised-roller-blind/p/BP80360543
Ozroll E-Trans
Proluxx projection screen
Quotidom - http://www.quotidom.com/moteur-tubulaire-radio-quotidom-10-ou-20-nm-volet-roulant-ou-store-banne.html   (not the Solutio version)
RAEX blind motor (YR1326 controlled)
RohrMotor24 RMF blind motors - http://www.rohrmotor24.eu/rohrmotor24
RollerTrol blind motors - http://rollertrol.com/
Screenline motors - http://www.screenline.cz/en/
Silverline Premium - http://www.aluparts.nl
Simu Hz (not BHz!) (RFXtrx433E and RFXtrx433XL and RFX433 only) – http://www.simu.com/
Siro - https://shop.siro-antrieb.de/shop-kategorie/elektrische-antriebe-fuer-innensonnenschutz/
Somfy (RFXtrx433E and RFXtrx433XL and RFX433 only) – http://www.somfy.co.uk/
Sunflower brand KT52E motorized Curtain track,Single track, DOOYA motor   https://nl.aliexpress.com/item/motorized-Curtain-track-1m-3-3m-wide-Single-track-DOOYA-motor-the-top-motor-brand-in/1939622604.html
Sunpery blind motors

YOODA blind motors – http://www.sukcesgroup.pl   Bi-Directional only supported by RFX433

Temperature, humidity, weather sensors
Alecto – WSD10,WS1200, WS1700, WS3500, WS4500
Auriol – H13726
Ambient Weather - F007TH
Banggood – SKU174397 http://www.banggood.com/433MHz-Wireless-Weather-Station-Digital-Thermometer-Humidity-Sensor-p-965559.html
Blyss 630467
Bresser Temeo Hygro, 7009981,7009994, 7009997
Cresta
Digimax
Digoo DG-R8H DG-R8S
FineOffset WH1285
Froggit - F007TH
Hama – EWS1500
Hideki weather sensors
Honeywell – TF-ATS34C
Inovalley SM80 with plant probes - http://www.inovalley.com/detail.php?item_id=289
La Crosse
Lexibook – SM883
Marquant 943134
Maverick ET-732, ET-733 BBQ/Smoke temperature
Meade – TS33F-M, TS34C-M http://www.meade.com/products/weatherstations/sensors.html
Meteoscan – W155, W160
Nexa NBA-001
NEXUS – I008T
mi.sol WH2 http://www.ebay.com/itm/Transmitter-for-Wireless-Weather-Station-wireless-temperature-sensor-/121664060899
Opus XT300 /Imagintronix Soil sensor http://www.plantcaretools.com/en/webshop/wireless-moisture-sensor-en-detail http://www.ebay.co.uk/itm/Wireless-Soil-Moisture-Sensor- /251380900939?pt=UK_Home_Garden_Garden_Plants_Fertiliser_CV&hash=item3a8778244b
Oregon Scientific / Huger
Pearl NC-7159 http://www.pearl.de/a-NC7159-3041.shtml
Prego P-8426 http://www.sunmarket.fi/tuote.asp?TID=11990
Proove –TSS320 & TSS330 fridge/freezer thermometer & outdoor sensors 311346,311501
RFXSensor
RUBiCSON – stektermometer 48659, 48695   -pool sensor p48019
Sunvic TLX1206
Sunvic TLX7506
TechnoLine/Proficell   http://www.elv.de/output/controller.aspx?cid=74&detail=10&detail2=27621   - TX95-TH, WS9180-TX104
Telldus Thermo/Hygro sensors 313159 and 313160 https://www.lohelectronics.se/hemautomation/433mhz/sensorer-1110/smart-inne-och-utetermometer-med-hygrometer-10396
TFA
UPM/Esic (very short receiving range)
Ventus – WS155
Viking
WT0122 pool thermometer
Xiron –EN6

Door/window, smoke and other security sensors
Aidebao security
Alecto – SA30, SA33, SA41 smoke detector
AliExpress sensors with EV1572 or PT2262 (PT2262 is preferred)
Atlantic security
Chacon KD101 smoke detector
Chuango security
Digoo - https://www.aliexpress.com/item/DIGOO-433MHz-New-Door-Window-Alarm-Sensor-for-HOSA-HAMA-Smart-Home-Security-System-Suit-Kit/32957905665.html
Eminent security
Flamingo KD101 smoke detector FA20RF, FA21RF, FA22RF
Focus
Housegard Origo smoke detector
Kerui security https://www.aliexpress.com/item/433-MHz-Wireless-Door-Windows-Sensors-for-KERUI-Alarm-System-Magnetic-Door-Sensor-Door-Open-reminder/32590916896.html
Meiantech security
NEXA KD101/LM101LC smoke detector
Renkforce RF101 smoke detector
SAS SA-200 KD101 smoke detector
Smartwares RM174RF, RM175RF smoke detector
Oregon MSR939 https://www.redealer.de/multimedia/home-living/wetterstationen/bewegungssensor-msr939/a-200667/
Visonic CodeSecure
Visonic PowerCode
X10 security

Appliance modules, dimmers, relays, LED controllers
ANSLUT (learning mode)
Aoke relay http://www.aliexpress.com/store/product/whose-sale-prices-DC12V10A-Learning-Code-Wireless-Remote-Control-Switch-System-1-Receiver-and-1-Transmitter/1211856_1774391429.html
Avantek
ByeByeStandBy
Blyss lighting – http://www.castorama.fr/store/Prise-telecommandee-et-telecommande-BLYSS---Interieur-prod4470026.html
Brennenstuhl RC2044, RCS2044N
Chacon – http://www.chacon.be/
CoCo – http://www.coco-technology.com/en/home/
Conrad RSL2 – http://www.conrad.com/ce/en/product/640466/FUNK-STECKDOSENSCHALTER-RSLR2
Cotech Smarthome
Cranenbroek
DI.O – http://www.di-o.be/
DomiaLite
Ebode
ELRO AB400/AB600 – http://www.elro.eu/en/products/cat/home-automation/home-control1
Energenie ENER010 – 429.935, 5-gang 429.950 - https://energenie4u.co.uk/
Etekcity –http://etekcity.com/p-300-5-pack-wireless-remote-control-outlet-switch-set-with-2-remote-controls-zap-5lx.aspx
Eurodomest NL – Action
Everflourish EMW100
Flamingo
Flamingo FA500D FA500DSS
Flamingo Smartwares SF501
FunkBus (Gira, Jung, Insta, Berker)
Home Confort – http://www.home-confort.net/en
HomeEasy EU – http://www.elro.eu/en/products/cat/home-automation/
HomeEasy UK (including HE105 relay) – http://www.homeeasy.eu/
HQ COCO-20
Ikea Koppla

Impuls – NL – Action
Intertechno – http://www.intertechno.at/
Kambrook RF3672 – http://www.bunnings.com.au/kambrook-4-piece-indoor-powerpoint-kit-with-remote-control_p7030054
KlikAanKlikUit – http://www.klikaanklikuit.nl/home/
Legrand CAD radio – http://docdif.fr.grpleg.com/general/legrand-fr/NP-FT-GT/FA181DFR.pdf
LightwaveRF – http://www.lightwaverf.co.uk/
Livolo - http://www.livolo-france.com/fr/   http://nl.aliexpress.com/w/wholesale-livolo-touch-switch.html
Maplin http://www.maplin.co.uk/p/remote-controlled-mains-socket-set-single-n78ka (use Lighting1 – COCO GDR2)
MDremote LED dimmer V106, V107, V108, EKAB-10KRF - www.ultraleds.co.uk - http://www.ledstripkoning.nl/accessoires/dimmers-wit/draadloze-dimmer-10-knops-rf/
Mercury appliance modules – http://mercury.avsl.com/product?range=ME5124
NEXA – http://www.nexa.se/
ORNO
OTIO
Phenix
Philips SBC SP370 series
Profile Qnect 423000040,423000042
PROmax
Proove - http://proove.se/
Quigg
RGB LED strip driver dx.com - http://www.dx.com/ order nbr: 130913 **(new TRC02 not supported)** ,   67412
RisingSun
Sartano
Siemens (UK)
SilverCrest 91089, 60494, 284705
Unitec 48110 EIM 826
Waveman
X10 RTS10 / RFS10
X10 lighting
Xdom

Remotes
ATI Remote Wonder
ATI Remote Wonder Plus
ATI Remote Wonder II
SEAV TXS4
X10 PC Remote

Chimes
1byOne Easy Chime
Alfawise - https://www.gearbest.com/ip-cameras/pp_1693842.html?wid=1214279
Byron SX and BY chime - http://www.chbyron.eu/Byron/ByronSXRange/68/89/
Byron MP001
Chacon
dBell - https://www.webstore4ipcameras.nl/dbell_DB-HD-LIVE-B-W
Envivo – ENV1348
HomeEasy
KlikAanKlikUit
Monaco - https://www.airam.fi/en/product/v8305-2988/7020500/monaco-wireless-doorbell-230v/140/1
Profiles PAC-326R Belcanto
SelectPlus200689101 & SelectPlus200689103 (Action NL)

Power, gas water metering
Cartelectronic TIC, Encoder, Linky - https://www.cartelectronic.fr/index.php?id_product=124&controller=product
cent-a-meter
Electrisave
OTIO EHS5050
OWL CM113, CM180, CM119, CM160, CM180, CM180i - http://www.theowl.com/
Revolt NC5461 - http://www.pearl.de/a-NC5462-5452.shtml
RFXMeter

Specials
1byone Wireless Home Security Driveway Alarm http://www.1byone.co.uk/Home-Security/Alarms/O00QH-0511
CasaFan
DEA receivers http://www.deasystem.com/en/accessory/7/receivers (unencrypted only)
Hunter TX36 fan
Lucci Air Fan - https://www.beaconlighting-europe.com/product-category/lucci-air-deckenventilatoren/
MCZ pellet stove
Mertik Maxitrol – Fire Place controllers
Novy extractor hood
Oregon Scientific Body weight scales – BWR101, BWR102, GR101
Prego P-8426 – sauna temperature sensor http://www.sunmarket.fi/tuote.asp?TID=11990
Smartwares radiator valve http://www.homewizard.nl/smartwares-draadloze-radiatorkraan.html
Siemens SF01 - LF959RA50/LF259RB50/LF959RB50 extractor hood
Wave Design extractor hood
X10 Ninja/Robocam – camera motor

2.4.2. Alphabetic list

Important notes:
- Ext, Ext2, Pro1 and Pro2 firmware can only be used in the RFXtrx433E!
- ProXL1, ProXL2 firmware can only be used in the RFXtrx433XL!
- RFX433 firmware can only be used in the RFX433!
- RFXrec firmware is equal to RFXtrx433 – Type1 firmware without the transmit functions.
- Protocol enabling is only necessary for receive. Transmit protocols are always enabled.
- R = Receive only
- T = Transmit only
- RT = Receive & Transmit

Device	Type1	Type2	Ext	Ext2	Pro1	Pro2	ProXL1	ProXL2	RFX433		Protocol
1byOne Driveway Alarm http://www.1byone.co.uk/Home-Security/Alarms/O00QH-0511		RT	RT	RT	RT	RT	RT	RT	RT		ByronSX
1byOne Easy Chime		RT	RT	RT	RT	RT	RT	RT	RT		ByronSX
1byOne QH A19 rev10 Chime							RT	RT	RT		ByronSX
A-OK blind motors RF01 http://www.motorisationplus.com/	RT	RT		RT	RT	RT	RT		RT		BlindsT2
A-OK blind motors AC114,AC123,AC127,AC129, ZC11 - http://www.motorisationplus.com/	RT	RT		RT	RT	RT	RT		RT		BlindsT3
Aidebao security	RT	RT	RT	RT	R	R	R	R	R		Meiantech
Aldomo – http://www.aldomo.de/	T	T	T	T	RT	RT	RT		RT		BlindsT6
Alecto – SA30, SA33 smoke detector	RT		RT		RT		RT	RT	RT		Oregon
Alecto – WS1100 (needs correction -40°C)	R	R	R	R	R	R	R	R	R		FineOffset
Alecto – WS1200	R*	R*	R*	R*	R	R	R	R	R		*LaCrosse Pro = FineOffset
Alecto – WS1700 and compatibles, WS3500, WS4500			R	R	R	R	R	R	R		Rubicson
Alecto – WSD10				R	R	R	R	R	R		Rubicson
Alfawise – https://www.gearbest.com/ip-cameras/pp_1693842.html?wid=1214279							RT	RT			ByronSX
Ambient Weather F007TH, WS14 pool sensor				R	R	R	R	R	R		Oregon
ANSLUT (learning mode)	RT	RT	RT	RT	RT		RT	RT			AC
Aoke relay http://www.aliexpress.com/store/product/whose-sale-prices-DC12V10A-Learning-Code-Wireless-Remote-Control-Switch-System-1-Receiver-and-1-Transmitter/1211856_1774391429.html	RT	RT	RT	RT	RT		RT	RT	RT		Lighting5 Aoke or Lighting1 ARC
ASA ETR blind motors - http://www.asa-mingardi.org/en/home.php			T	T	T	T	T	T	T		RFY
ASP blind motors http://www.asp-distribution.com/site%20volet/voletrenovation.aspx	RT	RT		RT	RT	RT	RT		RT		BlindsT11
ATI Remote Wonder	R										ATI
ATI Remote Wonder Plus	R										ATI
ATI Remote Wonder II (only available in hardware version 1.0)	R										ATI
Atlantic security	RT	RT	RT	RT	RT	RT	RT	RT	RT		Meiantech
Auriol H13726			R	R	R	R	R	R	R		Rubicson
Auriol Z31055B-TX				R	R	R	R	R	R		Rubicson

Device	Type1	Type2	Ext	Ext2	Pro1	Pro2	ProXL1	ProXL2	RFX433		Protocol
Avantek * receive Lighting4			RT	RT	RT	RT	RT	RT	RT		Lighting5 *Lighting4
Banggood – SKU174397			R	R	R	R	R	R	R		Rubicson
Banggood DANIU			R								Rubicson
Blyss lighting http://www.castorama.fr/store/Prise-telecommandee-et-telecommande-BLYSS---Interieur-prod4470026.html	RT	RT	RT		RT		RT	RT	RT		AE
Blyss temperature/humidity 630467	R	R	R				R	R			AE
BOFU EYB25 EY1612 blind motors - http://www.bofumotor.com/ * = receive in Type2 only used to get the remote ID.	T	RT	T	T	T		RT		RT		BlindsT0
Brennenstuhl RCS2044N	RT	RT	RT	RT	RT	RT	RT	RT	RT		Lighting4
Brennenstuhl RC2044			RT	RT			RT	RT	RT		Lighting4 + AC Pro = AC
Brel blind motors http://www.brel-motors.nl/webshop/motoren/	T	T	T	T	RT	RT	RT		RT		BlindsT6
Brel bi-directional									T		DDxxxx
Bresser Temeo Hygro, 7009981, 7009994, 7009997							R	R	R		Rubicson
BTX blind motors, remote, part# 490.2076 http://www.btxinc.com		T					T		T		BlindsT9
ByeByeStandBy	RT	RT	RT				RT	RT	RT		ARC
Byron BY chime					RT		RT	RT	RT		ByronSX
Byron DBY-23711B							RT	RT	RT		ByronSX
Byron SX chime http://www.chbyron.eu/Byron/ByronSXRange/68/89/	RT	RT	RT	RT	RT	RT	RT	RT	RT		ByronSX
Byron MP001 chime			T	T			T	T			Chime Byron MP001
Cartelectronic TIC, Encoder, Linky https://www.cartelectronic.fr/index.php?id_product=124&controller=product		R		R	R	R	R	R			ATI/cartelectronic
Casafan					T	T	T	T	T		Fan Casafan
CasaFan Eco Aviatos RH787T					T	T	T	T	T		Fan LucciAir DCII
cent-a-meter	R	R	R								Oregon
Chacon (learning mode) http://www.chacon.be/	RT	RT	RT	RT	RT	RT	RT	RT	RT		AC
Chacon (with address code wheels)	RT	RT	RT	RT	RT		RT	RT	RT		ARC

Device	Type1	Type2	Ext	Ext2	Pro1	Pro2	ProXL1	ProXL2	RFX433		Protocol
Chacon EMW200	T	T	T				T	T	T		Lighting1 EMW200
Chacon 54660 (equal COCO GDR2)	T	T	T	T			T	T	T		Lighting1 COCO GDR2
Chacon KD101 smoke detector	RT	RT	RT	RT	RT	RT	RT	RT	RT		always on
Chamberlain CS4330CN http ://www.chamberlain24.de/epages/es122868.sf/en_GB/ ?ObjectPath=/Shops/es122868/Products/RA4336			T				T		T		BlindsT8
Cherubini ID can be 10 00 00 to 10 FF FF							RT		RT		BlindsT18 (receive =BlindsTx + Keeloq)
Chuango * decoded as X10	R	R	R	R*	R*	R*	R*	R*	R*		Lighting4
CoCo (learning mode) http://www.coco-technology.com/en/home/	RT	RT	RT	RT	RT	RT	RT	RT	RT		AC
CoCo (with address code wheels)	RT	RT	RT	RT	RT		RT	RT	RT		ARC
CoCo GDR2 (equal Chacon 54660)	T	T	T	T			T	T	T		Lighting1 COCO GDR2
Confexx CNF24-2435				T			T		T		BlindsT12
Conrad RSL2 http://www.conrad.com/ce/en/product/640466/FUNK-STECKDOSENSCHALTER-RSLR2	RT	RT		RT	RT		RT	RT	RT		RSL
Conrad RSL sensors		R					R	R	R		RSL
Conrad RSL2 motion/door-window sensors		R					R	R	R		RSL
Cotech Smarthome				RT	RT		RT	RT	RT		Lighting4 + AC,
Cotech weather sensor https://www.clasohlson.com/no/Ekstra-temperaturgiver-hygrometer/36-6726				R	R		R	R	R		Rubicson
Cranenbroek	T	T	T	T			T	T	T		Lighting1 Impuls
Cresta - TX-320, TS34C, anemometer, UV sensor, rain sensor	R	R	R	R	R	R	R	R	R		Hideki
Cuveo https://shop-m-e.de/produkte/cuveo-funk-system/?p=1					RT		RT	RT	RT		AE
dBell – https://www.webstore4ipcameras.nl/dbell_DB-HD-LIVE-B							RT	RT	RT		ByronSX
DEA receivers (unencrypted) http://www.deasystem.com/en/accessory/7/receivers			RT		RT	RT	RT	RT	RT		KeeLoq
Digimax	R	R	R	R	R		R	R	R		X10
Digoo DG-R8H, DG-R8S				R	R	R	R	R			Rubicson

Device	Type1	Type2	Ext	Ext2	Pro1	Pro2	ProXL1	ProXL2	RFX433		Protocol
https://www.banggood.com/Digoo-DG-R8H-433MHz-Wireless-Digital-Hygrometer-Thermometer-Weather-Station-Sensor-for-TH11300-8380-p-1178108.html											
Digoo https://www.aliexpress.com/item/DIGOO-433MHz-New-Door-Window-Alarm-Sensor-for-HOSA-HAMA-Smart-Home-Security-System-Suit-Kit/32957905665.html							R	R	R		Lighting4 + Meiantech
DI.O (learning mode) http://www.di-o.be/	RT	RT	RT	RT	RT	RT	RT	RT	RT		AC
DI.O (with address code wheels)	RT	RT	RT	RT	RT		RT	RT	RT		ARC
Dolat DLM-1 controlled motors http://www.dolat.com.cn/product1.asp?id=538		T				T	T		T		BlindsT10
DomiaLite (with address code wheels)	RT	RT	RT	RT	RT		RT	RT	RT		ARC
Dooya blind motors, emulate remotes: DC305, DC306, DC307, DC313, DC1602, DC1650, DC1651, DC2700	T	T	T	T	RT	RT	RT		RT		BlindsT6
Dooya bi-directional									T		DDxxxx
Ebode	RT	RT	RT	RT	RT	RT	RT	RT	RT		X10
Electrisave	R	R	R		R	R	R	R			Oregon
ELRO AB400 http://www.elro.eu/en/products/cat/home-automation/home-control1	RT	RT	RT	RT	RT		RT	RT	RT		Lighting4
ELRO AB600	RT	RT	RT	RT	RT		RT	RT	RT		ARC
Ematronic RF01 http://www.ematronic.com/moteurs-volet-roulant/	RT	RT		RT	RT	RT	RT		RT		BlindsT2
Ematronic AC114, AC123 http://www.ematronic.com/moteurs-volet-roulant/	RT	RT		RT	RT	RT	RT		RT		BlindsT3
Eminent * decoded as X10 in ext firmware	RT	RT	RT	RT	RT	RT	RT	RT	RT		Lighting4
Energenie https://energenie4u.co.uk/ - ENER010 – 429.935, 5-gang 429.950	T	T	T				T	T	T		Lighting1 Energenie Energenie5
Envivo – Chime ENV1348			T				RT	RT	RT		Chime + Lighting4
ESMO blind motors	T	T	T	T	RT	RT	RT		RT		BlindsT6
Etekcity – http://etekcity.com/p-300-5-pack-wireless-remote-control-outlet-switch-set-with-2-remote-controls-zap-5lx.aspx	T	T	T				T	T	T		Lighting1 Energenie5
Eurodomest (NL – Action) * ARC only	T*	T	T*	T*			T	T	T		Lighting1 – ARC Or Lighting5 Eurodomest
Everflourish EMW100	T	T	T				T	T	T		Lighting5 EMW100

Device	Type1	Type2	Ext	Ext2	Pro1	Pro2	ProXL1	ProXL2	RFX433		Protocol
Falmec fan						T	T	T	T		Fan Falmec
Faro Barcelona fan – http://www.faro.es/			T		T	T	T	T	T		Fan LucciAir
Faro Barcelona DC fan For example : Airfusion Climate II 50 DC					T	T	T	T	T		Fan LucciAir DC
Faro Barcelona DCII fan For example : Airfusion Climate II 50 DC					T	T	T	T	T		Fan LucciAir DCII
Faher blinds motor	T	T	T	T	RT	RT	RT		RT		BlindsT6
FineOffset – WH1285 (needs correction -40°C)	R	R	R	R	R	R	R	R	R		FineOffset
Flamingo	RT	RT	RT	RT	RT	RT	RT	RT	RT		Lighting4
Flamingo FA500D FA500DSS				T	T		T	T	T		IT
Flamingo KD101 smoke detector FA20RF, FA21RF, FA22RF	RT	RT	RT	RT	RT	RT	RT	RT	RT		always on
Flamingo Smartwares SF501	R	R	R	R	R	R	R	R	R		AC
Focus	RT	RT	RT	RT	RT	RT	RT	RT	RT		Meiantech
Forest blind/curtain motors http://www.forestgroup.nl/index_nl.html	T	T	T	T			T		T		BlindsT7
Froggit – F007TH					R	R	R	R	R		Oregon
FT1211R fan controller					T	T	T	T	T		Fan FT1211R
FunkBus ID: 3F CC (Gira, Jung, Insta, Berker)						T	T	T	T		Funkbus
Gaposa ER motors 434.15MHz							RT		RT		BlindsT17
Gazco heater							RT	RT	RT		Mertik
HAMA EWS1500			R	R	R	R	R	R	R		Rubicson
Harrison curtain http://www.harrison.nl/home2.htm	T	T	T	T	T		T	T	T		Curtain Harrison
Hasta new blind motors http://www.hasta.se/ * = receive in Type2 only used to get the remote ID.	T	RT	T	T	T		RT		RT		BlindsT0
Hasta old blind motors	RT	RT					RT		RT		BlindsT1
Hideki weather sensors	R	R	R	R	R	R	R	R	R		Hideki
Home Confort lighting http://www.home-confort.net/en			RT				RT	RT	RT		HomeConfort
HomeEasy EU (learning mode) http://www.elro.eu/en/products/cat/home-automation/	RT	RT	RT	RT	RT	RT	RT	RT	RT		HE EU
HomeEasy UK – HE105 - http://www.homeeasy.eu/	T	T	T	T			T	T	T		Thermostat2 HE105

Device	Type1	Type2	Ext	Ext2	Pro1	Pro2	ProXL1	ProXL2	RFX433		Protocol
HomeEasy UK (learning mode)	RT	RT	RT	RT	RT	RT	RT	RT	RT		AC
HomeEasy UK (with address code wheels)	RT	RT	RT	RT	RT		RT	RT	RT		ARC
Honeywell - TF-ATS34C	R	R	R	R	R	R	R	R	R		Hideki
Housegard Origo smoke detector				RT	RT		RT	RT	RT		ARC
HQ COCO-20			T	T			T	T	T		Lighting1 HQ COCO20
Hualite blinds					T	T	T		T		BlindsT14
Hunter TX36 fan https://www.hunterfan.com/						RT	RT	RT	RT		Fan
Ikea Koppla	T					T					Lighting3
Impuls (NL – Action)	T	T	T	T			T	T	T		Lighting1 Impuls
inblindz – https://www.inblindz.nl/				T			T		T		BlindsT13
Inovalley SM80 with plant probes http://www.inovalley.com/detail.php?item_id=289			R	R	R	R	R	R	R		Rubicson
Intertechno (learning mode) http://www.intertechno.at/	RT	RT	RT	RT	RT	RT	RT	RT	RT		AC
Intertechno (with address code wheels)	RT	RT	RT	RT	RT		RT	RT	RT		ARC
JVS screens http://www.screen-discount.nl/	T	T	T	T	RT	RT	RT		RT		BlindsT6
Jysk HUGLO	T	T	T	T	RT	RT	RT		RT		BlindsT6
Kambrook RF3672 – http://www.bunnings.com.au/kambrook-4-piece-indoor-powerpoint-kit-with-remote-control_p7030054		T	T				T	T			Lighting2 Kambrook
Keeloq (unencrypted)			RT		RT	RT	RT	RT	RT		KeeLoq
Kerui security * decoded as X10 in Ext2 and Pro firmware https://www.aliexpress.com/item/433-MHz-Wireless-Door-Windows-Sensors-for-KERUI-Alarm-System-Magnetic-Door-Sensor-Door-Open-reminder/32590916896.html	R	R	R	R*	R*	R*	R*	R*	R*		Lighting4 + X10*
Kerui siren xx xx x8 = on, xx xx x2 = off	T	T	T	T	T	T	T	T	T		Lighting4
Kimex projection screen https://www.kimexinternational.com/A-9162-ecran-de-projection-electrique-encastrable-3-00-x-1-69m-format-16-9.aspx	RT	RT		RT	RT	RT	RT		RT		BlindsT3
Kingpin KP100 projection screen	T	T	T	T	T	T	T	T	T		Lighting4
KlikAanKlikUit (learning mode) http://www.klikaanklikuit.nl/home/	RT	RT	RT	RT	RT	RT	RT	RT	RT		AC
KlikAanKlikUit (with address code wheels)	RT	RT	RT	RT	RT		RT	RT	RT		ARC

Device	Type1	Type2	Ext	Ext2	Pro1	Pro2	ProXL1	ProXL2	RFX433		Protocol
La Crosse - TX2, TX3, TX3P, TX4, TX7, TX17, WS2300	R	R	R	R	R	R	R	R	R		LaCrosse
La Crosse - rain sensor TX145R						R	R	R	R		Hideki
La Crosse - weather WS1652 - temp/hum TX141TH-Bv2, TX141W						R	R		R		LaCrosse
Legrand CAD radio			T				RT	RT	RT		Lighting5 LeGrand CAD
Lexibook - SM883	R	R	R	R	R	R	R	R	R		Hideki
LightwaveRF - http://www.lightwaverf.co.uk/	RT	RT	RT	RT	RT		RT	RT	RT		AD
Livolo - http://www.livolonederland.nl/ - http ://www.livolo-France.com/fr/ - http ://nl.aliexpress.com/w/wholesale-livolo-touch-switch.html	T	T	T	T	T		RT	RT	T		Lighting5 Livolo
Louvolite one touch motorised blinds * = receive in Type2 only used to get the remote ID.	T	RT	T	T	T		RT		RT		BlindsT0
Louvolite one touch Vogue vertical blinds * = receive only used to get the remote ID.							RT		RT		BlindsT0
Lucci Air fan https://www.beaconlighting-europe.com/product-category/lucci-air-deckenventilatoren/			T		T	T	T	T	T		Fan LucciAir
Lucci Air DC fan For example : Airfusion Climate II 50 DC					T	T	T	T	T		Fan LucciAir DC
Lucci Air DCII fan For example : Airfusion Climate II 50 DC					T	T	T	T	T		Fan LucciAir DCII
Luxaflex –http://www.luxaflex.se/produkter/luxaflex/rullgardiner/			T	T	T	T	T	T	T		RFY
Maplin http ://www.maplin.co.uk/p/remote-controlled-mains-socket-set-single-n78ka	T	T	T	T			T	T	T		Lighting1 COCO GDR2
Marquant 943134		R					R	R			X10
Maverick ET-732/733 BBQ/Smoke temperature	R	R	R	R	R		R	R			Hideki
MCZ pellet stove		RT	T				RT	RT	RT		Thermostat4
Mdremote LED dimmer V106 www.ultraleds.co.uk	T	T	T	T							Lighting5 MDRemote V106
Mdremote LED dimmer V107 www.ultraleds.co.uk	T	T	T	T							Lighting5 MDRemote V107
Mdremote LED dimmer V108, EKAB-10KRF	T	T	T	T							Lighting5 MDRemote V108

Device	Type1	Type2	Ext	Ext2	Pro1	Pro2	ProXL1	ProXL2	RFX433		Protocol
http://www.ledstripkoning.nl/accessoires/dimmers-wit/draadloze-dimmer-10-knops-rf/											
Meade – TS33F-M, TS34C-M http://www.meade.com/products/weatherstations/sensors.html	R	R	R	R	R	R	R	R	R		Hideki
Media Mount Projector screen		T									Lighting4
Meiantech security	RT	RT	RT	RT	RT	RT	RT	RT	RT		Meiantech
Mercury appliance modules http://mercury.avsl.com/product?range=ME5124	T	T	T	T			T	T	T		Lighting1 Energenie5
Mertik Maxitrol Fire Place controllers - G6R-H4T1, G6R-H4T5, G6R-H4TD, G6R-H4T16, G6R-H4TB, G6R-H4T21-Z22	RT	RT	RT	RT	RT		RT	RT	RT		Mertik
Mertik Maxitrol Fire Place controller – G6R-H3T1							RT	RT	RT		Mertik
Mertik Maxitrol Fire Place controller – G6R-H4S	T	T	T	T	T		T	T	T		Mertik
Meteoscan W155,W160			R	R	R	R	R	R	R		Rubicson
Monaco – https://www.airam.fi/en/product/v8305-2988/7020500/monaco-wireless-doorbell-230v/140/1			T				RT	RT	RT		Chime + Lighting4
Motionblinds bi-directional									T		DDxxxx
Motiva blinds, remote BY-305 * = receive in Type2 only used to get the remote ID.	T	RT	T	T	T		RT		RT		BlindsT0
Motolux blinds motor	T	T		T	T	T	T		T		BlindsT3
Motostar blinds						T	T		T		BlindsT15
mi.sol WH2 http://www.ebay.com/itm/Transmitter-for-Wireless-Weather-Station-wireless-temperature-sensor-/121664060899	R	R	R	R	R	R	R	R	R		FineOffset
NEXA (learning mode) - http://www.nexa.se/	RT	RT	RT	RT	RT	RT	RT	RT	RT		AC
NEXA (with address code wheels)	RT	RT	RT	RT	RT		RT	RT	RT		ARC
NEXA KD101/LM101LC smoke detector	RT	RT	RT	RT	RT	RT	RT	RT	RT		always on
Nexa NBA-001 temperature sensor	R	R	R	R	R	R	R	R	R		Hideki
NEXUS - I008T	R	R	R	R	R	R	R	R	R		Hideki
Nobily rolladenmotor http://www.nobily.de/rolladenmotor/funk-elektronisch/40mm-achtkantwelle/170/nobily-rolladenmotor-pre4?c=5	T	T	T	T	RT	RT	RT		RT		BlindsT6
Novy extractor hood https://www.novynederland.nl/						T	RT	RT	RT		Fan
Oase Inscenio FM Master						T	T	T	T		Lighting1 Oase
Omnia Go blinds https://omniablinds.com/	T	T	T	T	RT	RT	RT		RT		BlindsT6

Device	Type1	Type2	Ext	Ext2	Pro1	Pro2	ProXL1	ProXL2	RFX433		Protocol
Opus XT300 /Imagintronix Soil sensor http://www.plantcaretools.com/en/webshop/wireless-moisture-sensor-en-detail http://www.ebay.co.uk/itm/Wireless-Soil-Moisture-Sensor-/251380900939 ?pt=UK_Home_Garden_Garden_Plants_Fertiliser_CV&hash=item3a8778244b	R*	R*	R*	R*	R	R	R	R	R		Imagintronix* Pro = Fineoffset
ORNO	RT	RT	RT	RT	RT	RT	RT	RT	RT		AC
Oregon Scientific / Huger BBQ and weather sensors - AW129, AW131, BTHGN129, BTHR918, BTHR918N, BTHR968, EW109, PCR800, RGR126, RGR682, RGR918, RGR928, RTGN318, RTGR328N, RTGR328N, RTGR368N, RTGR383, RTHN318, STR918, STR928, ,THGN800, THGN801, THC138, THC238, THC268, THGN122NX, THGN123N, THGN132ES, THGN132N, THGN500, THGR122(N/NX), THGR228(N/NF), THGR238, THGR268, THGR328N, THGR810, THGR918, THGR928, THGRN228NX, THN122N, THN129, THN132N, THR128, THR138, THR288(N/NF), THRN122N, THWR288A, THWR800, UV138, UVN128, UVN800, UVR128, WGR800, WGR918, WTGR800	R	R	R	R	R	R	R	R	R		Oregon
Oregon Scientific weighting scales - BWR101, BWR102, GR101 US BWR101, BWR102 in RFXrec	R		R	R			R	R			Oregon
Oregon MSR939 https://www.redealer.de/multimedia/home-living/wetterstationen/bewegungssensor-msr939/a-200667/			R				R	R	R		Oregon
OTIO EHS5050		R					R	R	R		RSL
OTIO Lighting	RT	RT		RT	RT		RT	RT	RT		RSL
Outlook Motion Blinds https://www.spotlightstores.com/curtains-blinds/indoor-blinds/roller-blinds/project-outlook-motion-motorised-roller-blind/p/BP80360543		RT			RT	RT	RT		RT		BlindsT4
OWL – CM113	R	R	R				R	R	R		Oregon
OWL – CM119, CM160, CM180, CM180i http://www.theowl.com/	R	R	R	R	R	R	R	R	R		Oregon
Ozroll E-Trans								RT			BlindsTx
Pearl NC-7159 http://www.pearl.de/a-NC7159-3041.shtml			R	R	R	R	R	R	R		Rubicson
Phenix	RT	RT	RT	RT	RT	RT	RT	RT	RT		Lighting4
Philips SBC SP370 series		T					T	T	T		Lighting1 Philips SBC
Prego P-8426 http://www.sunmarket.fi/tuote.asp?TID=11990	R	R	R		R		R	R			X10 Pro1/ProXL1 = Rubicson
Profile Qnect 423000040,423000042				RT	RT	RT	RT	RT	RT		Lighting4 + AC Pro = AC
Profiles PAC-326R Belcanto	RT	RT	RT	RT	RT	RT	RT	RT	RT		ByronSX

Device	Type1	Type2	Ext	Ext2	Pro1	Pro2	ProXL1	ProXL2	RFX433		Protocol
Profitec KD310T https://akkuplus.de/profitec-KD-310-T-Energiekosten-Messgeraet-Sender		R		R			R	R	R		RSL
Proluxx projection screen	T	T	T		T	T	T	T	T		Lighting4
PROmax				T	T	T	T	T	T		IT
Proove –TSS320 & TSS330 fridge/freezer thermometer & outdoor sensors 311346,311501	R	R	R	R	R	R	R	R	R		FineOffset
Quigg RC DS5 4001-A DE 3726				RT	RT		RT	RT	RT		Lighting4 + AC Pro = AC
Quotidom – http ://www.quotidom.com/moteur-tubulaire-radio-quotidom-10-ou-20-nm-volet-roulant-ou-store-banne.html (not the Solutio version)	T	T	T	T	RT	RT	RT		RT		BlindsT6
RAEX blind motor (YR1326 or YRL2016 controlled)		RT				RT	RT		RT		BlindsT4
Rain sensor - https://nl.aliexpress.com/item/4000761757290.html	RT	RT		RT	RT	RT	RT		RT		BlindsT3
RAW data					RT	RT	RT	RT	RT		undec on
Renkforce RF101 smoke detector	RT	RT	RT	RT	RT	RT	RT	RT	RT		always on
Revolt NC5461 http://www.pearl.de/a-NC5462-5452.shtml		R		R			R	R			RSL
RFXSensor	R	R	R	R	R	R	R	R	R		X10
RFXMeter	R	R	R	R	R	R	R	R	R		X10
RGB LED strip driver dx.com - http://www.dx.com/ order nbr: 130913, (new TRC02 NOT supported) - http://www.dx.com/ order nbr: 67412 * = receive only in Type2 used to get the RGB remote ID.	T	RT	T								AD
RGB432W LED controller	T	T	T								Lighting5 RGB432W
RisingSun	RT	RT	RT	RT			RT	RT			Lighting4
RUBiCSON - stektermometer 48659, 48695 -pool sensor p48019	R		R	R	R	R	R	R	R		Rubicson
RohrMotor24 RMF blind motors http://www.rohrmotor24.eu/rohrmotor24	T	T	T	T	RT	RT	RT		RT		BlindsT6
RollerTrol R-series blind motors - http://rollertrol.com/ * = receive in Type2 only used to get the remote ID.	T	RT	T	T	T		RT		RT		BlindsT0
Rollertrol G-series blind motors	T	T	T	T	RT	RT	RT		RT		BlindsT6
Sartano	RT	RT	RT	RT	RT		RT	RT	RT		Lighting4
SAS SA-200 smoke detector	RT	RT	RT	RT	RT	RT	RT	RT	RT		always on
Screenline motors - http://www.screenline.cz/en/				T			T		T		BlindsT13
SEAV TXS4				T			T	T			FAN SEAV TXS4

Device	Type1	Type2	Ext	Ext2	Pro1	Pro2	ProXL1	ProXL2	RFX433		Protocol
SelectPlus200689101 & SelectPlus200689103 (Action NL)		RT	RT	RT	RT	RT	RT	RT	RT		ByronSX
Siemens SF01 LF959RA50/LF259RB50/LF959RB50 extractor hood		T					RT	RT	RT		Homeconfort,Fan SF01
Siemens (UK)	RT	RT	RT	RT	RT		RT	RT	RT		AD
SilverCrest 91089	RT	RT	RT				RT	RT	RT		Lighting4
SilverCrest 60494, 284705				RT	RT		RT	RT	RT		Lighting4 + AC Pro = AC
Silverline Premium - http://www.aluparts.nl	T	T	T	T	RT	RT	RT		RT		BlindsT6
Simu Hz / RTS -http://www.simu.com/			T	T	T	T	T	T	T		RFY
Siro	T	T	T	T	RT	RT	RT		RT		BlindsT6
Smartwares radiator valve http://www.homewizard.nl/smartwares-draadloze-radiatorkraan.html			T	T	T	T	T	T			Radiator1 Smartwares
Smartwares RM174RF, RM175RF, SA41				R	R	R	RT	RT	RT		Ext2 = ARC else = Lighting4
Somfy / RTS http://www.somfy.co.uk/ To control Somfy Centralis use RFY2 commands.			T	T	T	T	T	T	T		RFY
Sonoff RF	RT	RT	RT	RT	RT	RT	RT	RT	RT		Lighting4
Sunpery blind motors		T					T		T		BlindsT9
Sunvic TLX1206	RT	RT	RT		RT		RT	RT	RT		X10
Sunvic TLX7506	R	R	R		R		R	R	R		X10
TechnoLine/Proficell http://www.elv.de/output/controller.aspx?cid=74&detail=10&detail2=27621 - TX95-TH, WS9180-TX104	R		R	R	R	R	R	R	R		Rubicson
Telldus 312716,313159,313160 https://www.lohelectronics.se/hemautomation/433mhz/sensorer-1110/smart-inne-och-utetermometer-med-hygrometer-10396	R	R	R	R	R	R	R	R	R		FineOffset
TFA - TS15C, TS34C, 30.3245.02, 30.3139 external temperature / humiditysensor 30.3133, anemometer 30.3149, UV sensor, rain sensor 30.3148, pool sensor 30.3160	R	R	R	R	R	R	R	R	R		Hideki
TFA - pool sensor 30.3056.10, 30.3216.20 - external temperature sensor 30.3208.02 - temperature sensor 30.504554				R	R	R	R	R	R		Oregon
TFA - rain sensor 30.3233						R	R	R	R		Hideki

Device	Type1	Type2	Ext	Ext2	Pro1	Pro2	ProXL1	ProXL2	RFX433		Protocol
TFA - weather Pro 35.1161.01 - temp/hum 30.3249.02, 30.3221.02 - anemometer 30.3222.02, 30.3251.10						R	R		R		LaCrosse
TFA - temp/hum 30.3247.02							R	R	R		Rubicson
UPM/Esic (very short receiving range) WT260,WT260H,WT440H,WT450,WT450H,WDS500, RG700	R				R		R	R	R		Hideki
Unitec 48110 EIM 826				RT	RT		RT	RT	RT		Lighting4 + AC Pro = AC
Ventus WS155			R	R	R	R	R	R	R		Rubicson
Viking - 02035, 02038, 02811	R	R	R	R	R	R	R	R	R		FineOffset
Visonic CodeSecure	R	R	R	R	R	R	R	R	R		Visonic
Visonic PowerCode	R	R	R	R	RT	RT	R	R	R		Visonic
Wave Design extractor hood	T	T	T	T			T	T	T		Fan SF01
Waveman	T	T	T	T			T	T	T		Lighting1 Waveman
Westinghouse fan 7226640				T			T	T	T		Fan
WT0122 pool sensor			R		R	R	R	R	R		FineOffset
YOODA blind motors http://www.sukcesgroup.pl	T	T	T	T	RT	RT	RT		RT		BlindsT6
Yooda bi-directional									T		DDxxxx
X10 Ninja/Robocam		RT									X10
X10 PC Remote	RT										X10
X10 RTS10 / RFS10	RT	RT	RT	RT	RT	RT	RT	RT	RT		X10
X10 lighting	RT	RT	RT	RT	RT	RT	RT	RT	RT		X10
X10 security	RT	RT	RT	RT	RT	RT	RT	RT	RT		X10
Xdom	RT	RT	RT	RT	RT	RT	RT	RT	RT		X10
Xiron – EN6	R		R	R	RT	R	R	R	R		Rubicson

2.5. undec on

If new sensor types are released, they will most probably not be decoded by the RFXtrx firmware. For this reason, we have added the option to enable receive of undecoded messages. This function is only to enable RFXCOM to add this new sensor type in the firmware if possible. If "undec on" is enabled in normal use the application will receive a lot of undecoded messages mostly as a result of RF noise or disturbed RF packets.

It can also be used to receive an unknown remote and use the RAW data to create RAW transmit commands.

Important: For normal use "undec on" should be disabled

2.6.   Sensitivity influenced by enabled protocols

All protocols can be enabled in the **Pro firmware** versions; however, it is still preferred to enable only the protocols used for receive.

The sensitivity of the receiver part is highly influenced by the number of protocols enabled in Type1, Type2, Ext or Ext2 firmware. Lesser protocols enabled will make the receiver more sensitive for the enabled protocols.

There are a few protocols that will reduce or even eliminate receiving of other protocols if enabled in Type1, Type2, Ext or Ext2 firmware.
For example:
If the AD (LightwaveRF, Siemens) protocol is enabled it can stop receiving of Meiantech / Atlantic, Oregon 3.0,Visonic and Mertik.
All other protocols are disabled if BlindsT0 is enabled in Type1, Type2, Ext, Ext2 or RFX433 firmware.

	X10	ARC	AC	HomeEasy EU	Meiantech/Atlantic	Oregon 1.0	Oregon 2.1	Oregon 3.0 / OWL	ATI	Visonic/Keeloq	Mertik	AD (LWRF)	Hideki/UPM	La Crosse	FS20	ProGuard	BlindsT0	BlindsT1/T2/T3/T4	AE (Blyss)	Rubicson/Alecto	FineOffset/Viking	Lighting4	RSL/Revolt	Byron SX	Imagintronix/Opus	HomeConfort
X10																										
ARC														▨												
AC																										
HomeEasy EU		■																				■				
Meiantech/Atlantic										▨																
Oregon											■			▨												
ATI					■		■	■		■	■														▨	
Visonic/Keeloq					▨		▨																			
Mertik								■		■																
AD (LWRF)					■			▨		■	■															
Hideki/UPM			▨											▨												
La Crosse																										
FS20																										
ProGuard																										
BlindsT0	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█		█	█	█	█	█	█	█	█	█
BlindsT1/T2/T3																										
AE (Blyss)						▨																				
Rubicson		■	■																			■				
FineOffset/Viking		■		■										▨								■				
Lighting4																						█				
RSL																										
Byron SX		▨						■														▨		▨		
Imagintronix		▨																								
HomeConfort																				■						

Green = enabled by default

2.7. RF range reduction

The RF signals operating distance is reduced when the signal has to pass through walls.

2.8. Home Automation software

For the list of Home Automation software that supports the RFXtrx see the web site www.rfxcom.com

2.9. Dimensions

The dimensions of the enclosure: 83.5 x 42 x 15 mm
Total height from bottom to antenna top is 122mm

2.10. Electrical

The RFXtrx is powered by the 5 Volt of the USB interface.

Operating current;
      Receive mode: 28 mA (0.14Watt)
      Transmit mode: 45 mA

The RFXtrx Radiated RF power is 10dBm max.

2.11. Environmental conditions

Normal operating: 15°C to 35°C
Absolute min-max temperature: -10°C to 55°C

3. Install the USB driver

The RFXtrx has the FTDI FT232R USB interface chip installed.
The RFXtrx433XL has the FTDI FT230XQ USB interface chip installed.
The USB drivers are available at http://www.ftdichip.com/Drivers/VCP.htm

The RFXusb-RFX433 and RFX433XL-USB, RFX433XL-Wifi, RFX433XL-LAN and RFX868XL-USB, RFX868XL-Wifi and RFX868XL-LAN have the CP2102N USB interface chip installed.
The USB drivers are available at silabs

4. Run RFXflash on Linux under Mono

Open a Terminal screen in Linux (Ctrl-Alt-T)

Execute once:
> *Install Mono:*
> [sudo] **apt-get install mono-runtime**
>
> *Install VisualBasic support under Mono:*
> [sudo] **apt-get install libmono-microsoft-visualbasic8.0-cil**
>
> If the USB device is created as ttyACMx you will need to create a link between /dev/ttyACMx and a serial port /dev/ttySx.
> This is not necessary if the device is created as /dev/ttyUSBx !!
> [sudo] **ln -sf /dev/ttyACM1 /dev/ttyS3**

Note: sudo must be entered without brackets [ ]. sudo is required if not running as super user.

Launch the RFXflash.exe program.
[sudo] **mono RFXflash.exe**

Note: RFXmngr does not operate under mono!

5. RFXmngr test program

The RFXmngr Windows program supports decoding of received data and allows you to transmit commands.
RFXmngr can only be used with Windows!
A good alternative on other OS systems is: https://github.com/ssjoholm/rfxcmd_gc

After the connection the RFXmngr program transmits a Reset and Get Status command so that it will know the RFXtrx type and configuration settings:

Transmitter protocols are always enabled but receiver protocols can be disabled. This is very useful because the receiver will become more sensitive when protocols not used are disabled. Select only the protocols to be used for receiving, click **Set mode** and click **Save Settings**.

Note that these settings are lost in Type1 and Type2 firmware after a firmware update and need to be set again.

5.1.   Receiver

The RF protocols to be received can be configured on the Main tab at **Set Mode**.
Click **Save Settings** to save the selected protocols in non-volatile memory of the RFXtrx. This configuration is now restored every time after a power up.
Note that these settings are lost after a firmware update in Type1 or Type2 firmware and need to be set again.
Note: Protocol enabling is only necessary for receive. Transmit protocols are always enabled.

The received RF data is decoded and displayed in the yellow window.

5.2. Transmitter

The tabs after the Main tab are used to send commands to the transmitter.
For example, Lighting1 is used to send X10, ARC and some more.
Note: Protocol enabling is only necessary for receive. Transmit protocols are always enabled.

Select Type to see which protocols are supported on the different tabs.

The transmitted commands are displayed in the yellow window including the acknowledge send by the RFXtrx, in the example above "ACK, data correct transmitted".

6. Flash update of the RFXtrx

6.1.   Update firmware in the RFXtrx

Firmware is flashed in the RFXtrx using this procedure:
1. Depending on the RFXtrx type download the latest .hex firmware file.
2. Connect the RFXtrx to a Windows system or Linux under MONO
3. Stop any program that is connected to the RFXtrx.
4. Start the RFXflash program with administrator rights (version 12.0.0.0 or higher)
5. Select the USB RFXtrx COM port or TCP/IP port and click the CONNECT button,
   (the red LED on the RFXtrx should switch on now)
6. Load the correct .hex firmware file for your RFXtrx,
7. Click the WRITE button,
8. Click the Normal Execution mode button.

IMPORTANT:
1. Do not interrupt the flash procedure when started.
2. It can happen that the flash procedure ends with a pop-up screen indicating errors.
   Just disconnect the RFXtrx and start again at step 5 until the flash procedure if finished
   without errors.

If the red LED does not switch on if you click the CONNECT button:
1. Check if you have selected the correct USB COM port.
2. If you have flashed the RFXtrx before and interrupted the flash procedure it is possible
   that the RFXtrx does not enter the flash state. Contact support@rfxcom.com for help.

Note: Receiver Settings are lost in Type1 and Type2 firmware after a firmware update and must
be set again.

6.2. Update firmware in the RFXtrx step by step

- Click the Connect to Device button.

The RFXtrx will automatically switch from normal mode to the bootloader now.

- Click the Open HEX file button and load the RFXtrx**yyy??_zz**.hex file
  Be sure to load the latest firmware file for the RFXtrx.
  yyy indicates the RFXtrx frequency, so load the RFXtrx433 for an RFXtrx433!
  ?? this is XL for the RFXtrxXL versions.
  zz indicates the firmware version.

- Click the Write device button and the RFXtrx is flashed.

- Click on the Normal Execution Mode button to set the RFXtrx to running mode.

Note: Receiver Settings are lost in Type1 and Type2 firmware after a firmware update and must be set again.

7. RFX Wifi

7.1. Restore Wifi settings

To reset the Wifi settings to factory settings, disconnect the power, press and keep the RESTORE button, connect the power. If a pin hole with the text "Restore" is present on the back side of the enclosure, use a small pin to push the restore button else open the enclosure.

7.2. Configure the RFX Wifi.

Connect the RFX Wifi to an USB or the external 5V 1A power supply.

Open the Wifi network settings on your PC or mobile and connect the access point RFXCOM WiFi Manager and use **password: 12345678**

Open a browser and open **192.168.4.1** and enter your Wifi credentials, SSID and password of your Wifi network.
Optional enter a Local IP with Subnet Mask and Gateway, for example:
```
192.168.1.150
255.255.255.255.0
192.168.1.1
```

DHCP is used if no Local IP, Subnet Mask, Gateway info is entered

Click Save and the RFX Wifi will restart and connect your Wifi.

7.3. Flash the Wifi firmware in the RFX Wifi

- Download the Arduino IDE to flash the ESP32 in the RFX Wifi with new firmware.
  https://www.arduino.cc/en/software

- In Arduino IDE:
  Open File – Preferences and add at Additional boards manager URLs:
  https://dl.espressif.com/dl/package_esp32_index.json

- Open Tools – Board: "xxxxxx" -Boards Manager
  At BOARDS MANAGER enter ESP32 and INSTALL the latest version "esp32 by
  Espressif Systems".

- Select "ESP32 Dev Module" at Tools – Board: "xxxx" – esp32

- Select the COM port of the RFX Wifi at Tools – Port

- To know the Sketchbook location open File – Preferences – Settings.
  Copy the RFXtrxWiFiTelnetToSerial directory to your Arduino sketch directory
  RFXtrxWiFiTelnetToSerial directory contains:
  - HTML.h
  - revisions.txt
  - RFXtrxWiFiTelnetToSerial.ino
  - WifiFunc.h

- Open RFXtrxWiFiTelnetToSerial.ino and click the Upload button. The firmware will be
  compiled and flashed in the RFX Wifi
  ESP32

7.4. Use the USB port of the RFX Wifi for the RFX433/RFX868

The USB port is normally only used to power the RFX Wifi or to flash the ESP32 module. With the default delivered Wifi firmware in the ESP32 you have to use Wifi for RFXmngr and RFXflash.

To use the USB port to communicate with the RFX433/868 you must flash the ESP32 with special USB firmware.
Copy the RFXtrxUSB directory to your Arduino sketch directory. The RFXtrxUSB directory contains only RFXtrxUSB.ino
Open RFXtrxUSB.ino and click the Upload button. The USB firmware will be compiled and flashed in the RFX Wifi.
You can now use the USB port to communicate with RFXmngr or RFXflash to the RFX433/868

7.5. Add Wifi option to the RFXusb-RFX433

Needs a very small solder iron and SMD solder experience with 0603 components!!
Warranty is lost with this installed!

Use 5V 1A adapter with Mini-B connector, OTB-R08-5010

Remove resistors R12, R13

Solder these SMD components on the RFXusb-RFX433 PCB:

ESP32 16Mb
100n 0603 C9, C15, C22
22uF 0603 C21
10K 0603   R11, R14, R21, R22
SS8050-G T1, T2
2 tactile switches
    PTS815SJM250SMTR

Note: it is possible that some parts are already present.

Flash the Wifi firmware in the ESP32.

7.6. Add the Wifi module to the RFX433XL-USB

Depending on the PCB revision:
Cut the wires at R6 and R8   Remove the resistors R6 and R8

Press the push-to-fit connectors of the Wifi module into JP2-JP3-JP4
This needs some force! Use combination pliers and pinch right next to each connector if necessary. Press each connector into the PCB a little at a time.

8. RFXtrx433 special device codes

8.1. Remote commands

8.1.1. X10 RF Remote

Dec	Hex	Button
2	02	0
18	12	8
34	22	4
56	38	Rewind
58	3A	Info
64	40	CHAN+
66	42	2
82	52	Ent
96	60	VOL+
98	62	6
99	63	Stop
100	64	Pause
112	70	Cursor-left
113	71	Cursor-right
114	72	Cursor-up
115	73	Cursor-down
116	74	Cursor-up-left
117	75	Cursor-up-right
118	76	Cursor-down-right
119	77	Cursor-down-left
120	78	left mouse
121	79	left mouse-End
123	7B	Drag
124	7C	right mouse
125	7D	right mouse-End
130	82	1
146	92	9
160	A0	MUTE
162	A2	5
176	B0	Play
182	B6	Menu
184	B8	Fast Forward
186	BA	A+B
192	C0	CHAN-
194	C2	3
201	C9	Exit
209	D1	MP3
210	D2	DVD
211	D3	CD
212	D4	PC / Shift-4
213	D5	Shift-5
214	D6	Shift-Ent
215	D7	Shift-Teletext
216	D8	Text
217	D9	Shift-Text
224	E0	VOL-
226	E2	7
242	F2	Teletext
255	FF	Record

8.1.2. ATI Remote Wonder

Dec	Hex	Button
0	00	A
1	01	B
2	02	power
3	03	TV
4	04	DVD
5	05	?
6	06	Guide
7	07	Drag
8	08	VOL+
9	09	VOL-
10	0A	MUTE
11	0B	CHAN+
12	0C	CHAN-
13	0D	1
14	0E	2
15	0F	3
16	10	4
17	11	5
18	12	6
19	13	7
20	14	8
21	15	9
22	16	txt
23	17	0
24	18	snapshot ESC
25	19	C
26	1A	^
27	1B	D
28	1C	TV/RADIO
29	1D	<
30	1E	OK
31	1F	>
32	20	<-
33	21	E
34	22	v
35	23	F
36	24	Rewind
37	25	Play
38	26	Fast forward
39	27	Record
40	28	Stop
41	29	Pause
44	2C	TV
45	2D	VCR
46	2E	RADIO
47	2F	TV Preview
48	30	Channel list
49	31	Video Desktop
50	32	red
51	33	green
52	34	yellow
53	35	blue
54	36	rename TAB
55	37	Acquire image
56	38	edit image

Dec	Hex	Button
57	39	Full screen
58	3A	DVD Audio
112	70	Cursor-left
113	71	Cursor-right
114	72	Cursor-up
115	73	Cursor-down
116	74	Cursor-up-left
117	75	Cursor-up-right
118	76	Cursor-down-right
119	77	Cursor-down-left
120	78	V
121	79	V-End
124	7C	X
125	7D	X-End

8.1.3. ATI Remote Wonder Plus

Dec	Hex	Button		Dec	Hex	Button
				35	23	F
0	00	A		36	24	Rewind
1	01	B		37	25	Play
2	02	power		38	26	Fast forward
3	03	TV		39	27	Record
4	04	DVD		40	28	Stop
5	05	?		41	29	Pause
6	06	Guide		42	2A	TV2
7	07	Drag		43	2B	Clock
8	08	VOL+		44	2C	TV
9	09	VOL-		45	2D	VCR
10	0A	MUTE		46	2E	RADIO
11	0B	CHAN+		47	2F	TV Preview
12	0C	CHAN-		48	30	Channel list
13	0D	1		49	31	Video Desktop
14	0E	2		50	32	red
15	0F	3		51	33	green
16	10	4		52	34	yellow
17	11	5		53	35	blue
18	12	6		54	36	rename TAB
19	13	7		55	37	Acquire image
20	14	8		56	38	edit image
21	15	9		57	39	Full screen
22	16	txt		58	3A	DVD Audio
23	17	0		112	70	Cursor-left
24	18	Open Setup Menu		113	71	Cursor-right
25	19	C		114	72	Cursor-up
26	1A	^		115	73	Cursor-down
27	1B	D		116	74	Cursor-up-left
28	1C	FM		117	75	Cursor-up-right
29	1D	<		118	76	Cursor-down-right
30	1E	OK		119	77	Cursor-down-left
31	1F	>		120	78	Left Mouse Button
32	20	Max/Restore Window		121	79	V-End
33	21	E		124	7C	Right Mouse Button
34	22	v		125	7D	X-End

8.1.4. Medion Remote

Dec	Hex	Button
0	00	Mute
1	01	B
2	02	power
3	03	TV
4	04	DVD
5	05	Photo
6	06	Music
7	07	Drag
8	08	VOL-
9	09	VOL+
10	0A	MUTE
11	0B	CHAN+
12	0C	CHAN-
13	0D	1
14	0E	2
15	0F	3
16	10	4
17	11	5
18	12	6
19	13	7
20	14	8
21	15	9
22	16	txt
23	17	0
24	18	snapshot ESC
25	19	DVD MENU
26	1A	^
27	1B	Setup
28	1C	TV/RADIO
29	1D	<
30	1E	OK
31	1F	>
32	20	<-
33	21	E
34	22	v
35	23	F
36	24	Rewind
37	25	Play
38	26	Fast forward
39	27	Record
40	28	Stop
41	29	Pause
44	2C	TV
45	2D	VCR
46	2E	RADIO
47	2F	TV Preview
48	30	Channel list
49	31	Video Desktop
50	32	red
51	33	green
52	34	yellow
53	35	blue
54	36	rename TAB

Dec	Hex	Button
55	37	Acquire image
56	38	edit image
57	39	Full screen
58	3A	DVD Audio
112	70	Cursor-left
113	71	Cursor-right
114	72	Cursor-up
115	73	Cursor-down
116	74	Cursor-up-left
117	75	Cursor-up-right
118	76	Cursor-down-right
119	77	Cursor-down-left
120	78	V
121	79	V-End
124	7C	X
125	7D	X-End

8.2. Harrison address conversion to switch settings

The address used is converted to the address selected in the Harrison curtain motor using the table below.

```
switch 1 2 3 4        5 6 7 8
       H H H H        X X X X
   A   0 1 1 0    1   0 0 0 0
   B   0 1 1 1    2   0 0 0 1
   C   0 1 0 0    3   0 0 1 0
   D   0 1 0 1    4   0 0 1 1
   E   1 0 0 0    5   0 1 0 0
   F   1 0 0 1    6   0 1 0 1
   G   1 0 1 0    7   0 1 1 0
   H   1 0 1 1    8   0 1 1 1
   I   1 1 1 0    9   1 0 0 0
   J   1 1 1 1   10   1 0 0 1
   K   1 1 0 0   11   1 0 1 0
   L   1 1 0 1   12   1 0 1 1
   M   0 0 0 0   13   1 1 0 0
   N   0 0 0 1   14   1 1 0 1
   O   0 0 1 0   15   1 1 1 0
   P   0 0 1 1   16   1 1 1 1

H H H H = House code
X X X X = device code
```

Switch position in the motor:
Up   = 1
Middle = not used!!!!
Down = 0

Examples:
If you assign the address E7 (1000 0110) to the curtain motor then set the switches to: 1=up, 2=down, 3=down, 4=down, 5=down, 6=up, 7=up, 8=down

If you assign the address A2 (0110 0001) to the curtain motor then set the switches to: 1=down, 2=up, 3=up, 4=down, 5=down, 6=down, 7=down, 8=up

8.3. Flamingo, AB400, IMPULS, Sartano, Brennenstuhl, SilverCrest 91089, Cranenbroek switch settings

Use type ELRO AB400D
Note that the HC (House Code A-P) is the house code used in programs and has no direct relation with the A,B,C,D,E buttons on the remotes!

```
      1 2 3 4    <== switches
HC==========
A    0 0 0 0
B    0 0 0 1
C    0 0 1 0
D    0 0 1 1
E    0 1 0 0
F    0 1 0 1
G    0 1 1 0
H    0 1 1 1
I    1 0 0 0
J    1 0 0 1
K    1 0 1 0
L    1 0 1 1
M    1 1 0 0
N    1 1 0 1
O    1 1 1 0
P    1 1 1 1


      5 A B C D E          5 A B C D E    <== switches
      5 6 7 8 9 10         5 6 7 8 9 10   <== OR switches
DC=================DC=============
1    0 0 0 0 0 0    33    0 0 0 0 0 1
2    0 0 0 1 0 0    34    0 0 0 1 0 1
3    0 0 1 0 0 0    35    0 0 1 0 0 1
4    0 0 1 1 0 0    36    0 0 1 1 0 1
5    0 1 0 0 0 0    37    0 1 0 0 0 1
6    0 1 0 1 0 0    38    0 1 0 1 0 1
7    0 1 1 0 0 0    39    0 1 1 0 0 1
8    0 1 1 1 0 0    40    0 1 1 1 0 1
9    1 0 0 0 0 0    41    1 0 0 0 0 1
10   1 0 0 1 0 0    42    1 0 0 1 0 1
11   1 0 1 0 0 0    43    1 0 1 0 0 1
12   1 0 1 1 0 0    44    1 0 1 1 0 1
13   1 1 0 0 0 0    45    1 1 0 0 0 1
14   1 1 0 1 0 0    46    1 1 0 1 0 1
15   1 1 1 0 0 0    47    1 1 1 0 0 1
16   1 1 1 1 0 0    48    1 1 1 1 0 1
17   0 0 0 0 1 0    49    0 0 0 0 1 1
18   0 0 0 1 1 0    50    0 0 0 1 1 1
19   0 0 1 0 1 0    51    0 0 1 0 1 1
20   0 0 1 1 1 0    52    0 0 1 1 1 1
21   0 1 0 0 1 0    53    0 1 0 0 1 1
22   0 1 0 1 1 0    54    0 1 0 1 1 1
23   0 1 1 0 1 0    55    0 1 1 0 1 1
24   0 1 1 1 1 0    56    0 1 1 1 1 1
25   1 0 0 0 1 0    57    1 0 0 0 1 1
26   1 0 0 1 1 0    58    1 0 0 1 1 1
27   1 0 1 0 1 0    59    1 0 1 0 1 1
28   1 0 1 1 1 0    60    1 0 1 1 1 1
29   1 1 0 0 1 0    61    1 1 0 0 1 1
30   1 1 0 1 1 0    62    1 1 0 1 1 1
31   1 1 1 0 1 0    63    1 1 1 0 1 1
32   1 1 1 1 1 0    64    1 1 1 1 1 1
```

Examples:
```
A1      0 0 0 0 0 0 0 0 0 0
A15     0 0 0 0 1 1 1 0 0 0
N2      1 1 0 1 0 0 0 1 0 0
N11     1 1 0 1 1 0 1 0 0 0
```

0 = switch off
1 = switch on

8.4. Energenie 5-gang 429.950

To know the codes to use open the remote and check the 1 to 5 jumpers connected.
If a jumper connection is open it is a 1. If connected it is a 0 (zero)

```
    1 2 3 4     jumper setting in the remote
HC=========
A   0 0 0 0
B   0 0 0 1
C   0 0 1 0
D   0 0 1 1
E   0 1 0 0
F   0 1 0 1
G   0 1 1 0
H   0 1 1 1
I   1 0 0 0
J   1 0 0 1
K   1 0 1 0
L   1 0 1 1
M   1 1 0 0
N   1 1 0 1
O   1 1 1 0
P   1 1 1 1
```

If jumper 5 is open (1) than add 5 to the remote code.

Examples:
Jumper   Button Code
1 2 3 4 5
1 0 0 0 0   1   I1
1 0 0 0 1   1   I6

8.5. Phenix, IDK YC-4000S switch settings

Use type ELRO AB400D
Note that the HC (House Code A-P) is the house code used in programs and has no direct relation with the A,B,C,D,E buttons on the remotes!

```
HC   switch
     1 2 3 4
============
A    0 0 0 0
B    0 0 0 1
C    0 0 1 0
D    0 0 1 1
E    0 1 0 0
F    0 1 0 1
G    0 1 1 0
H    0 1 1 1
I    1 0 0 0
J    1 0 0 1
K    1 0 1 0
L    1 0 1 1
M    1 1 0 0
N    1 1 0 1
O    1 1 1 0
P    1 1 1 1

DC   switch
     5 A B C D
==============
1    0 0 0 0 0
2    0 0 0 1 0
3    0 0 1 0 0
4    0 0 1 1 0
5    0 1 0 0 0
6    0 1 0 1 0
7    0 1 1 0 0
8    0 1 1 1 0
9    1 0 0 0 0
10   1 0 0 1 0
11   1 0 1 0 0
12   1 0 1 1 0
13   1 1 0 0 0
14   1 1 0 1 0
15   1 1 1 0 0
16   1 1 1 1 0
17   0 0 0 0 1
18   0 0 0 1 1
19   0 0 1 0 1
20   0 0 1 1 1
21   0 1 0 0 1
22   0 1 0 1 1
23   0 1 1 0 1
24   0 1 1 1 1
25   1 0 0 0 1
26   1 0 0 1 1
27   1 0 1 0 1
28   1 0 1 1 1
29   1 1 0 0 1
30   1 1 0 1 1
31   1 1 1 0 1
32   1 1 1 1 1
```

8.6. HE105 switch settings

```
Unitnr        HE105 switches
              1 2 3 4 5
0             0 0 0 0 0
1             0 0 0 0 1
2             0 0 0 1 0
3             0 0 0 1 1
4             0 0 1 0 0
5             0 0 1 0 1
6             0 0 1 1 0
7             0 0 1 1 1
8             0 1 0 0 0
9             0 1 0 0 1
10            0 1 0 1 0
11            0 1 0 1 1
12            0 1 1 0 0
13            0 1 1 0 1
14            0 1 1 1 0
15            0 1 1 1 1
16            1 0 0 0 0
17            1 0 0 0 1
18            1 0 0 1 0
19            1 0 0 1 1
20            1 0 1 0 0
21            1 0 1 0 1
22            1 0 1 1 0
23            1 0 1 1 1
24            1 1 0 0 0
25            1 1 0 0 1
26            1 1 0 1 0
27            1 1 0 1 1
28            1 1 1 0 0
29            1 1 1 0 1
30            1 1 1 1 0
31            1 1 1 1 1
```

8.7. HQ COCO-20

Note that the HC (House Code A-P) is the house code used in programs and has no direct relation with the A,B,C,D,E buttons on the remotes!

```
     6 7 8 9 <== switches in module
HC==========
A    0 0 0 0
B    0 0 0 1
C    0 0 1 0
D    0 0 1 1
E    0 1 0 0
F    0 1 0 1
G    0 1 1 0
H    0 1 1 1
I    1 0 0 0
J    1 0 0 1
K    1 0 1 0
L    1 0 1 1
M    1 1 0 0
N    1 1 0 1
O    1 1 1 0
P    1 1 1 1
```

```
    10 1 2 3 4 5          10 1 2 3 4 5 <== switches in module
DC=================DC==============
1    0 0 0 0 0 0     33    1 0 0 0 0 0
2    0 0 0 0 0 1     34    1 0 0 0 0 1
3    0 0 0 0 1 0     35    1 0 0 0 1 0
4    0 0 0 0 1 1     36    1 0 0 0 1 1
5    0 0 0 1 0 0     37    1 0 0 1 0 0
6    0 0 0 1 0 1     38    1 0 0 1 0 1
7    0 0 0 1 1 0     39    1 0 0 1 1 0
8    0 0 0 1 1 1     40    1 0 0 1 1 1
9    0 0 1 0 0 0     41    1 0 1 0 0 0
10   0 0 1 0 0 1     42    1 0 1 0 0 1
11   0 0 1 0 1 0     43    1 0 1 0 1 0
12   0 0 1 0 1 1     44    1 0 1 0 1 1
13   0 0 1 1 0 0     45    1 0 1 1 0 0
14   0 0 1 1 0 1     46    1 0 1 1 0 1
15   0 0 1 1 1 0     47    1 0 1 1 1 0
16   0 0 1 1 1 1     48    1 0 1 1 1 1
17   0 1 0 0 0 0     49    1 1 0 0 0 0
18   0 1 0 0 0 1     50    1 1 0 0 0 1
19   0 1 0 0 1 0     51    1 1 0 0 1 0
20   0 1 0 0 1 1     52    1 1 0 0 1 1
21   0 1 0 1 0 0     53    1 1 0 1 0 0
22   0 1 0 1 0 1     54    1 1 0 1 0 1
23   0 1 0 1 1 0     55    1 1 0 1 1 0
24   0 1 0 1 1 1     56    1 1 0 1 1 1
25   0 1 1 0 0 0     57    1 1 1 0 0 0
26   0 1 1 0 0 1     58    1 1 1 0 0 1
27   0 1 1 0 1 0     59    1 1 1 0 1 0
28   0 1 1 0 1 1     60    1 1 1 0 1 1
29   0 1 1 1 0 0     61    1 1 1 1 0 0
30   0 1 1 1 0 1     62    1 1 1 1 0 1
31   0 1 1 1 1 0     63    1 1 1 1 1 0
32   0 1 1 1 1 1     64    1 1 1 1 1 1
```

Examples:

```
Switch  6 7 8 9 0 1 2 3 4 5
===================
A1      0 0 0 0 0 0 0 0 0 0
A15     0 0 0 0 1 1 1 0 0 0
N2      1 1 0 1 0 0 0 0 1 0 0
N11     1 1 0 1 1 0 1 0 0 0
```

0 = switch off
1 = switch on

8.8.   MDREMOTE V106, V107

This MDREMOTE has been tested.
http://www.ultraleds.co.uk/mini-dimmer-with-rf-remote-control-12-or-24v-dc-12a-maximum.html

The RFXtrx433 can only transmit MDREMOTE commands.

Procedure to find the ID of the MDREMOTE: In RFXmngr enable the X10 protocol and enable "Undec on". Press a button on the MDREMOTE remote.
The undecoded message contains the ID in the 2nd and 3rd byte, for example:
UNDECODED NEC:20**AF68**01D1
The 2 bytes after 20 is the MDREMOTE ID, in this example AF 68

8.9.   MDREMOTE V108, EKAB-10KRF

This MDREMOTE has been tested.
- http://www.ledstripkoning.nl/accessoires/dimmers-wit/draadloze-dimmer-10-knops-rf/

Procedure to find the ID of the MDREMOTE: In RFXmngr enable the Lighting4 protocol and enable "Undec on". Press a button on the MDREMOTE remote.
The undecoded message contains the ID in the 2nd and 3rd byte, for example:
UNDECODED ARC:201A0703FCFC
The 2 bytes after 20 is the MDREMOTE ID, in this example 1A 07

8.10. Aoke relay

The Aoke 12V DC - 315MHz or 433.92MHz 1 channel relay is available at www.aliexpress.com store No.110758. Indicate clearly the required frequency when ordering!

The 1 channel learning relays can be used, see the picture below.
For example, for 1 relay:
http://www.aliexpress.com/store/product/DC12V-1CH-wireless-switch-remote-control-system-remote-control-switch-for-guard-door-window-curtain/110758_936534863.html
or for 6 relays:
http://www.aliexpress.com/store/product/ak-DC12V-1CH-RF-rocker-switch-livolo-switch-system-in-china-j-12a-108d-smart-house/110758_1007306574.html

The jumper next to the learning button defines to operating mode:
Open = momentary
1-2 = toggle mode
2-3 = on/off mode (to be used with the RFXtrx)

8.11. SEAV TXS4

The ID can be found using RFXmngr and enable only ByronSX and undec on.

Or calculate the ID:
A SW1 switch on = 1

```
      |---------SW1-----------|
       1 2 3   4 5 6 7   8 9 10
   0  x x x | x x x x | x x x  0 | 0 1 0 1
```

For example SW1 = on off on off on off on off on off
The ID will become:

```
      |---------SW1-----------|
       1 2 3   4 5 6 7   8 9 10
   0  1 0 1 | 0 1 0 1 | 0 1 0  0 | 0 1 0 1   this is hex: 5 5 4 5
```

8.12. How to find the dx.com RGB LED strip driver ID

Valid for the TRC02 remote with 2 batteries.

Flash the RFXtrx433 with Type2 firmware to be able to receive the remote ID in RFXmngr.
In RFXmngr enable only the LightwaveRF (AD) protocol.

```
---------------------------------------------
Packettype     = Lighting5
subtype        = RGB TRC02
Sequence nbr   = 5
ID             = FCC48B
Command        = On
Signal level   = 8
```
The ID is: FC C4 8B

If necessary flash the RFXtrx433 back to Type1 or ext if Type2 does not support devices you need. (See chapter 2.2)

8.13. How to find the dx.com RGB LED strip driver ID (rev. 2)

Valid for the TRC02 remote with 3 batteries and ebay.com 191481664563.

In RFXmngr enable only the Lighting4 protocol.

```
---------------------------------------------
Packettype     = Lighting4
subtype        = PT2262
Sequence nbr   = 29
Code           = 161C84
```
The ID is: 16 1C

8.14. How to find the Eurodomest ID

You can assign a random ID to the Eurodomest. If you want to use the same ID as the remote you can find the ID of the remote using RFXmngr.
Start RFXmngr and enable only the Lighting4 protocol.
Press a button on the remote and you will receive a message like:

```
---------------------------------------------
Packettype     = Lighting4
subtype        = PT2262
Sequence nbr   = 12
Code           = 6DFE0F
```
The ID is: 6 DF E0
Note: Eurodomest can also be controlled using ARC.

8.15. How to find the Screenline ID

You can assign a random ID to the Screenline. If you want to use the same ID as the remote you can find the ID of the remote using RFXmngr.
Start RFXmngr and enable only the Lighting4 protocol and undec on.
Press a button on the remote and you will receive a message like:

```
-----------------------------------------
Packettype = UNDECODED RF Message
UNDECODED ARC:40000F7BD1D2AF04B7
```

The ID starts at the 7th character, in this example the ID = 7B D1

8.16. How to find the Avantek remote ID

You can find the ID of the remote using RFXmngr.
Start RFXmngr and enable only the Lighting4 protocol.
Press a button on the remote and you will receive a message like:

```
Packettype    = Lighting4
subtype       = PT2262
Sequence nbr  = 3
Code          = 122336 decimal:1188662
S1- S24  = 0001 0010 0010 0011 0011 0110
Pulse         = 280 usec
Signal level  = 7  -64dBm
```

The ID to be used is 1 22 33

8.17. How to find the Siemens SF01 ID

Start RFXmngr and enable only undec on.
Press a button on the remote and you will receive a message like:

```
-----------------------------------------------
11-04-2023 11:08:56:552=
507F000001014802F8013002EC012E02EF012A02ED012D02F1012902EF012A01A9027002ED012D01A8027401A1027801A30
27602ED012C02F2012802EF012B01A1027702EA013002F3012B01A702710000
Packettype    = RAW Packet
Packet Length = 80
subtype       = RAW packet
Sequence nbr  = 0
Repeat        = 1
Nbr of pulses = 19
328  760  304  748  302  751  298  749  301  753  297  751  298  425  624  749  301  424  628  417
632  419  630  749  300  754  296  751  299  417  631  746  304  755  299  423  625  0
```

A short-long pulse time is a "1" and long-short is a "0", thus:
```
328  760  304  748  302  751  298  749  301  753  297  751  298  425  624  749
1         1         1         1         1         1         1         0

301  424  628  417  632  419  630  749  300  754  296  751  299  417  631  746
1         0         0         0         1         1         1         0

304  755  299  423  625  0
1         1         0
```

The ID is in the first 16 bits. 1111 1110 1000 1110
Convert binary to hex and you find the ID: FE 8E

9. Blyss commands

Some Blyss devices, like the Blyss motors, require a special command sequence number. To simplify it; 0,1,2,3,4,0,1,...
This sequence number is normally created by the Blyss remote but now also by the RFXtrx433.

If you use a Blyss remote and the application (Domoticz, DomotiGa, Homeseer…) does not sync with the received Blyss command you will see that you need to send multiple commands with the RFXtrx433 before the Blyss device will respond.
For example,
The Blyss remote transmits with the sequence numbers 0,1,2
If the RFXtrx433 transmits now with sequence number 0 it will not be seen by the Blyss device as a valid command and at the time the RFXtrx433 transmits the commands 1,2,3 the command will be detected as valid when it receives the command with sequence number 3.

The same is true for the remote. If you transmit commands with the RFXtrx433 and after that with a Blyss remote you need to transmit several commands with the remote before the Blyss device responds.

I guess the same behaviour will show if you use multiple Blyss remotes.

10. Somfy RTS

Somfy RTS* devices can only be controlled by the RFXtrx433E, RFXtrx433XL, RFX433. (Not by the RFXtrx433)
The RFXtrx433E, RFXtrx433XL, RFX433 version is an RFXtrx433 with additional hardware to enable the RFY protocol used to control Somfy RTS.
The 433.42MHz transmitter in the RFXtrx433E/RFXtrx433XL/RFX433 is used for a reliable control of the Somfy RTS devices over a large distance and through walls.
The RFXtrx433E, RFXtrx433XL, RFX433 433.92MHz transmitter is also used to control all other devices.

To pair the Somfy RTS device:
• Select a unique ID and unitcode for the RFXCOM RFY device.
• Disconnect power from all Somfy RTS devices except the device to pair. (not necessary if you select the correct device on the Somfy remote)
• Press the Program button > 2 seconds on the original Somfy remote until the Somfy device responds.
• Transmit a Program command with the RFXtrx433E, RFXtrx433XL., RFX433 The Somfy RTS device should respond indicating the pair command was successful.

The RFXCOM RFY remote is registered in the RFXtrx433E, RFXtrx433XL, RFX433 by sending a Program command.
Up to 40 RFXCOM RFY remotes can be registered in the RFXtrx433E, RFXtrx433XL, RFX433.
Remotes can be erased from the RFXtrx433E, RFXtrx433XL, RFX433 using the RFXmngr program.

The Somfy RTS device can be controlled by any application if the same ID and Unit Code are used.
For example, if the RTS device is paired using RFXmngr with ID=1 02 03 and Unit Code 1, the RTS device can be controlled with Homeseer using the same ID and unit code.

Usage:
To control Somfy Centralis modules use the RFY2 = > 2 seconds commands.

Somfy Tilt motors can be configured in 2 modes, US or European.
To toggle between modes, press the Reset/ Prog button 2 s. Repeat until the LED, according to the desired configuration, lights up. Store by pressing 2 s.

To control Venetian Blinds in US mode:
- up/down (transmit < 0.5 seconds): open or close
- up/down (transmit > 2seconds): change angle

To control Venetian Blinds in Europe mode:
- up/down (transmit < 0.5 seconds): change angle
- up/down (transmit > 2seconds): open or close

Somfy RTS motors have a limited number of memory locations for the remotes. Some have a max of 10 remotes. If you try to pair the 11th remote (can be a RFXtrx433E, RFXtrx433XL, RFX433 ID-unit) the motor reacts as if the pairing was successful but there is no response on an up/down command.
To solve this, reset the motor to remove all remotes.

* Somfy RTS are registered trademarks of Somfy System, Inc.

10.1. How to move RFY devices to another RFXtrx433E, RFXtrx433XL or RFX433

Important:
1. If an RFY devices is moved to another RFXtrx do not use the old RFXtrx to control the RFY devices, because the rolling code will become out of sync with the Somfy device.
2. Use the latest RFXmngr and for the RFXtrx433E the latest Pro1 or Pro2 firmware and for the RFXtrx433XL the latest ProXL1 firmware and for the RFX433 the latest RFX433 FW

Step 1: List all RFY devices in the "old" RFXtrx.

Step 2: Connect the "new" RFXtrx433E, RFXtrx433XL or RFX433.
Select the ID, Unit Code, rfu1, rfu2 and rfu3 values.
Transmit a Program command. The values are now programmed in the "new" RFXtrx and the Somfy device can be controlled with this RFXtrx.
Transmit an Up and Down command to be sure the motor is no longer in program mode!

11. Dooya and compatibles

11.1. BlindsT6

To add a RFXtrx433/E/XL, RFX433 BlindsT6 device to the blinds motor:
1. press the "program" button twice on the original remote ==> 2 beeps
2. transmit the "confirm" command with the RFXtrx ==> 5 beeps

11.1.1. Dooya DT52E, DT82TV, DT82TN

- Select a random ID different from all zeroes and a unit code 1 to 15
- Press the program button on the motor until the LED lights up
- Transmit a Confirm command.
- The LED on the motor starts blinking.
- Transmit again a Confirm command.
- The LED on the motor blinks 5 times
- The motor can be controlled now by the RFXtrx433/E/XL, RFX433

11.2. Bi-directional DDxxxx

To add a RFX433 DDxxxx bi-directional device to the blinds motor:
1. Set the upper and lower limits in the motor using the original remote.
2. press the "P2" button twice on the original remote.
3. transmit the "P2 (pair)" command with the RFX433

The hex command structure that can be used in Home Assistant:
```
0C 31 00 00 11 22 33 44 00 00 00 00 00
 |  |  |  |  |  |  |  |  |  |  |  |  |
 |  |  |  |  |  |  |  |  |  |  |  |  | = always 00
 |  |  |  |  |  |  |  |  |  |  |  |  ==== angle can be hex 00 to B4
 |  |  |  |  |  |  |  |  |  |  |  ======= percent can be hex 00 to 64
 |  |  |  |  |  |  |  |  |  |  ========= command
 |  |  |  |  |  |  |  |  |  ============ unit code 00 to 10
 |  |  |  |  |  |  |  |  =============== ID4 00 to FF (ID 00000001 to FFFFFFFF)
 |  |  |  |  |  |  |  ================== ID3 00 to FF
 |  |  |  |  |  |  ==================== ID2 00 to FF
 |  |  |  |  |  ====================== ID1 00 to FF
 |  |  |  |  ========================= always 00
 |  |  |  ============================ always 00
 |  |  =============================== always 31
 |  ================================== always 0C
```

Command:

Up	0x00
Down	0x01
Stop	0x02
P2 (pair)	0x03
Percent	0x04
Angle	0x05
Percent+Angle	0x06

Unit code:
```
00 unit 1
01 02 03 04 05 06 07 08 09 0A 0B 0C 0D 0E
0F unit 16
10 Group command, all units with the same ID.
```

Example, ID 11 22 33 44, unit 1, P2 (pair) command.
The hex command line without spaces to be used is:
0C31000011223344000300000000

12.   ID switches Casafan and Lucci Air fans

Select the ID for switch settings:

```
ID     Remote switches
       1 2 3 4
0      0 0 0 0
1      0 0 0 1
2      0 0 1 0
3      0 0 1 1
4      0 1 0 0
5      0 1 0 1
6      0 1 1 0
7      0 1 1 1
8      1 0 0 0
9      1 0 0 1
A      1 0 1 0
B      1 0 1 1
C      1 1 0 0
D      1 1 0 1
E      1 1 1 0
F      1 1 1 1
```

For LucciAir AC fan: 0 = ON
For Casafan and LucciAir DC fan: 1 = ON

13. Transmit Funkbus (Insta, Gira, Jung, Berker)

With Pro2 or ProXL1 firmware you can transmit Funkbus commands using ID : 3F CC.
If the Home Automation application has Funkbus control not implemented, you can use an ANSLUT device instead.
The 1st digit of the ID indicates the Group.
0 = A,
1 = B,
2 = C,
3 = Scenes

The last 2 bytes are the remote ID: 3F CC.

For de groups A, B en C: Unit code 1-8 = channel 1-8
For group Scenes (3) : Unit code 1-5 = scene 1-5.

Example Group A - Channel 1 - On

Example Group Scenes – Scene 5 - On

14. Transmit undecoded ARC commands.

Plug-in modules or other equipment with a PT2262 can be controlled using Lighting4.
There are a lot of brands using the PT2262 and some of them use the same timing (350) as used by the ARC devices but a different protocol definition.

Messages will be received as undecoded ARC messages if the protocol definition does not match the definition of the ARC protocol. Remote commands are received as ARC commands with a wrong house and device code and/or command code or as undecoded ARC messages if "undec on" is enabled. Decoding of these remotes is therefore not possible because they overlap the ARC protocol partly.
But transmitting these commands is possible using the Lighting4 command.

So if we receive this command UNDECODED ARC:18014403:
(18 is not used)

hex to binary table
```
0=0  0  0  0
1=0  0  0  1
2=0  0  1  0
3=0  0  1  1
4=0  1  0  0
5=0  1  0  1
6=0  1  1  0
7=0  1  1  1
8=1  0  0  0
9=1  0  0  1
A=1  0  1  0
B=1  0  1  1
C=1  1  0  0
D=1  1  0  1
E=1  1  1  0
F=1  1  1  1
```

0 1 4 4 0 3 = selection box 0000 0001 0100 0100 0000 0011
Not selected = 0, box selected = 1

And the Lighting4 command contains the same "undec code" 01 44 03:
Lighting4 command:09 13 00 04 **01 44 03** 01 5E 00
pulse timing is 350 = hex 015E

Another example:
For this command UNDECODED ARC:18014430 set on the Lighting4 tab in RFXmngr selection box 1 to 24 to 0 1 4 4 3 0 = 0000 0001 0100 0100 0011 0000

15. MCZ pellet stove.

RFXtrx433/RFXtrx433E:
In the Type2 firmware zip file which is available on the downloads page you will find a special firmware RFXtrxMCZ.hex that enables you to know the ID of the your MCZ remote.
Flash the RFXtrxMCZ.hex firmware in your RFXtrx433/E/XL and start RFXmngr.

RFXtrx433XL, RFX433:
In RFXmngr select Receiver Freq 434.50 and enable MCZ

Transmit a command with the MCZ remote and you will receive the information.

The ID in this example is 81 3F 22

```
Packettype     = Thermostat4
subtype        = MCZ pellet stove 2 fans model
Sequence nbr   = 0
ID             = 0x813F22 decimal:8470306
Beep           = Yes
Fan1 speed     = 1
Fan2 speed     = 7
Flame power    = 1
Command        = Off
Signal level   = 6  -72dBm
```

Flash now Type2 or Ext firmware in your RFXtrx433/RFXtrx433E and you can control your MCZ stove using the received ID.

Important: remove the batteries from the original remote before you start using the RFXtrx433/E/XL, RFX433 to control the MCZ stove!

16. Lighting4 devices

16.1. Proluxx projection screen

Use Lighting4 with a pulse timing of 360

```
UP       1110 1101 0101 1001 0101 0010     ED 59 52
STOP     1110 1101 0101 1001 0101 1000     ED 59 58
DOWN     1110 1101 0101 1001 0101 0100     ED 59 54
RESET    1110 1101 0101 1001 0101 0001     ED 59 51
```

16.2. Kingpin (KP100) projection screen

Use Lighting4 with a pulse timing of 1040

```
UP           1110 0001 0100 0010 0010 0010       E1 42 22
STOP         1110 0001 0100 0010 0010 0100       E1 42 24
DOWN         1110 0001 0100 0010 0010 1000       E1 42 28
PROGRAM      1110 0001 0100 0010 0010 0001       E1 42 21
```

16.3. Mercury remote control mains sockets

http://mercury.avsl.com/product?range=ME5124
Use Lighting4 with a pulse timing of 188

```
1 OFF    01000100010101010011 1100
1 ON     01000100010101010011 0011

2 OFF    01000100010101011100 1100
2 ON     01000100010101011100 0011

3 OFF    01000100010101110000 1100
3 ON     01000100010101110000 0011

4 OFF    01000100010111010000 1100
4 ON     01000100010111010000 0011

5 OFF    01000100011101010000 1100
5 ON     01000100011101010000 0011
```

16.4. Conrad 034911 sockets

http://www.conrad.nl/ce/nl/product/034911/Draadloze-schakelaarset-5-delig
Use Lighting4 with a pulse timing of 425

Off = last 2 digits: 00
ON = last 2 digits: 01

```
Group   Unit
I       1 OFF    00 01 01 01 00 01 01 01 01 01 01 00
II      1 OFF    01 00 01 01 00 01 01 01 01 01 01 00
III     1 OFF    01 01 00 01 00 01 01 01 01 01 01 00
IV      1 OFF    01 01 01 00 00 01 01 01 01 01 01 00

I       1 OFF    00 01 01 01 00 01 01 01 01 01 01 00
I       2 OFF    00 01 01 01 01 00 01 01 01 01 01 00
I       3 OFF    00 01 01 01 01 01 00 01 01 01 01 00
I       4 OFF    00 01 01 01 01 01 01 00 01 01 01 00

I       1 OFF    00 01 01 01 00 01 01 01 01 01 01 00
I       1 ON     00 01 01 01 00 01 01 01 01 01 01 01
```

16.5. Sonoff

All Sonoff 433MHz RF receiver devices can be controlled by the RFXtrx433/E/XL using Lighting4 with a pulse timing of 370usec.

The 4 button Sonoff Lighting4 remote code:

The last digit indicates the button:
A   0001   hex 1
B   0010   hex 2
C   0100   hex 4
D   1000   hex 8

The first 5 digits are the ID. Here an example of ID=D216B button=A

Packettype   = Lighting4
subtype   = PT2262
Sequence nbr = 1
Code   = D216B1 decimal:13768369
S1- S24 = 1101 0010 0001 0110 1011 0001
Pulse   = 370 usec
Signal level = 8 -56dBm

The Lighting4 commands can be used for example to control the 4 relays in a Sonoff 4CH Pro
https://www.banggood.com/SONOFF-4CH-Pro-10A-2200W-2_4Ghz-433MHz-RF-InchingSelf-LockingInterlock-Smart-Home-p-1153324.html

16.6. PT2262 and EV1527 oscillator resistors accepted
For the PT2262 use a 3M3 oscillator resistor
For the EV1527 a 220K, 270K or 390K oscillator resistor can be used.

17. Receive and Transmit RAW data

The Pro firmware can receive and transmit RAW data. This can be used to replay received data received from a remote. Note that this can only be used for a protocol with fixed code and rolling code cannot be used.

It is unknown if and how this is implemented in Home Automation applications!

Here an example of a packet received from an ARC remote in RFXmngr:

```
RAW Packet:
687F0000010108047201320467013404670414018B013004740131046800131046E0131046D0131047001330470012D046B0
133046C013004720132046E0131046900132046A0133046D0138046C0130046A041401B901310471041701B70133046A0133
046F012E0000
Packettype    = RAW Packet
Packet Length = 104
subtype       = RAW packet
Sequence nbr  = 0
Repeat        = 1
Nbr of pulses = 25
264  1138  306  1127  308  1127  1044  443  304  1140  305  1128  305  1134  305  1133  305  1136
307  1136  301  1131  307  1132  304  1138  306  1134  305  1129  306  1130  307  1133  312  1132
304  1130  1044  441  305  1137  1047  439  307  1130  307  1135  302  0
```

The last value of zero indicates a gap timeout and the real gap is greater than 8000. To replay this packet replace the last zero with a value greater than 8000.

To replay this in RFXmngr, create a text file with the content below and send it on the RAW transmit tab.

The first value is 0 which indicates it is a single packet
The next value (7 in this example) is the repeat count.
Do not set the repeat count too high to lower the risk to disturb other RF transmissions.

```
0
7
264
1138
306
1127
308
1127
1044
443
304
1140
305
1128
305
1134
305
1133
305
1136
```

the next values …..

```
307
1135
302
10000
```

If you receive multiple RAW packet with more than 62 pulses, try to find the gap. This is normally a higher value and smaller than 8000. Here an example with a gap value of 6600 and the next 6596.

```
RAW Packet:
FC7F00000001190491012C0491012A0492012A0490012A049201270493012801B7040601BC03FF01B903FF048F012C04930
1270493012801B9040001BB03FF01BC040101BB03FF01BB040019C8013C049301280491012A049201290492012704940127
0494012701BE040201BA03FF01BD03FE0492012A049201290492012901BB03FF01BC03FF01BB040401BB03FF01BD040019C
401400490012B048F012D048F012A049501270493012704940127701BC040201BD03FF01BA03FF049301280492012804950 1
2601BB040001BC040001B8040601B903FF01BC03FF19C801400492012A049301280492012A049501270494012804950 1280
1BA040501BD
Packettype    = RAW Packet
Packet Length = 252
subtype       = RAW packet
Sequence nbr  = 0
Repeat        = 0
Nbr of pulses = 62
281  1169  300  1169  298  1170  298  1168  298  1170  295  1171  296  439  1030  444  1023  441
1023  1167  300  1171  295  1171  296  441  1024  443  1023  444  1025  443  1023  443  1024  6600
316  1171  296  1169  298  1170  297  1170  295  1172  295  1172  295  446  1026  442  1023  445
1022  1170  298  1170  297  1170  297  443  1023  444  1023  443  1028  443  1023  445  1024  6596
320  1168  299  1167  301  1167  298  1173  295  1171  295  1172  295  444  1026  445  1023  442
1023  1171  296  1170  296  1173  294  443  1024  444  1024  440  1030  441  1023  444  1023  6600
320  1170  298  1171  296  1170  298  1173  295  1172  296  1173  296  442  1029  445
```

Create a text file to control this device in RFXmngr:
```
0
7
281
1169
300
1169
298
1170
298
1168
298
1170
295
1171
296
439
1030
444
1023
441
1023
1167
300
1171
295
1171
296
441
1024
443
1023
444
1025
443
1023
443
1024
6600
```

18. RFXtrx433XL/RFX433 - P1 smart meter connection

The RFXtrx433XL can be connected to the Dutch P1 smart meter with the DSMR P1 option board with RJ11 cable **or** DIY connection. The RFX433 can be connected using a RJ25

The connection can be tested in RFXmngr.
Select the correct parameters and click Set Async port.
Important: the P1 connection must be present!

Select the correct parameters for your smart meter:

Meter Brand	DSMR version	ID	Baudrate	Bits	Parity
Iskra ME382, MT382	2.2	/ISK5	9600	7	E
Iskra AM550	5.0	/ISK5	115200	8	N
Kaifa E0003,E0025,MA105,MA304	4.0	/KFM5	115200	8	N
Kamstrup 162,351,382	2.2	/KMP5	9600	7	E
Landis+Gyr E350 ZCF100,ZCF110,ZFF100,ZMF100	4.0	/XMX5LG	115200	8	N
Sagemcom XT210	4.0		115200	8	N

The smart meter connector type is RJ12. The Metering System holds a female connector, the customer can plug in a standard RJ12 or RJ11 plug.
RJ12 is a 6P6C (6 positions, 6 contacts)
RJ11 is a 6P4C (6 positions, 4 contacts) This one can be used to connect the RFXtrx433XL.

Pin #	Signal name	Description
1	+ 5V power	Power supply (not used by the RFXtrx433XL)
2	RTS	Request to Send
3	GND	Data GND
4	NC	Not connected
5	RxD	Data output to the RFXtrx433XL
6	GND power	Power GND (not used by the RFXtrx433XL)

RJ12 and RJ11 connections:

18.1. DIY P1 connection for RFXtrx433XL batch 3618 and 4018

1. Open the enclosure by removing the 4 screws.
2. Connect a 4k7 resistor between 3V3 and RxD.
3. Connect the RJ11 cable to the RFXtrx433XL PCB RFXtrx V5.0:
   RJ11-2 to RTS
   RJ11-3 to GND
   RJ11-4 not used
   RJ11-5 to RxD
4. Cut a few plastics from the upper side of the enclosure using a Stanley knife.
5. Cut also at the same position a few plastics from the bottom part.
6. Close the enclosure. First turn the screw left until you hear/feel a soft click, now turn the screw right and fix the screw (not too tight).

18.2. DIY P1 connection for RFXtrx433XL batch 4918 and later

1. Open the enclosure by removing the 4 screws.
2. Connect a 3k3 resistor between 3V3 and RxD
3. Connect the RJ11 cable to the RFXtrx433XL PCB RFXtrx V5.1:
   RJ11-2 to RTS
   RJ11-3 to GND
   RJ11-4 not used
   RJ11-5 to RxD
4. Cut a few plastics from the upper side of the enclosure using a Stanley knife.
5. Cut also at the same position a few plastics from the bottom part.
6. Close the enclosure. First turn the screw left until you hear/feel a soft click, now turn the screw right and fix the screw (not too tight)

18.3.   *P1 option PCB Type 1 for RFXtrx433XL batch 3618 and 4018*

1. Open the enclosure by removing the 4 screws.
2. Solder the 5 pins of the P1 PCB to the RFXtrx433XL PCB RFXtrx V5.0.
   First solder 1 pin and check if the connector is fully on the RFXtrx433XL PCB.
   Than solder the remaining 4 pins.
3. Cut a few plastics from the upper side of the enclosure for the cable using a Stanley knife.
4. Cut also at the same position a few plastics from the bottom part.
5. Close the enclosure. First turn the screw counter clockwise until you hear/feel a soft click, now turn the screw clockwise and fix the screw (not too tight).

18.4.　*P1 option PCB Type 2 for RFXtrx433XL batch 4918 and later*

1. Open the enclosure by removing the 4 screws.
2. Press the 5 pins of the P1 PCB into the RFXtrx433XL PCB RFXtrx V5.1.
    Use a wrench to push the connector into the PCB until the black parts of the Press-Fit connector is on the RFXtrx PCB.
3. Cut a few plastics from the upper side of the enclosure for the cable using a Stanley knife.
4. Cut also at the same position a few plastics from the bottom part.
5. Close the enclosure. First turn the screw counter clockwise until you hear/feel a soft click, now turn the screw clockwise and fix the screw (not too tight)

18.5. RFXusb-RFX433 - P1 smart meter connection

The RFXusb_RFX433 can be connected to the Dutch P1 smart meter with a RJ11 cable.

Open the enclosure by removing the 4 screws.
If R7 and R9 are not present, solder a 3k3 resistor at R7.
Solder the RJ11 cable to the RFXusb-RFX433:
RJ11-2 to RTS
RJ11-3 to GND
RJ11-4 not used
RJ11-5 to RxD

18.6. RFX433XL - P1 smart meter connection

The RFX433XL can be connected to the Dutch P1 smart meter with a RJ12 cable.
(If PCB is RFX ISS V2 and R7 is not present, solder a 3k3 resistor on this position)

Open the enclosure by removing the 4 screws.
Solder the RJ12 cable to the RFX433XL PCB
RJ12-1 to +5V
RJ12-2 to RTS
RJ12-3 to GND
RJ12-4 not used
RJ12-5 to RxD
RJ12-6 to GND

19. RFXtrx433XL - Teleinfo connection

The RFXtrx433XL can be connected to the French smart meter and needs a Teleinfo interface. At the moment we only supply the Teleinfo interface option only for the RFXtrx version 5.1 (this is on the PCB) which is delivered starting batch 4918 and the later batches xx19 (xx=01 to 52). The batch number is on the label on the backside of the enclosure.

This option cannot be added in the RFXtrx433XL batch 3618 or 4018!!

The connection can be tested in RFXmngr.
Select the correct parameters and click "Transmit Async Port command".
Important: the Teleinfo connection must be present!

The setting is 1200, 7, Even, 1 and Normal polarity for the "historique" meter
The setting is 9600, 7, Even, 1 and Normal polarity for the new Linky meter

19.1. Teleinfo option PCB for RFXtrx433XL batch 4918 and later

1. Open the enclosure by removing the 4 screws.
2. Press the 5 pins of the P1 PCB into the RFXtrx433XL PCB RFXtrx V5.1.
   Use a wrench to push the connector into the PCB until the black part of the Press-Fit connector is on the RFXtrx PCB.
3. Cut a few plastics from the upper side (only the raised edge) of the enclosure for the cable, using a Stanley knife.
4. Cut also at the same position a few plastics from the raised edge of the bottom part.
5. Close the enclosure. First turn the screw counterclockwise until you hear/feel a soft click, now turn the screw clockwise and fix the screw (not too tight)

## 20. RFXtrx433XL - Connection points for a serial interface

This connection can be used for a serial connection with the RFXtrx433XL instead of the USB interface.
The serial interface is using logic level of 5V maximum.
WARNING: Do NOT connect a RS232 interface that operates at +/-12Volts!!

Important: warranty is lost if this modification is used.

- Cut the PCB trace between the connection point R and the FT230X pin 15.
- Connect the serial interface to GND, T and R. Be sure to use a 3V3 or 5V logic level!
- The +5V can be used to power and external interface if required. In this case the RFXtrx433E must be powered by a 5V power supply connected to the USB interface. The +5V can also be an input for powering the RFXtrx433XL. Do not exceed +5V or the RFXtrx433XL will be destroyed.
- The serial interface is using 38400,N,8,1
- Be sure not to use a serial device that produces RF noise at 433MHz. A bad example of such a device is the USR-TCP232 LAN device.

# 21. Recover from interrupted or wrong flash.

The RFXtrx can become in a loop after an interrupted flash or if you have flashed a wrong firmware. In this case the red LED stays on and no communication is possible.

1. Disconnect the USB,
2. Make a temporary connection (no soldering required) on the backside of the PCB as indicated below by the yellow connection,
3. Connect the USB,
4. Disconnect the temporary connection,
5. Start RFXflash and update the firmware.

**RFXtrx433XL V5.1**

RFXtrx433XL V5.0


RFXtrx433E

RFXtrx433

**RFXtrx868X RFXtrxX V1.0 USB FT232**

RFXtrx868X RFXtrxX V1.0 USB MCP2200


**RFXtrx868XL RFXtrx V6.1 USB FT230QX**

**RFXusb RFX433, RFXusb RFX868**

 OR

RFX433XL, RFX868XL

 OR

22. FAQ

22.1. Receive has stopped suddenly but transmit works.

Most probably a sensor is transmitting constantly. This could be for example an X10 MS13 motion sensor or weather sensor with almost empty battery. Or an outside weather sensor filled with water. Or a remote with a button pressed.
Test the RFXtrx with a remote or sensor on another location (> 1km away) using RFXmngr on a Windows system or laptop.

22.2. Can I increase the receive/transmit range of the RFXtrx?

First check chapter 2.5 for the best place for the RFXtrx antenna.
The switch board is not the best place for the RFXtrx because of all metal objects that will absorb or reflect the RF signals.
It is also advised to place the RFXtrx far away from PC's, routers, Raspberry PI … because of the RF noise those products produce, and this will reduce the receive range very much.
You can connect another 50ohm 70cm/433MHz antenna with more gain.
For example, http://www.ebay.com/itm/290979680030
Install this antenna on a metal plate of at least 30 cm for optimum result.

22.3. The RFXtrx USB connection disconnects sometimes.

This happens mostly on Raspberry PI with a low-quality power supply. Solution is to use a powered USB hub with a good quality power supply.
It can also happen if the USB cable is running along a power cable or a power device is switched on that produces a high-power spike like a fluorescent tube. Solution is to separate the USB cable from all other cables and/or use a powered USB hub with a good quality power supply.

22.4. I have a 433.92MHz sensor/remote but this device is not received.

Besides the frequency the used protocol and modulation type is also important.
See chapter 2 for the list of supported devices.

22.5. The wall plug is switched by the remote, the remote is received but the RFXtrx does not switch the module.

The remote transmits several protocols. The protocol used by the wall plug is not received by the RFXtrx but some other protocols are received.
Solution:
For the HomeEasy EU- HE8xx series: reset the module to remove all paired remotes and pair the module with the RFXtrx433E and one of remote codes that is received.
For IT modules FA500/PROmax: Pair the RFXtrx433E with the module using an IT device and select a random ID. The received remote code can be used to know if the module is switched by the remote.

23. EC Declaration of Conformity

EC Declaration of Conformity $C \epsilon$

RFXCOM declares that the product:

RFX433

Brand: RFXCOM   Type: RFXtrxUSB-RFX433, RFXusb-RFX433, RFX433XL

conforms with the essential requirements and other relevant provisions of the following directives and complies with the following standards applied:

RED 2014/53/EU	EN 300 220-1
	EN 300 220-2
EMC Directive 2004/108/EC	EN 301 489-1
	EN 301 489-3
LVD 2014/30/EU	EN 62368-1
	EN 62311
RoHS 2011/65/EU	EN 63000

24. Warning:

- RF signals are possible disturbed, and it has not been justified for this equipment at uses in circumstances where life-threatening or dangerous situations are possible.
- RFXCOM HARDWARE AND SOFTWARE IS NOT INTENDED FOR USE IN THE OPERATION OF NUCLEAR FACILITIES, AIRCRAFT NAVIGATION OR COMMUNICATION SYSTEMS, AIR TRAFFIC CONTROL SYSTEMS, LIFE SUPPORT MACHINES OR OTHER EQUIPMENT IN WHICH THE FAILURE OF THE SOFTWARE COULD LEAD TO DEATH, PERSONAL INJURY, OR SEVERE PHYSICAL OR ENVIRONMENTAL DAMAGE.

25. License

- You are allowed to use RFXCOM software, protocols and Written Materials with RFXCOM hardware only.
- All copyright and other proprietary notices associated with RFXCOM software, protocols and Written Materials shall be visible to all users.
- You may not sell, distribute, loan, rent, lease, license, sublicense or otherwise assign or transfer RFXCOM software or RFXtrx protocols or Written Materials unless expressly authorized in writing by RFXCOM.
- You may not use any RFXCOM device, software or protocol as part of an exclusive or patented product without the express prior written permission of RFXCOM.
- You may not alter, modify, adapt or create derivative works based on any part of RFXCOM software or protocols or Written Materials in any way, including translating, reverse engineering, disassembling or decompiling the software.

26. Copyright notice

- All RFXCOM hardware, software, protocols and Written Materials are protected by copyright laws, and may not be reproduced, republished, distributed, transmitted, displayed, broadcast or otherwise exploited in any manner without the express prior written permission of RFXCOM.
- Netherlands Copyright and international treaty provisions protect the SOFTWARE, HARDWARE, RFXtrx protocols and Written Materials and shall be subject to the exclusive jurisdiction of the Netherlands Courts
- RFXCOM reserves all rights not expressly granted herein.

27. Revision history

Version 0.0 – August 18, 2011
       Initial version.
Version 1.0 – October 30, 2011
       RFXflash under Mono added.
Version 2.0 – December 30, 2011
       Updated for the production version with FTDI USB chip
Version 2.1 – January 18, 2012
       Link for ACM to serial port added in Linux instruction.
       EC Declaration of Conformity added
Version 2.2 – February 8, 2012
       Protocols overview added
       Screen dumps updated
Version 2.3 – February 16, 2012
       Novatys planned
Version 2.4 – February 25, 2012
       General information updated
Version 2.5 – March 1, 2012
       Chapter added how to run RFXmngr or RFXflash on Linux.
Version 2.6 – March 14, 2012
       Code tables added
       Cresta, UPM added
Version 2.7 – March 15, 2012
       Flash procedure updated
Version 2.8 – March 31, 2012
       Phenix table added
Version 2.9 – March 31, 2012
       AB400 and Phenix address extended
Version 2.10 – April 16, 2012
       Linux USB - tty configuration updated
Version 2.11 – May 14, 2012
       List of supported protocols updated.
Version 2.12 – June 8, 2012
       Chapter added how to run RFXmngr or RFXflash on Mac OS
Version 2.13 – July 15, 2012
       List of supported protocols updated
Version 2.14 – August 4, 2012
       List of enabled protocols influence added
       RFXtrx315 added
Version 2.15 – August 18, 2012
       Enabled protocols table changed
Version 2.16 – August 26, 2012
       Rubicson stektermometer added
       ATI Remote Wonder II added
Version 2.17 – August 28, 2012
       Table "sensitivity influenced" updated
Version 2.18 – September 18, 2012
       Chapter 2.3 updated: BlindsT0 disables all other protocols
Version 2.19 – September 25, 2012
       RFXFlash version required changed to 4.0.0.0
Version 2.20 – September 28, 2012
       RF range reduction guide added
Version 2.21 – October 18, 2012
       BlindsT2 and BlindsT3 added
Version 2.22 – October 24, 2012
       Sartano added
Version 2.23 – October 31, 2012

Sensitivity table updated
Version 2.24 – November 7, 2012
    Protocol table extended with the protocols to enable for receive
Version 2.25 – November 14, 2012
    HE105 switch settings added
Version 2.26 – November 28, 2012
    undec on explained
Version 2.27 – December 4, 2012
    Use of Lighting4 commands for undec ARC
    Brennenstuhl added
Version 2.28 – December 18, 2012
    Receiver tab removed from RFXmngr
Version 2.29 – December 27, 2012
    Lighting4 receive added
Version 2.30 – January 1, 2013
    Raex motor added
Version 3.00 – January 4, 2013
    RFXtrx433 Type1/Type2 firmware added
Version 3.01 – February 4, 2013
    Supported protocols list updated
Version 4.00 – February 21, 2013
    Chapter 8 - Lighting4 screen updated for RFXmngr 11.0.0.0
    Known Lighting4 chapter added
Version 4.01 – March 13, 2013
    Receive of LaCrosse sometimes influenced by enabled Hideki
Version 4.02 – June 8, 2013
    MDREMOTE LED dimmer added
    Conrad RSL2 added
    Energenie added
Version 4.03 – September 27, 2013
    How to find the MDREMOTE ID (chapter 7.6)
    WS1200 added
    Byron SX Chime added
Version 4.04 – November 15, 2013
    Maverick ET-732 added
    Alecto SA30 added
    Oregon EW109 added
    Revolt added
Version 4.05 – December 5, 2013
    Blyss command explanation added.
    Lighting4 - Mercury added
    Lighting5 – dx.com RGB LED controller added
Version 4.06 – December 27, 2013
    Chapter 2.2 updated
Version 4.07 – February 10, 2014
    Chapter 7.8 added: how to find the dx.com RGB LED strip driver ID
Version 4.08 – March 20, 2014
    ARC and Oregon3.0 updated in table 2.4.
    Energenie 5-gang 429.950 added
Version 4.09 – April 4, 2014
    BlindsT6 - DC106, YOODA, Röhrmotor24 RMF added
Version 4.10 – April 7, 2014
    BlindsT7 - Forest added
Version 4.11 – April 28, 2014
    RGB LED – clarified AD is LightwaveRF
Version 4.12 – May 21, 2014
    Kambrook RF3672 added
    RFY protocol added

Somfy programming instructions added
Supported protocol list RFXtrx433 updated.
Protocol list by function added
Version 4.13 – May 31, 2014
Opus TX300/Imagintronix Soil sensor added
Version 4.14 – June 18, 2014
Prega sensor added
Conrad 34911 Lighting4 coding added
Version 4.15 – June 25, 2014
Kambrook, Rubicson, Viking supported in ext firmware
Number of RFY remotes increased from 16 to 30
Version 4.16 – June 29, 2014
RFXmngr cannot be used on Linux
Version 4.17 – July 3, 2014
CoCo GDR2 added
Version 4.18 – July 14, 2014
Opus TX300 link added
Version 4.19 – July 25, 2014
Aoke relay added
Version 4.20 – August 25, 2014
Enabling protocols clearified.
Version 4.21 – September 5, 2014
Meade sensors added
Oregon BTHGN129 sensor added
Version 4.22 – September 18, 2014
Eurodomest added (NL - Action)
Byron MP001 added
WT0122 added
Procedures added to find the Eurodomest and TRC02 ver2 ID
Version 4.23 – September 24, 2014
Proove TSS330 fridge/freezer sensor added
Version 4.24 – October 9, 2014
BlindsT0 added in ext firmware
Alecto WS1700 and compatibles added
Version 4.25 – December 13, 2014
Smartwares radiator valve added
Proove TSS320 sensor added
Version 4.26 – January 2, 2015
SelectPlus200689101 White Chime (Action NL) added
Version 4.27 – January 6, 2015
SelectPlus200689103 Black Chime (Action NL) added
Version 4.28 – January 7, 2015
Proove outdoor sensors 311346 & 311501 added
Etekcity Wireless Remote Control Outlet Switch (US)
Version 5.00 – January 10, 2015
Copyright message updated
License chapter added
RFXmngr information updated
Version 5.01 – February 27, 2015
Chapter 2.5 Lighting4 receive is reduced with HomeEasy EU enabled.
Chamberlain tubular motor added
Sunpery blind motors added
DEA Systems receivers added
Envivo ENV-1348 chime added
Alecto WS4500 added

Version 5.02 – March 18, 2015
        1byOne Easy Chime added
        BTX blind motors added
        Dolat DLM-1 blind motors added
        OTIO added
Version 5.03 – March 19, 2015
        TFA 30.3160 pool sensor added
Version 5.04 – April 14, 2015
        Chapter 4 updated with restrictions on Lighting4
        Siemens SF01 LF959RA50/LF259RB50/LF959RB50 extractor hood added
        Maplin N78KA added
Version 5.05 – May 2, 2015
        Dooya blind motors added
        Louvolite one touch motorised blinds added
        Alecto WS3500 added
Version 5.06 – May 4, 2015
        Current dx.com TRC02 LED drivers have a different protocol and are not supported.
Version 5.07 – June 1, 2015
        WH2 temperature humidity sensor added
        RGB LED controller http://www.ebay.com/itm/191481664563 (maybe dx.com 227892)
Version 5.08 – July 31, 2015
        Oregon MSR939 added
        ESMO blind motors added
        Brel blind motors added
        Blinds T6 type motors now also supported in Ext firmware
        Supported devices table 2.2.2. updated
Version 5.09 – Aug 12, 2015
        Luxaflex blind motors added
Version 5.10 – Aug 17, 2015
        JVS screen motors added
        Livolo NL link added
Version 5.11 – Aug 31, 2015
        ASA motors added
Version 5.12– Sept 14, 2015
        Home Confort added
Version 5.13– Oct 2, 2015
        Oregon GR101 received in Type1 firmware
        Conrad RSL sensors received in Type2 firmware
Version 5.14– Oct 7, 2015
        Quotidom blinds motor added
Version 5.15– Nov 06, 2015
        Banggood temp-hum sensor added
        Legrand CAD radio added
Version 5.16– Nov 26, 2015
        Proluxx codes corrected
Version 5.17– Dec 24, 2015
        RFXflash procedure updated
        Rubicson pool sensor 48.019 added
        Inovalley SM80 plant sensor added
        Lucci Air fan added
Version 5.18– Jan 1, 2016
        1byone Drive Way alarm added
Version 5.19– Feb 6, 2016
        Avantek added
        ASP blinds motors BlindsT11 added
        Maverick ET-733 added
        Profiles PAC-326R Belcanto chime added
        HQ COCO-20 added

Version 5.20– Feb 18, 2016
        BlindsT12 Confexx CNF24-2435 added
        IT FA500, PROmax… added
        Ext2 fimware overview added in chapter 2
        Auriol Z31055B-TX added
        Chuango, Eminent security sensors added
Version 5.21– May 6, 2016
        Cartelectronic TIC and Encoder added
        FAQ chapter added
Version 5.22– May 14, 2016
        Corrected: TX95 is using the Rubicson protocol
        MDRemote V108 added
Version 5.23– June 10, 2016
        Motolux blinds motor added
        Auriol H13726, Hama EWS1500, Meteoscan W155/W160, Ventus WS155 added
        FAQ updated
Version 5.24– June 21, 2016
        Seav TXS4 added
Version 5.25– Aug 6, 2016
        ORNO added
Version 5.26– Sept 6, 2016
        Added: How to find the SEAV TXS4 ID
Version 5.27– Oct 09, 2016
        Westinghouse fan 7226640 added
        THN129 added
        TFA 30.3056 pool sensor added
Version 5.28– Oct 19, 2016
        MCZ pellet stove added
        Alecto SA33 added
        Smartwares RM174RF smoke detector added
Version 5.29– Nov 27, 2016
        SilverCrest 91089 added
        Mertik G6R-H4S added
        Marquant 943134
        MCZ pellet stove instructions added
Version 5.30– Dec 6, 2016
        Kerui security sensors added
        Screenline added
Version 5.31– Dec 15, 2016
        Flamingo smartwares SF501 added
Version 5.32– Jan 02, 2017
        Kangtai, Cotech added
Version 5.33– Feb 01, 2017
        Cranenbroek added
        Unitec 48110 EIM 826 added
        SilverCrest 60494 added
        WSD10 added
Version 5.34– March 08, 2017
        Housegard Origo smoke detector added
        Pearl NC-7159 added
        Ambient Weather & Froggit F007TH added
        TFA 30.3208.02 sensor added
Version 5.35– March 20, 2017
        Silverline Premium motor added
        Dooya DT82 instructions added

Version 5.36– April 25, 2017
    Quigg added
    OTIO EHS5050 added
    Blyss temperature/humidity sensor 630467 added
    Outlook Motion Blinds added
Version 5.37– May 5, 2017
    Cartelectronic TIC in Type2 and Ext2
Version 5.38– May 22, 2017
    BBSB not in Ext2
    Profile Qnect added
Version 5.39– July 28, 2017
    Banggood DANIU sensor added
    Somfy usage remarks added
    Brennenstuhl RC2044 added
Version 5.40– Sept 18, 2017
    Blyss temp/hum added in Ext
    Cartelectronic Linky added
Version 5.41– Sept 24, 2017
    Sonoff RF added
    Rollertrol G series added
Version 5.42– Oct 26, 2017
    Dooya DC2770, DT52E added
Version 5.43– Nov 1, 2017
    A-OK AC127, AC129 added
Version 5.44– Nov 11, 2017
    Digoo DG-R8H added
Version 5.45– Nov 23, 2017
    SilverCrest 284705 added
Version 5.46– March 2, 2018
    Nexa NBA-001 added
    Kimex projection screen added
Version 5.47– March 13, 2018
    Lighting4 PT2262 EV1527 info added
    Telldus Thermo/Hygro sensors 313159 and 313160
Version 5.48– July 28, 2018
    Supported Protocols list updated
    FunkBus (Gira, Jung, Berker, Insta) added
    Nobily rolladenmotor added
    LucciAir DC added
Version 5.49– Aug 18, 2018
    Supported Protocols list updated
Version 5.50– Sep 26, 2018
    Cotech Ekstra temperaturgiver/hygrometer added
    Supported Protocols list updated for RFXtrx433XL
Version 5.51– Sep 28, 2018
    RFXtrx433XL Dutch P1 smart meter connection added
Version 5.52– Oct 3, 2018
    RFXtrx433XL serial connection added
Version 5.53– Oct 12, 2018
    P1 smart meter connection updated
    RFXtrx433XL French Teleinfo connection added
    Mertik G6R-H3T1 added
Version 5.54– Oct 16, 2018
    Teleinfo interface circuit added
Version 5.55– Oct 17, 2018
    Firmware recovery procedure added

Version 5.56– Nov 3, 2018
        P1 and Teleinfo resistor R15 change added
Version 5.57– Nov 30, 2018
        P1 and Teleinfo updated
Version 5.58– Dec 2, 2018
        How to move RFY devices to another RFXtrx433E or RFXtrx433XL
Version 5.59– Jan 5, 2019
        Funkbus transmit only
        Motiva blinds added
        Envivo chime added in XL
        Byron BY chime added
Version 5.60– April 03, 2019
        P1 DIY cable connection added
        P1 option boards added
        RFXtrx868 supported protocols updated
        Alfawise and dBell added
        inblindz added
        Homeconfort, Siemens SF01 receive added
        Bresser Temeo Hygro added
        Digoo door/window sensor added
        Monaco wireless doorbell added
        CasaFan Eco Aviatos RH787T added
        Motostar blinds added
Version 5.61– April 25, 2019
        Procedure how to move RFY devices updated.
        Teleinfo option PCB added.
Version 5.62– May 04, 2019
        RM174RF, RM175RF added in Pro firmware
Version 5.63– May 07, 2019
        Omnia Go blinds added
        Teleinfo setting – Inverted polarity
Version 5.64– July 23, 2019
        Faher blinds motor added
        Profitec KD310T added
        Kerui siren added
        RM174RF, RM175RF transmit added
Version 5.65– Aug 12, 2019
        Recover RFXtrx868 added
        Hunter fan added
        Novy extractor hood added
Version 5.65a– Aug 12, 2019
        MCZ receive updated in 2.2.2.
Version 5.66– Sept 30, 2019
        Smartwares RM174RF/RM175RF receive only
        Teleinfo interface updated
Version 5.67– Jan 11, 2020
        Simu Hz indicated (BHz is not supported)
        Dooya Bi-Directional is not supported!
        SAS SA-200 added
        RAIN9 - TFA 30.3233.01 rain sensor added
        Gaposa QCTR5
Version 5.67a– Feb 5, 2020
        The new TFA rain sensor 30.3233 only supported in Pro2, ProXL1 and ProXL2
Version 5.68– Feb 26, 2020
        Cherubini added
Version 5.69– June 2, 2020
        Cherubini ID 10 xx xx added

Version 5.70– Dec 15, 2020
    Louvolite one touch Vogue vertical blinds added
Version 5.71– April 7, 2021
    ProXL2 firmware added
    Ozroll E-Trans added
    Bresser 7009981, 7009994, 7009997 added
    1byOne QH A19 rev10 added
Version 5.72– March 22, 2022
    Ikea Koppla added in Pro2
    Byron DBY-23711B added
    Gazco heater added
Version 5.73– July 12, 2022
    TFA Pro 35.1161, 30.3249.02, 30.3233.01, 30.3251.10
    LaCrosse TX141TH, TX141W, WS1652, TX145R
Version 5.73a– Aug 8, 2022
    Not in ProXL2:
    - TFA Pro 35.1161, 30.3249.02, 30.3233.01, 30.3251.10
    - LaCrosse TX141TH, TX141W, WS1652, TX145R
Version 5.74– Nov 3, 2022
    - TFA 30.3247.02 added
    - Itho CVE ECO RFT (RFXtrx868) added
    - Orcon (RFXtrx868) added
Version 5.75– Dec 23, 2022
    - RFX433 and ProXL69 added
Version 5.76– Jan 1, 2023
    - RFX868 – Alecto5500 changed to FineOffset
Version 5.77– Jan 20, 2023
    - RFXtrxWifi information added
Version 5.78– Jan 30, 2023
    - RFX433/RFX868 boot load recovery added
Version 5.79– Feb 24, 2023
    - RFX433 firmware list updated
Version 5.80– May 7, 2023
    - Siemens SF01 ID added
    - Rain sensor added
Version 5.81– June 10, 2023
    - RFX310 added
Version 5.82– July 1, 2023
    - P1 connection for RFXusb-RFX433 and RFX433XL added.
Version 5.83– July 21, 2023
    - Brel, Dooya, Motionblinds, Yooda bi-directional added
Version 5.84– August 31, 2023
    - Wifi chapter updated
Version 5.85– Sept 5, 2023
    - Jysk Huglo added
Version 5.86– Oct 6, 2023
    - Instruction added how to install the Wifi module.
Version 5.87– Nov 1, 2023
    - Lists of supported protocols updated
    - Wifi restore text updated