

- WSDL


This XML file does not appear to have any style information associated with it. The document tree is shown below.

```


<?xml version="1.0" encoding="UTF-8" standalone="no" ?>
<definitions xmlns:wsa="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd" xmlns:ws="http://www.w3.org/2003/05/soap-envelope" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:soap="http://schemas.xmlsoap.org/soap/" xmlns:tns="http://ws/" targetNamespace="http://ws/" name="BanqueWS">
  <types>
    <xsd:schema>
      <xsd:import namespace="http://ws/" schemaLocation="http://localhost:9191/xsd1" />
    </xsd:schema>
  </types>
  <message name="Convert">
    <part name="parameters" element="tns:Convert"/>
  </message>
  <message name="ConvertResponse">
    <part name="parameters" element="tns:ConvertResponse"/>
  </message>
  <message name="listComptes">
    <part name="parameters" element="tns:listComptes"/>
  </message>
  <message name="listComptesResponse">
    <part name="parameters" element="tns:listComptesResponse"/>
  </message>
  <message name="getCompte">
    <part name="parameters" element="tns:getCompte"/>
  </message>
  <message name="getCompteResponse">
    <part name="parameters" element="tns:getCompteResponse"/>
  </message>
  <portType name="BanqueService">
    <operation name="Convert">
      <input wsam:Action="http://ws/BanqueService/ConvertRequest" message="tns:Convert"/>
      <output wsam:Action="http://ws/BanqueService/ConvertResponse" message="tns:ConvertResponse"/>
    </operation>
    <operation name="listComptes">
      <input wsam:Action="http://ws/BanqueService/listComptesRequest" message="tns:listComptes"/>
      <output wsam:Action="http://ws/BanqueService/listComptesResponse" message="tns:listComptesResponse"/>
    </operation>
    <operation name="getCompte">
      <input wsam:Action="http://ws/BanqueService/getCompteRequest" message="tns:getCompte"/>
      <output wsam:Action="http://ws/BanqueService/getCompteResponse" message="tns:getCompteResponse"/>
    </operation>
  </portType>
  <binding name="BanqueServicePortBinding" type="tns:BanqueService">
    <soap:binding transport="http://schemas.xmlsoap.org/soap/http" style="document"/>
    <operation name="Convert">
      <soap:operation soapAction="" />
      <input>
        <soap:body use="literal"/>
      </input>
      <output>
        <soap:body use="literal"/>
      </output>
    </operation>
    <operation name="listComptes">
      <soap:operation soapAction="" />
      <input>
        <soap:body use="literal"/>
      </input>
      <output>
        <soap:body use="literal"/>
      </output>
    </operation>
  </binding>

```


- Methode convert




- Get compte Methode




- Liste compte



- Après l'utilisation de l'annotation @xmltransient



- Generate java class from wsdl



- Test

