

CSS Font Families

In CSS, there are two types of font family names:

- **generic family** - a group of font families with a similar look (like "Serif" or "Monospace")
- **font family** - a specific font family (like "Times New Roman" or "Arial")

Generic family	Font family	Description
Serif	Times New Roman Georgia	Serif fonts have small lines at the ends on some characters
Sans-serif	Arial Verdana	"Sans" means without - these fonts do not have the lines at the ends of characters
Monospace	Courier New Lucida Console	All monospace characters have the same width

Note: On computer screens, sans-serif fonts are considered easier to read than serif fonts.

Font Family

The font family of a text is set with the `font-family` property.

The `font-family` property should hold several font names as a "fallback" system. If the browser does not support the first font, it tries the next font, and so on.

Start with the font you want, and end with a generic family, to let the browser pick a similar font in the generic family, if no other fonts are available.

Note: If the name of a font family is more than one word, it must be in quotation marks, like: "Times New Roman".

More than one font family is specified in a comma-separated list:

Example

```
p {  
    font-family: "Times New Roman", Times, serif;  
}
```

[Try it Yourself »](#)

For commonly used font combinations, look at our [Web Safe Font Combinations](#).

Font Style

The `font-style` property is mostly used to specify italic text.

This property has three values:

- normal - The text is shown normally
- italic - The text is shown in italics
- oblique - The text is "leaning" (oblique is very similar to italic, but less supported)

Example

```
p.normal {  
    font-style: normal;  
}  
  
p.italic {  
    font-style: italic;  
}  
  
p.oblique {  
    font-style: oblique;  
}
```