

# JobQuest 1.0 OAS3

http://localhost:5034/swagger/v1/swagger.json

## Account

**POST /Register**

**Parameters**

Name	Description
UserName <small>string (query)</small>	<input type="text" value="UserName"/>
Password <small>string (query)</small>	<input type="text" value="Password"/>
Email <small>string (query)</small>	<input type="text" value="Email"/>

**Responses**

Code	Description	Links
200	Success	No links

**POST /Login**

**Parameters**

Name	Description
UserName <small>string (query)</small>	<input type="text" value="UserName"/>
Password <small>string (query)</small>	<input type="text" value="Password"/>

**Responses**

Code	Description	Links
200	Success	No links

## Client

**PUT /api/client**

**Parameters**

No parameters

**Request body**

**application/json**

**Example Value | Schema**

```
{ "firstName": "string", "lastName": "string", "email": "string", "country": "string", "phone": "string" }
```

**Responses**

Code	Description	Links
200	Success	No links

**PUT /api/Client/{id}**

**Parameters**

Name	Description
<b>id</b> * required integer(\$int32)	id (path)

**Request body**

application/json

**Example Value | Schema**

```
{
  "firstName": "string",
  "lastName": "string",
  "email": "string",
  "country": "string",
  "phone": "string"
}
```

**Responses**

Code	Description	Links
200	Success	No links

## Contract

**GET /api/Contracts/{id}**

**Parameters**

Name	Description
<b>id</b> * required integer(\$int32)	id (path)

**Responses**

Code	Description	Links
200	Success	No links

Media type

text/plain

Controls Accept header.

**Example Value | Schema**

```
{
  "startDate": "2024-09-23T15:40:42.699Z",
  "endDate": "2024-09-23T15:40:42.699Z",
  "status": 0,
  "freelancerID": 0,
  "clientID": 0
}
```

**PUT /api/Contracts/{id}**

**Parameters**

Name	Description
<b>id</b> * required integer(\$int32)	id (path)

**Request body**

application/json

**Example Value | Schema**

```
{  
    "startDate": "2024-09-23T15:40:42.701Z",  
    "endDate": "2024-09-23T15:40:42.701Z",  
    "status": 0,  
    "freelancerID": 0,  
    "clientID": 0  
}
```

#### Responses

##### Code Description

##### Links

200	Success	No links
-----	---------	----------

### DELETE /api/Contracts/{id}

Try it out

#### Parameters

##### Name Description

**id** \* required  
integer(\$int32) id  
(path)

#### Responses

##### Code Description

##### Links

200	Success	No links
-----	---------	----------

### POST /api/Contracts

Try it out

#### Parameters

No parameters

Request body

application/json

##### Example Value | Schema

```
{  
    "startDate": "2024-09-23T15:40:42.706Z",  
    "endDate": "2024-09-23T15:40:42.706Z",  
    "status": 0,  
    "freelancerID": 0,  
    "clientID": 0  
}
```

#### Responses

##### Code Description

##### Links

200	Success	No links
-----	---------	----------

## Freelancer

### POST /api/Freelancer

Try it out

#### Parameters

No parameters

Request body

application/json

##### Example Value | Schema

```
{  
    "specialization": "string",  
    "hourlyRate": 0,  
    "experience": "string",  
    "country": "string",  
    "phone": "string",  
    "firstName": "string",  
    "lastName": "string"  
}
```

## Responses

Code	Description	Links
200	Success	No links

PUT /api/Freelancer/{id}

Try it out

## Parameters

### Name Description

**id** \* required

integer(\$int32)  
(path)

## Request body

application/json

### Example Value | Schema

```
{  
  "specialization": "string",  
  "hourlyRate": 0,  
  "experience": "string",  
  "country": "string",  
  "phone": "string",  
  "firstName": "string",  
  "lastName": "string"  
}
```

## Responses

Code	Description	Links
200	Success	No links

DELETE /api/Freelancer/{id}

Try it out

## Parameters

### Name Description

**id** \* required

integer(\$int32)  
(path)

## Responses

Code	Description	Links
200	Success	No links

POST /api/Freelancer/{freelancerId}/skills

Try it out

## Parameters

### Name Description

**freelancerId** \* required

integer(\$int32)  
(path)

## Request body

application/json

### Example Value | Schema

```
{  
  "name": "string"  
}
```

## Responses

Code	Description	Links
------	-------------	-------

200	Success	No links
-----	---------	----------

**DELETE /api/Freelancer/{freelancerId}/skills/{skillId}**

**Parameters**

Name	Description
freelancerId <small>* required</small> integer(\$int32) (path)	freelancerId
skillId <small>* required</small> integer(\$int32) (path)	skillId

**Responses**

Code	Description	Links
200	SUCCESS	No links

## Job

**GET /api/Job/{Id}**

**Parameters**

Name	Description
Id <small>* required</small> integer(\$int32) (path)	Id

**Responses**

Code	Description	Links
200	Success	No links

**POST /api/Job**

**Parameters**

No parameters

**Request body**

application/json

**Example Value | Schema**

```
{
  "clientID": 0,
  "jobTitle": "string",
  "jobDescription": "string",
  "category": 0,
  "jobBudget": 0,
  "jobTimeline": "string"
}
```

**Responses**

Code	Description	Links
200	Success	No links

**PUT /api/Job/{id}**

**Parameters**

Name	Description
------	-------------

**id** \* required  
integer(\$int32)  
(path)

Request body

application/json

[Example Value](#) | [Schema](#)

```
{  
    "clientID": 0,  
    "jobTitle": "string",  
    "jobDescription": "string",  
    "category": 0,  
    "jobBudget": 0,  
    "jobTimeline": "string"  
}
```

## Responses

Code	Description	Links
200	Success	No links

**GET** /api/Job/delete/{id}

## Parameters

[Try it out](#)

Name	Description
<b>id</b> * required integer(\$int32) (path)	

## Responses

Code	Description	Links
200	Success	No links

**GET** /api/Job/category/{category}

## Parameters

[Try it out](#)

Name	Description
<b>category</b> * required integer(\$int32) (path)	Available values : 0, 1, 2, 3 <input type="button" value="0"/> <input type="button" value="▼"/>

## Responses

Code	Description	Links
200	Success	No links

**GET** /api/Job/budget/{budget}/{select}

## Parameters

[Try it out](#)

Name	Description
<b>budget</b> * required integer(\$int32) (path)	<input type="text" value="budget"/>
<b>select</b> * required boolean (path)	<input type="button" value="--"/> <input type="button" value="▼"/>

## Responses

Code	Description	Links
200	Success	No links

## Proposal



**GET** /api/Proposals/{id}

[Try it out](#)

### Parameters

Name Description

**id** \* required

integer(\$int32)  
(path)

[Try it out](#)

### Responses

Code Description

Links

200 Success

No links

**PUT** /api/Proposals/{id}

[Try it out](#)

### Parameters

Name Description

**id** \* required

integer(\$int32)  
(path)

[Try it out](#)

Request body

application/json

Example Value | Schema

```
{
  "proposalText": "string",
  "bidAmount": 0,
  "jobID": 0,
  "freelancerID": 0,
  "status": 0,
  "submittedAt": "2024-09-23T15:40:42.733Z"
}
```



### Responses

Code Description

Links

200 Success

No links

**POST** /api/Proposals

[Try it out](#)

### Parameters

No parameters

[Try it out](#)

Request body

application/json

Example Value | Schema

```
{
  "proposalText": "string",
  "bidAmount": 0,
  "jobID": 0,
  "freelancerID": 0,
  "status": 0,
  "submittedAt": "2024-09-23T15:40:42.736Z"
}
```



### Responses

Code Description

Links

200 Success

No links

SUCCESS

Schemas

