

JobQuest 1.0 OAS3

https://localhost:44361/swagger/v1/swagger.json

Client

PUT /api/client

Parameters

No parameters

Request body application/json

Example Value | **Schema**

```
{  
    "firstName": "string",  
    "lastName": "string",  
    "email": "string",  
    "country": "string",  
    "phone": "string"  
}
```

Responses

Code	Description	Links
200	Success	No links

PUT /api/Client/{id}

Parameters

Name	Description
id * required integer(\$int32)	id (path)

Request body application/json

Example Value | **Schema**

```
{  
    "firstName": "string",  
    "lastName": "string",  
    "email": "string",  
    "country": "string",  
    "phone": "string"  
}
```

Responses

Code	Description	Links
200	Success	No links

Contract

GET /api/Contracts/{id}

Parameters

Name	Description
id * required integer(\$int32)	id (path)

Responses

Code	Description	Links
200	Success	No links

Media type

▼

Controls Accept header.

[Example Value](#) | [Schema](#)

```
{  
    "startDate": "2024-05-05T22:59:38.706Z",  
    "endDate": "2024-05-05T22:59:38.706Z",  
    "status": 0,  
    "freelancerID": 0,  
    "clientID": 0  
}
```

PUT /api/Contracts/{id} ^

Parameters

[Try it out](#)

Name	Description
id * required integer(\$int32) (path)	

Request body

[application/json](#) ▼

[Example Value](#) | [Schema](#)

```
{  
    "startDate": "2024-05-05T22:59:38.708Z",  
    "endDate": "2024-05-05T22:59:38.708Z",  
    "status": 0,  
    "freelancerID": 0,  
    "clientID": 0  
}
```

Responses

Code	Description	Links
200	Success	No links

DELETE /api/Contracts/{id} ^

Parameters

[Try it out](#)

Name	Description
id * required integer(\$int32) (path)	

Responses

Code	Description	Links
200	Success	No links

POST /api/Contracts ^

Parameters

[Try it out](#)

No parameters

Request body

[application/json](#) ▼

[Example Value](#) | [Schema](#)

```
{  
    "startDate": "2024-05-05T22:59:38.711Z",  
    "endDate": "2024-05-05T22:59:38.711Z",  
    "status": 0,  
    "freelancerID": 0,  
    "clientID": 0  
}
```

Responses

Code	Description	Links
200	Success	No links

Freelancer

POST /api/Freelancer

Parameters

Try it out

No parameters

Request body

application/json

Example Value | Schema

```
{  
    "specialization": "string",  
    "hourlyRate": 0,  
    "experience": "string",  
    "country": "string",  
    "phone": "string",  
    "firstName": "string",  
    "lastName": "string"  
}
```

Responses

Code	Description	Links
200	Success	No links

PUT /api/Freelancer/{id}

Parameters

Try it out

Name Description

id * required
integer(\$int32) id
(path)

Request body

application/json

Example Value | Schema

```
{  
    "specialization": "string",  
    "hourlyRate": 0,  
    "experience": "string",  
    "country": "string",  
    "phone": "string",  
    "firstName": "string",  
    "lastName": "string"  
}
```

Responses

Code	Description	Links
200	Success	No links

DELETE /api/Freelancer/{id}

Parameters

Try it out

Name Description

id * required
integer(\$int32) id
(path)

Responses

Code	Description	Links
200	Success	No links

POST /api/Freelancer/{freelancerId}/skills

Parameters

Name	Description
freelancerId * required	freelancerId integer(\$int32) (path)

Request body

Example Value | Schema

```
{
  "name": "string"
}
```

Responses

Code	Description	Links
200	Success	No links

DELETE /api/Freelancer/{freelancerId}/skills/{skillId}

Parameters

Name	Description
freelancerId * required	freelancerId integer(\$int32) (path)
skillId * required	skillId integer(\$int32) (path)

Responses

Code	Description	Links
200	Success	No links

Job

GET /api/Job/{Id}

Parameters

Name	Description
id * required	id integer(\$int32) (path)

Responses

Code	Description	Links
200	Success	No links

POST /api/Job

Parameters

No parameters

Request body

Example Value | Schema

```
{  
  "clientID": 0,  
  "jobTitle": "string",  
  "jobDescription": "string",  
  "category": 0,  
  "jobBudget": 0,  
  "jobTimeline": "string"  
}
```

Responses

Code	Description	Links
200	Success	No links

PUT /api/Job/{id}

Parameters

Name Description

id * required
integer(\$int32) id
(path)

Request body

Example Value | Schema

```
{  
  "clientID": 0,  
  "jobTitle": "string",  
  "jobDescription": "string",  
  "category": 0,  
  "jobBudget": 0,  
  "jobTimeline": "string"  
}
```

Responses

Code	Description	Links
200	Success	No links

GET /api/Job/delete/{id}

Parameters

Name Description

id * required
integer(\$int32) id
(path)

Responses

Code	Description	Links
200	Success	No links

GET /api/Job/category/{category}

Parameters

Name Description

category * required

integer(\$int32) Available values: 0, 1, 2, 3
(path)

Responses

Code	Description	Links
200	Success	No links

GET /api/Job/budget/{budget}/{select}

Parameters

Name	Description
budget * required integer(\$int32) (path)	budget
select * required boolean (path)	--

Responses

Code	Description	Links
200	Success	No links

Proposal

GET /api/Proposals/{id}

Parameters

Name	Description
id * required integer(\$int32) (path)	id

Responses

Code	Description	Links
200	Success	No links

PUT /api/Proposals/{id}

Parameters

Name	Description
id * required integer(\$int32) (path)	id

Request body

application/json

Example Value | Schema

```
{  
  "proposalText": "string",  
  "bidAmount": 0,  
  "jobID": 0,  
  "freelancerID": 0,  
  "status": 0,  
  "submittedAt": "2024-05-05T22:59:38.759Z"  
}
```

Responses

Code	Description	Links
200	Success	No links

POST /api/Proposals ^

Parameters [Try it out](#)

No parameters

Request body application/json

[Example Value](#) | [Schema](#)

```
{
  "proposalText": "string",
  "bidAmount": 0,
  "jobID": 0,
  "freelancerID": 0,
  "status": 0,
  "submittedAt": "2024-05-05T22:59:38.761Z"
}
```

Responses

Code	Description	Links
200	Success	No links

Schemas ^

- [ClientDTO](#) >
- [ContractDTO](#) >
- [ContractStatus](#) >
- [FreelancerDTO](#) >
- [JobCategoryEnum](#) >
- [JobDTO](#) >
- [ProposalDTO](#) >
- [ProposalStatus](#) >
- [SkillDTO](#) >